

NG
Brake Disc

2.019
JUNE

GENERAL AND UPDATED MONTHLY

MADE IN SPAIN

MIN. TH. 2.7

BRK1150
12635R

NG
Brake Disc

KBA61231

NG
Brake Disc

Enjoy Every Braking...



JOHANN ZARCO
WORLD CHAMPION
MOTO 2



MARVIN FRITZ
CHAMPION
SUPERBIKE IDM

ÍNDICE / INDEX

CAMPEONATO DEL MUNDO MOTO2 / MOTO2 WORLD CHAMPIONSHIP	
PRESENTACIÓN / PROFILE	
INFORMACIÓN TÉCNICA / TECHNICAL INFORMATION	
CERTIFICADO HOMOLOGACIÓN TÜV / TÜV HOMOLOGATION CERTIFIED	
DISCOS / DISCS SUPERSPORT 300	
DISCOS / DISCS CROSS RACING JUNIOR 50 TO 110 CC.	2 - 24
DISCOS / DISCS CUSTOM - TOURING - RETRO - VINTAGE	
DISCOS FLOTANTES CON NÚCLEO DE ALUMINIO / FLOATING ALUMINIUM DISCS WITH ALUMINIUM CENTER	
DISCOS TRASEROS TRIAL S/ "FIM 2017 / 2019" / REAR TRIAL DISCS "FIM 2017 / 2019"	
KITS SOBREDIMENSIONADOS / OVERSIZE KIT	
DISCOS SCOOTER MULTIDISCO / MULTIDISC	
DISCOS POR MARCAS / BRAKE DISCS BY BRANDS	25 - 222
DISCOS SIN VENTILACIONES / DISCS WITHOUT VENTILATIONS	
DISCOS ATV POR MARCAS / ATV BRAKE DISCS BY BRAND	223 - 248
PLATOS CADENA / SPROCKETS	
DISCOS BICICLETA / BICYCLE DISCS	249 - 250
DIBUJOS POR REFERENCIA / DRAWINGS BY REFERENCES	251 - 298
DISTRIBUIDORES INTERNACIONALES / WORLDWIDE DISTRIBUTORS	300 - 301

moto2™




Brand Binder



Miguel Oliveira

NG - MOTO2 WORLD CHAMPIONSHIP 2017





La empresa **TECNOLOGIES METALURGICAS MT SL**, fue fundada en 1969 y su principal actividad era la fabricación de moldes y matrices. En 1992, la Dirección de la empresa decidió ampliar su negocio y comenzó a fabricar discos de freno de moto con la marca **NG BRAKE DISC**.

En ese momento la marca se convierte en proveedor de importantes fabricantes de motos como **DERBI, RIEJU, YAMAHA, HONDA**, etc. Y se especializa en el **After Market** (recambio).

En el año 2006 la empresa, ya en manos de una nueva generación, decide iniciar un proceso de internacionalización del producto **After Market** (recambio). Esta decisión, llevada a cabo por un gran equipo de gente, les ha llevado a exportar a más de 40 países de los 5 continentes: **USA, Japón, Australia, Francia, Sudáfrica**, etc. Convirtiéndose así en un referente en la industria del disco de freno de moto.

Desde hace unos años, la marca **NG** ha apostado por el mundo de la competición, y es sponsor en el mundial de **MotoGP**, en la categoría **MOTO2**; en la que ha sido campeona del mundo dos veces (2015 y 2016) con el piloto **Johan Zarco** y tercera en 2017 con **Miguel Oliveira**, siempre junto al equipo **KTM-AJO MOTORSPORT**.

Todos estos logros, unidos al esfuerzo y pasión de todo el equipo de **NG**, hacen que la marca siga en continua evolución, creciendo día a día, para ser siempre una referencia en calidad y servicio.

TECNOLOGIES METAL·LÚRGICAS MT S.L was founded in 1969 and its main activity was the manufacturing of molds.

In 1992, the Management of the Company decided to expand the business and it began to produce brake discs for bikes under the Brand **NG BRAKE DISC**. In that moment, the Brand became the supplier of important motorcycle's manufacturers as **DERBI, RIEJU, YAMAHA, HONDA**, etc. And it specialized in the **After Market**.

In 2006 the Company, in hands of a new generation, decided to begin an internationalization process of the **After Market** product. This decision, carried out by a great team of people, opened their market to more than 40 countries of the 5 continents: **USA, Japan, Australia, France, South Africa**, etc. Becoming that way in a reference of the brake discs industry for motorcycles.

Since some years ago, the Brand **NG** bet on Competition world, and nowadays it is sponsor in **Moto GP World** championship, in **MOTO2** category; the brand has been world champion twice, in 2015 and 2016 with **Johan Zarco**, and 3rd in 2017 with **Miguel Oliveira**, always with **KTM-AJO MOTORSPORT** team.

All these achievements, together with the effort and passion of all the **NG** team, push the Brand to a continuous evolution, growing day by day to be always an example in quality and service.

PRESENTACION / PROFILE

Marcas de fabricación OEM (Primeras marcas originales) OEM manufacturer brands:




Todas las marcas son propiedad de sus respectivos fabricantes / All trademarks are property of their respective owner


DISEÑO Y FABRICACIÓN / DESIGN AND MANUFACTURING.




>Fabrica / Factory




>I+D+I




>CAD/CAM/CAE



>Analisis de esfuerzos / Stress Simulation



>Materia Prima / Raw material



>Laser / Laser cut



>Prensa / Press machine



>Mecanizado / Mechanized



>Grabacion disco / Engraving disc



>Verificacion / Verification



>Embalaje / Packing



>Almacen / Storehouse

TAKE A LOOK AND CHOOSE THE MOST ADVANCED BRAKE DISCS IN THE MARKET.

ENJOY EVERY CURVE... ENJOY EVERY BRAKING...




Management
System
ISO 9001:2008

www.tuv.com
ID 9105024550

INFORMACION TECNICA / TECHNICAL INFORMATION

DISCOS CLASIFICADOS X MARCAS / BRAKE DISCS BY BRANDS

FRONT													REAR												
																									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
MARCA / BRAND			CILINDRADA / CYLINDER CAPACITY	MODELO / MODEL	AÑO DE FABRICACION / MANUFACTURING YEAR	REFERENCIA NG / NG REFERENCE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLER Ø	MARCA / BRAND			CILINDRADA / CYLINDER CAPACITY	MODELO / MODEL	AÑO DE FABRICACION / MANUFACTURING YEAR	REFERENCIA NG / NG REFERENCE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLER Ø
AS 2T			50 c.c.	ADLY	17/18	S	-X	L	S	-	-	-	-	Drum			-	-	-	-	-	-	-	-	-
COUGAR 2T			50 c.c.	ADLY	17/18	S	-	L	S	-	-	-	-	Drum			-	-	-	-	-	-	-	-	-

1 MARCA / BRAND

2 CILINDRADA / CYLINDER CAPACITY (E = VEHICULOS ELECTRICOS / ELECTRIC VEHICLES)

3 MODELO / MODEL

4 AÑO DE FABRICACION / MANUFACTURING YEAR

5 REFERENCIA NG / NG REFERENCE

0000 / A / E / S / ST - STANDARD REDONDO / FIXED ROUND

0000 / F - FLOTANTE REDONDO / FLOATING ROUND

0000X / XA / XAT / XE / XS / XK - STANDARD ONDULADO / FIXED CONTOURED

0000X / XF - FLOTANTE ONDULADO / FLOATING CONTOURED

0000G - FLOTANTE REDONDO NUCLEO ALUMINIO / FLOATING ROUND WITH ALUMINIUM CENTER

0000XG - FLOTANTE ONDULADO NUCLEO ALUMINIO / FLOATING CONTOURED WITH ALUMINIUM CENTER

0000XBH - FLOTANTE ONDULADO CON REGATAS / FLOATING CONTOURED WITH SLOTS

0000SP - STANDARD O FLOTANTE REDONDO SIN VENTILACIONES / FIXED OR FLOATING ROUND WITHOUT VENTILATIONS

0000XSP - STANDARD O FLOTANTE ONDULADO SIN VENTILACIONES / FIXED OR FLOATING CONTOURED WITHOUT VENTILATIONS

0000XSPG - FLOTANTE ONDULADO SIN VENTILACIONES NUCLEO ALUMINIO / FLOATING CONTOURED WITHOUT VENTILATIONS WITH ALUMINIUM CENTER

0000K00 - KIT REDONDO SOBREDIMENSIONADO / OVERSIZE KIT ROUND

0000GK00 - KIT REDONDO SOBREDIMENSIONADO NUCLEO ALUMINIO / OVERSIZE KIT ROUND WITH ALUMINIUM CENTER

0000SPK00 - KIT REDONDO SOBREDIMENSIONADO SIN VENTILACIONES / OVERSIZE KIT ROUND WITHOUT VENTILATIONS

0000SPGK00 - KIT REDONDO SOBREDIMENSIONADO NUCLEO ALUMINIO SIN VENTILACIONES / OVERSIZE KIT ROUND ALUMINIUM CENTER W/O VENTILATIONS

0000XK00 - KIT ONDULADO SOBREDIMENSIONADO / OVERSIZE KIT CONTOURED

0000XGK00 - KIT ONDULADO SOBREDIMENSIONADO NUCLEO ALUMINIO / OVERSIZE KIT CONTOURED WITH ALUMINIUM CENTER

0000XSPK00 - KIT ONDULADO SOBREDIMENSIONADO SIN VENTILACIONES / OVERSIZE KIT CONTOURED WITHOUT VENTILATIONS

0000XBHK00 - KIT ONDULADO SOBREDIMENSIONADO CON REGATAS / OVERSIZE KIT CONTOURED WITH SLOTS

XXXX - DISPONIBLE PROXIMAMENTE / AVAILABLE SOON

ND / NA - SOLO BAJO PEDIDO ESPECIAL / ONLY UNDER SPECIAL ORDER

- NO DISPONIBLE / NOT AVAILABLE

TODOS LOS DISCOS DE LOS KITS, ESTÁN DISPONIBLES SIN LOS SOPORTES (K00)

ALL DISCS FROM THE OVERSIZE KITS ARE AVAILABLE WITHOUT THE ADAPTERS (K00)

KIT CROSS - ENDURO - Ø185/220/225/260/270/318/320

KIT SUPERMOTO / SUPERMOTARD - Ø320

KIT SCOOTER - Ø240/298

KIT TRAIL - Ø320

KIT DAKAR - Ø300


KIT RACING - Ø320

TODAS LAS MEDIDAS ESTAN INDICADAS EN MILIMETROS / SUJETAS A CAMBIOS SIN PREVIO AVISO / ALL INDICATED SIZES ARE IN MILIMETERS AND SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE

WWW.NGBRAKEDISC.COM

INFORMACION TECNICA / TECHNICAL INFORMATION

DISCOS CLASIFICADOS X MARCAS / BRAKE DISCS BY BRANDS

FRONT													REAR												
																									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
ADLY			YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	ADLY			YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
50 c.c.													50 c.c.												
AS 2T			17/18	S	-X	L	S	-	-	-	-	-	Drum			-	-	-	-	-	-	-	-	-	-
COUGAR 2T			17/18	S	-	L	S	-	-	-	-	-	Drum			-	-	-	-	-	-	-	-	-	-

6 CATEGORIA / CATEGORY

A: CICLOMOTOR OFFROAD 50-100CC. CON MARCHAS / OFFROAD MOPED 50-100CC W/GUIDE
B: BICICLETA / BICYCLE **C:** CUSTOM / TOURING BIKES **CS:** CUATRICYCLE / FOURCYCLE
D: RETRO / VINTAGE **E:** ENDURO **F:** SUPERMOTO / SUPERMOTARD **FT:** FLAT TRACK **G:** TRIKES
H: CICLOMOTOR CARRETERA 50-100CC. CON MARCHAS / ONROAD MOPED 50-100CC W/GUIDE
L: SIDECAR / SIDE-BIKE **M:** CROSS **N:** NAKED **PB:** PIT BIKE **Q:** ATV / QUAD
R: TURISMO / RACING / STREET / SPORT **S:** SCOOTER **SB:** SUPERBIKE **S3:** SUPERSPORT 300-390CC
S6: SUPERSPORT 600-675CC **T:** TRIAL **TR:** TRICYCLE RACING **TS:** TRICYCLE SCOOTER **U:** TRAIL
W: SSV (SIDE X SIDE) / UTV / BUGGIES

VEHICULOS ELECTRICOS / ELECTRIC VEHICLES:

CV: CUSTOM **EV:** ENDURO **HV:** CICLOMOTOR / MOPED **FV:** SUPERMOTO / SUPERMOTARD
MV: CROSS **NV:** SPORT / NAKED **RV:** TURISMO / RACING / STREET **SV:** SCOOTER **TSV:** TRICYCLE
TV: TRIAL **UV:** TRAIL **WV:** UTV (SIDE X SIDE) / UTV / BUGGIES

MOTOR V-TWIN / V-TWIN ENGINE:

CVT: CUSTOM / TOURING BIKES **DVT:** RETRO / VINTAGE **FVT:** SUPERMOTO / SUPERMOTARD
GVT: TRIKES **NVT:** NAKED **RVT:** TURISMO / RACING / STREET / SPORT **UVT:** TRAIL

7 LADO / SIDE

L IZQUIERDO / LEFT SIDE **R** DERECHO / RIGHT SIDE **C** CENTRADO / CENTERED

8 TIPO / TYPE

F FLOTANTE / FLOATING +H
FO FLOTANTE SOBREDIMENSIONADO / OVERSIZE FLOATING
FIM DISCO S/FIM 2017 - 2018 / DISC ACCORDING TO FIM 2017 - 2018
KF KIT FLOTANTE SOBREDIMENSIONADO / OVERSIZE KIT FLOATING
KO KIT STANDARD SOBREDIMENSIONADO / OVERSIZE KIT STANDARD
KS KIT FIJO SOBREDIMENSIONADO / OVERSIZE KIT FIXED
MD MULTIDISCO FIJO / FIXED MULTIDISC
MDF MULTIDISCO FLOTANTE / MULTIDISC FLOATING
S FIJO / FIXED , FIJO / FIXED +H
SO STANDARD SOBREDIMENSIONADO / OVERSIZE STANDARD
SP FIJO SIN VENTILACIONES / FIXED WITHOUT VENTILATIONS
T TURBINA / TURBINE



9 DIAMETRO EXTERIOR / OUTSIDE DIAMETER

DIAMETRO EN NEGRITA: KIT OVERSIZE / **DIAMETER IN BOLD LETTER:** OVERSIZE KIT

10 DIAMETRO INTERIOR / INSIDE DIAMETER

11 ESPESOR / THICKNESS

12 Nº TALADROS / HOLES NUMBER

13 DIAMETRO TALADROS / HOLES DIAMETER

MH DIFERENTES DIAMETROS DE FIJACIÓN / FIXING DIFFERENT DIAMETERS

TODAS LAS MEDIDAS ESTAN INDICADAS EN MILIMETROS / SUJETAS A CAMBIOS SIN PREVIO AVISO / ALL INDICATED SIZES ARE IN MILIMETERS AND SUBJECTED TO CHANGE WITOUT FURTHER NOTICE

TÜV

TODOS LOS DISCOS NG TIENEN HOMOLOGACIÓN TÜV
ALL NG BRAKE DISCS HAVE TÜV HOMOLOGATION



Management
System
ISO 9001:2008

www.tuv.com
ID 9105024550



SUPERSPORT300



SUPERSPORT300™ FIM WORLD CHAMPIONSHIP

KAWASAKI NINJA 400
2018



1785G

310X141,7X5,0

COMPETITION ONLY / SOLO COMPETITION



1785XG

310X141,7X5,0


KAWASAKI NINJA Z 300
2015 / 2017



1419X

290X130X5,0

HONDA CBR 500 R
2013 / 2018



1484X


320X211X5,0

KTM RC 390 / RC 390 R
2018



1642G

320X90X5,0



1642XG

320X90X5,0

YAMAHA YZF-R3
2015 / 2018



1786G


298X132X5,0



1786XG

298X132X5,0

COMPETITION ONLY / SOLO COMPETITION



SOLO PRIMERAS MARCAS Y PRINCIPALES APLICACIONES / TOP BRANDS AND MAIN APPLICATIONS ONLY

MARCA / MODELOS BRAND / MODELS	c.c. c.c.	AÑO YEAR	REF. DELANTERO Ø EXT. FRONT REF. Ø O.D.	REF. TRASERO Ø EXT. REAR REFERENCE Ø O.D.
HUSQVARNA				
TC 12' / 10'	50	17/19	1374X	160
CR	65	10/14	1025X	198
TC 14' / 12'	65	17/19	1025X	198
TC 17' / 14'	85	14/16	1394X	240
TC 17' / 14'	85	17/19	1681X	240
TC 19' / 16'	85	14/16	1394X	240
TC 19' / 16' Fixed disc	85	17/19	1681X	240
TC 19' / 16' Floating disc	85	18	1324X	260
KAWASAKI				
KX	65	00/16	1143X	180
KX I 17' / 14'	85	00/18	756X	220
KX II 19' / 16'	85	00/18	756X	220
KX	100	95/18	756X	220
KTM				
SX	50	08/13	1374X	160
SX / MINI 4 to 10 years old	50	14/19	1374X	160
SX 8 to 12 years old	65	98/19	1025X	198
SX 17' / 14'	85	03/12	1029X	220
SX 17' / 14'	85	13/16	1394X	240
SX 17' / 14'	85	17/19	1681X	240
SX 19' / 16'	85	13/16	1394X	240
SX 19' / 16'	85	17/18	1681X	240
POLINI				
X1 P MINICROSS AIR	50	15/17	913	180
X3 AIR MINICROSS	50	14/15	426	150
X5 AIR WHEELS 14 / 12'	50	12	914	150
XP4 STREET	50	07/15	912	200
MINI MOTARD AIR / RACING	70	14/17	912	200
XP 4 CROSS RACING	110	06/09	913	180
XP 4T STREET OFF ROAD	110	07/15	912	200
SUZUKI				
RM 17' / 14'	85	05/14	745X	220
RM L 19' / 16'	85	05/14	745X	220
TM				
MX	85	05/12	1763X	270
MX	85	13	1703X	240
MX JUNIOR 17' / 14'	85	18	1776X	220
MX 19' / 16'	85	18	1776X	220
YAMAHA				
YZ 14' / 12'	65	18/19	1787X	198
YZ 17' / 14'	85	93/19	1599	220
YZ LW 19' / 16'	85	93/19	1599	220

CUSTOM - TOURING - RETRO - VINTAGE



*Custom
Retro*

*Touring
Vintage*

DISPONIBLE PARA / AVAILABLE FOR:

APRILIA - BENELLI - BEON - BIMOTA - BMW - CAGIVA - CF MOTO - DUCATI
GILERA - HANWAY - HONDA - HUSQVARNA - ITALJET - KAWASAKI



Ø330xØ72x5,0 H:15,0



Ø330xØ70x5,0 H:11,7



Ø330xØ64x5,0 H:10,5



Ø320xØ132x5,0 H:00,0




Ø320xØ108x4,0 H:00,0



Ø320xØ102x5,0 H:00,0




Ø320xØ94x5,0 H:12,5



Ø320xØ94x5,0 H:15,2



Ø320xØ94x5,0 H:15,2



Ø320x90x5,0 H:00,0



Ø320xØ69x5,0 H:00,0



Ø320xØ64x5,0 H:9,7

SE MUESTRA SOLO UNA REPRESENTACIÓN DE LOS DISCOS DISPONIBLES
IT IS SHOWN ONLY A REPRESENTATION OF THE AVAILABLE DISCS

DISCOS NUCLEO ALUMINIO / ALUMINIUM CENTER DISCS

DISPONIBLE PARA / AVAILABLE FOR:

KEEWAY - KTM - LAVERDA - MONDIAL - MOTO GUZZI - MOTO MORINI
MZ - NORTON - SUZUKI - SYM - TRIUMPH - VOXAN - YAMAHA



Ø320xØ64x5,0 H:00,0




Ø320xØ64x4,5 H:10,5



Ø320xØ52x5,0 H:00,0



Ø310xØ132x5,0 H:00,0




Ø310xØ110x5,0 H:00,0



Ø310xØ100x5,0 H:00,0



Ø310xØ94x4,5 H:13,2



Ø310xØ82,5x5,0 H:00,0




Ø310xØ80x5,5 H:00,0



Ø310xØ62x5,0 H:20,3



Ø305xØ118x5,0 H:00,0



Ø305xØ82,5x5,0 H:00,0

SE MUESTRA SOLO UNA REPRESENTACIÓN DE LOS DISCOS DISPONIBLES
IT IS SHOWN ONLY A REPRESENTATION OF THE AVAILABLE DISCS

DISCOS TRASEROS TRIAL / REAR TRIAL DISCS "FIM 2017 / 2019"

Ø150 x Ø45 x 3,0 - 4 x Ø6,5

ALFER
FUTURE
GAS GAS
JOTAGAS
MONTESA
OSSA

SCORPA
SHERCO
TORROT
TRS
VERTIGO
XISPA

1570X

Ø160 x Ø46 x 2,5 - 4 x Ø6,0

BETA

1594X

TRIAL

Ø145 x Ø45 x 3,0 - 4 x Ø6,5

SCORPA
SHERCO

1591



OVERSIZE KIT



ENJOY EVERY BRAKING...

RACING

**SUPERSPORT
300**

**CROSS
JUNIOR**

**CROSS
ENDURO**

**SUPERMOTARD
SUPERMOTO**

**TRIAL
ADVENTURE**

**MEGA SCOOTER
YAMAHA T-MAX**

NG
Brake Disc



GENERAL "CLEAN"										JUNE 2019									
ADIVA										ADIVA									
250 c.c.										250 c.c.									
ADIVA	AD 200	250	06→	S	071	L	S	260	125	4,0	5	6,5	-	-	-	-	-	-	-
ADLY										ADLY									
50 c.c.										50 c.c.									
ADLY	AS 2T	50	17/19	S	--X	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	COUGAR 2T	50	17/19	S	--	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	FOX / JET	50	07/11	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ADLY	FOX / JET	50	07/11	S	727	L	SO	*180	40,6	3,5	3	10,5							
ADLY	GTA 2T A.C. / L.C.	50	16/19	S	--X	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	GTC NIFTY 2T	50	17/19	S	--X	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	GTC BULLSEYE 2T	50	17/18	S	--X	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	JET	50	07/09	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ADLY	JET	50	07/09	S	727	L	SO	*180	40,6	3,5	3	10,5							
ADLY	NOBLE 2T	50	17/18	S	--	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	PREDATOR	50	ALL	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
ADLY	PREDATOR	50	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ADLY	PREDATOR	50	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5							
ADLY	ROAD TRACER	50	02/18	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ADLY	ROAD TRACER	50	02/18	S	727	L	SO	*180	40,6	3,5	3	10,5							
ADLY	RT 2T	50	17/19	A	--	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	SF SILVER FOX	50	06/09	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ADLY	SF SILVER FOX	50	06/09	S	727	L	SO	*180	40,6	3,5	3	10,5							
ADLY	SS SUPERSONIC	50	04/05	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
ADLY	SS SUPERSONIC	50	04/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ADLY	SS SUPERSONIC	50	04/05	S	1300X	L	FO	*220	58	3,5	3	10,5							
ADLY	TB THUNDERBIKE	50	08/09	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
ADLY	TB THUNDERBIKE	50	08/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ADLY	TB THUNDERBIKE	50	08/09	S	1300X	L	FO	*220	58	3,5	3	10,5							
90 c.c.										90 c.c.									
ADLY	ROAD TRACER	90	02/18	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ADLY	ROAD TRACER	90	02/18	S	727	L	SO	*180	40,6	3,5	3	10,5							
100 c.c.										100 c.c.									
ADLY	JET	100	07/09	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ADLY	JET	100	07/09	S	727	L	SO	*180	40,6	3,5	3	10,5							
ADLY	PREDATOR	100	ALL	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
ADLY	PREDATOR	100	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ADLY	PREDATOR	100	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5							
ADLY	ROAD TRACER	100	02/06	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ADLY	ROAD TRACER	100	02/06	S	727	L	SO	*180	40,6	3,5	3	10,5							
ADLY	SUPER SONIC	100	04/05	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
ADLY	SUPER SONIC	100	04/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ADLY	SUPER SONIC	100	04/05	S	1300X	L	FO	*220	58	3,5	3	10,5							
125 c.c.										125 c.c.									
ADLY	COUGAR 4T / NOBLE 4T	125	17/19	S	--	L	S	-	-	-	-	-	--	-	-	-	-	-	-
ADLY	GTA 4T	125	16/19	S	--	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
ADLY	SUPER SONIC ALL MODELS	125	01/05	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
ADLY	SUPER SONIC ALL MODELS	125	01/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ADLY	SUPER SONIC ALL MODELS	125	01/05	S	1300X	L	FO	*220	58	3,5	3	10,5							
ADLY	NOBLE 4T	125	17/18	S	--	L	S	-	-	-	-	-	--	-	-	-	-	-	-
ADLY	THUNDER BIKE	125	07/15	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
ADLY	THUNDER BIKE	125	07/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ADLY	THUNDER BIKE	125	07/15	S	1300X	L	FO	*220	58	3,5	3	10,5							
ADLY	THUNDER BIKE	125	16→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1415	L	S	165	59,2	3,5	3 10,5
ADLY	THUNDER BIKE	125	16→	S	1300X	L	FO	*220	58	3,5	3	10,5							
150 c.c.										150 c.c.									
ADLY	GTA 4T	150	16/18	S	--	L	S	-	-	-	-	-	--	-	-	-	-	-	-
ADLY	NOBLE 4T	150	17/18	S	--	L	S	-	-	-	-	-	--	-	-	-	-	-	-
ADLY	THUNDER BIKE	150	07/16	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1415	L	S	165	59,2	3,5	3 10,5
ADLY	THUNDER BIKE	150	07/16	S	1300X	L	FO	*220	58	3,5	3	10,5							
AEON										AEON									
125 c.c.										125 c.c.									
AEON	ELITE	125	17	S	-	L	S	256	-	-	-	-	-	-	-	256	-	-	-
AEON	URBAN	125	16/17	S	-	L	S	256	-	-	-	-	-	R	S	256	-	-	-
350 c.c.										350 c.c.									
AEON	ELITE i / URBAN i	350	16/17	S	-	L	S	256	-	-	-	-	-	R	S	256	-	-	-
AFAM										AFAM									
- c.c.										- c.c.									
AFAM	AFAM	-	-	R	-	-	-	-	-	-	-	-	068	L	S	220	81	4,0	5 6,5
AJP										AJP									
50 c.c.										50 c.c.									
AJP	ENDURO R	50	98/99	A	331	L	S	255	108	3,5	6	6,5	332	R	S	185	103	3,5	-
AJP	ENDURO R	50	98/99	A									035	R	S	185	103	3,5	-
125 c.c.										125 c.c.									



AJP	ENDURO	125	08	E	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
PR3 MODELS																				
AJP	PR3 ENDURO / ENDURO PRO	125	08/14	E	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3 ENDURO / ENDURO PRO	125	15/16	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3 SM	125	12/13	F	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3 SUPERMOTO / PRO	125	08/14	F	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3 SUPERMOTO / PRO	125	15/16	F	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
PR4 MODELS																				
AJP	PR4 ENDURO	125	10/11	E	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR4 ENDURO / SM	125	05	E-F	731 / 731XK	L	S	260	108	3,5	6	6,5	060	R	S	210	108	3,5	6	6,5
AJP	PR4 ENDURO / SM	125	05	E-F	1288X	L	F00,0	260	108	3,5	6	6,5								
AJP	PR4 ENDURO / SM	125	05	E-F	1690X	L	F00,0	260	108	3,0	6	6,5								
AJP	PR4 ENDURO / SM	125	04/09	E-F	331	L	S	255	108	3,5	6	6,5	060	R	S	210	108	3,5	6	6,5
AJP	PR4 SUPERMOTO / PRO	125	10/11	F	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
200 c.c.					200 c.c.															
PR3 MODELS																				
AJP	PR3 ENDURO	200	04/09	E	331	L	S	255	108	3,5	6	6,5	060	R	S	210	108	3,5	6	6,5
AJP	PR3 ENDURO / PRO	200	08/11	E	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3 ENDURO / SM	200	12/13	E-F	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3 MX 4T / MX PRO	200	07/11	M	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
AJP	PR3 SUPERMOTO / PRO	200	10/11	F	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5
PR4 MODELS																				
AJP	PR4 ENDURO / ENDURO PRO	200	10/11	E	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR4 SUPERMOTO	200	04/09	F	331	L	S	255	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
AJP	PR4 SUPERMOTO / PRO	200	10/11	F	1096	L	S	260	-	3,5	4	6,5	302	R	S	220	108	4,0	6	6,5
240 c.c.					240 c.c.															
PR3 MODELS																				
AJP	PR3 ENDURO / PRO / MX PRO	240	15/16	E-M	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
AJP	PR3 PR3 SUPERMOTO	240	15/16	F	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5
250 c.c.					250 c.c.															
AJP	ENDURO	250	05	E	731 / 731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
AJP	ENDURO	250	05	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
AJP	ENDURO	250	05	E	1690X	L	F00,0	260	108	3,0	6	6,5								
600 c.c.					600 c.c.															
AJP	PR7 ADVENTURE 650	600	16/19	E	1568X	L	F00,0	300	124,3	5,0	6	6,5	1569X	R	S	240	110	4,2	6	6,5
AJS					AJS															
125 c.c.					125 c.c.															
AJS	REGAL RAPTOR CR3	125	06	C	1201X	L	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
AKT					AKT															
125 c.c.					125 c.c.															
AKT	AK SL / EVO NE	125	12/13	R	1201X	L	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
AKT	JET 4	125	11/13	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
AKT	JET 4	125	11/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
AKT	JET 4	125	11/13	S	1300X	L	FO	*220	58	3,5	3	10,5								
150 c.c.					150 c.c.															
AKT	EVO NE / EVO RXT	150	12/13	R	1201X	L	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
250 c.c.					250 c.c.															
AKT	TT ADVENTOUR	250	16	U	xxxxX	L	S	262	123	4,0	6	10,5	xxxxX	R	S	258	105	4,0	6	10,5
ALFER					ALFER															
50 c.c.					50 c.c.															
ALFER	MINI	50	01/02	A	600	L	S	207	45	3,0	5	6,5	426	R	S	150	45	3,0	5	6,5
65 c.c.					65 c.c.															
ALFER	150	65	06	A	918	L	S	210	-	3,0	4	6,5	389	R	S	150	45	3,0	4	6,5
ALFER	150	65	06	A								650SP	R	S	150	45	3,0	4	6,5	
ALFER	150	65	06	A								1570X	R	FIM	150	45	3,0	4	6,5	
125 c.c.					125 c.c.															
ALFER	VRE NO LIMITS	125	03	E	338	L	S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
ALFER	VRE NO LIMITS	125	03	E	1690X	L	F00,0	260	108	3,0	6	6,5								
250 c.c.					250 c.c.															
ALFER	VR	250	96/03	M	338	L	S	260	108	3,5	6	6,5	302	L	S	220	108	4,0	6	6,5
ALFER	VR	250	96/03	M	1690X	L	F00,0	260	108	3,0	6	6,5	1057X	L	S	220	108	4,0	6	6,5
ALFER	VR	250	96/03	M								1057	L	S	220	108	3,5	6	6,5	
ALFER	VR NO LIMITS	250	96/03	F	022	L	F00,0	320	108	4,0	6	6,5	302	L	S	220	108	4,0	6	6,5
ALFER	VR NO LIMITS	250	96/03	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	L	S	220	108	4,0	6	6,5
ALFER	VR NO LIMITS	250	96/03	F	1613	L	F00,0	320	108	5,0	6	6,5	1057	L	S	220	108	3,5	6	6,5
ALFER	VR NO LIMITS	250	96/03	F	1613X	L	F00,0	318	108	5,0	6	6,5								
300 c.c.					300 c.c.															
ALFER	TRIAL	300	95	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5
APRILIA					APRILIA															
50 c.c.					50 c.c.															
APRILIA	AMICO ALL MODELS	50	92/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
APRILIA	AMICO ALL MODELS	50	92/99	S	727	L	SO	*180	40,6	3,5	3	10,5								
APRILIA	AREA 51 / SUPERBIKE	50	98/02	S	202	L	S	190	68	3,5	3	8,5	023	R	S	190	58	3,5	3	8,5
APRILIA	AREA 51 / SUPERBIKE	50	98/02	S								1022 / 1022X	R	MD	190	58	3,7	3	MH	
APRILIA	GULLIVER A.C. / L.C.	50	95/00	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
APRILIA	GULLIVER A.C. / L.C.	50	95/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
APRILIA	HABANA / CUSTOM	50	98/02	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



APRILIA	SR A.C. / L.C.	50	92/02	S	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-	
APRILIA	SR A.C. / L.C.	50	92/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
APRILIA	SR / AIR / CAPIROSSI	50	01/06	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR / AIR / CAPIROSSI	50	01/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR DITECH / HIPER2	50	01/06	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR DITECH / HIPER2	50	01/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR FACTORY	50	05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1107	L	S	190	70	4,5	3	8,5
APRILIA	SR L.C.	50	94/96	S	-	-	-	-	-	-	-	-	1107	L	S	190	70	4,5	3	8,5
APRILIA	SR L.C.	50	97/02	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR L.C.	50	97/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR MOTARD 2T	50	12/18	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	
APRILIA	SR MOTARD 2T	50	12/18	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	
APRILIA	SR MOTARD 4T / 4V	50	13/15	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	
APRILIA	SR MOTARD 4T / 4V	50	13/15	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	
APRILIA	SR MT	50	18/19	S	-	L	S	220	-	4,0	5	6,5	Drum	-	-	-	-	-	-	
APRILIA	SR NETSCAPER L.C.	50	97/99	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR NETSCAPER L.C.	50	97/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR PUREJET	50	03/05	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR PUREJET	50	03/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR R	50	18/19	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR R	50	18/19	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR R / SR REPLICA SBK	50	04/17	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR R / SR REPLICA SBK	50	04/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR RACING L.C.	50	97/04	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR RACING L.C.	50	97/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR R FACTORY	50	05/08	S	1107	L	S	190	70	4,5	3	8,5	-	-	-	-	-	-	-	
APRILIA	SR R FACTORY	50	09/15	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR R FACTORY	50	09/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR R FACTORY PUREJET	50	05/07	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR R FACTORY PUREJET	50	05/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR SPORT	50	00	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	
APRILIA	SR SPORT	50	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
APRILIA	SR SPORT PRO	50	03	S	023	L	S	190	58	3,5	3	8,5	1069	L	S	190	68	4,0	3	8,5
APRILIA	SR SPORT PRO	50	03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
APRILIA	SR STEALTH L.C.	50	96/00	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR STEALTH L.C.	50	96/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR STREET	50	03/15	S	1107	L	S	190	70	4,5	3	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SR STREET	50	03/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
APRILIA	SR URBAN KID / SR WWW	50	96/97	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	
APRILIA	SR URBAN KID / SR WWW	50	96/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
APRILIA	SX / SX FACTORY ABS	50	06/18	A	866 / 866X	L	T/S	300	108	4,0	6	7,5	351	R	S	180	62	3,5	3	10,5
APRILIA	SX / SX FACTORY ABS	50	06/18	A	867	L	T	300	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
APRILIA	SX LIMITED	50	15/16	A	081	L	S	260	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
APRILIA	SX LOW SEAL	50	19	A	-	L	S	260	-	-	6	-	-	R	S	220	-	-	-	-
APRILIA	TUAREG	50	86/87	A	-	-	-	-	-	-	-	-	042	R	S	220	57	4,0	5	6,5
APRILIA	TUAREG	50	88/89	A	274	L	S	230	112	4,5	6	6,5	042	R	S	220	57	4,0	5	6,5
APRILIA	TUONO	50	03/07	A	289	L	S	280	155	4,0	5	6,5	290	R	S	220	102	4,0	5	8,5
70 c.c.					70 c.c.								70 c.c.							
APRILIA	SCARABEO	70	94/98	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	
100 c.c.					100 c.c.								100 c.c.							
APRILIA	SCARABEO 2T	100	00	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	
APRILIA	SCARABEO 4T	100	01/16	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	
125 c.c.					125 c.c.								125 c.c.							
APRILIA	AF1 FUTURA	125	90/92	U	-	R	F00,0	320	-	-	5	-	-	-	-	-	-	-	-	
APRILIA	ATLANTIC / ARRECIFE	125	03→	S	1008	L	S	240	105	4,5	5	6,5	1107	R	S	190	70	4,5	3	8,5
APRILIA	ETX	125	85/90	U	287	L	S	250	140	4,0	6	9,0	160	R	S	220	110	4,0	6	6,5
APRILIA	HABANA / CUSTOM / DIETCH	125	99/02	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	
APRILIA	HABANA / CUSTOM / DIETCH	125	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
APRILIA	KAT	125	89/99	E	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5
APRILIA	KAT	125	89/99	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5	-	-	-	-	-	-	-	
APRILIA	KAT	125	89/99	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5	-	-	-	-	-	-	-	
APRILIA	LEONARDO 4T ROTAX	125	99/02	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	
APRILIA	LEONARDO 4T / ST 4T	125	96/05	S	017	L	S	220	60	4,0	5	8,5	023	R	S	190	58	3,5	3	8,5
APRILIA	LEONARDO 4T / ST 4T	125	96/05	S	-	-	-	-	-	-	-	-	1022 / 1022X	R	MD	190	58	3,7	3	MH
APRILIA	MOJITO / MOJITO RETRO	125	99/08	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	
APRILIA	MOJITO / MOJITO RETRO	125	99/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
APRILIA	MX	125	04/07	U	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	288	R	S	220	110	4,0	6	6,5
APRILIA	MX	125	04/07	U	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	
APRILIA	MX SUPERMOTARD	125	04/06	F	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	4,5	6	6,5
APRILIA	MX SUPERMOTARD	125	04/06	F	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	
APRILIA	PEGASO	125	89/99	E	324	L	S	300	105	5,0	6	6,5	288	R	S	220	110	4,0	6	6,5
APRILIA	PEGASO	125	89/99	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5	-	-	-	-	-	-	-	



APRILIA	PEGASO	125	89/99	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
APRILIA	RED ROSE	125	89/99	C	318	L	S	260	105	3,5	6	6,5	ND / NA	L	S	240	90	5,0	6	6,5
APRILIA	RS	125	92/96	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	288	L	S	220	110	4,0	6	6,5
APRILIA	RS	125	92/96	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS	125	97	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	4,5	6	6,5
APRILIA	RS	125	97	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS	125	98/12	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
APRILIA	RS	125	98/12	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS ABS	125	19	R	1103	L	F00,0	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
APRILIA	RS ABS	125	19	R	1068	L	F00,0	300	90	4,0	6	6,5								
APRILIA	RS ABS	125	19	R	1608 / 1608X	L	S	300	90	4,0	6	6,5								
APRILIA	RS / RS REPLICA GP / ABS	125	15/18	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	1607	R	S	220	95	4,5	4	6,5
APRILIA	RS / RS REPLICA GP / ABS	125	15/18	R	1103	L	F00,0	300	90	4,0	6	6,5								
APRILIA	RS / RS REPLICA GP / ABS	125	15/18	R	1068	L	F00,0	300	90	4,0	6	6,5								
APRILIA	RS MOTO GP	125	03	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
APRILIA	RS MOTO GP	125	03	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS R PISTA	125	04/10	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
APRILIA	RS R PISTA	125	04/10	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS RACING	125	98/00	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
APRILIA	RS RACING	125	98/00	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS EXTREMA / RS REPLICA	125	92/97	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	4,5	6	6,5
APRILIA	RS EXTREMA / RS REPLICA	125	92/97	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS EXTREMA / RS REPLICA	125	98/09	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
APRILIA	RS EXTREMA / RS REPLICA	125	98/09	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS REPLICA GP1 / SBX	125	04	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
APRILIA	RS REPLICA GP1 / SBX	125	04	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	RS4 / RS4 REPLICA	125	11/17	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	099	L	S	220	57	4,0	6	6,5
APRILIA	RS4 / RS4 REPLICA	125	11/17	R	1103	R	F00,0	300	90	4,0	6	6,5								
APRILIA	RS4 / RS4 REPLICA	125	11/17	R	1068	R	F00,0	300	90	4,0	6	6,5								
APRILIA	RS4 / RS4 REPLICA	125	11/17	R	801	R	T	300	90	4,0	6	6,5								
APRILIA	RX 4T ABS	125	18/19	E	-X	L	S	260	-	4,0	6	6,5	-X	R	S	220	-	3,5	3	-
APRILIA	RX 4T FACTORY	125	18	E	--X	L	S	300	-	-	-	-	--X	R	S	220	-	-	-	-
APRILIA	RX / RX C	125	89/00	E	287	L	S	250	140	4,0	6	9,0	288	L	S	220	110	4,0	6	6,5
APRILIA	SCARABEO	125	98	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	-
APRILIA	SCARABEO 4T ROTAX	125	99/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
APRILIA	SCARABEO, ENG. PIAGGIO	125	03/07	S	292	L	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5
APRILIA	SCARABEO / GT / NET	125	99/17	S	292	L	S	260	60	4,0	5	8,5	291	R	S	220	60	4,0	5	6,5
APRILIA	SPORT PROT	125	92/94	S	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
APRILIA	SPORT PROT	125	92/94	S	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	SPORTCITY CUBE	125	04/12	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
APRILIA	SPORTCITY ONE	125	11→		365	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
APRILIA	SPORTCITY ONE	125	11→		612	L	S	220	58	4,0	5	6,5								
APRILIA	SR SPORT CITY	125	08/11	S	365	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
APRILIA	SR SPORT CITY	125	08/11	S	612	L	S	220	58	4,0	5	6,5								
APRILIA	SR / SR SPORTER	125	99/03	R	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
APRILIA	SR / SR SPORTER	125	99/03	R	1022 / 1022X	L	MD	190	58	3,7	3	MH								
APRILIA	SR MAX i	125	10/17	S	1001	L	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
APRILIA	SR MOTARD	125	12/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
APRILIA	SR MOTARD	125	12/17	S	612	L	S	220	58	4,0	5	6,5								
APRILIA	SX	125	08/09	E	-	L	S	260	-	-	6	-	-	L	S	220	-	-	6	-
APRILIA	SX 4T / SX 4T FACTORY	125	18	F	-	L	S	260	-	-	-	-	-	R	S	220	-	-	-	-
APRILIA	SX 4T ABS	125	19	F	-	L	S	300	-	-	6	-	-	R	S	220	-	-	-	-
APRILIA	TUAREG	125	86/88	U	-	-	-	-	-	-	-	-	1100	L	S	230	105	4,0	6	6,5
APRILIA	TUAREG	125	87	U	318	L	S	260	105	3,5	6	6,5	1100	L	S	230	105	4,0	6	6,5
APRILIA	TUAREG RALLY	125	89/94	U	-	-	-	-	-	-	-	-	160	R	S	220	110	4,0	6	6,5
APRILIA	TUONO	125	03/16	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
APRILIA	TUONO	125	03/16	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
APRILIA	TUONO 4T ABS	125	15/18	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	1607	R	S	220	95	4,5	4	6,5
APRILIA	TUONO 4T ABS	125	15/18	R	1103	L	F00,0	300	90	4,0	6	6,5								
APRILIA	TUONO 4T ABS	125	15/18	R	1068	L	F00,0	300	90	4,0	6	6,5								
APRILIA	TUONO 4T ABS	125	19	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
APRILIA	TUONO 4T ABS	125	19	R	1103	L	F00,0	300	90	4,0	6	6,5								
APRILIA	TUONO 4T ABS	125	19	R	1068	L	F00,0	300	90	4,0	6	6,5								
150 c.c.													150 c.c.							
APRILIA	LEONARDO 4T / L ST 4T	150	97/99	S	017	L	S	220	60	4,0	5	8,5	023	L	S	190	58	3,5	3	8,5
APRILIA	SCARABEO 4T	150	99/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
APRILIA	SR R	150	99/03	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
APRILIA	SR R	150	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
200 c.c.													200 c.c.							
APRILIA	ARECIFE	200	03→	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5
APRILIA	ATLANTIC	200	02/05	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5
APRILIA	SCARABEO	200	99/00	S	292	L	S	260	60	4,0	5	8,5	-	-	-	-	-	-	-	-

		C.C.	YEAR	MODEL TYPE	FRONT								REAR								
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
APRILIA	SCARABEO	200	01/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5	
APRILIA	SCARABEO	200	07	S	292	L	S	260	60	4,0	5	8,5	1341	R	S	220	102	5,0	5	8,5	
APRILIA	SCARABEO 4T, E. PIAGGIO	200	03/07	S	292	L	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5	
APRILIA	SCARABEO 4T, E. ROTAX	200	99/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5	
APRILIA	SCARABEO CLASS	200	10→	S	292	L	S	260	60	4,0	5	8,5	1341	R	S	220	102	5,0	5	8,5	
APRILIA	SCARABEO GT	200	02→	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5	
APRILIA	SCARABEO LIGHT i.e.	200	07/16	S	292	L	S	260	60	4,0	5	8,5	1341	R	S	220	102	5,0	5	8,5	
APRILIA	SPORT CITY	200	04/08	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5	
APRILIA	SPORT CITY CUBE	200	09→	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5	
		250 c.c.												250 c.c.							
APRILIA	ATLANTIC	250	02/08	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5	
APRILIA	ARRECIFE	250	03/06	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5	
APRILIA	CLIMBER / CLIMBER R	250	89/92	T	308	R	S	184	45	4,0	6	6,5	-	-	-	-	-	-	-	-	
APRILIA	LEONARDO ST 4T	250	99/04	S	017	L	S	220	60	4,0	5	8,5	147	R	S	220	96	4,0	5	6,5	
APRILIA	RS REPLICA	250	95/05	R	1236	L/R	F10,5	300	61	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5	
APRILIA	SCARABEO i.e. / LIGHT	250	04/10	S	292	L	S	260	60	4,0	5	8,5	1071	R	S	240	125	4,0	5	6,5	
APRILIA	SPORTCITY	250	06/10	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5	
		280 c.c.												280 c.c.							
APRILIA	CLIMBER R	280	93/96	T	308	R	S	184	45	4,0	6	6,5	-	-	-	-	-	-	-	-	
		300 c.c.												300 c.c.							
APRILIA	ATLANTIC	300	10/11	S	1008	L	S	240	105	4,5	5	6,5	1107	R	S	190	70	4,5	3	8,5	
APRILIA	LEONARDO / ST	300	02/06	S	017	L	S	220	60	4,0	5	8,5	147	L	S	220	96	4,0	5	6,5	
APRILIA	SCARABEO / LIGHT / S i.e.	300	09/12	S	292	L	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5	
APRILIA	SPORTCITY CUBE i.e.	300	09/13	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5	
APRILIA	SR MAX i	300	10/17	S	1001	L	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5	
		350 c.c.												350 c.c.							
APRILIA	ETX	350	86/92	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5	
APRILIA	ETX	350	86/92	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
APRILIA	ETX	350	86/92	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
		400 c.c.												400 c.c.							
APRILIA	ATLANTIC SPRINT	400	06→	S	292	L/R	S	260	60	4,0	5	8,5	1107	R	S	190	70	4,5	3	8,5	
APRILIA	SCARABEO LIGHT / URBAN	400	06/08	S	292	L/R	S	260	60	4,0	5	8,5	1341	L	S	220	102	5,0	5	8,5	
		450 c.c.												450 c.c.							
APRILIA	MXV	450	05/12	M	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5	
APRILIA	RXV / SXV	450	05/12	E-F	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5	
		500 c.c.												500 c.c.							
APRILIA	ATLANTIC / ARRECIFE	500	01→	S	292	L/R	S	260	60	4,0	5	8,5	147	R	S	220	96	4,0	5	6,5	
APRILIA	ATLANTIC SPRINT	500	05/08	S	292	L/R	S	260	60	4,0	5	8,5	1107	R	S	190	70	4,5	3	8,5	
APRILIA	SCARABEO / LIGHT	500	03/05	S	292	L/R	S	260	60	4,0	5	8,5	147	L	S	220	96	4,0	5	6,5	
APRILIA	SCARABEO / URBAN	500	06/12	S	292	L/R	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5	
		550 c.c.												550 c.c.							
APRILIA	RXV / SXV	550	05/12	E	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5	
		600 c.c.												600 c.c.							
APRILIA	ETX / PEGASO	600	86/92	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5	
APRILIA	ETX / PEGASO	600	86/92	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
APRILIA	ETX / PEGASO	600	86/92	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
		650 c.c.												650 c.c.							
APRILIA	MOTO 6,5 PHILIP STARK	650	95/02	C	1321	L	F00,0	298	110	4,0	6	6,5	326	L	S	220	110	4,5	6	6,5	
APRILIA	PEGASO / CUBE	650	91/00	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5	
APRILIA	PEGASO / CUBE	650	91/00	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
APRILIA	PEGASO / CUBE	650	91/00	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
APRILIA	PEGASO i.e.	650	01/04	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	R	S	240	110	5,0	6	6,5	
APRILIA	PEGASO i.e.	650	01/04	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
APRILIA	PEGASO i.e.	650	01/04	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
APRILIA	PEGASO i.e.	650	07/08	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5	
APRILIA	PEGASO i.e.	650	07/08	U	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5									
APRILIA	PEGASO FACTORY	650	05/10	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5	
APRILIA	PEGASO FACTORY	650	05/10	U	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5									
APRILIA	PEGASO STRADA	650	04	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5	
APRILIA	PEGASO STRADA	650	04	U	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5									
APRILIA	PEGASO STRADA	650	05/10	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5	
APRILIA	PEGASO STRADA	650	05/10	U	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5									
APRILIA	PEGASO TRAIL	650	05/08	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	R	S	240	110	5,0	6	6,5	
APRILIA	PEGASO TRAIL	650	05/08	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
APRILIA	PEGASO TRAIL	650	05/08	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
APRILIA	PEGASO TUS TIBET	650	04	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5	
APRILIA	PEGASO TUS TIBET	650	04	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
APRILIA	PEGASO TUS TIBET	650	04	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
APRILIA	STARK	650	95/00	U	-	-	-	-	-	-	-	-	326	L	S	220	110	4,5	6	6,5	
		660 c.c.												660 c.c.							
APRILIA	RS CONCEPT	660	19	R	-	L/R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-	
		750 c.c.												750 c.c.							
		SL SHILVER MODELS																			
APRILIA	SL SHILVER ABS / GT ABS	750	07/16	NVT	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5	
APRILIA	SL SHILVER ABS / GT ABS	750	07/16	NVT	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5									



SMV DORSODURO MODELS																							
APRILIA	SMV DORSODURO ABS	750	08/16	FVT	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5			
APRILIA	SMV DORSODURO ABS	750	08/16	FVT	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	SMV DORSODURO FACTORY ABS	750	08/14	F	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5			
APRILIA	SMV DORSODURO FACTORY ABS	750	08/14	F	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5											
850 c.c.														850 c.c.									
APRILIA	MOTO 6,5 PHILIP STARK	850	07/16	RVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1343	L	S	260	102	5,0	5	8,5			
APRILIA	MOTO 6,5 PHILIP STARK	850	07/16	RVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
APRILIA	NA MANA / NA MANA ABS	850	07/16	RVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1343	L	S	260	102	5,0	5	8,5			
APRILIA	NA MANA / NA MANA ABS	850	07/16	RVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	NA MANA GT ABS	850	09/17	RVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1343	L	S	260	102	5,0	5	8,5			
APRILIA	NA MANA GT ABS	850	09/17	RVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
APRILIA	NA MANA X / ABS	850	10	RVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1343	L	S	260	102	5,0	5	8,5			
APRILIA	NA MANA X / ABS	850	10	RVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
APRILIA	SRV i.e. / SRV i.e. ABS	850	12/17	S	1351	L/R	S	300	145	5,0	5	13,7	1352	L	S	280	142	5,0	5	13,7			
APRILIA	SRV i.e. ABS - ATC	850	12/17	S	1351	L/R	S	300	145	5,0	5	13,7	1352	L	S	280	142	5,0	5	13,7			
896 c.c.														896 c.c.									
APRILIA	SHILVER 900 / 35 Kw / ABS	896	17/19	NVT	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5			
APRILIA	SHILVER 900 / 35 Kw / ABS	896	17/19	NVT	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5											
900 c.c.														900 c.c.									
APRILIA	DORSODURO ABS	900	17/19	FVT	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5			
APRILIA	DORSODURO ABS	900	17/19	FVT	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5											
1000 c.c.														1000 c.c.									
APRILIA	ETV CAPONORD	1000	01/07	U	1091	L/R	S	300	140	5,0	6	8,5	1361	R	S	272	140,5	5,0	6	8,5			
APRILIA	BLUE MARLIN	1000	02	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	BLUE MARLIN	1000	02	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RST FUTURA	1000	01/04	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RSV MODELS																							
APRILIA	RSV RSV - MILLE / SP / R	1000	98→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV RSV - MILLE / SP / R	1000	98→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV 4 / FACTORY / ABS	1000	09/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV 4 / FACTORY / ABS	1000	09/16	SB	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV 4 / 4 FW / 4 RF / 4 RR / ABS	1000	17/19	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV 4 R	1000	17	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV 4 R / RSV 4 R APRC	1000	10/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV 4 R / RSV 4 R APRC	1000	10/16	SB	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV 4 RACE PACK / RF / 4 RR	1000	15/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV 4 RACE PACK / RF / 4 RR	1000	15/16	SB	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV 4 RR	1000	17/19	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV 4 RR FACTORY WORKS KIT	1000	18	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV MILLE FUTURA	1000	01/04	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV MILLE FUTURA	1000	01/04	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV MILLE R FACTORY	1000	01/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV MILLE R FACTORY	1000	01/09	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	SL / SL R FALCO / SL SPORT	1000	00/05	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	SL / SL R FALCO / SL SPORT	1000	00/05	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
RSV TUONO MODELS																							
APRILIA	RSV TUONO R FACTORY / R RACING	1000	02/11	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV TUONO R FACTORY / R RACING	1000	02/11	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV TUONO / FIGHTER	1000	02/05	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV TUONO / FIGHTER	1000	02/05	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV TUONO V4 FACTORY	1000	17	R	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV TUONO V4 R ABS / APRC	1000	12/17	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV TUONO V4 R ABS / APRC	1000	12/17	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV TUONO V4 RR FACTORY	1000	17/18	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
1077 c.c.														1077 c.c.									
RSV V4 MODELS																							
APRILIA	RSV V4 1100 FACTORY ABS	1077	15/19	R	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV V4 1100 FACTORY / RR	1077	11/16	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	RSV V4 1100 FACTORY / RR	1077	11/16	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	RSV V4 1100 FACTORY R / RR ABS	1077	17/18	R	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
APRILIA	TUONO V4 ABS	1077	19	R	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
1200 c.c.														1200 c.c.									
CAPONORD MODELS																							
APRILIA	CAPONORD ABS / TRAVEL PACK ABS	1200	13→	UVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5			
APRILIA	CAPONORD ABS / TRAVEL PACK ABS	1200	13→	UVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
APRILIA	CAPONORD APRILIA SVX / YAMAHA YZF	1200	15/17	UVT	1560 / 1560X	L/R	F00,0	320	140	5,0	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5			
DORSODURO MODELS																							
APRILIA	DORSODURO ABS -TCS / ATC	1200	11/17	FVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5			
APRILIA	DORSODURO ABS -TCS / ATC	1200	11/17	FVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5											
ASKOLL ELECTRIC														ASKOLL ELECTRIC									
ASKOLL	eS1 / eS2	E	17/18	SV	-	L	S	190	-	-	-	-	Drum	-	-	-	-	-	-	-			
ASKOLL	eS3	E	17/18	SV	-	L	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-			
ATALA														ATALA									
50 c.c.														50 c.c.									



ATALA	AT 18	50	98	S	007	L	S	190	58	3,5	3	9,5	-	-	-	-	-	-	-	
ATALA	AT 18	50	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
ATALA	BYTE	50	97/00	S	406	L	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	
ATALA	BYTE	50	97/00	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	
ATALA	CAROSELLO	50	99/01	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	
ATALA	HACKER AT12 / L.C.	50	97/00	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	
ATALA	HACKER AT12 / L.C.	50	97/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
ATALA	HACKER AT12 / RACING	50	95/99	S	007	L	S	190	58	3,5	3	9,5	-	-	-	-	-	-	-	
ATALA	HACKER AT12 / RACING	50	95/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
ATALA	SKEGGIA / L.C.	50	99/00	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	
ATALA	SKEGGIA / L.C.	50	99/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
AXY					AXY															
125 c.c.					125 c.c.															
AXY	GULP	125	08→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4	10,5
AXY	YUK	125	07→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4	10,5
150 c.c.					150 c.c.															
AXY	GULP	150	08→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4	10,5
AXY	YUK	150	07→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4	10,5
200 c.c.					200 c.c.															
AXY	GULP	200	08→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4	10,5
AXY	YUK	200	07→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4	10,5
300 c.c.					300 c.c.															
AXY	ROAR	300	08→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4	10,5
BAJA					BAJA															
150 c.c.					150 c.c.															
BAJA	SC	150	13/14	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	R	S17,0	190	58	4,0	3	8,5
BAJAJ					BAJAJ															
135 c.c.					135 c.c.															
BAJAJ	R	135	12/13	R	1381X	R	S	240	112	4,0	5	10,5	Drum	-	-	-	-	-	-	
180 c.c.					180 c.c.															
BAJAJ	UG R	180	12/13	R	1380X	R	S	260	130	4,5	6	10,5	Drum	-	-	-	-	-	-	
200 c.c.					200 c.c.															
BAJAJ	ROUSER NS	200	15/18	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
220 c.c.					220 c.c.															
BAJAJ	F R / S R	220	12/13	R	1380X	R	S	260	130	4,5	6	10,5	1382X	R	S	230	110	4,0	6	6,5
400 c.c.					400 c.c.															
BAJAJ	DOMINAR	400	18/19	N	-	R	S	320	-	-	-	-	-	R	S	230	-	-	-	6,5
BEELINE					BEELINE															
125 c.c.					125 c.c.															
BEELINE	VELOCE / VELOCE GT	125	08/10	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
BEELINE	VELOCE / VELOCE GT	125	08/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
BEELINE	VELOCE / VELOCE GT	125	08/10	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	
BENELLI					BENELLI															
50 c.c.					50 c.c.															
BENELLI	491 ARMY	50	97/99	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	491 GP / 491 RR MORINI	50	00/04	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	491 GT	50	97/00	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	
BENELLI	491 K2 / 491 NAMUR	50	97	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	
BENELLI	491 L.C.	50	99/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
BENELLI	491 NAKED	50	01/03	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	491 RACING	50	97/00	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	491 RR L.C.	50	02/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
BENELLI	491 SP / 491 ST	50	01	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	491 SPORT / SUPERBIKE	50	97/04	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	491 ST L.C.	50	02/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
BENELLI	GRIDO	50	12/13	S	1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	
BENELLI	QUATTRO NOVE X	50	08/13	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	
BENELLI	QUATTRO NOVE X	50	08/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
BENELLI	QUATTRO NOVE X	50	08/13	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	
BENELLI	PEPE / PEPE LX	50	99/15	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	
BENELLI	PEPE 4T / PEPE CLASSIC	50	05→	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	
BENELLI	K2 AC / K2 L.C. / K2 MAMUR	50	98/02	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	NAKED	50	99/03	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	
100 c.c.					100 c.c.															
BENELLI	491 K2	100	01	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	
BENELLI	K2 / BIPOSTO / NAKED	100	99/02	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0
BENELLI	PEPE	100	99/02	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	
125 c.c.					125 c.c.															
BENELLI	ADIVA 12'	125	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	
BENELLI	ADIVA 12'	125	00	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	
BENELLI	ADIVA 13'	125	01/04	S	1077	L	S	220	105	4,0	5	6,5	1050	L	S	220	96	4,0	5	6,5
BENELLI	BN	125	18/19	N	--X	L	Sxx,x	260	-	4,0	-	-	--X	R	S	220	-	5,0	6	6,5
BENELLI	LEONCINO	125	18/19	D	--X	L	-	-	-	-	-	-	--X	R	S	-	-	-	-	
BENELLI	MACIS	125	10/18	S	--	L	S	240	-	4,0	4	-	--	L	S	240	-	4,0	4	-
BENELLI	TORNADO NAKED T	125	16/19	N	--	R	Sxx,x	210	-	4,0	4	-	--	R	S	190	-	4,0	4	-
BENELLI	TORNADO TNT 12'	125	16/19	N	--	R	Sxx,x	220	-	4,0	4	-	--	R	S	190	-	4,0	4	-



BENELLI	TRK	125	19	U	--X	L	F00,0	280	-	4,0	6	-	--X	R	S	240	-	5,0	-	-	-	-		
BENELLI	VELVET 13'	125	99/07	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5				
BENELLI	VELVET TOURING 13'	125	01/12	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5				
150 c.c.															150 c.c.									
BENELLI	ADIVA 12'	150	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-	-		
BENELLI	ADIVA 12'	150	00	S	612	L	S	220	58	4,0	5	6,5												
BENELLI	ADIVA 13'	150	00/05	S	1077	L	S	220	105	4,0	5	6,5	1050	L	S	220	96	4,0	5	6,5				
BENELLI	VELVET 13'	150	99/07	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5				
BENELLI	VELVET TOURING 13'	150	08/12	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5				
250 c.c.															250 c.c.									
BENELLI	BN 251	250	15/18	N	--	L	-	280	-	-	-	-	325X / 325	R	S	240	110	5,0	6	6,5				
BENELLI	BN 251 ABS	250	15/19	N	--	L	-	280	-	-	-	-	--	R	S	240	110	5,0	6	6,5				
BENELLI	LEONCINO ABS	250	18/19	D	--X	L	F00,0	280	114	4,0	6	8,5	--X	R	S	240	110	5,0	6	6,5				
BENELLI	TRK 251 ABS	250	18/19	U	--X	L	F00,0	280	114	4,0	6	8,5	--X	R	S	240	110	5,0	6	6,5				
BENELLI	VELVET / VELVET TOURING	250	99/12	S	1034	L	S	240	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5				
302 c.c.															302 c.c.									
BENELLI	BN TNT	302	14/19	N	1818X / 1818XG	L/R	FMD	260	112	4,0	5/6	8,5	325X / 325	R	S	240	110	5,0	6	6,5				
BENELLI	BN R ABS	302	17/19	S3	1818X / 1818XG	L/R	FMD	260	112	4,0	5/6	8,5	1817X	R	S	240	110	5,0	5	6,5				
BENELLI	BN S ABS	302	19	N	1818X / 1818XG	L/R	FMD	260	112	4,0	5/6	8,5	1817X	R	S	240	110	5,0	5	6,5				
350 c.c.															350 c.c.									
BENELLI	ZEN ZERO	350	15/18	S	--	L	S	256	-	-	-	-	--	R	S	256	-	-	-	-	-	-		
400 c.c.															400 c.c.									
BENELLI	402 S	400	18	C	1818X / 1818XG	L/R	FMD	260	112	4,0	5/6	8,5	-X	R	S	240	-	-	-	-	-	-		
BENELLI	752S	400	18	N	-X	R	Fxx,x	-	-	-	-	-	-X	R	S	-	-	-	-	-	-	-		
BENELLI	IMPERIALE ABS	400	18/19	D	-	L	S	300	-	5,0	6	-	-	R	S	240	-	-	-	-	-	-		
BENELLI	VELVET DUSK	400	03	S	1034	L	S	240	105	4,0	5	6,5	707	R	S	240	89,6	4,0	6	6,5				
499 c.c.															499 c.c.									
BENELLI	BX	499	07	E	159	L	S	260	110	4,0	6	6,5	288	L	S	220	110	4,0	6	6,5				
500 c.c. LEONCINO MODELS															500 c.c.									
BENELLI	LEONCILLO 502 ABS	500	16/19	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	R	S	260	-	5,0	6	-				
BENELLI	LEONCILLO 502 ABS	500	16/19	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	LEONCILLO SPORT / ABS	500	18	N	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	-	R	S	260	-	5,0	6	-				
BENELLI	LEONCILLO CINQUECENTO ABS	500	18/19	N	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	LEONCILLO CINQUECENTO ABS	500	18/19	N	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-		
BENELLI	LEONCILLO T ABS	500	17	U	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	R	S	260	-	5,0	6	-				
BENELLI	LEONCILLO T ABS	500	17	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	LEONCILLO TRAIL ABS	500	18/19	N	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	-X	R	S	260	-	5,0	6	-				
BENELLI	LEONCILLO TRAIL ABS	500	18/19	N	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	502 C ABS	500	19	D	-	L/R	F00,0	280	-	5,0	-	-	-	R	S	240	-	-	-	-	-	-		
BENELLI	TRK 502 NON ABS	500	16/19	U	--	L/R	F10,5	320	-	5,5	6	8,5	1742 / 1742X	R	S	255	115	5,0	6	6,5				
BENELLI	TRK 502 ABS	500	18/19	U	--	L/R	F10,5	320	-	5,5	6	8,5	--	R	S	255	115	5,0	6	6,5				
BENELLI	TRK 502 X NON ABS	500	18/19	U	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	1742X / 1742	R	S	255	115	5,0	6	6,5				
BENELLI	TRK 502 X NON ABS	500	18/19	U	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	TRK 502 X ABS	500	18/19	U	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	-X	R	S	255	115	5,0	6	6,5				
BENELLI	TRK 502 X ABS	500	18/19	U	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5												
510 c.c.															510 c.c.									
BENELLI	ENDURO	510	08	E	159	L	S	260	110	4,0	6	6,5	288	R	S	220	110	4,0	6	6,5				
570 c.c.															570 c.c.									
BENELLI	SUPERMOTO	570	08	F	-	-	-	-	-	-	-	-	288	R	S	220	110	4,0	6	6,5				
600 c.c.															600 c.c.									
BENELLI	BN GT / BN i	600	13/17	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5				
BENELLI	BN GT / BN i	600	13/17	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	BN R	600	13/18	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	R	S	260	-	-	-	-	-	-		
BENELLI	BN R	600	13/18	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
750 c.c.															750 c.c.									
BENELLI	2UE	750	09/10	R	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-	-	-		
BENELLI	752 S / ABS	750	18/19	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	--	R	S	260	-	-	6	-				
BENELLI	752 S / ABS	750	18/19	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	BN 751	750	18	N	--X	L/R	Fxx,x	300	-	-	-	-	--X	R	S	-	-	-	-	-	-	-		
899 c.c. TNT MODELS															899 c.c.									
BENELLI	TNT CENTURY RACER	899	11/18	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5				
BENELLI	TNT CENTURY RACER	899	11/18	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	TNT S	899	07/18	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5				
BENELLI	TNT S	899	07/18	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	TNT T	899	07/11	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5				
BENELLI	TNT T	899	07/11	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	TNT TORNADO NAKED TRE	899	07/16	N	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5				
BENELLI	TRE K	899	07/17	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5				
900 c.c.															900 c.c.									
BENELLI	CENTURY RACER	900	11/15	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5				
BENELLI	CENTURY RACER	900	11/15	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	TORNADO	900	03/06	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-		
BENELLI	TORNADO	900	03/06	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
BENELLI	TORNADO i.e	900	00/02	R	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-	-	-		



BENELLI	TORNADO S	900	08/09	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
BENELLI	TORNADO TRE / RS	900	01/02	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
BENELLI	TORNADO TRE / RS	900	01/02	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TORNADO TRE LE / LM / RS	900	01/13	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
BENELLI	TORNADO TRE LE / LM / RS	900	01/13	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TORNADO TRE NAKED	900	08/11	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
1100 c.c.													1100 c.c.							
BENELLI	TNT	1100	04/16	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
BENELLI	TNT	1100	04/16	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
1130 c.c.													1130 c.c.							
BENELLI	RACER GP	1130	07/08	R	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-
TNT MODELS																				
BENELLI	TNT / C.RACE TITANIUM / RS	1130	04/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
BENELLI	TNT / C.RACE TITANIUM / RS	1130	04/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TNT CAFÉ RACER / RS	1130	05/16	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
BENELLI	TNT CAFÉ RACER / RS	1130	05/16	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TNT CENTURY RACER	1130	05/18	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
BENELLI	TNT CENTURY RACER	1130	05/18	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TNT OFFICINE	1130	07→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BENELLI	TNT OFFICINE	1130	07→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TNT R	1130	05/17	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BENELLI	TNT R	1130	05/17	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TNT R 160	1130	10/11	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
BENELLI	TNT R 160	1130	10/11	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TNT SPORT / SPORT EVO	1130	05/13	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
BENELLI	TNT SPORT / SPORT EVO	1130	05/13	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
TORNADO MODELS																				
BENELLI	TORNADO TRE	1130	06→	R	1743G / 1743XG	L/R	F14,5	320	64	4,5	6	8,5	1742 / 1742X	R	S	255	115	5,0	6	6,5
BENELLI	TORNADO TRE K	1130	05/17	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
BENELLI	TORNADO TRE K AMAZONAS	1130	06/17	R	1743XG / 1743G	L/R	F14,5	320	64	4,5	6	8,5	1742X / 1742	R	S	255	115	5,0	6	6,5
BENELLI	TORNADO TRE R	1130	12	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
BENELLI	TORNADO TRE R	1130	12	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TORNADO TRE R	1130	13/17	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
BENELLI	TORNADO TRE R	1130	13/17	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TORNADO TRE NAKED / TRE R NAKED	1130	15/16	N	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
BENELLI	TORNADO TRE NAKED / TRE R NAKED	1130	15/16	N	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
BENELLI	TORNADO TRE NAKED SPORT	1130	06→	N	1743G / 1743XG	L/R	F14,5	320	64	4,5	6	8,5	1742 / 1742X	R	S	255	115	5,0	6	6,5
BEON													BEON							
- C.C.													- C.C.							
BEON	KIT GP -	-	-	-	216G / 216XG	-	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
450 c.c.													450 c.c.							
KIT GP MODELS																				
BEON	KIT GP APRILIA SVX / YAMAHA YZF	450	06/11	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BEON	KIT GP APRILIA SVX / YAMAHA YZF	450	06/11	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BEON	KIT GP HONDA CRF	450	05/11	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BEON	KIT GP HONDA CRF	450	05/11	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BEON	KIT GP KAWASAKI KXF	450	06/11	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BEON	KIT GP KAWASAKI KXF	450	06/11	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BEON	KIT GP KTM EXC / SXF	450	06/11	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BEON	KIT GP KTM EXC / SXF	450	06/11	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BEON	KIT GP SUZUKI RMZ	450	08/10	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BEON	KIT GP SUZUKI RMZ	450	08/10	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
550 c.c.													550 c.c.							
BEON	KIT GP - APRILIA SVX 550	550	10/11	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BEON	KIT GP - APRILIA SVX 550	550	10/11	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BETA													BETA							
EVO MINITRIAL ELECTRIC MODELS																				
BETA	EVO MINITRIAL ELECTRIC CROSS-E 12' /	E	17/18	MV	-	L	S	170	-	3,0	4	6,5	-	-	S	170	-	3,0	4	6,5
BETA	EVO MINITRIAL ELECTRIC TRIAL E 16' / E	E	14/18	EV	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0
50 c.c.													50 c.c.							
BETA	ALP	50	92	A-T	-	-	-	-	-	-	-	-	161	L	S	160	-	3,5	6	6,5
ARK MODELS																				
BETA	ARK A.C. / L.C.	50	96/14	S	303	L	S	190	58	4,0	3	8,5	303	L	S	190	58	4,0	3	8,5
BETA	ARK A.C. / L.C.	50	96/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
BETA	ARK A.C. PADDOCK / HB	50	14	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
BETA	ARK A.C. PADDOCK / HB	50	14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
BETA	ARK K SERIES	50	96/05	S	303	L	S	190	58	4,0	3	8,5	303	L	S	190	58	4,0	3	8,5
BETA	ARK K SERIES	50	96/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
BETA	ARK L.C. TRIBE / PADDOCK	50	12	S	1287	L	S	220	58	4,0	3	9,0	303	L	S	190	58	4,0	3	8,5
BETA	ARK L.C. TRIBE / PADDOCK	50	12	S									1022 / 1022X	L	MD	190	58	3,7	3	MH
BETA	ARK L.C. PADDOCK	50	10/11	S	303	L	S	190	58	4,0	3	8,5	303	L	S	190	58	4,0	3	8,5
BETA	ARK L.C. PADDOCK	50	10/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
BETA	ARK L.C. RAZOR / FACTORY	50	10/11	S	303	L	S	190	58	4,0	3	8,5	303	L	S	190	58	4,0	3	8,5
BETA	ARK L.C. RAZOR / FACTORY	50	10/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
BETA	ARK L.C. RAZOR / FACTORY	50	12	S	1287	L	S	220	58	4,0	3	9,0	303	L	S	190	58	4,0	3	8,5

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

		C.C.	YEAR	MODEL TYPE	FRONT	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
BETA	EIKON	125	99/06	S		612	L	S	220	58	4,0	5	6,5		1022 / 1022X	L	MD	190	58	3,7	3	MH
BETA	EVO 2T	125	09/16	T		626 / 626X	L	S	185	-	3/2,7	4	10,0		1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T	125	09/16	T		1588X	L	S	185	-	2,7	4	10,5		1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T	125	09/16	T											1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T	125	09/16	T											1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 2T / EVO 2T FACTORY	125	09/18	T		1588X	L	S	185	-	2,7	4	10,5		1252X	R	S	220	100	3,5	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	125	09/18	T											1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	125	09/18	T											1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T / EVO 2T FACTORY	125	09/18	T											1594X	L	FIM	160	-	2,5	4	6,0
BETA	JONATHAN	125	99/05	C		232	R	F11,0	300	110	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	RE 4T	125	12	E		ND / NA	L	S	260	120,2	3,5	4	9,5		1089	R	S	220	100	3,5	4	6,5
BETA	RE 4T	125	08/18	E		1251X	L	S	260	105	3,5	4	10,5		1252X	R	S	220	100	3,5	4	6,5
BETA	RE SUPERMOTARD	125	17/18	F		-	L	S	-	-	-	-	-		1252X	R	S	220	100	3,5	4	6,5
BETA	REV 3	125	99/02	T		316	L	S	185	-	3,5	4	10,5		317	L	S	165	-	3,5	4	10,5
BETA	REV 3	125	99/02	T											317SP	L	S	165	-	3,5	4	10,5
BETA	REV 3	125	03/08	T		626 / 626X	L	S	185	-	3/2,7	4	10,0		645	L	S	165	-	3,0	4	10,5
BETA	REV 3	125	03/08	T		1588X	L	S	185	-	2,7	4	10,5									
BETA	RR ENDURO / RR MOTARD	125	06	E-F		ND / NA	L	S	260	120,2	3,5	4	9,5		1089	R	S	220	100	3,5	4	6,5
BETA	RR L.C.	125	11/12	E		ND / NA	L	S	260	120,2	3,5	4	9,5		1252X	-	S	220	100	3,5	4	6,5
BETA	ENDURO 2T	125	18/19	E		1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	ENDURO 2T	125	18/19	E		1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	ENDURO 2T	125	18/19	E		1254XBHK09	L	KF	*270	-	3,0	6	6,5									
BETA	RR ENDURO 4T A.C. / L.C.	125	08/18	E		1251X	L	S	260	105	3,5	4	10,5		1252X	R	S	220	100	3,5	4	6,5
BETA	RR MOTARD 4T A.C. / L.C.	125	08/17	F		1608 / 1608X	L	S	300	90	4,0	6	6,5		310 / 310X	R	S	220	105	3,5	6	6,5
BETA	RR MOTARD 4T L.C.	125	18	F		1608X / 1608	L	S	300	90	4,0	6	6,5		310X / 310	R	S	220	105	3,5	6	6,5
BETA	RR SUPERMOTARD 4T	125	08/09	F		1251X	L	S	260	105	3,5	4	10,5		-	-	-	-	-	-	-	-
BETA	TECHNO	125	95/98	T		005	L	S	185	-	4,0	4	10,5		006	L	S	160	-	4,0	4	10,0
BETA	URBAN	125	12/15	U		1087	L	S	260	120	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	URBAN SPECIAL	125	10/11	U		1608 / 1608X	L	S	300	90	4,0	6	6,5		310 / 310X	R	S	220	105	3,5	6	6,5
		150 c.c.												150 c.c.								
BETA	EIKON	150	00/06	S		365	L	S	220	58	4,0	5	6,5		303	L	S	190	58	4,0	3	8,5
BETA	EIKON	150	00/06	S		612	L	S	220	58	4,0	5	6,5		1022 / 1022X	L	MD	190	58	3,7	3	MH
		200 c.c.												200 c.c.								
BETA	ALP	200	00/01	U		128	L	S	220	108	3,5	6	6,5		352	R	S	200	45	3,5	6	6,5
BETA	ALP	200	02/03	U		128	L	S	220	108	3,5	6	6,5		465	R	S	200	45	3,5	5	6,5
BETA	ALP	200	06	U		ND / NA	L	-	245	110	3,5	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	ALP	200	12	U		1087	L	S	260	120	4,0	6	6,5		-	-	-	-	-	-	-	-
BETA	ALP	200	16/17	U		159	L	S	260	110	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	ALP	200	18/19	U		xxxx	L	S	245	110	3,5	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	ENDURO 2T	200	18/19	E		1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	ENDURO 2T	200	18/19	E		1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	ENDURO 2T	200	18/19	E		1254XBHK09	L	KF	*270	-	3,0	6	6,5									
BETA	EVO 2T / EVO 2T FACTORY	200	09/16	T		626 / 626X	L	S	185	-	3/2,7	4	10,0		1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	200	09/16	T		1588X	L	S	185	-	2,7	4	10,5		1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	200	09/16	T											1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T / EVO 2T FACTORY	200	09/16	T											1594X	L	FIM	160	-	2,5	4	6,0
BETA	REV 3	200	99/02	T		316	L	S	185	-	3,5	4	10,5		317 / 317SP	L	S	165	-	3,5	4	10,5
BETA	REV 3	200	03/08	T		626 / 626X	L	S	185	-	3/2,7	4	10,0		645	L	S	165	-	3,0	4	10,5
BETA	REV 3	200	03/08	T		1588X	L	S	185	-	2,7	4	10,5									
BETA	URBAN	200	12/15	U		1087	L	S	260	120	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	URBAN SPECIAL	200	10/11	U		1608 / 1608X	L	S	300	90	4,0	6	6,5		310 / 310X	R	S	220	105	3,5	6	6,5
BETA	URBAN SPECIAL	200	12/14	U		1087	L	S	260	120	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
		250 c.c.												250 c.c.								
BETA	ALP	250	96	U		005	L	S	185	-	4,0	4	10,5		-	-	-	-	-	-	-	-
BETA	ALP	250	97/99	U		273	L	S	185	72	3,5	6	10,1		271	L	S	185	46	3,5	5	10,5
BETA	ALP	250	00/03	U		128	L	S	220	108	3,5	6	6,5		352	R	S	200	45	3,5	6	6,5
BETA	EVO 2T / EVO 2T FACTORY	250	09/18	T		626 / 626X	L	S	185	-	3/2,7	4	10,0		1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	250	09/18	T		1588X	L	S	185	-	2,7	4	10,5		1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T / EVO 2T FACTORY	250	09/18	T											1530X / 1530XSP	L	S	160	-	2,5	4	6,0
BETA	EVO 2T / EVO 2T FACTORY	250	09/18	T											1594X	L	FIM	160	-	2,5	4	6,0
BETA	EVO 4T / REV 4T RACING	250	09/16	T		626 / 626X	L	S	185	-	3/2,7	4	10,0		1152	L	S	160	-	2,5	4	6,5
BETA	EVO 4T / REV 4T RACING	250	09/16	T		15																

					C.C.	YEAR	MODEL TYPE	FRONT	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
BETA	RR ENDURO 4T	250	11/12	E					1263X	L	S	260	120,2	3,5	4	8,5		1264X	R	S	240	112	4,0	4	9,5
BETA	ENDURO / RR 2T	250	12/19	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	ENDURO / RR 2T	250	12/19	E					1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	ENDURO / RR 2T	250	12/19	E					1254XBHK09	L	KF	*270	-	3,0	6	6,5									
BETA	ST	250	97/99	T					273	L	S	185	72	3,5	6	10,1		271	L	S	185	46	3,5	5	10,5
BETA	TECHNO	250	94/96	T					005	L	S	185	-	4,0	4	10,5		-	-	-	-	-	-	-	-
BETA	TECHNO	250	97	T					005	L	S	185	-	4,0	4	10,5		018	L	S	165	50	3,5	4	10,5
BETA	TECHNO	250	98/99	T					005	L	S	185	-	4,0	4	10,5		006	L	S	160	-	4,0	4	10,0
BETA	XTRAINER	250	17/18	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	XTRAINER	250	17/18	E					1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	XTRAINER	250	17/18	E					1254XBHK09	L	KF	*270	-	3,0	6	6,5									
					260 c.c.																				
BETA	ALP	260	95	U					005	L	S	185	-	4,0	4	10,5		-	-	-	-	-	-	-	-
					270 c.c.																				
BETA	REV 3	270	03/08	T					626 / 626X	L	S	185	-	3/2,7	4	10,0		645	L	S	165	-	3,0	4	10,5
BETA	REV 3	270	03/08	T					1588X	L	S	185	-	2,7	4	10,5									
					290 c.c.																				
BETA	EVO 2T	290	09/11	T					626 / 626X	L	S	185	-	3/2,7	4	10,0		1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T	290	09/11	T					1588X	L	S	185	-	2,7	4	10,5		1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T	290	09/11	T													1530X / 1530XSP	L	S	160	-	2,5	4	6,0	
BETA	EVO 2T	290	09/11	T													1594X	L	FIM	160	-	2,5	4	6,0	
					300 c.c.																				
BETA	CROSSTRAINER	300	15/18	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	CROSSTRAINER	300	15/18	E					1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	CROSSTRAINER	300	15/18	E					1254XBHK09	L	KF	*270	-	3,0	6	6,5									
BETA	EVO 2T - 4T / FACTORY	300	09/16	T					626 / 626X	L	S	185	-	3/2,7	4	10,0		1152	L	S	160	-	2,5	4	6,5
BETA	EVO 2T - 4T / FACTORY	300	09/16	T					1588X	L	S	185	-	2,7	4	10,5		1152X	L	S	160	-	2,7	4	6,5
BETA	EVO 2T - 4T / FACTORY	300	09/16	T													1530X / 1530XSP	L	S	160	-	2,5	4	6,0	
BETA	EVO 2T - 4T / FACTORY	300	09/16	T													1594X	L	FIM	160	-	2,5	4	6,0	
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18	T					1588X	L	S	185	-	2,7	4	10,5		1152X	L	S	160	-	2,7	4	6,5
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18	T													1530X / 1530XSP	L	S	160	-	2,5	4	6,0	
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18	T													1152	L	S	160	-	2,5	4	6,5	
BETA	EVO / SS 2T / 4T / FACTORY	300	17/18	T													1594X	L	FIM	160	-	2,5	4	6,0	
BETA	REV 4T RACING	300	09/16	T					626 / 626X	L	S	185	-	3/2,7	4	10,0		1152	L	S	160	-	2,5	4	6,5
BETA	REV 4T RACING	300	09/16	T					1588X	L	S	185	-	2,7	4	10,5		1152X	L	S	160	-	2,7	4	6,5
BETA	REV 4T RACING	300	09/16	T													1530X / 1530XSP	L	S	160	-	2,5	4	6,0	
BETA	REV 4T RACING	300	09/16	T													1594X	L	FIM	160	-	2,5	4	6,0	
BETA	ENDURO / RR 2T	300	12/19	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	ENDURO / RR 2T	300	12/19	E					1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	ENDURO / RR 2T	300	12/19	E					1254XBHK09	L	KF	*270	-	3,0	6	6,5									
BETA	XTRAINER / OIL MIX	300	15/18	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	XTRAINER / OIL MIX	300	15/18	E					1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	XTRAINER / OIL MIX	300	15/18	E					1254XBHK09	L	KF	*270	-	3,0	6	6,5									
					350 c.c.																				
BETA	ALP 4.0	350	03/19	U					159	L	S	260	110	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	ALP 4.0	350	05	U					731 / 731XK	L	S	260	108	3,5	6	6,5		1057XK	R	S	220	108	4,0	6	6,5
BETA	ALP 4.0	350	05	U					1288X	L	F00,0	260	108	3,5	6	6,5		1057SP	R	S	220	108	3,5	6	6,5
BETA	ALP 4.0	350	05	U					1690X	L	F00,0	260	108	3,0	6	6,5									
BETA	EURO	350	99/05	C					232	R	F11,0	300	110	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	JONATHAN	350	02/03	C					232	R	F11,0	300	110	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	M4 / M4 4T / M4 SM	350	05/07	F					684	L	S	310	140	4,0	6	8,5		160	R	S	220	110	4,0	6	6,5
BETA	RR Efi ENDURO 4T	350	13/14	E					1263X	L	S	260	120,2	3,5	4	8,5		1264X	R	S	240	112	4,0	4	9,5
BETA	ENDURO / RR 4T	350	13/19	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	ENDURO / RR 4T	350	13/19	E					1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	ENDURO / RR 4T	350	13/19	E					1254XBHK09	L	KF	*270	-	3,0	6	6,5									
BETA	VCM 4T	350	01	C					232	R	F11,0	300	110	4,0	6	6,5		189	R	S	220	110	4,0	6	6,5
BETA	VTM 35	350	03	C					159	L	S	260	110	4,0	6	6,5		160	R	S	220	110	4,0	6	6,5
BETA	VSP 35	350	03	C					684	L	S	310	140	4,0	6	8,5		160	R	S	220	110	4,0	6	6,5
					390 c.c.																				
BETA	ENDURO / RR 4T	390	14/19	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	ENDURO / RR 4T	390	14/19	E					1254XK09	L	KF	*270	-	3,0	6	6,5									
BETA	ENDURO / RR 4T	390	14/19	E					1254XBHK09	L	KF	*270	-	3,0	6	6,5									
					400 c.c.																				
BETA	MOTARD 4.0	400	06	F					684	L	S	310	140	4,0	6	8,5		189	R	S	220	110	4,0	6	6,5
BETA	RR ENDURO / 4T	400	05/12	E					1263X	L	S	260	120,2	3,5	4	8,5		1264X	R	S	240	112	4,0	4	9,5
BETA	RR ENDURO 4T	400	13/14	E					1293X	L	S	260	-	3,5	6	6,5		1294X	R	S	240	110	4,0	6	6,5
BETA	RR SM	400	05/07	F					392	L	S	260	120	3,5	4	6,5		648	R	S	240	112	4,0	4	9,5
BETA	RR SM	400	05/07/																						

C.C.														C.C.													
YEAR														YEAR													
MODEL TYPE														MODEL TYPE													
REFERENCE														REFERENCE													
SIDE														SIDE													
DISC TYPE														DISC TYPE													
OUTSIDE Ø														OUTSIDE Ø													
INSIDE Ø														INSIDE Ø													
THICKNESS														THICKNESS													
N° HOLES														N° HOLES													
HOLES Ø														HOLES Ø													
REAR														REAR													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA														BETA													
BETA																											



BMW ELECTRIC										BMW ELECTRIC										
C EVOLUTION MODELS																				
BMW	C EVOLUTION ABS	E	14/19	SV	1338 / 1338X	L/R	S	270	-	5,0	5	9,8	1338 / 1338X	C	S	270	-	5,0	5	9,8
BMW	C EVOLUTION ABS	E	14/19	SV	1373 / 1373X	L/R	F00,0	270	-	5,0	5	9,8								
BMW	C EVOLUTION LONG RANCE ABS	E	17/18	SV	1338 / 1338X	L/R	S	270	-	5,0	5	9,8	1338 / 1338X	C	S	270	-	5,0	5	9,8
BMW	C EVOLUTION LONG RANCE ABS	E	17/18	SV	1373 / 1373X	L/R	F00,0	270	-	5,0	5	9,8								
125 c.c.										125 c.c.										
BMW	C1 / EXECUTIVE / FRIENDS	125	99/03	S	1341	L	S	220	102	5,0	5	8,5	1341	R	S	220	102	5,0	5	8,5
200 c.c.										200 c.c.										
BMW	C1 / EXECUTIVE / FRIENDS	200	01/03	S	1341	L	S	220	102	5,0	5	8,5	1341	R	S	220	102	5,0	5	8,5
310 c.c.										310 c.c.										
BMW	G GS ABS	310	16/19	U	1814	L	S	300	111	5,0	5	10,5	1772	R	S	240	118	4,5	5	10,5
BMW	G R ABS	310	16/19	N	1814	L	S	300	111	5,0	5	10,5	1772	R	S	240	118	4,5	5	10,5
BMW	G RR ABS / G RR CARBONO ABS	310	19	S3	1814	L	S	300	111	5,0	5	10,5	1772	R	S	240	118	4,5	5	10,5
350 c.c.										350 c.c.										
BMW	C 400 GT ABS	350	19	S	1828 / 1828X	L/R	S	265	136,5	5,0	5	10,5	1828 / 1828X	R	S	265	136,5	5,0	5	10,5
BMW	C 400 X ABS	350	18/19	S	1828 / 1828X	L/R	S	265	136,5	5,0	5	10,5	1828 / 1828X	R	S	265	136,5	5,0	5	10,5
450 c.c.										450 c.c.										
BMW	G X	450	08/11	E	1240XSP	L	S	260	105	3,2	5	6,0	1241	R	S	220	103	4,0	6	6,5
BMW	G X	450	08/11	E	1162XK16	L	KF	*270	105	3,0	5	6,5								
BMW	G X	450	08/11	E	1146XK11	L	KF	*320	105	5,0	5	6,5								
475 c.c.										475 c.c.										
BMW	R 45, DISC ONLY	475	78/86	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
BMW	R 60 / 7 - TIC, DISC ONLY	475	76/84	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
650 c.c.										650 c.c.										
BMW	C SPORT / ABS / C GT / ABS	650	12/19	S	1338 / 1338X	L/R	S	270	-	5,0	5	9,8	1338 / 1338X	C	S	270	-	5,0	5	9,8
BMW	C SPORT / ABS / C GT / ABS	650	12/19	S	1373 / 1373X	L/R	F00,0	270	-	5,0	5	9,8								
BMW	F F B GS DAKAR	650	94 →	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F F B GS DAKAR	650	94 →	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F F B GS DAKAR	650	94 →	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F CS F GS / F CS SCARVER	650	01/07	U	324	R	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F CS F GS / F CS SCARVER	650	01/07	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F CS F GS / F CS SCARVER	650	01/07	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F F ENDURO	650	98/03	E	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F F ENDURO	650	98/03	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F F ENDURO	650	98/03	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F FL	650	93/05	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F FL	650	93/05	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F FL	650	93/05	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F GS	650	08/12	U	324	R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS	650	08/12	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS	650	08/12	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	01/07	U	1232	R	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F GS ABS	650	01/07	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	01/07	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	08/15	U	1232	R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
BMW	F GS ABS	650	08/15	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	F GS ABS	650	08/15	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	F ST STRADA	650	97/01	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F ST STRADA	650	97/01	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F ST STRADA	650	97/01	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	F SCARVER 324 SL	650	02/06	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	F SCARVER 324 SL	650	02/06	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	F SCARVER 324 SL	650	02/06	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	G GS / SERTÃO / ABS	650	09/15	U	1232	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	G GS / SERTÃO / ABS	650	09/15	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	G GS / SERTÃO / ABS	650	09/15	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	G X CHALLENGE / COUNTRY	650	07/09	E	324	L	S	300	105	5,0	6	6,5	1090 / 1090X	L	S	240	105	4,5	6	6,5
BMW	G X CHALLENGE / COUNTRY	650	07/09	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
BMW	G X CHALLENGE / COUNTRY	650	07/09	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
BMW	G X COUNTRY ABS	650	07/10	E	1232	R	S	300	105	5,0	6	6,5	1090 / 1090X	L	S	240	105	4,5	6	6,5
BMW	G X COUNTRY ABS	650	07/10	E	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5								
BMW	G X COUNTRY ABS	650	07/10	E	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5								
BMW	G X MOTO	650	06/09	E	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	325 / 325X	L	S	240	110	5,0	6	6,5
BMW	G X MOTO	650	06/09	E	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BMW	R / R LS, DISC ONLY / R 65	650	81	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
BMW	R / R LS, DISC ONLY / R 65	650	81	R	1217	L	SO	*285	144	5,0	10	5,0								
BMW	R 65/20, 65/35, R RT DISC ONLY	650	85/95	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
BMW	R 65/20, 65/35, R RT DISC ONLY	650	85/95	R	1217	L	SO	*285	144	5,0	10	5,0								
BMW	R GS DISC ONLY	650	80/92	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
BMW	R GS DISC ONLY	650	80/92	R	1217	L	SO	*285	144	5,0	10	5,0								
700 c.c.										700 c.c.										
BMW	F GS / F GS ABS	700	12/16	U	324	L/R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0

				FRONT										REAR									
		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			
BMW	F GS / F GS ABS	700	12/16	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GS / F GS ABS	700	12/16	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GS ABS	700	17/18	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F GS ABS	700	17/18	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5											
750 c.c.					750 c.c.																		
BMW	K 75	750	84/96	R	1042	L/R	S	285	165	4,8	10	13,8	1042	R	S	285	165	4,8	10	13,8			
BMW	K 75 C / S C	750	85/91	R	1271	L/R	S	285	165	4,8	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	K 75 RT / K 75 S	750	85/96	R	1042	L/R	S	285	165	4,8	10	13,8	1042	R	S	285	165	4,8	10	13,8			
BMW	R 75, DISC ONLY	750	73/84	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
853 c.c.					853 c.c.																		
BMW	F 750 GS ABS	853	18/19	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
800 c.c.					800 c.c.																		
BMW	F GS	800	06/16	U	324	L/R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F GS	800	06/16	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GS	800	06/16	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GS ADVENTURE ABS	800	19	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F GS ADVENTURE ABS	800	19	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GS / F GS ADVENTURE ABS	800	17/18	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F GS / F GS ADVENTURE ABS	800	17/18	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GS ADVENTURE ABS	800	12/16	U	1232	L/R	S	300	105	5,0	6	6,5	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F GS ADVENTURE ABS	800	12/16	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GS ADVENTURE ABS	800	12/16	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F GT / ABS	800	09/19	R	1046	L/R	S	320	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F R / F R 35 KW / ABS	800	11/19	N	1046	L/R	S	320	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F S / F ST	800	06/15	R	324	L/R	S	300	105	5,0	6	6,5	1045 / 1045X	R	S	265	136,5	4,8	5	10,0			
BMW	F S / F ST	800	06/15	R	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5											
BMW	F S / F ST	800	06/15	R	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5											
BMW	R 80, DISC ONLY	800	81/93	R	1042	R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-			
BMW	R 80 G / S, DISC ONLY	800	81	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R 80 GS PARIS DAKAR	800	88/94	U	1042	R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-			
BMW	R 80, GS DISC ONLY	800	80/92	R	1047	R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R 80 MONO, DISC ONLY	800	76/84	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R 80 ST, DISC ONLY	800	80/85	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R 80 R ROADSTER	800	92/93	R	1042	L/R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-			
BMW	R 80 RT	800	85/95	R	1042	L/R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-			
BMW	R 80 RT, DISC ONLY	800	76/84	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R 80 RT, DISC ONLY	800	80/92	R	1047	R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R 80 RT, DISC ONLY	800	01/04	R	1046	L/R	S	320	181	4,8	5	14,0	Drum	-	-	-	-	-	-	-			
BMW	R 80 TIC, DISC ONLY	800	76/84	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
850 c.c.					850 c.c.																		
BMW	F 850 GS ABS	850	19	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	F 850 GS ADVENTURE ABS	850	19	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0			
BMW	R C / R GS	850	97/00	C-U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5			
BMW	R R	850	94/03	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	236 / 236X	R	S	276	-	5,0	5	10,5			
BMW	R R	850	94/03	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0											
BMW	R R	850	04/07	R	1046	L/R	S	320	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5			
BMW	R RT	850	95/01	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	236 / 236X	R	S	276	-	5,0	5	10,5			
BMW	R RT	850	95/01	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0											
BMW	R RT, INTEGRAL WHEELS ABS	850	01/06	R	1046	L/R	S	320	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5			
900 c.c.					900 c.c.																		
BMW	R 90 / 6 / R 90 S, DISC ONLY	900	73/76	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
1000 c.c.					1000 c.c.																		
BMW	HP4	1000	12/17	SB	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	1282	R	S	220	119	4,8	5	6,5			
BMW	HP4	1000	12/17	SB	1538G / 1538	L/R	F00,0	320	64	5,0	6	8,5											
BMW	HP4 ABS / HP4 RACE ABS	1000	12/19	SB	1538G / 1538	L/R	F00,0	320	64	5,0	6	8,5	1282	R	S	220	119	4,8	5	6,5			
BMW	K 1	1000	89/93	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	1042	R	S	285	165	4,8	10	13,8			
BMW	K 1	1000	89/93	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0											
BMW	K 100	1000	83/89	R	-	-	-	-	-	-	-	-	1042	R	S	285	165	4,8	10	13,8			
BMW	K / K LT ABS / K LT LIMITED	1000	83/92	R	1271	L/R	S	285	165	4,8	10	5,5	1271	R	S	285	165	4,8	10	5,5			
BMW	K RS	1000	84/89	R	1271	L/R	S	285	165	4,8	10	5,5	1271	R	S	285	165	4,8	10	5,5			
BMW	K RS 16V	1000	89/93	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	1271	R	S	285	165	4,8	10	5,5			
BMW	K RS 16V	1000	89/93	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0											
BMW	K RT	1000	84/89	R	1271	L/R	S	285	165	4,8	10	5,5	1271	R	S	285	165	4,8	10	5,5			
BMW	R CS, DISC ONLY	1000	76/89	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R / R GS, DISC ONLY	1000	76/84	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-			
BMW	R GS	1000	87/94	U	1042	R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-			
BMW	R GS MYSTIC	1000	91/95	U	1042	L/R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-			
BMW	R R ROADSTER / R RT	1000	91/95	R	1042	R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-			
BMW	R RS / R RT / R 7T DISC ONLY	1000	76/84	R	1047	L/R	S	260															

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
BMW	S R, VERSION 2 ABS	1000	13/18	SB	1538G / 1538	L/R	F00,0	320	64	5,0	6	8,5			1282	R	S	220	119	4,8	5	6,5		
BMW	S RR HP4	1000	13	SB	-	-	-	-	-	-	-	-			1282	R	S	220	119	4,8	5	6,5		
BMW	S RR, INTEGRAL WHEEL ABS	1000	08/17	SB	1538G / 1538	L/R	F00,0	320	64	5,0	6	8,5			1282	R	S	220	119	4,8	5	6,5		
BMW	S RR, INTEGRAL WHEEL ABS	1000	18/19	SB	1857G / 1857XG	L/R	F13,2	320	80,2	5,0	6	8,5			1282	R	S	220	119	4,8	5	6,5		
BMW	S RR, SPOKE WHEEL ABS	1000	09/19	SB	1046	L/R	S	320	181	4,8	5	14,0			1282	R	S	220	119	4,8	5	6,5		
BMW	S RR SPORT	1000	12	SB	-	-	-	-	-	-	-	-			1282	R	S	220	119	4,8	5	6,5		
BMW	S XR ABS	1000	15/19	SB	1046	L/R	S	320	181	4,8	5	14,0			1045	R	S	265	136,5	4,8	5	10,0		
BMW	S XR, VERSION 2	1000	17	SB	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5			1045	R	S	265	136,5	4,8	5	10,0		
BMW	S XR, VERSION 2 ABS	1000	17	SB	1538G / 1538	L/R	F00,0	320	64	5,0	6	8,5			1045	R	S	265	136,5	4,8	5	10,0		
1100 c.c.															1100 c.c.									
BMW	K LT / K SE	1100	92/00	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0			1271	R	S	285	165	4,8	10	5,5		
BMW	K LT / K SE	1100	92/00	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0												
BMW	K RS	1100	93/96	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0			1271	R	S	285	165	4,8	10	5,5		
BMW	K RS	1100	93/96	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0												
BMW	R C / R CL	1100	97/03	R	-	-	-	-	-	-	-	-			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R GS	1100	94/01	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R R	1100	97/08	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R R	1100	97/08	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0												
BMW	R R SPOKES WHEELS	1100	93/01	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R RS	1100	94/01	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0			1042	R	S	285	165	4,8	10	13,8		
BMW	R RS	1100	94/01	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0												
BMW	R RT / R RT ABS	1100	94/01	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R RT / R RT ABS	1100	94/01	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0												
BMW	R RT SPOKES WHEELS	1100	93/03	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R S / ABS	1100	98/00	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R S / ABS	1100	01/06	R	1046	L/R	S	320	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R S BOXER CUP REPLIKA	1100	03/06	R	1046	L/R	S	320	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
1150 c.c.															1150 c.c.									
BMW	R GS	1150	99/05	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R GS ADVENTURE	1150	02/06	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R R	1150	01/06	R	1046	L/R	S	320	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R R ROCKSTER	1150	01/06	R	1046	L/R	S	320	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R RS / R RT	1150	01/05	R	-	-	-	-	-	-	-	-			236 / 236X	R	S	276	-	5,0	5	10,5		
1170 c.c.															1170 c.c.									
BMW	R NINE	1170	14/16	N	1046	L/R	S	320	181	4,8	5	14,0			1045	R	S	265	136,5	4,8	5	10,0		
BMW	R NINE T ABS	1170	17/19	D	1046	L/R	S	320	181	4,8	5	14,0			1045	R	S	265	136,5	4,8	5	10,0		
BMW	R NINE T PURE ABS	1170	14/19	D	1046	L/R	S	320	181	4,8	5	14,0			1045	R	S	265	136,5	4,8	5	10,0		
BMW	R NINE T RACER ABS	1170	14/19	D	1046	L/R	S	320	181	4,8	5	14,0			1045	R	S	265	136,5	4,8	5	10,0		
BMW	R NINE T SCRAMBLER ABS	1170	17/19	D	1046	L/R	S	320	181	4,8	5	14,0			1045	R	S	265	136,5	4,8	5	10,0		
BMW	R NINE T URBAN G/S ABS	1170	17/19	D	1046	L/R	S	320	181	4,8	5	14,0			1045	R	S	265	136,5	4,8	5	10,0		
R GS MODELS																								
BMW	R GS 1200 ABS	1170	04/12	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			1045 / 1045X	L	S	265	136,5	4,8	5	10,0		
BMW	R GS 1200 ABS	1170	13/18	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			1434	L	S	276	136	5,0	5	10,5		
BMW	R GS 1200 ABS	1170	13/18	U	1046K28	L/R	KO	*320	181	4,8	5	14,0												
BMW	R GS 1200 ADVENTURE / ABS	1170	13/18	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			1434	L	S	276	136	5,0	5	10,5		
BMW	R GS 1200 ADVENTURE / ABS	1170	13/18	U	1046K28	L/R	KO	*320	181	4,8	5	14,0												
BMW	R GS 1200 EXCLUSIVE / ABS	1170	13/18	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			1434	L	S	276	136	5,0	5	10,5		
BMW	R GS 1200 EXCLUSIVE / ABS	1170	13/18	U	1046K28	L/R	KO	*320	181	4,8	5	14,0												
BMW	R GS 1200 RALLYE / RIDE / ABS	1170	17/18	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			1434	L	S	276	136	5,0	5	10,5		
BMW	R GS 1200 RALLYE / RIDE / ABS	1170	17/18	U	1046K28	L/R	KO	*320	181	4,8	5	14,0												
BMW	R LT / ABS	1170	98	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0			-	-	-	-	-	-	-	-	-	
BMW	R LT / ABS	1170	99/09	R	1046	L/R	S	320	181	4,8	5	14,0			-	-	-	-	-	-	-	-	-	
BMW	R R / R R ABS	1170	06/19	N	1046	L/R	S	320	181	4,8	5	14,0			1045 / 1045X	L	S	265	136,5	4,8	5	10,0		
BMW	R R CLASSIC	1170	12	N	1046	L/R	S	320	181	4,8	5	14,0			1045 / 1045X	R	S	265	136,5	4,8	5	10,0		
BMW	R RS	1170	16/19	R	1046	L/R	S	320	181	4,8	5	14,0			1434	L	S	276	136	5,0	5	10,5		
BMW	R RS / R RT / RT ABS	1170	01/05	R	1046	L/R	S	320	181	4,8	5	14,0			236 / 236X	R	S	276	-	5,0	5	10,5		
BMW	R RT	1170	03/13	R	1046	L/R	S	320	181	4,8	5	14,0			1045 / 1045X	R	S	265	136,5	4,8	5	10,0		
BMW	R RT	1170	14/18	R	1046	L/R	S	320	181	4,8	5	14,0			1434	L	S	276	136	5,0	5	10,5		
BMW	R S	1170	06/10	R	1046	L/R	S	320	181	4,8	5	14,0			1045 / 1045X	R	S	265	136,5	4,8	5	10,0		
BMW	R ST	1170	05/08	R	1046	L/R	S	320	181	4,8	5	14,0			1045 / 1045X	R	S	265	136,5	4,8	5	10,0		
1200 c.c.															1200 c.c.									
BMW	HP 2	1200	06/10	U	1044 / 1044X	L/R	S3																	

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			
BMW	R C CLASSIC	1200	03/04	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	R	-	285	-	5,0	4	10,5				
BMW	R C CRUISER	1200	96/01	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5				
BMW	R C CRUISER	1200	02/03	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1323	R	S	285	-	5,0	5	13,8				
BMW	R C INDEPENDENT	1200	00/02	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	-	-	285	-	-	-	-				
BMW	R C INDEPENDENT X	1200	03/04	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	-	-	285	-	-	-	-				
BMW	R C MONTAUK	1200	03/04	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	-	-	285	-	-	-	-				
BMW	R CL	1200	01/04	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1648G	R	F6,1	285	51,1	7,0	4	12,8				
BMW	R CL	1200	05/06	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5				
1254 c.c.					1254 c.c.										1254 c.c.									
BMW	R 1250 GS ABS	1254	19	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5				
BMW	R 1250 GS ABS	1254	19	U	1046K28	L/R	KO	*320	181	4,8	5	14,0												
BMW	R 1250 GS ADVENTURE ABS	1254	19	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5				
BMW	R 1250 GS ADVENTURE ABS	1254	19	U	1046K28	L/R	KO	*320	181	4,8	5	14,0												
BMW	R 1250 R ABS	1254	19	N	1046	L/R	S	320	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5				
BMW	R 1250 RS ABS	1254	19	R	1046	L/R	S	320	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5				
BMW	R 1250 RT ABS	1254	19	R	1046	L/R	S	320	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5				
1300 c.c.					1300 c.c.										1300 c.c.									
BMW	K GT	1300	07/13	R	1046	L/R	S	320	181	4,8	5	14,0	1564	L	S	294	136,5	6,0	5	10,5				
BMW	K R / ABS	1300	08/16	R	1046	L/R	S	320	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0				
BMW	K S / ABS	1300	08/17	R	1046	L/R	S	320	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0				
1649 c.c.					1649 c.c.										1649 c.c.									
BMW	K B BAGGER ABS	1649	17/18	C	1046	L/R	S	320	181	4,8	5	14,0	1646	L	S	320	136,5	5,5	5	10,5				
BMW	K B BAGGER ABS	1649	19	C	xxxx	L/R	F00,0	320	80	4,8	5	14,0	1646	L	S	320	136,5	5,5	5	10,5				
BMW	K GT / K GT ABS	1649	10/19	R	1046	L/R	S	320	181	4,8	5	14,0	1646	C	S	320	136,5	5,5	5	10,5				
BMW	K GTL / K GTL ABS	1649	17/18	R	1046	L/R	S	320	181	4,8	5	14,0	1646	L	S	320	136,5	5,5	5	10,5				
BMW	K GTL / K GTL ABS	1649	19	R	xxxx	L/R	F00,0	320	80	4,8	5	14,0	1646	L	S	320	136,5	5,5	5	10,5				
BMW	K GTL EXCLUSIVE	1649	10/17	R	1046	L/R	S	320	181	4,8	5	14,0	1714	L	S	265	136,5	5,5	5	10,0				
BMW	K GRAND AMERICA ABS	1649	18/19	R	1046	L/R	S	320	181	4,8	5	14,0	1646	L	S	320	136,5	5,5	5	10,5				
BMW	K SPORT	1649	11/16	R	1046	L/R	S	320	181	4,8	5	14,0	1714	L	S	265	136,5	5,5	5	10,0				
BOTTPOWER					BOTTPOWER										BOTTPOWER									
1200 c.c.					1200 c.c.										1200 c.c.									
BOTTPOWER	BOTT XC1	1200	09	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BRAMMO					BRAMMO										BRAMMO									
ELECTRIC					ELECTRIC										ELECTRIC									
BRAMMO	EMPULSE R / ENERTIA	E	12/13	RV	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-				
BRUNE					BRUNE										BRUNE									
- c.c.					- c.c.										- c.c.									
BRUNE	TRICICLO	-	99/00	G	505 / 512	L	KO	230	44	5,0	6	8,5	-	-	-	-	-	-	-	-				
BRANSON					BRANSON										BRANSON									
50 c.c.					50 c.c.										50 c.c.									
BRANSON	BS CUBA / BS STING	50	08	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-				
BRANSON	BS CUBA / BS STING	50	08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH												
BRANSON	BS CUBA / BS STING	50	08	S	1300X	L	FO	*220	58	3,5	3	10,5												
BRIXTON					BRIXTON										BRIXTON									
125 c.c.					125 c.c.										125 c.c.									
BRIXTON	BX / BX R / BX SK8 / BX X	125	17/19	D	-	L	S	270	-	-	-	-	-	R	S	220	-	-	-	-				
BRIXTON	BX HAYCROFT L. EDITION	125	17/19	D	-	L	S	270	-	-	-	-	-	R	S	220	-	-	-	-				
BRIXTON	FELSBERG X	125	19	D	-	L	S	270	-	-	-	-	-	R	S	220	-	-	-	-				
250 c.c.					250 c.c.										250 c.c.									
BRIXTON	SAXBY	250	17/19	D	-	L	S	270	-	-	-	-	-	R	S	220	-	-	-	-				
BRIXTON	GLANVILLE X	250	17/19	D	-	L	S	270	-	-	-	-	-	R	S	220	-	-	-	-				
BUELL					BUELL										BUELL									
984 c.c.					984 c.c.										984 c.c.									
XB9 MODELS																								
BUELL	XB9 R FIREBOLT / S LIGHTNING	984	02→	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB9 SX LIGHTNING	984	08/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB9 SX LIGHTNING CITY X	984	05/09	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
1125 c.c.					1125 c.c.										1125 c.c.									
BUELL	CR / R	1125	08/10	RVT	1562	R	S	375	307	5,0	6	13,0	-	R	S	-	-	-	-	-				
1200 c.c.					1200 c.c.										1200 c.c.									
BUELL	ALL MODELS	1200	94/97	R	-	-	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5				
BUELL	M2 CYCLONE / S1 / S3 / S3T	1200	98/02	R	ND / NA	R	F11,0	340	60,5	5,0	5	8,5	209	R	S	240	105	5,0	4	10,5				
BUELL	X1 LIGHTNING	1200	98/02	R	-	R	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5				
BUELL	XB12 R FIREBOLT	1200	04/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB12 S LIGHTNING	1200	03/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB12 SCG LIGHTNING	1200	09/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB12 SS LIGHTNING LONG	1200	05/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB12 SS / XB12 SCG	1200	06/08	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB12 STT LIGHTNING	1200	08	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BUELL	XB12 X / XT ULYSSES	1200	06/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
1340 c.c.					1340 c.c.										1340 c.c.									
BUELL	XBR R	1340	06	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0				
BSM					BSM										BSM									
100 c.c.					100 c.c.										100 c.c.									
BSM	TB	100	-	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-				
BSM	TB	100	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH												
BSM	TB	100	-	S	1300X	L	FO	*220	58	3,5	3	10,5												



125 c.c.													125 c.c.								
BSM	TB	125	-	S	107	L	S	190	58	4,0	3	10,5		107	L	S	190	58	4,0	3	10,5
BSM	TB	125	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		1022 / 1022X	L	MD	190	58	3,7	3	MH
BSM	TB	125	-	S	1300X	L	FO	*220	58	3,5	3	10,5		1300X	L	FO	*220	58	3,5	3	10,5
BULTACO ELECTRIC													BULTACO ELECTRIC								
BULTACO	ALBERO 2,5 / 4,5	E	18/19	EV	1463X	L	S	203	-	1,8	6	5,0		1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO C 2,5 / 4,5	E	17/19	EV	1463X	L	S	203	-	1,8	6	5,0		1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO DISCOVERY 6.0 L.E.	E	18/19	EV	1463X	L	S	203	-	1,8	6	5,0		1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO R 6,0	E	18/19	EV	1463X	L	S	203	-	1,8	6	5,0		1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO R-B 6,0	E	18/19	EV	1463X	L	S	203	-	1,8	6	5,0		1463X	L	S	203	-	1,8	6	5,0
BULTACO	BRINCO R-E 2,5 / 4,5	E	18/19	EV	1463X	L	S	203	-	1,8	6	5,0		1463X	L	S	203	-	1,8	6	5,0
50 c.c.													50 c.c.								
BULTACO	ASTRO / LOBITO	50	99/02	A	193 / 193X	L	S	260	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
125 c.c.													125 c.c.								
BULTACO	STREAKER	125	77	A	-	L	Fxx,x	-	-	-	-	-		-	R	S	-	-	-	-	-
CAGIVA 50 c.c.													CAGIVA 50 c.c.								
CAGIVA	CITY	50	92/97	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	CITY LUCKY	50	95→	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	CUCCIOLO	50	00/02	S	447	L	S	220	58	3,5	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	MANTIS	50	98	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	MITO	50	98/99	H	081	L	S	260	90	4,0	6	6,5		099	R	S	220	57	4,0	6	6,5
CAGIVA	PASSING	50	95	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	PRIMA	50	92	H	-	-	-	-	-	-	-	-		099	R	S	220	57	4,0	6	6,5
CAGIVA	PROGRESS / L.C.	50	97/99	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	SUPERCITY	50	91	H	1103	R	F00,0	300	90	4,0	6	6,5		099	R	S	220	57	4,0	6	6,5
CAGIVA	SUPERCITY	50	91	H	1068	R	F00,0	300	90	4,0	6	6,5									
CAGIVA	SUPERCITY	50	93/95	H	-	-	-	-	-	-	-	-		099	R	S	220	57	4,0	6	6,5
75 c.c.													75 c.c.								
CAGIVA	PRIMA R	75	95/97	H-R	-	-	-	-	-	-	-	-		099	R	S	220	57	4,0	6	6,5
80 c.c.													80 c.c.								
CAGIVA	CITY	50	93→	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
125 c.c.													125 c.c.								
CAGIVA	BLUES	125	88	R	ND / NA	R	S	260	124	3,5	6	6,5		ND / NA	R	S	240	124	5,0	6	6,5
CAGIVA	CUCCIOLO	125	01/02	S	448	L	S	240	58	3,5	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	FRECCIA C 12	125	89/91	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5		-	-	-	-	-	-	-	-
CAGIVA	MITO CORSA	125	89/94	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		-	-	-	-	-	-	-	-
CAGIVA	MITO CORSA	125	89/94	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	MITO EDDY	125	93	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		-	-	-	-	-	-	-	-
CAGIVA	MITO EDDY	125	93	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	MITO EVOLUZIONE	125	90/07	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	MITO EVOLUZIONE	125	90/07	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	MITO N1	125	95/03	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	MITO N1	125	95/03	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	MITO SP 525 2T	125	06/17	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	MITO SP 525 2T	125	06/17	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	PASSING	125	94/95	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
CAGIVA	PLANET	125	97/07	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	PLANET	125	97/07	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	RAPTOR 2T	125	03/17	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	RAPTOR 2T	125	03/17	N	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	SUPERCITY	125	91/00	F	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	SUPERCITY	125	91/00	F	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
500 c.c.													500 c.c.								
CAGIVA	CANYON	500	96/01	U	456	L	S	296	144	4,5	6	10,5		-	-	-	-	-	-	-	-
CAGIVA	CANYON	500	96/01	U	110 / 110X	L	S	296	144	5,0	6	10,5									
CAGIVA	MITO	500	07/08	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	MITO	500	07/08	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	RIVER	500	00	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		-	-	-	-	-	-	-	-
CAGIVA	RIVER	500	00	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
600 c.c.													600 c.c.								
CAGIVA	CANYON	600	95/00	U	110 / 110X	R	S	296	144	5,0	6	10,5		-	-	-	-	-	-	-	-
CAGIVA	CANYON	600	95/00	U	048	L	S	296	144	4,0	6	10,5									
CAGIVA	RIVER	600	95/99	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		146	R	S	229	110	4,0	6	6,5
CAGIVA	RIVER	600	95/99	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5									
CAGIVA	RAPTOR / RAPTOR V	600	00/07	R	1236	L/R	F10,5	300	61	5,0	6	8,5		337	R	S	220	87	5,0	4	10,5
750 c.c.													750 c.c.								
CAGIVA	ELEFANT	750	94/97	U	048	L	S	296	144	4,0	6	10,5		209	R	S	240	105	5,0	4	10,5
CAGIVA	ELEFANT	750	94/97	U	110 / 110X	R	S	296	144	5,0	6	10,5									
900 c.c.													900 c.c.								
CAGIVA	GRAN CANYON	900	97/00	U	048	L/R	S	296	144	4,0	6	10,5		209	R	S	240	105	5,0	4	10,5
CAGIVA	GRAN CANYON	900	97/00	U	110 / 110X	R	S	296	144	5,0	6	10,5									
CAGIVA	ELEFANT	900	94/97	U	1334	L/R	S	282	144	5,0	6	10,5		209	R	S	240	105	5,0	4	10,5
CAGIVA	ELEFANT / C	900	90/97	U	456	R	S	296	144	4,5	6	10,5		209	R	S	240	105	5,0	4	10,5



CAGIVA	ELEFANT / C	900	90/97	U	110 / 110X	R	S	296	144	5,0	6	10,5								
CAGIVA	ELEFANT i.e. / GT / AC	900	90/94	U	048	L	S	296	144	4,0	6	10,5	-	-	-	-	-	-	-	
CAGIVA	ELEFANT i.e. / GT / AC	900	90/94	U	110 / 110X	L	S	296	144	5,0	6	10,5								
1000 c.c.					1000 c.c.															
CAGIVA	NAVIGATOR	1000	00/06	R	048	L/R	S	296	144	4,0	6	10,5	209	L	S	240	105	5,0	4	10,5
CAGIVA	NAVIGATOR	1000	00/06	R	110 / 110X	L/R	S	296	144	5,0	6	10,5								
CAGIVA	RAPTOR / V / X	1000	00/07	R	1236	L/R	F10,5	300	61	5,0	6	8,5	337	R	S	220	87	5,0	4	10,5
CAGIVA	RAPTOR X3	1000	03/04	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	
CAGIVA	RAPTOR X3	1000	03/04	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
CAGIVA	XTRA RAPTOR	1000	04	R	1236	L/R	F10,5	300	61	5,0	6	8,5	-	-	-	-	-	-	-	
CAN-AM					CAN-AM															
1330 c.c.					1330 c.c.															
CAN-AM	SYDER F3 / SPYDER RT	1330	14/18	R	-	L/R	S	270	-	-	-	-	-	R	S	270	-	-	-	-
CANNONDALE					CANNONDALE															
400 c.c.					400 c.c.															
CANNONDALE	XC	400	00/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	L	S	220	121	5,0	4	10,5
440 c.c.					440 c.c.															
CANNONDALE	E / X / X S	440	00/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	L	S	220	121	5,0	4	10,5
CCM					CCM															
50 c.c.					50 c.c.															
CMC	S. MOTO / REGOLITÀ	50	11/12	A	275	L	S	260	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
230 c.c.					230 c.c.															
CCM	C-XR S	230	07/08	U	1079	L	S	320	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	C-XR E	230	07/08	E	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	F-T35 FLAT TRACKER	230	07/08	FT	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	F-T35 FLAT TRACKER	230	07/08	FT	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	F-T35 FLAT TRACKER	230	07/08	FT	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	F-T35 FLAT TRACKER	230	07/08	FT	1613X	L	F00,0	318	108	5,0	6	6,5								
400 c.c.					400 c.c.															
CCM	CR	400	07/08	R	232	R	F11,0	300	110	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	CR	400	07/08	R									1057	R	S	220	108	3,5	6	6,5
CCM	CR	400	07/08	R									1057X	R	S	220	108	4,0	6	6,5
CCM	SR	400	07/08	U	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	SR	400	07/08	U									1057	R	S	220	108	3,5	6	6,5
CCM	SR	400	07/08	U									1057X	R	S	220	108	4,0	6	6,5
CCM	SUPERMOTO	400	07/08	F	1079	L	S	320	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	R EXCALIBUR	400	03	F	-	-	-	-	-	-	-	-	302	R	S	220	108	4,0	6	6,5
CCM	R EXCALIBUR	400	03	F									1057	R	S	220	108	3,5	6	6,5
CCM	R EXCALIBUR	400	03	F									1057X	R	S	220	108	4,0	6	6,5
450 c.c.					450 c.c.															
CCM	DS	450	07/08	E	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	E F	450	12	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CCM	E F	450	12	E									654SP	R	S	240	121,5	4,0	4	6,5
CCM	R	450	07/08	F	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	R	450	07/08	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	R	450	07/08	F	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	R	450	07/08	F	1613X	L	F00,0	318	108	5,0	6	6,5								
600 c.c.					600 c.c.															
CCM	E	600	99/00	F	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	E	600	99/00	F									1057	R	S	220	108	3,5	6	6,5
CCM	E S. MOTO / RS ROADSTER	600	99/03	F	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	E S. MOTO / RS ROADSTER	600	99/03	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	E S. MOTO / RS ROADSTER	600	99/03	F	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	E S. MOTO / RS ROADSTER	600	99/03	F	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	R	600	99/00	U	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	R	600	99/00	U	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	R	600	99/00	U	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	R	600	99/00	U	1613X	L	F00,0	318	108	5,0	6	6,5								
644 c.c.					644 c.c.															
CCM	644	644	07/08	F	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
CCM	DS	644	02/06	F	-	-	-	-	-	-	-	-	129 / 129X	R	S	220	110	4,2	6	6,5
CCM	DS	644	02/06	F									129SP / 129XSP	R	S	220	110	4,2	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	F	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	F	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
CCM	DUAL SPORT SUPERMOTO	644	03	F	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	DUAL SPORT TRAIL	644	03	U	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
CCM	DUAL SPORT TRAIL	644	03	U									1057	R	S	220	108	3,5	6	6,5
CCM	DUAL SPORT TRAIL	644	03	U									1057X	R	S	220	108	4,0	6	6,5
CCM	R30	644	02/06	U	022	L	F00,0	320	108	4,0	6	6,5	129 / 129SP	R	S	220	110	4,2	6	6,5
CCM	R30	644	02/06	U	1204X	L	F00,0	318	108	4,0	6	6,5	129X / 129XSP	R	S	220	110	4,2	6	6,5
CCM	R30	644	02/06	U	1613	L	F00,0	320	108	5,0	6	6,5								
CCM	R30	644	02/06	U	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM	R45	644	07/09	F	-	-	-	-	-	-	-	-	302	R	S	220	108	4,0	6	6,5
CCM	R45	644	07/09	F									1057	R	S	220	108	3,5	6	6,5

		C.C.	YEAR	MODEL TYPE	FRONT	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
CCM	R45	644	07/09	F										1057X	R	S	220	108	4,0	6	6,5	
		710 c.c.												710 c.c.								
CCM	FT-S	710	07/09	U	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5		
CCM	FT-S	710	07/09	U	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5		
CCM	FT-S	710	07/09	U	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5		
CCM	FT-S	710	07/09	U	1613X	L	F00,0	318	108	5,0	6	6,5										
CF MOTO										CF MOTO												
		125 c.c.												125 c.c.								
CF MOTO	E-CHARM	125	10	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	
CF MOTO	GLORY	125	10	S	-	L	S	-	-	-	-	-	-	-	S	-	-	-	-	-	-	
CF MOTO	ST PAPIO ABS ABS	125	17/19	N	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
		150 c.c.												150 c.c.								
CF MOTO	E-CHARM	150	10	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	
CF MOTO	GLORY	150	10	S	-	L	S	-	-	-	-	-	-	-	S	-	-	-	-	-	-	
CF MOTO	NK ABS	150	17/19	N	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
		250 c.c.												250 c.c.								
CF MOTO	NK ABS	250	17/19	N	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
		300 c.c.												300 c.c.								
CF MOTO	NK ABS	300	19	N	-X	L/R	-	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
		400 c.c.												400 c.c.								
CF MOTO	GT ABS	400	19	R	-X	L/R	-	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
CF MOTO	J-2 ABS	400	18/19	R	-X	L/R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
CF MOTO	NK ABS	400	17/19	N	-X	L/R	Fxx,x	300	-	-	-	-	-	R	S	240	-	-	-	-	-	
		650 c.c.												650 c.c.								
CF MOTO	GT ABS	650	19	R	-X	L/R	-	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
CF MOTO	J-2 ABS / J-3 ABS	650	18/19	R	-X	L/R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
CF MOTO	NK ABS	650	13/19	R	-X	L/R	Fxx,x	300	-	-	-	-	-	R	S	240	-	-	-	-	-	
CF MOTO	TK ABS / TK-G ABS	650	16/17	R	-	L/R	Fxx,x	300	-	-	-	-	-	R	S	240	-	-	-	-	-	
CF MOTO	MT	650	17/19	R	-X	L/R	Fxx,x	300	-	-	-	-	-	R	S	240	-	-	-	-	-	
		1000 c.c.												1000 c.c.								
CF MOTO	CONCEPT BIKE V.02 NK ABS	1000	18/19	N	-	L/R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-	-	
CH RACING										CH RACING												
		50 c.c.												50 c.c.								
CH RACING	WSM MOTARD / RACING	50	05	A	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5		
CH RACING	WSM WXE	50	05	A	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5		
		125 c.c.												125 c.c.								
CH RACING	WSM / WXE / WXR	125	05	F	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5		
CH RACING	WSM SPARTA	125	05	E	640	L	S	260	108	3,0	6	6,5	781	R	S	200	45	3,0	5	6,5		
CLEVELAND										CLEVELAND												
		125 c.c.												125 c.c.								
CLEVELAND	MISFIT	125	-	R	1417X	L	F10,8	280	50	4,0	4	8,5	1418X / 1418	-	S	220	58	4,0	4	10,5		
		250 c.c.												250 c.c.								
CLEVELAND	CRUISER SHOOTOUT	250	12	C	1376X	L	F00,0	292	50,8	5,0	5	10,5	1377X	-	S	240	58	4,0	4	10,5		
CLIPIC										CLIPIC												
		50 c.c.												50 c.c.								
CLIPIC	CJ E FIRST	50	-	A	003	L	S	220	108	4,0	6	6,5	002	R	S	185	60	3,5	6	6,5		
CLIPIC	CJ E FIRST	50	-	A	026	L	S	220	108	4,0	6	6,5										
CLIPIC	CJ R	50	99	A-T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5		
		80 c.c.												80 c.c.								
CLIPIC	CJ R2	80	99/09	A	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5		
COLIBRI										COLIBRI												
		125 c.c.												125 c.c.								
COLIBRI	CAROLINA / MOTORETTA	125	17/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	
COLIBRI	SCOOTER 10	125	17/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	
CPI										CPI												
		50 c.c.												50 c.c.								
CPI	ARAGON ALL MODELS	50	06/09	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
CPI	ARAGON ALL MODELS	50	06/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
CPI	ARAGON ALL MODELS	50	06/09	S	1300X	L	FO	*220	58	3,5	3	10,5										
CPI	BABY / BABJ J	50	02	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
CPI	BABY / BABJ J	50	02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
CPI	BABY / BABJ J	50	02	S	1300X	L	FO	*220	58	3,5	3	10,5										
CPI	FORMULA BASCI / R	50	04	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
CPI	FORMULA BASCI / R	50	04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
CPI	FORMULA BASCI / R	50	04	S	1300X	L	FO	*220	58	3,5	3	10,5										
CPI	HUSSAR ALL MODELS / MARS	50	01→	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
CPI	HUSSAR ALL MODELS / MARS	50	01→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
CPI	HUSSAR ALL MODELS / MARS	50	01→	S	1300X	L	FO	*220	58	3,5	3	10,5										
CPI	OLIVER / CITY / SPORT	50	03/12	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
CPI	OLIVER / CITY / SPORT	50	03/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
CPI	OLIVER / CITY / SPORT	50	03/12	S	1300X	L	FO	*220	58	3,5	3	10,5										
CPI	SUPERMOTO / BASIC	50	07/09	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5		
CPI	SUPERMOTO LIMITED	50	07/08	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5		
CPI	SUPER CROSS LIMITED	50	07/09	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5		
CPI	SM SUPERMOTARD	50	05/08	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5		
CPI	SM BLACK TIGER	50	09	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5		
CPI	SX SUPERCROSS	50	07/08	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5		

		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
125 c.c.													125 c.c.							
CPI	OLIVER CITY	125	06/07	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
CPI	OLIVER CITY	125	06/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
CPI	OLIVER CITY	125	06/07	S	1300X	L	FO	*220	58	3,5	3	10,5								
150 c.c.													150 c.c.							
CPI	GTR	150	05	S	1397 / 1397X	L	S	280	155	4,0	5	6,5	1398 / 1398X	L	S	210	56	4,0	3	10,5
250 c.c.													250 c.c.							
CPI	SM ENDURO	250	09	E	1075	L	S	267	-	3,5	6	6,5	ND / NA	R	S	227	-	4,0	6	6,5
ELECTRIC													ELECTRIC							
CSC	CITY SLICKER	E	19	NV	-	R	S	220	-	4,0	-	-	-	R	S	190	-	3,5	4	10,5
50 c.c.													50 c.c.							
DAELIM	A-FOUR	50	06/09	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-
DAELIM	BEAGLE 4T	50	17	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
DAELIM	BONITA	50	12	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
DAELIM	CORDI	50	08/12	S	629	L	S	160	60	3,5	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	DELFINO	50	99	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	DX D CAMPER	50	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	DX D CAMPER	50	03	S	727	L	SO	*180	40,6	3,5	3	10,5								
DAELIM	E-FIVE	50	12	S	1274	L	S	220	100	4,0	5	10,5	-	-	-	-	-	-	-	-
DAELIM	M D / MD MILLENIUM	50	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	M D / MD MILLENIUM	50	03	S	727	L	SO	*180	40,6	3,5	3	10,5								
DAELIM	MESSAGE II	50	97	S	371	L	S	160	60	3,0	3	8,5	Drum	-	-	-	-	-	-	-
DAELIM	MESSAGE II	50	98	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	MESSAGE II / VIVO	50	99/02	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-
DAELIM	S4 4T	50	17	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
DAELIM	S-FIVE	50	06/10	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	S-FIVE	50	06/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
DAELIM	S-FIVE	50	06/10	S	1300X	L	FO	*220	58	3,5	3	10,5								
DAELIM	S-FOUR S4 / S-FIVE	50	11/12	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-
DAELIM	VIVO	50	97/98	S	371	L	S	160	60	3,0	3	8,5	Drum	-	-	-	-	-	-	-
DAELIM	VIVO	50	99→	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	WITTY 4T	50	17	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
90 c.c.													90 c.c.							
DAELIM	ST PRO MONKEY	90	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	ST PRO MONKEY	90	03	S	727	L	SO	*180	40,6	3,5	3	10,5								
100 c.c.													100 c.c.							
DAELIM	DELFINO	100	99/06	S	443	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-
110 c.c.													110 c.c.							
DAELIM	CA	110	17	S	-	-	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
125 c.c.													125 c.c.							
DAELIM	AROMA	125	16	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	AROMA	125	16	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
DAELIM	AROMA	125	16	S	1300X	L	FO	*220	58	3,5	3	10,5								
DAELIM	AROMA	125	17	S	-	L	S	188	-	-	5	-	Drum	-	-	-	-	-	-	-
DAELIM	B-BONE Fi	125	16/17	S	-	L	S	220	-	-	-	-	-	R	S	200	-	-	-	-
DAELIM	BESBI	125	11/12	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DAELIM	BESBI	125	11/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
DAELIM	BESBI	125	11/12	S	1300X	L	FO	*220	58	3,5	3	10,5								
DAELIM	BESBI Fi / BESBI Fi DART NC	125	15/19	S	xxxx	L	S	180	58	4,0	3	10,5	-	C	S	205	-	-	-	-
DAELIM	BESBI S16 Fi	125	17/19	S	-	L	Sxxx	-	-	-	-	-	-	-	-	-	-	-	-	-
DAELIM	DAYSTAR VL / Fi PLUS	125	00/14	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-
DAELIM	DAYSTAR VL CLASSIC	125	00/03	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-
DAELIM	DAYSTAR VL Fi F	125	17/19	C	208	L	S	276	144	4,5	6	10,5	xxxx	R	S	220	80	4,0	5	10,5
DAELIM	DELFINO	125	07/12	S	443	R	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-
DAELIM	HISTORY	125	-	S	1181	-	S	220	58,3	4,0	3	10,5	-	-	-	-	-	-	-	-
DAELIM	HISTORY SL	125	01/08	S	1274	R	S	220	100	4,0	5	10,5	-	-	-	-	-	-	-	-
DAELIM	NS DLX	125	00/08	S	1201X	R	S22,0	220	58	4,0	3	8,5	1190	-	S	200	68	3,7	3	10,5
DAELIM	NS OTELLO	125	00/08	S	1201X	R	S22,0	220	58	4,0	3	8,5	1135	-	S	200	68	4,0	3	10,5
DAELIM	NS III	125	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
DAELIM	ROADWIN Fi	125	04/17	R	1175	L	S	276	124	4,0	6	10,5	1186	R	S	220	58	4,0	3	10,5
DAELIM	ROADWIN R Fi	125	08/17	R	1175	L	S	276	124	4,0	6	10,5	1186	R	S	220	58	4,0	3	10,5
DAELIM	ROCKET	125	99/00	S	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-
DAELIM	S1 / S1 Fi	125	08/17	S	1315	L	S	219	80	4,0	5	10,5	1279	R	S	200	78	4,0	5	10,5
DAELIM	S2	125	06/09	S	1185	L	S	240	58	4,0	3	10,5	1190	-	S	200	68	3,7	3	10,5
DAELIM	S2 Fi	125	10/17	S	1185	L	S	240	58	4,0	3	10,5	1135	R	S	200	68	4,0	3	10,5
DAELIM	S2 Fi	125	10/17	S									1279	R	S	200	78	4,0	5	10,5
DAELIM	S3 Fi / Fi CBS	125	12/19	S	1316X	L	S	240	80	4,0	5	10,5	1315	R	S	219	80	4,0	5	10,5
DAELIM	S3 Fi TOURING ABS	125	12/17	S	1316X	L	S	240	80	4,0	5	10,5	1315	R	S	219	80	4,0	5	10,5
DAELIM	S16 Fi	125	17/18	S	-	L	S	240	-	-	-	-	-	R	S	205	-	-	-	-
DAELIM	SL	125	08	S	-	-	-	-	-	-	-	-	1190	R	S	200	68	3,7	3	10,5
DAELIM	STEEZER / P / S Fi / ABS	125	15/18	S	-	L	S	-	-	-	-	-	-	-	S	-	-	-	-	-
DAELIM	DAYSTAR VL / Fi PLUS	125	00/14	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-

				C.C.	YEAR	MODEL TYPE	FRONT							REAR										
							REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
DAELIM	DAYSTAR VL CLASSIC	125	00/03	C			208	L	S	276	144	4,5	6	10,5		Drum	-	-	-	-	-	-	-	-
DAELIM	DAYSTAR VL Z Fi PLUS	125	17/18	C			-X	L	S	276	-	-	-	-		-	R	S	220	-	-	-	-	-
DAELIM	VS / VT EVOLUTION	125	99/11	C			208	L	S	276	144	4,5	6	10,5		Drum	-	-	-	-	-	-	-	-
DAELIM	XQ1 ABS / XQ1 D ABS	125	18/19	S			xxxxX	L	F00,0	270	80	4,0	5	10,5		-	R	S	220	80	4,0	5	10,5	
250 c.c.														250 c.c.										
DAELIM	DAYSTAR VL Fi / F / ABS	250	13/17	C			-	L/R	S	290	-	-	-	-		-	R	S	218	-	-	-	-	-
DAELIM	ROADWIN R Fi	250	12/17	R			-	L/R	Fxx,x	290	-	-	-	-		-	R	S	218	-	-	-	-	-
DAELIM	S2	250	05	S			1185	L	S	240	58	4,0	3	10,5		1186	R	S	220	58	4,0	3	10,5	
DAELIM	S2	250	06/09	S			1185	L	S	240	58	4,0	3	10,5		1315	-	S	219	80	4,0	5	10,5	
DAELIM	S3 Fi / ADVANCE / ABS	250	15/18	S			-	L	S	-	-	-	-	-		-	R	S	-	-	-	-	-	
DERBI ELECTRIC														DERBI ELECTRIC										
DERBI	ATLANTIS ELECTRIC	E	05/07	SV			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
50 c.c.														50 c.c.										
DERBI	ATLANTIS 2T AC 12'	50	07/11	S			130	L	S	200	97,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-	-
DERBI	ATLANTIS 2T A.C. / L.C.	50	99/07	S			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
DERBI	ATLANTIS 4T	50	07/09	S			130	L	S	200	97,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-	-
DERBI	ATLANTIS 4T 13'	50	04/10	S			444	L	S	190	58	3,5	5	6,5		Drum	-	-	-	-	-	-	-	-
DERBI	ATLANTIS 4T L.C.	50	99/01	S			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
DERBI	ATLANTIS CITY AC 2T	50	03/06	S			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
DERBI	ATLANTIS RED BULLET	50	01/05	S			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
DERBI	ATLANTIC TWO CHIC AC	50	05	S			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
DERBI	BOULEVARD 2T	50	09/18	S			610	L	S	200	96,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-	-
DERBI	BOULEVARD 2T	50	09/18	S			610F	L	F00,0	200	96,5	4,0	5	6,5										
DERBI	BOULEVARD 2T	50	09/18	S			1815X	L	SO	*220	96,5	4,0	5	6,5										
DERBI	BOULEVARD 4T	50	09/16	S			610	L	S	200	96,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-	-
DERBI	BOULEVARD 4T	50	09/16	S			610F	L	F00,0	200	96,5	4,0	5	6,5										
DERBI	BOULEVARD 4T	50	09/16	S			1815X	L	SO	*220	96,5	4,0	5	6,5										
DERBI	BULLET ATLANTIS	50	06	S			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
DERBI	DRD EDITION	50	02/06	A			618	L/R	S	240	125	3,5	6	7,5		238 / 238X	R	S	218	62	3,5	3	10,5	
DERBI	DRD EDITION	50	02/06	A			632	L/R	S	240	125	3,5	6	7,5		843	R	T	218	62	3,5	3	10,5	
DERBI	DRD PRO	50	04/05	A			840 / 840X	L	T/S	260	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5	
DERBI	DRD PRO	50	04/05	A			193 / 193X	L	S	260	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5	
DERBI	DRD PRO SM	50	06/07	A			866 / 866X	L	T/S	300	108	4,0	6	7,5		843	R	T	218	62	3,5	3	10,5	
DERBI	DRD PRO SM	50	06/07	A			867	L	T	300	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5	
DERBI	DRD RACING	50	02	A			828	L	T	260	108	4,0	6	7,5		099	R	S	220	57	4,0	6	6,5	
DERBI	DRD RACING R	50	05/06	A			840 / 840X	L	T/S	260	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5	
DERBI	DRD RACING R	50	05/06	A			193 / 193X	L	S	260	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5	
DERBI	DRD RACING SM	50	05	A			841 / 841X	L	S	300	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5	
DERBI	DRD RACING SM	50	05	A			867	L	T	300	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5	
DERBI	DRD RACING SM	50	06	A			866 / 866X	L	T/S	300	108	4,0	6	7,5		843	R	T	218	62	3,5	3	10,5	
DERBI	DRD RACING SM	50	06	A			867	L	T	300	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5	
DERBI	DRD SM LIMITED EDITION	50	06	A			618	L/R	S	240	125	3,5	6	7,5		099	R	S	220	57	4,0	6	6,5	
DERBI	DRD SM LIMITED EDITION	50	06	A			632	L/R	S	240	125	3,5	6	7,5										
DERBI	FDS WORLD CHAMPION	50	92	A			083	L	S	219	53	3,5	4	8,5		Drum	-	-	-	-	-	-	-	-
DERBI	FENIX EX	50	95/97	H			082	R	S	218	62	3,5	3	8,5		089 / 089X	R	S	180	62	3,8	3	10,5	
DERBI	FENIX EX	50	98/01	H			082	R	S	218	62	3,5	3	8,5		-	-	-	-	-	-	-	-	-
DERBI	GP SERIES	50	02	S			087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-	-
DERBI	GP 1	50	01/04	S			444	L	S	190	58	3,5	5	6,5		366	R	S	175	73	4,0	5	6,5	
DERBI	GP 1	50	05	S			471	L	T	245	125	3,5	5	6,5		734	L	T	180	60	3,5	3	10,5	
DERBI	GP 1 6 bolts front disc	50	05/11	S			113 / 113X	L	S	220	105	4,0	6	6,5		-	-	-	-	-	-	-	-	-
DERBI	GP 1 OPEN	50	10/11	S			113 / 113X	L	S	220	105	4,0	6	6,5		-	-	-	-	-	-	-	-	-
DERBI	GP 1 OPEN / GP 1 MALOSS	50	05/07	S			113 / 113X	L	S	220	105	4,0	6	6,5		734	L	T	180	60	3,5	3	10,5	
DERBI	GP 1 OPEN / GP 1 MALOSS	50	08/09	S			113 / 113X	L	S	220	105	4,0	6	6,5		233	C	S	175	73	4,0	5	6,5	
DERBI	GP 1 RACING	50	05/06	S			471	L	T	245	125	3,5	5	6,5		734	L	T	180	60	3,5	3	10,5	
DERBI	GP 1 REPLICA	50	01/04	S			444	L	S	190	58	3,5	5	6,5		233	L	S	175	73	4,0	5	6,5	
DERBI	GPR / GPR REPLICA	50	97/03	H			081	L	S	260	90	4,0	6	6,5		099	R	S	220	57	4,0	6	6,5	
DERBI	GPR / GPR R / GPR NUDE	50	04/09	H			801	L	T	300	90	4,0	6	6,5		802	R	T	180	57	4,0	6	6,5	
DERBI	GPR / GPR R / GPR NUDE	50	04/09	H			1103	L	F00,0	300	90	4,0	6	6,5										
DERBI	GPR / GPR R / GPR NUDE	50	04/09	H			1068	L	F00,0	300	90	4,0	6	6,5										
DERBI	GPR R 2T	50	09/15	H			801	L	T	300	90	4,0	6	6,5		829	R	T	220	57	4,0	5	6,5	
DERBI	GPR R 2T	50	09/15	H			1103	L	F00,0	300	90	4,0	6	6,5										
DERBI	GPR R 2T	50	09/15	H			1068	L	F00,0	300	90	4,0	6	6,5										

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
DERBI	SENDA BLACK DEVIL	50	05/07	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA BLACK DEVIL	50	05/07	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA EX	50	95/97	A	-	-	-	-	-	-	-	-	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA EXTREME	50	03	A	-	-	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA EXTREME	50	03	A									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA L	50	99/01	A	-	-	-	-	-	-	-	-	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA L 6V	50	94/97	A	088	L	S	218	90	3,8	3	8,5	-	-	-	-	-	-	-	-
DERBI	SENDA R	50	97→	A	614	L	S	259	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA R	50	97/99	A	088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA R	50	00/03	A	335	L	S	240	108	3,5	6	6,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA R 6V	50	94/97	A	088	L	S	218	90	3,8	3	8,5	-	-	-	-	-	-	-	-
DERBI	SENDA R DRD	50	02/03	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA R DRD	50	06	A	868	L	T	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
DERBI	SENDA R DRD	50	06	A	193 / 193X	L	S	260	108	3,5	6	6,5								
DERBI	SENDA R DRD DEVIL	50	04/05	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA R DRD DEVIL	50	04/05	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA R LE	50	01/03	A	088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA R RACER	50	02/03	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA R RACER	50	02/03	A									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA R X-TREME	50	00/01	A	614	L	S	259	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA R X-TREME	50	00/01	A									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA R X-TREME	50	03/04	A	193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA R X-TREME	50	03/04	A									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA R X-TREME	50	18	A	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA RACING SM	50	18	A	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA SM	50	97/99	A	088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA SM X-TREME	50	04	A	-	-	-	-	-	-	-	-	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA SM X-TREME	50	04	A									238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA SM X-TREME	50	08/09	A	193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA SM X-TREME	50	08/09	A									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA SR	50	99→	A	614	L	S	259	108	3,5	6	6,5	-	-	-	-	-	-	-	-
DERBI	SENDA SR	50	01	A	088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA SM DRD	50	02	A	618	L/R	S	240	125	3,5	6	7,5	-	-	-	-	-	-	-	-
DERBI	SENDA SM DRD	50	02	A	632	L/R	S	240	125	3,5	6	7,5								
DERBI	SENDA X RACE SM	50	06	A	-	-	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA X RACE SM	50	06	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA X RACE SM	50	08/09	A	193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	SENDA X RACE SM	50	08/09	A									089X	R	S	180	62	3,8	3	10,5
DERBI	SENDA X-TREME	50	18	A	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA X-TREME R	50	15	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA X-TREME R	50	19	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA X-TREME SM	50	05/06	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SENDA DRD MODELS																				
DERBI	SENDA DRD	50	03	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD EDITION	50	04	A	841 / 841X	L	S	300	108	3,5	6	6,5	-	-	-	-	-	-	-	-
DERBI	SENDA DRD EVO	50	08/09	A	801	L	T	300	90	4,0	6	6,5	8021	R	T	218	57	3,5	6	6,5
DERBI	SENDA DRD EVO	50	08/09	A	1103	L	F00,0	300	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD EVO	50	08/09	A	1068	L	F00,0	300	90	4,0	6	6,5								
DERBI	SENDA DRD PRO SM	50	07/08	A	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD PRO SM	50	07/08	A	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD RACING / SM	50	08/09	A	868	L	T	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD RACING / SM	50	08/09	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD RACING R	50	11	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD RACING R	50	11	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD RACING SM	50	11	A	868	L	T	260	108	3,5	6	6,5	8021	R	T	218	57	3,5	6	6,5
DERBI	SENDA DRD RACING SM	50	11	A	193 / 193X	L	S	260	108	3,5	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD RACING SM	50	17	A	081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
DERBI	SENDA DRD X-TREME R / SM	50	11	A	868	L	T	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA DRD X-TREME R / SM	50	11	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA DRD X-TREME R	50	16/17	A																



C.C.	YEAR	MODEL TYPE	FRONT	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
DERBI	X-RACE	50	04/05	A									089X	R	S	180	62	3,8	3	10,5
DERBI	X-RACE R	50	05/09	A	335	L	S	240	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	X-RACE SM	50	05/07	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	X-TREME / X-TREME R	50	04/09	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	X-TREME / X-TREME R	50	04/09	A									089X	R	S	180	62	3,8	3	10,5
DERBI	X-TREME SM	50	05	A	193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
DERBI	X-TREME SM	50	05	A									089X	R	S	180	62	3,8	3	10,5
DERBI	X-TREME SM	50	06/07	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	X-TREME DRD SM LIMITED	50	17	A	081	L	S	260	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
DERBI	YUMBO FDS SAVANNAH	50	88	A	088	L	S	218	90	3,8	3	8,5	Drum	-	-	-	-	-	-	-
DERBI	YUMBO FDS SAVANNAH	50	91/93	A	-	-	-	-	-	-	-	-	085	R	S	179	62	3,5	3	6,5
80 c.c.													80 c.c.							
DERBI	DRD COPA	80	05/08	H-R	801	L	T	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
DERBI	DRD COPA	80	05/08	H-R	1103	L	F00,0	300	90	4,0	6	6,5								
DERBI	DRD COPA	80	05/08	H-R	1068	L	F00,0	300	90	4,0	6	6,5								
100 c.c.													100 c.c.							
DERBI	ATLANTIS	100	01/07	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-
DERBI	PREDATOR	100	98/03	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DERBI	PREDATOR	100	98/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
DERBI	PREDATOR	100	98/03	S	1300X	L	FO	*220	58	3,5	3	10,5								
125 c.c.													125 c.c.							
DERBI	BOULEVARD	125	02/10	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
DERBI	BOULEVARD	125	02/10	S	612	L	S	220	58	4,0	5	6,5								
DERBI	CROSS CITY	125	07/13	U	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	CROSS CITY	125	07/13	U	1327 / 1327X	L	S	280	108	4,0	6	7,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	DRD R / DRD R SM	125	06	E	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	DRD R / DRD R SM	125	06	E	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	GP 1	125	05/07	S	471	L	T	245	125	3,5	5	6,5	864	R	T	240	125	3,5	5	6,5
DERBI	GP 1	125	08	S	8006	L	T	245	105	4,0	6	6,5	-	-	-	-	-	-	-	-
DERBI	GP 1 LOW SEAT E3	125	06/07	S	8006	L	T	245	105	4,0	6	6,5	-	-	-	-	-	-	-	-
DERBI	GP 1 RACING	125	08/10	S	471	L	T	245	125	3,5	5	6,5	-	-	-	-	-	-	-	-
DERBI	GPR R 2T / GPR R 4T	125	05/11	R	801	L	T	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
DERBI	GPR R 2T / GPR R 4T	125	05/11	R	1103	L	F00,0	300	90	4,0	6	6,5								
DERBI	GPR R 2T / GPR R 4T	125	05/11	R	1068	L	F00,0	300	90	4,0	6	6,5								
DERBI	GPR R 4T / GPR 4T 4V	125	09/12	R	801	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
DERBI	GPR R 4T / GPR 4T 4V	125	09/12	R	1068	L	F00,0	300	90	4,0	6	6,5								
DERBI	GPR R 4T / GPR 4T 4V	125	09/12	R	1103	L	F00,0	300	90	4,0	6	6,5								
DERBI	GPR NUDE	125	05/09	R	1068	L	F00,0	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
DERBI	MULHACEN	125	06/12	U	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	MULHACEN	125	06/12	U	1327 / 1327X	L	S	280	108	4,0	6	7,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	MULHACEN CAFÉ	125	07/12	R	801	L	T	300	90	4,0	6	6,5	8021	R	T	218	57	3,5	6	6,5
DERBI	PREDATOR	125	99/02	S	612	L	S	220	58	4,0	5	6,5	233	L	S	175	73	4,0	5	6,5
DERBI	PREDATOR	125	99/02	S	365	L	S	220	58	4,0	5	6,5								
DERBI	RAMBLA	125	08/12	S	292	L	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
DERBI	SENDA BAJA 4T SM	125	07/13	F	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA BAJA 4T SM	125	07/13	F	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA BAJA R 4T	125	05/13	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA R 4T	125	05/08	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA R DRD DEVIL 4T	125	04/05	U	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA R DRD DEVIL 4T	125	04/05	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA SM 4T	125	04/06	F	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI	SENDA SM 4T	125	04/06	F									238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	SENDA STREET	125	06/07	U	8019	L	T	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
DERBI	SENDA STREET	125	06/07	U	1327 / 1327X	L	S	280	108	4,0	6	7,5								
DERBI	SR STREET	125	07	R	8020	L	T	280	90	4,0	6	6,5	8021	R	T	218	57	3,5	6	6,5
DERBI	TERRA	125	06/13	E	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
DERBI	TERRA	125	06/13	E	1327 / 1327X	L	S	280	108	4,0	6	7,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	TERRA ADVENTURE	125	07/13	E	866 / 866X	L	T/S	300	108	4,0	6	7,5	843	R	T	218	62	3,5	3	10,5
DERBI	TERRA ADVENTURE	125	07/13	E	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
DERBI	VARIANT SPORT 4T	125	14/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
DERBI	VARIANT SPORT 4T	125	14/17	S	612	L	S	220	58	4,0	5	6,5								
150 c.c.													150 c.c.							
DERBI	BOULEVARD	150	03/05	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
DERBI	BOULEVARD	150	03/05	S	612	L	S	220	58	4,0	5	6,5								
180 c.c.													180 c.c.							
DERBI	PREDATOR	180	99/02	S	612	L	S	220	58	4,0	5	6,5	233	L	S	175	73	4,0	5	6,5
DERBI	PREDATOR	180	99/02	S	365	L	S	220	58	4,0	5	6,5								
200 c.c.													200 c.c.							
DERBI	BOULEVARD	200	03/05	S	612	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
DERBI	BOULEVARD	200	03/05	S	365	L	S	220	58	4,0	5	6,5								
250 c.c.													250 c.c.							
DERBI	GP 1	250	05/06	S	471	L/R	T	245	125	3,5	5	6,5	864	R	T	240	125	3,5	5	6,5
DERBI	GP 1 LOW SEAT E3	250	07	S	8006	L	T	245	105	4,0	6	6,5	-	-	-	-	-	-	-	-



DERBI	GP 1 RACING	250	08/10	R	471	L	T	245	125	3,5	5	6,5	-	-	-	-	-	-	-	
DERBI	RAMBLA i	250	08/09	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
300 c.c.					300 c.c.															
DERBI	RAMBLA i	300	10/12	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
DIAMO					DIAMO															
260 c.c.					260 c.c.															
DIAMO	TURISTA	260	-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	
300 c.c.					300 c.c.															
DIAMO	TURISTA	300	-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	
DUCATI					DUCATI															
350 c.c.					350 c.c.															
DUCATI	F3	350	86	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	F3	350	86	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	JUNIOR SS / SPORT	350	91→	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	JUNIOR SS / SPORT	350	91→	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
400 c.c.					400 c.c.															
DUCATI	JUNIOR SUPERSPORT	400	92/97	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	JUNIOR SUPERSPORT	400	92/97	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	SS / NUDA SS	400	92	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	SS / NUDA SS	400	92	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
DUCATI	M MONSTER	400	94/06	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	M MONSTER	400	94/06	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
600 c.c.					600 c.c.															
DUCATI	SS SUPERSPORT	600	93/00	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	SS SUPERSPORT	600	93/00	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
DUCATI	MONSTER / M	600	93/02	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER / M	600	93/02	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	MONSTER CITY	600	98/00	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER CITY	600	98/00	N	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
DUCATI	MONSTER ROAD	600	97	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER ROAD	600	97	N	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
620 c.c.					620 c.c.															
DUCATI	M MONSTER	620	05/06	N	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER	620	02/06	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
DUCATI	MONSTER	620	02/06	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
DUCATI	MONSTER DARK	620	94/05	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER DARK	620	94/05	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	MONSTER i.e / S	620	01/04	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
DUCATI	MONSTER i.e / S	620	01/04	N	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
DUCATI	MULTISTRADA	620	05/06	R	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MULTISTRADA M / MTS	620	05→	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MULTISTRADA M / MTS	620	05→	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
DUCATI	SPORT	620	03/06	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	SPORT	620	03/06	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	SS SUPERSPORT	620	02/05	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	SS SUPERSPORT	620	02/05	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
675 c.c.					675 c.c.															
DUCATI	MONSTER	675	08	N	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5
695 c.c.					695 c.c.															
DUCATI	MONSTER	695	06/08	N	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5
696 c.c.					696 c.c.															
DUCATI	MONSTER	696	09/14	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER	696	09/14	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	MONSTER ABS	696	10/14	N	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER 20th ANNIVERSARY	696	13	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	MONSTER 20th ANNIVERSARY	696	13	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
748 c.c.					748 c.c.															
DUCATI	748	748	98/99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
DUCATI	748	748	98/99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	BIPOSTO	748	95/03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
DUCATI	BIPOSTO	748	95/03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	DESMO QUATTRO	748	94/97	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
DUCATI	DESMO QUATTRO	748	94/97	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI	E / S	748	99/02	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
DUCATI	E / S	748	99/02	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
DUCATI	R	748	00/01	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
DUCATI	R	748	00/01	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
749 c.c.					749 c.c.															
DUCATI	749 / 749 R / 749 S	749	03/07	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1052	R	S	240	107	4,0	5	8,5
DUCATI	749 / 749 R / 749 S	749	03/07	R	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5								
DUCATI	SP / SPS / RACING	749	95→	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
DUCATI	SP / SPS / RACING	749	95→	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
750 c.c.					750 c.c.															
DUCATI	M MONSTER	750	96/02	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DUCATI	M MONSTER	750	96/02	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								

		C.C.		YEAR	MODEL TYPE	FRONT										REAR									
						REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
DUCATI	MONSTER	750	94/01	N		1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	MONSTER	750	94/01	N		1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5												
DUCATI	MONSTER CITY / DARK	750	99/01	N		1060 / 1060X	R	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	MONSTER CITY / DARK	750	99/01	N		1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5												
DUCATI	SPORT	750	00/02	R		1060 / 1060X	R	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	SPORT	750	00/02	R		1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5												
DUCATI	SS SUPERSPORT	750	91/02	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	SS SUPERSPORT	750	91/02	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
780 c.c.																780 c.c.									
DUCATI	R	780	99	R		1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-	-
DUCATI	R	780	99	R		1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5												
796 / 797 c.c.						796 / 797 c.c.																			
DUCATI	HYPERMOTARD ABS	796	10/13	R		1302	L/R	F10,0	305	72	5,0	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	MONSTER / ABS	796	11/14	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	MONSTER / ABS	796	11/14	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER ABS / + ABS	797	17/18	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1720 / 1720X	C	S	245	115	4,0	6	8,5		
DUCATI	MONSTER ABS / + ABS	797	17/18	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER ABS / + ABS	797	19	N		xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5			1720 / 1720X	C	S	245	115	4,0	6	8,5		
800 c.c.						800 c.c.																			
DUCATI	MONSTER i.e. / M MONSTER	800	03/06	N		1060 / 1060X	R	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	MONSTER i.e. / M MONSTER	800	03/06	N		1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5												
DUCATI	MONSTER S / SPORT	800	03/06	N		1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	MONSTER S / SPORT	800	03/06	N		1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5												
DUCATI	MONSTER SUPER SPORT	800	03/06	N		1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	MONSTER SUPER SPORT	800	03/06	N		1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5												
DUCATI	MONSTER S2R / ABS	800	05/06	N		1385	L/R	F00,0	300	64	5,0	6	10,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	SPORT / SUPERSPORT	800	03/05	N		1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	SPORT / SUPERSPORT	800	03/05	N		1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5												
803 c.c.						803 c.c.																			
DUCATI	MONSTER 797 + ABS	803	19	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1720 / 1720X	C	S	245	115	4,0	6	8,5		
DUCATI	MONSTER 797 + ABS	803	19	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
821 c.c.						821 c.c.																			
DUCATI	DARK	821	15/16	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1303	L	S	245	108,3	5,0	4	8,5		
DUCATI	DARK	821	15/16	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	DARK ABS	821	15/16	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	DARK ABS	821	15/16	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	HYPERMOTARD / SP	821	13/15	FVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1303	L	S	245	108,3	5,0	4	8,5		
DUCATI	HYPERMOTARD / SP	821	13/15	FVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	HYPERMOTARD / SP ABS	821	13/15	FVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	HYPERMOTARD / SP ABS	821	13/15	FVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	HYPERSTRADA	821	13/15	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1303	L	S	245	108,3	5,0	4	8,5		
DUCATI	HYPERSTRADA	821	13/15	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	HYPERSTRADA ABS	821	13/15	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	HYPERSTRADA ABS	821	13/15	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER / ABS	821	13/17	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	MONSTER / ABS	821	13/17	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER ABS	821	18	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1720 / 1720X	C	S	245	115	4,0	6	8,5		
DUCATI	MONSTER ABS	821	18	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER ABS	821	19	N		xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5			1720 / 1720X	C	S	245	115	4,0	6	8,5		
DUCATI	MONSTER STEALTH ABS	821	19	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			1720 / 1720X	R	S	245	115	4,0	6	8,5		
DUCATI	MONSTER STEALTH ABS	821	19	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER STRIPE ABS	821	13/17	N		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
DUCATI	MONSTER STRIPE ABS	821	13/17	N		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
848 c.c.						848 c.c.																			
DUCATI	848	848	08/10	R		1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	848	848	08/10	R		xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5												
DUCATI	848 EVO	848	11/13	R		1796G / 1796XG	L/R	F15,2	320	72	5,0	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	848 SUPERBIKE	848	08/10	SB		1796G / 1796XG	L/R	F15,2	320	72	5,0	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	CORSE, NON ABS	848	13	R		1566G	L/R	F15,0	330	72	5,0	5	8,5			-	-	-	-	-	-	-	-	-	-
EVO DARK MODELS																									
DUCATI	EVO DARK ABS	848	12/13	R		1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5			1775	L	S	245	108,3	5,0	4	8,5		
DUCATI	EVO DARK ABS	848	12/13	R		xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5												
DUCATI	EVO DARK STEALTH	848	11/13	R		1051 / 1051X	L/R</																		



DUCATI	REPLICA	851	88	R	1060G / 1060XG															
DUCATI	SBK-BIP / STRADA / SP	851	88/91	R	1060 / 1060X								636 / 636X							
DUCATI	SBK-BIP / STRADA / SP	851	88/91	R	1060G / 1060XG															
DUCATI	SP2	851	90	R	1060 / 1060X								-							
DUCATI	SP2	851	90	R	1060G / 1060XG															
DUCATI	SP4	851	92	R	1060 / 1060X								-							
DUCATI	SP4	851	92	R	1060G / 1060XG															
DUCATI	SP5	851	93	R	1060 / 1060X								-							
DUCATI	SP5	851	93	R	1060G / 1060XG															
DUCATI	SPORT PRODUCTION	851	90/91	R	1060 / 1060X								636 / 636X							
DUCATI	SPORT PRODUCTION	851	90/91	R	1060G / 1060XG															
DUCATI	STRADA	851	89	R	1060 / 1060X								636 / 636X							
DUCATI	STRADA	851	89	R	1060G / 1060XG															
888 c.c.					888 c.c.															
DUCATI	DESMOQUATTRO	888	93/94	R	1060 / 1060X								636 / 636X							
DUCATI	DESMOQUATTRO	888	93/94	R	1060G / 1060XG															
DUCATI	SUPERBIKE	888	93/94	R	1060 / 1060X								636 / 636X							
DUCATI	SUPERBIKE	888	93/94	R	1060G / 1060XG															
DUCATI	SP	888	90/93	R	1060 / 1060X								636 / 636X							
DUCATI	SP	888	90/93	R	1060G / 1060XG															
DUCATI	SP - SBK - BIPOSTO	888	94/95	R	1060 / 1060X								636 / 636X							
DUCATI	SP - SBK - BIPOSTO	888	94/95	R	1060G / 1060XG															
DUCATI	SPORT / M MONSTER	888	02	N	1060 / 1060X								636 / 636X							
DUCATI	SPORT / M MONSTER	888	02	N	1060G / 1060XG															
DUCATI	SPS	888	92	R	1060 / 1060X								636 / 636X							
DUCATI	SPS	888	92	R	1060G / 1060XG															
DUCATI	STRADA	888	94/95	R	1060 / 1060X								636 / 636X							
DUCATI	STRADA	888	94/95	R	1060G / 1060XG															
899 c.c.					899 c.c.															
DUCATI	PANIGALE / ABS	899	14/17	RVT	1051 / 1051X								636 / 636X							
DUCATI	PANIGALE / ABS	899	14/17	RVT	xxxxG / xxxxXG															
900 c.c.					900 c.c.															
DUCATI	M MONSTER / MONSTER	900	93→	N	1060 / 1060X								636 / 636X							
DUCATI	M MONSTER / MONSTER	900	93→	N	1060G / 1060XG															
DUCATI	MH EVOLUTION	900	01/02	R	145								-							
DUCATI	MONSTER CITY	900	99/00	N	1060 / 1060X								636 / 636X							
DUCATI	MONSTER CITY	900	99/00	N	1060G / 1060XG															
DUCATI	MONSTER CROMO	900	98	N	1060 / 1060X								636 / 636X							
DUCATI	MONSTER CROMO	900	98	N	1060G / 1060XG															
DUCATI	MONSTER DARK	900	97/01	N	1060 / 1060X								636 / 636X							
DUCATI	MONSTER DARK	900	97/01	N	1060G / 1060XG															
DUCATI	MONSTER S	900	00/01	N	1060 / 1060X								636 / 636X							
DUCATI	MONSTER S	900	00/01	N	1060G / 1060XG															
DUCATI	SPORT	900	02→	R	404 / 404X								636 / 636X							
DUCATI	SS SUPERSPORT	900	88/90	R	404 / 404X								636 / 636X							
DUCATI	SS SUPERSPORT	900	91/02	R	1060 / 1060X								636 / 636X							
DUCATI	SS SUPERSPORT	900	91/02	R	1060G / 1060XG															
DUCATI	SL SUPER LIGHT	900	91/97	R	1060 / 1060X								636 / 636X							
DUCATI	SL SUPER LIGHT	900	91/97	R	1060G / 1060XG															
906 c.c.					906 c.c.															
DUCATI	PASO 906	906	89/90	R	-								636 / 636X							
907 c.c.					907 c.c.															
DUCATI	907 i.e.	907	91	N	1060 / 1060X								636 / 636X							
DUCATI	907 i.e.	907	91	N	1060G / 1060XG															
DUCATI	S	907	89	R	404 / 404X								028							
916 c.c.					916 c.c.															
DUCATI	BIPOSTO	916	94/98	R	1060 / 1060X								718							
DUCATI	BIPOSTO	916	94/98	R	1060G / 1060XG															
DUCATI	MONSTER S4	916	01/03	N	1060 / 1060X								636 / 636X							
DUCATI	MONSTER S4	916	01/03	N	1060G / 1060XG															
DUCATI	MONSTER S4 R	916	03/05	N	1060 / 1060X								1775							
DUCATI	MONSTER S4 R	916	03/05	N	1060G / 1060XG															
DUCATI	R / USA	916	94/98	R	145								718							
DUCATI	S	916	99/01	R	1060 / 1060X								718							
DUCATI	S	916	99/01	R	1060G / 1060XG															
DUCATI	SENNA / SP	916	94→	R	1060 / 1060X								718							
DUCATI	SENNA / SP	916	94→	R	1060G / 1060XG															
DUCATI	SPS	916	97/98	R	1060 / 1060X								718							
DUCATI	SPS	916	97/98	R	1060G / 1060XG															
DUCATI	ST4	916	98/04	R	1060 / 1060X								636 / 636X							
DUCATI	ST4	916	98/04	R	1060G / 1060XG															
DUCATI	STRADA	916	94/98	R	1060 / 1060X								718							
DUCATI	STRADA	916	94/98	R	1060G / 1060XG															




937 c.c.										937 c.c.									
MULTISTRADA MODELS																			
DUCATI	MULTISTRADA 950	937	17	U	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	xxxx	R	S	265	71,5	6,0	5 8,5
DUCATI	MULTISTRADA 950	937	17	U	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5							
DUCATI	MULTISTRADA 950 ABS	937	18/19	U	xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	-	R	S	265	-	6,0	4 10,0
DUCATI	MULTISTRADA 950 ENDURO / SPORT / ABS	937	17/18	U	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1721	R	S	265	83,5	6,0	4 10,0
DUCATI	MULTISTRADA 950 ENDURO / SPORT / ABS	937	17/18	U	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5							
DUCATI	MULTISTRADA 950 S, Spokes wheels	937	19	U	xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	-	R	S	265	-	6,0	4 10,0
DUCATI	MULTISTRADA 950 S, Cast wheels	937	19	U	xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	-	R	S	265	-	6,0	4 10,0
DUCATI	MULTISTRADA 950 TOURING / URBAN / ABS	937	17/18	U	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1721	R	S	265	83,5	6,0	4 10,0
DUCATI	MULTISTRADA 950 TOURING / URBAN / ABS	937	17/18	U	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5							
HYPERSTRADA MODELS																			
DUCATI	HYPERSTRADA 950 ABS / SP ABS	937	16/17	U	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4 10,0
DUCATI	HYPERSTRADA 950 ABS / SP ABS	937	16/17	U	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5							
DUCATI	HYPERSTRADA 950 ABS / SP ABS	937	18/19	U	xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	1523	C	S	245	83,5	5,0	4 10,0
HYPERMOTARD MODELS																			
DUCATI	HYPERMOTARD 950 ABS / SP ABS	937	15/17	F	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4 10,0
DUCATI	HYPERMOTARD 950 ABS / SP ABS	937	15/17	F	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5							
DUCATI	HYPERMOTARD 950 ABS / SP ABS	937	18/19	U	xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	1523	C	S	245	83,5	5,0	4 10,0
DUCATI	SUPERSPORT / S	937	17/18	R	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4 10,0
DUCATI	SUPERSPORT / S	937	17/18	R	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5							
DUCATI	SUPERSPORT / S	937	19	U	xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	1523	C	S	245	83,5	5,0	4 10,0
944 c.c.										944 c.c.									
DUCATI	ST2	944	97/04	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6 8,5
DUCATI	ST2	944	97/04	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5							
955 c.c.										955 c.c.									
DUCATI	PANIGALE / ABS	955	15/17	SB	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	PANIGALE / ABS	955	15/17	SB	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5							
DUCATI	PANIGALE 959 / ABS	955	18/19	SB	1796G / 1796XG	L/R	F15,2	320	72	5,0	5	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	PANIGALE CORSE 959 / ABS	955	18	SB	1796G / 1796XG	L/R	F15,2	320	72	5,0	5	8,5	1720 / 1720X	R	S	245	115	4,0	6 8,5
DUCATI	PANIGALE CORSE 959 / ABS	955	19	SB	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5	1720 / 1720X	R	S	245	115	4,0	6 8,5
992 c.c.										992 c.c.									
DUCATI	ST3 / ST3 S ABS	992	04/07	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	ST3 / ST3 S ABS	992	04/07	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
996 c.c.										996 c.c.									
DUCATI	BIPOSTO - S - SPS	996	99→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4 8,5
DUCATI	BIPOSTO - S - SPS	996	99→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	MONSTER S4 R	996	03/06	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1303	L	S	245	108,3	5,0	4 8,5
DUCATI	MONSTER S4 R	996	03/06	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	MONSTER S2R	996	09	N	1796G / 1796XG	L/R	F15,2	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4 8,5
DUCATI	R / R TESTASTRETTA	996	99/02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4 8,5
DUCATI	R / R TESTASTRETTA	996	99/02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5							
DUCATI	ST4 ABS	996	03/06	R	-	-	-	-	-	-	-	-	028	R	S	245	115	4,0	6 8,5
DUCATI	S4 R / S4 R - S / ST4S ABS	996	07/09	N	1796G / 1796XG	L/R	F15,2	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4 8,5
DUCATI	ST4S	996	01/06	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	ST4S	996	01/06	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	ST4S ABS	996	03	R	1780G / 1780XG	L/R	F10,5	320	64	5,0	6	8,5	1781	R	S	245	115	5,0	6 8,5
DUCATI	ST4S ABS	996	04/05	R	1790G	L/R	F10,5	320	64	5,0	6	8,5	1781	R	S	245	115	5,0	6 8,5
998 c.c.										998 c.c.									
DUCATI	998	998	02→	R	1743G / 1743XG	L/R	F14,5	320	64	4,5	6	8,5	718	L	S	220	108	4,5	4 8,5
DUCATI	BIPOSTO / BIPOSTO S	998	02/03	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	718	L	S	220	108	4,5	4 8,5
DUCATI	BIPOSTO / BIPOSTO S	998	02/03	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	PANIGALE V4 R ABS	998	19	R	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4 10,0
DUCATI	R / S TESTASTRETTA	998	02/03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4 8,5
DUCATI	R / S TESTASTRETTA	998	02/03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5							
999 c.c.										999 c.c.									
DUCATI	BIPOSTO / R / S	999	02/07	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1052	R	S	240	107	4,0	5 8,5
DUCATI	BIPOSTO / R / S	999	02/07	R	1796G / 1796XG	L/R	F15,2	320	72	5,0	5	8,5							
1000 c.c.										1000 c.c.									
DUCATI	DESMOSEDICI RR	1000	08/09	R	1693G	L/R	F15,0	330	72	5,0	5	8,5	1052	R	S	240	107	4,0	5 8,5
DUCATI	DIS	1000	07/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	DIS	1000	07/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	GT	1000	06/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	GT	1000	06/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	GT TOURING	1000	09→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	GT TOURING	1000	09→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	MONSTER / S i.e. / DARK	1000	03→	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
DUCATI	MONSTER / S i.e. / DARK	1000	03→	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	MONSTER S2R	1000	06/08	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1775	L	S	245	108,3	5,0	4 8,5
DUCATI	MONSTER S2R	1000	06/08	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	MONSTER S4R	1000	03/05	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1775	R	S	245	108,3	5,0	4 8,5
DUCATI	MONSTER S4R	1000	03/05	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
DUCATI	MONSTER S4R / S4RS	1000	07/08	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1775	R	S	245	108,3	5,0	4 8,5
DUCATI	MONSTER S4R / S4RS	1000	07/08	N	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5							

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
DUCATI	MONSTER SPORT	1000	06/07	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-				
DUCATI	MONSTER SPORT	1000	06/07	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	MONSTER SPORT S	1000	07/09	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5												
DUCATI	MONSTER SPORT S	1000	07/09	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	MULTISTRADA DS	1000	03/06	R	1302	L/R	F10,0	305	72	5,0	5	8,5												
DUCATI	MULTISTRADA DS / DS S	1000	07/09	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8	-	-	-	-	-	-	-	-				
DUCATI	MULTISTRADA DS S	1000	05/06	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	PAUL SMART LE	1000	06/07	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	PAUL SMART LE	1000	06/07	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	ST3	1000	04/07	R	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5												
DUCATI	ST3 S ABS	1000	06/07	R	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	ST4 ABS	1000	05	R	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
S4R TESTASTRETTA MODELS																								
DUCATI	S4R TESTASTRETTA MONSTER	1000	07/08	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	S4R TESTASTRETTA MONSTER	1000	07/08	N	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	S4R TESTASTRETTA S MONSTER	1000	06/08	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5												
DUCATI	S4R TESTASTRETTA S MONSTER	1000	06/08	N	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5												
DUCATI	SUPERSPORT HF	1000	03	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	SUPERSPORT HF	1000	03	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	SPORT	1000	05/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5												
DUCATI	SPORT	1000	05/08	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	SPORTCLASSIC	1000	08/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5												
DUCATI	SPORTCLASSIC	1000	08/09	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	SPORT S	1000	07/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5												
DUCATI	SPORT S	1000	07/09	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
DUCATI	SS SUPERSPORT DS	1000	03/06	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5												
DUCATI	SS SUPERSPORT DS	1000	03/06	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5												
1078 c.c.															1078 c.c.									
DUCATI	MONSTER DIESEL ABS	1078	11/13	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1775	R	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER DIESEL ABS	1078	12/13	N	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
1098 c.c.															1098 c.c.									
DUCATI	1098 / R / S, NON ABS	1098	07/09	R	1566G	L/R	F15,0	330	72	5,0	5	8,5	1784	L	S	245	83,5	5,0	4	10,0				
DUCATI	TRICOLORE, NON ABS	1098	07/09	R	1566G	L/R	F15,0	330	72	5,0	5	8,5	1784	L	S	245	83,5	5,0	4	10,0				
1100 c.c.															1100 c.c.									
HYPERMOTARD MODELS																								
DUCATI	HYPERMOTARD S / EVO / SP	1100	07→	R	1302	L/R	F10,0	305	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	HYPERMOTARD EVO SP CORSE	1100	07/12	R	1302	L/R	F10,0	305	72	5,0	5	8,5	718	L	S	220	108	4,5	4	8,5				
DUCATI	MULTISTRADA DS / DS S	1100	03/09	R	1302	L/R	F10,0	305	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER	1100	09/10	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER	1100	09/10	N	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1775	L	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER ABS	1100	10/11	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER ABS	1100	10/11	N	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1303	R	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER EVO	1100	11/13	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER EVO	1100	11/13	N	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1775	R	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER EVO ABS	1100	11/13	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER EVO ABS	1100	11/13	N	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER DIESEL ABS	1100	13	N	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	MONSTER S	1100	09/11	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1775	L	S	245	108,3	5,0	4	8,5				
DUCATI	MONSTER S	1100	09/11	N	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5												
DUCATI	MONSTER S ABS	1100	09/11	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1784	L	S	245	83,5	5,0	4	10,0				
DUCATI	MONSTER S ABS	1100	09/11	N	xxxxG / xxxxXG	L/R	F15,0	320	72	4,5	5	8,5												
DUCATI	STREETFIGHTER / S	1100	09/17	R	1566G	L/R	F15,0	330	72	5,0	5	8,5												
1103 c.c.															1103 c.c.									
DUCATI	PANIGALE V4 / V4 S ABS	1103	18/19	SB	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4	10,0				
DUCATI	PANIGALE V4 SPECIALE ABS	1103	18/19	SB	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4	10,0				
1198 c.c.															1198 c.c.									
DUCATI	1198 / S / SP, NON ABS	1198	09/17	R	1566G	L/R	F15,0	330	72	5,0	5	8,5	1784	L	S	245	83,5	5,0	4	10,0				
DUCATI	MONSTER / R / S / ABS	1198	14/17	N	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0				
DUCATI	MONSTER / R / S / ABS	1198	14/17	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0				
DUCATI	MONSTER R ABS	1198	18/19	N	1722G	L/R	F10,0	330	72	5,0	5	8,5												
DUCATI	MONSTER 1200 S ABS	1198	17/19	N	1722G	L/R	F10,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0				
1199 c.c.															1199 c.c.									
DUCATI	PANIGALE	1199	12/17	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0				
DUCATI	PANIGALE ABS	1199	12/17	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0				
DUCATI	PANIGALE R	1199	13/17	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0				
DUCATI	PANIGALE R ABS	1199	13/17	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0				
DUCATI	PANIGALE S	1199	12/17	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0				
DUCATI	PANIGALE S ABS	1199	12/14	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0				
DUCATI	PANIGALE S TRICOLORE	1199	12/13	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0				
1200 c.c.															1200 c.c.									
DUCATI	DIAVEL / CARBON / ABS	1200	11/18	C	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0				
DUCATI	DIAVEL / CARBON / ABS	1200	11/18	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1371	R	S	265	83,5	6,0	4	8,5				
DUCATI	DIAVEL TITANIUM	1200	11/15	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5												
DUCATI	DIAVEL TITANIUM	1200	11/15	C	1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5												

		C.C.		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
DUCATI	DIAVEL AMG / CROMO	1200	11/13	C		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	DIAVEL AMG / CROMO	1200	11/13	C		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	DIAVEL DARK	1200	13/15	C		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1371	R	S	265	83,5	6,0	4	8,5
DUCATI	DIAVEL DARK	1200	13/15	C		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	DIAVEL DIESEL	1200	17/18	C		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	DIAVEL DIESEL	1200	17/18	C		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	DIAVEL STRADA	1200	13/14	C		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	DIAVEL STRADA	1200	13/14	C		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
MULTISTRADA MODELS																					
DUCATI	MULTISTRADA ABS	1200	10/16	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA ABS	1200	10/16	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA ABS	1200	17/18	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA ABS	1200	17/18	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA ENDURO ABS	1200	16	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	xxxx	R	S	265	71,5	6,0	5	8,5
DUCATI	MULTISTRADA ENDURO ABS	1200	16	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA ENDURO / PRO / ABS	1200	17/18	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1721	R	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA ENDURO / PRO / ABS	1200	17/18	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA PIKES PEAK ABS	1200	15/17	RVT		1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA S / ABS	1200	10/12	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA S / ABS	1200	10/12	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA S ABS	1200	15/18	RVT		1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA S D-AIR ABS	1200	15/16	RVT		1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA S GT	1200	12/13	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA S GT	1200	12/13	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA S PIKES PEAK ABS	1200	11/15	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA S PIKES PEAK ABS	1200	11/15	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA S SPORT / TOURING /	1200	10/14	UVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	MULTISTRADA S SPORT / TOURING /	1200	10/14	UVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	MULTISTRADA TOURING ABS	1200	15/17	RVT		1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
1262 c.c.														1262 c.c.							
DUCATI	DIAVEL ABS / DIAVEL S ABS	1262	19	CVT		xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA	1262	19	UVT		xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA ENDURO	1262	18/19	UVT		xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	-	R	S	265	-	-	5	-
DUCATI	MULTISTRADA S	1262	19	UVT		1722G	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA S / S D-Air	1262	18	UVT		1722G	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	MULTISTRADA PIKES PEAK	1262	18/19	UVT		1722G	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	XDIAVEL / S / ABS	1262	15/18	CVT		1797G / 1797XG	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DUCATI	XDIAVEL / S / ABS	1262	15/18	CVT		1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5								
DUCATI	XDIAVEL / S / ABS	1262	19	CVT		xxxxG / xxxxXG	L/R	F9,7	320	72	4,5	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
1285 c.c.														1285 c.c.							
1299 PANIGALE MODELS																					
DUCATI	1299 PANIGALE ABS / S ABS	1285	15/17	SB		1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	1299 PANIGALE ANNIVERSARY ABS	1285	17	SB		1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	1299 PANIGALE R ABS	1285	15/18	SB		1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	1299 PANIGALE R FINAL EDITION ABS	1285	18/19	SB		1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
DUCATI	SUPERLEGGERA ABS	1285	17/18	SB		1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
EBR														EBR							
1190 c.c.														1190 c.c.							
EBR	RX / SX	1190	14/15	RVT		1562	R	S	375	307	5,0	6	13,0	-	R	S	-	-	-	-	-
EM														EM							
ELECTRIC														ELECTRIC							
EM	E SCAPE	E	15/19	UV		715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
EM	E SCAPE	E	15/19	UV		715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
EM	E SCAPE	E	15/19	UV										1530X / 1530XSP	R	S	160	-	2,5	4	6,0
EM	EM SPORT / EM LITE	E	14/19	TV		715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
EM	EM SPORT / EM LITE	E	14/19	TV		715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
EM	EM SPORT / EM LITE	E	14/19	TV										1530X / 1530XSP	R	S	160	-	2,5	4	6,0
EM	ETREK	E	17/19	EV		1624X	L	S	259	108	3,5	6	6,5	1057X	L	S	220	108	4,0	6	6,5
EM	ETREK	E	17/19	EV		731XK	L	S	260	108	3,5	6	6,5	1057XK	L	S	220	108	4,0	6	6,5
EM	ETREK	E	17/19	EV		1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	L	S	220	108	3,5	6	6,5
EM	ETREK	E	17/19	EV		1690X	L	F00,0	260	108	3,0	6	6,5								
EMCO														EMCO							
ELECTRIC														ELECTRIC							
EMCO	NOVA R 2000 / NOVI C 1500	E	17/18	SV		-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
EMCO	NOVI ECO LIMITED EDITION	E	17/18	SV		-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
EMCO	NOVANTIC C 2000	E	17/18	SV		-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
EMCO	B2B DELIVERY	E	17/18	SV		-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
EMCO	B2B MOBILITEITSPARK	E	17/18	SV		-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
ENERGICA														ENERGICA							
ELECTRIC														ELECTRIC							
ENERGICA	EVA 107 / EVA ESSEESSE9	E	17/19	NV		-	L/R	Fxx,x	330	-	-	-	-	-	R	S	240	-	-	-	-
ENERGICA	EGO / EGO 45	E	17/19	RV		-	L/R	Fxx,x	330	-	-	-	-	-	R	S	240	-	-	-	-
E-ROCKIT														E-ROCKIT							
ELECTRIC														ELECTRIC							

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECT TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

																																																																																														
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø																																																																												
FANTIC	CABALLERO SCRAMBLER	125	18	D	-X	L	S	320	-	-	-	-	-X	R	S	230	-	-	-																																																																											
FANTIC	CABALLERO FLAT TRACK	125	18	FT	-X	L	S	320	-	-	-	-	-X	R	S	230	-	-	-																																																																											
FANTIC	CABALLERO XM	125	95/99	E	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6																																																																											
FANTIC	CABALLERO XM	125	95/99	E									1057	R	S	220	108	3,5	6																																																																											
FANTIC	CABALLERO XM	125	95/99	E									1057X	R	S	220	108	4,0	6																																																																											
FANTIC	ENDURO CASA	125	18	E	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-																																																																											
FANTIC	ENDURO PERFORMANCE	125	18	E	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-																																																																											
FANTIC	CLUBMAN	125	97	T	250	L	S	184	93	4,0	6	14,0	251	L	S	160	87	4,0	6																																																																											
FANTIC	MOTARD 2T / TZ SM	125	12	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6																																																																											
FANTIC	MOTARD 2T / TZ SM	125	12	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6																																																																											
FANTIC	MOTARD 2T / TZ SM	125	12	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6																																																																											
FANTIC	MOTARD 2T / TZ SM	125	12	F	1613X	L	F00,0	318	108	5,0	6	6,5																																																																																		
FANTIC	MOTARD CASA 4T	125	18	F	-	L	S	320	-	-	-	-	-	R	S	220	-	-	-																																																																											
FANTIC	MOTARD PERFORMANCE 4T	125	18	F	-	L	S	320	-	-	-	-	-	R	S	220	-	-	-																																																																											
FANTIC	SECTION	125	97	T	062	L	S	185	72	4,0	6	15,5	063	L	S	150	45	3,0	5																																																																											
250 c.c.											250 c.c.																																																																																			
FANTIC	CABALLERO SCRAMBLER	250	18	D	-X	L	S	320	-	-	-	-	-X	R	S	230	-	-	-																																																																											
FANTIC	CABALLERO FLAT TRACK	250	18	FT	-X	L	S	320	-	-	-	-	-X	R	S	230	-	-	-																																																																											
FANTIC	CLUBMAN	250	97	T	250	L	S	184	93	4,0	6	14,0	251	L	S	160	87	4,0	6																																																																											
FANTIC	CLUBMAN	250	98	T	-	-	-	-	-	-	-	-	251	L	S	160	87	4,0	6																																																																											
FANTIC	COACH	250	97	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6																																																																											
FANTIC	COACH	250	98	T	250	L	S	184	93	4,0	6	14,0	-	-	-	-	-	-	-																																																																											
FANTIC	ENDURO CASA 4T	250	18	E	-X	L	S	260	-	-	-	-	-X	R	S	220	-	-	-																																																																											
FANTIC	SECTION	250	97	T	062	L	S	185	72	4,0	6	15,5	063	L	S	150	45	3,0	5																																																																											
260 c.c.											260 c.c.																																																																																			
FANTIC	KEY ROO	260	92/96	T	250	L	S	184	93	4,0	6	14,0	251	L	S	160	87	4,0	6																																																																											
305 / 309 c.c.											305 / 309 c.c.																																																																																			
FANTIC	TRIAL	305	89/90	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6																																																																											
FANTIC	TRIAL	305	89/90	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6																																																																											
FANTIC	TRIAL	309	91	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6																																																																											
449 c.c.											449 c.c.																																																																																			
FANTIC	CABALLERO FLAT TRACK	449	18	FT	--X	L	S	320	-	-	-	-	--X	R	S	230	-	-	-																																																																											
FANTIC	CABALLERO RALLY	449	19	D	--X	L	S	320	-	-	-	-	--X	R	S	230	-	-	-																																																																											
FANTIC	CABALLERO SCRAMBLER	449	18/19	D	--X	L	S	320	-	-	-	-	--X	R	S	230	-	-	-																																																																											
FUTURE ELECTRIC											FUTURE ELECTRIC																																																																																			
FUTURE	EM - LITE / EM - SPORT	E	17	TV	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4																																																																											
FUTURE	EM - LITE / EM - SPORT	E	17	TV									1570X	R	FIM	150	45	3,0	4																																																																											
FUTURE	EM - ESCAPE / EM - ETREK	E	17	TV	731X / 731XK	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6																																																																											
FUTURE	EM - ESCAPE / EM - ETREK	E	17	TV	1690X	L	F00,0	260	108	3,0	6	6,5																																																																																		
GARELLI											GARELLI																																																																																			
50 c.c.											50 c.c.																																																																																			
GARELLI	BIG WHEELS	50	91/94	S	406	L	S	155	40,6	3,8	3	10,5	406	-	S	155	40,6	3,8	3																																																																											
GARELLI	BIG WHEELS	50	91/94	S	727	L	SO	*180	40,6	3,5	3	10,5																																																																																		
GARELLI	BIP RACING / GRINTA	50	91/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-																																																																											
GARELLI	BIP RACING / GRINTA	50	91/95	S	727	L	SO	*180	40,6	3,5	3	10,5																																																																																		
GARELLI	FX / KRS	50	ALL	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-																																																																											
GARELLI	FX / KRS	50	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																																																																																		
GARELLI	FX / KRS	50	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5																																																																																		
GARELLI	GRINTA / QUEENIE	50	95→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-																																																																											
GARELLI	GRINTA / QUEENIE	50	95→	S	727	L	SO	*180	40,6	3,5	3	10,5																																																																																		
GARELLI	PONY SR	50	92/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-																																																																											
GARELLI	PONY SR	50	92/95	S	727	L	SO	*180	40,6	3,5	3	10,5																																																																																		
125 c.c.											125 c.c.																																																																																			
GARELLI	FREELAND	125	ALL	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-																																																																											
GARELLI	FREELAND	125	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																																																																																		
GARELLI	FREELAND	125	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5																																																																																		
150 c.c.											150 c.c.																																																																																			
GARELLI	MOSQUITO	150	08→	S	451	L	S	220	105	4,0	4	10,5	451	R	S	220	105	4,0	4																																																																											
GARELLI	FREELAND	150	ALL	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-																																																																											
GARELLI	FREELAND	150	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																																																																																		
GARELLI	FREELAND	150	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5																																																																																		
GAS GAS											GAS GAS																																																																																			
- c.c.											- c.c.																																																																																			
ALL MODELS											ALL MODELS																																																																																			
GAS GAS	ALL MODELS W / NISSIN CALIPER	-	02/11	E	022K12	L	KF	*320	108	4,0	6	6,5	-	-	-	-	-	-	-																																																																											
GAS GAS	ALL MODELS W / NISSIN CALIPER	-	02/11	E	1204XK12	L	KF	*318	108	4,0	6	6,5	-	-	-	-	-	-	-																																																																											
GAS GAS	ALL MODELS W / NISSIN CALIPER	-	02/11	E	1613K12	L	KF	*320	108	5,0	6	6,5	-	-	-	-	-	-	-																																																																											
GAS GAS	ALL MODELS W / NISSIN CALIPER	-	02/11	E	1613XK12	L	KF	*318	108	5,0	6	6,5	-	-	-	-	-	-	-																																																																											
ELECTRIC											ELECTRIC																																																																																			
GAS GAS	E10 / T10	E	17	EV	-	L	S	160	-	-	5	-	-	R	-	160	-	-	5																																																																											
GAS GAS	E12 / T12	E	17/19	EV	-	L	S	160	-	-	5	-	-	R	-	160	-	-	5																																																																											
GAS GAS	E-CONTACT	E	19	TV	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4																																																																											
GAS GAS	E-CONTACT	E	19	TV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4																																																																											
GAS GAS	E-CONTACT	E	19	TV									1570X	R	FIM	150	45	3,0	4																																																																											
LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE																																																																																														

							FRONT										REAR									
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø								
GAS GAS	TXT E	COMING SOON	E	12/13	TV	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5					
GAS GAS	TXT E	COMING SOON	E	12/13	TV						650SP	R	S	150	45	3,0	4	6,5								
GAS GAS	TXT E	COMING SOON	E	12/13	TV						1570X	R	FIM	150	45	3,0	4	6,5								
GAS GAS	TXT E	EDD / E EGD	E	18	TV	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5					
GAS GAS	TXT E	EDD / E EGD	E	18	TV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5					
GAS GAS	TXT E	EDD / E EGD	E	18	TV						1570X	R	FIM	150	45	3,0	4	6,5								
GAS GAS	TXE		E	19	TV	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5					
GAS GAS	TXE		E	19	TV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5					
GAS GAS	TXE		E	19	TV						1570X	R	FIM	150	45	3,0	4	6,5								
50 c.c.							50 c.c.																			
GAS GAS	BOY 2T	50	10/11	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5						
GAS GAS	EC BOY AIR / BOY L.C.	50	05	A	666	L	S	180	46	3,5	5	6,5	667	R	S	150	46	3,5	5	6,5						
GAS GAS	EC ENDUCROSS BOY	50	99	A	032	L	S	180	45	3,5	5	6,5	370	-	S	130	46	3,5	5	6,5						
GAS GAS	EC ENDUCROSS BOY	50	05	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5						
GAS GAS	EC ROOKIE	50	00/02	A	350	L	S	240	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5						
GAS GAS	SM ROOKIE	50	01/02	A	385	L	S	260	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5						
GAS GAS	TXT BOY	50	00/02	A	032	L	S	180	45	3,5	5	6,5	370	-	S	130	46	3,5	5	6,5						
GAS GAS	TXT BOY / TXT ROOKIE	50	03	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5						
GAS GAS	TXT BOY / CADET / ROOKIE	50	04/09	A	649	L	S	185	-	3,0	4	6,5	667	-	S	150	46	3,5	5	6,5						
65 c.c.							65 c.c.																			
GAS GAS	MC BOY	65	05	A-M	906	L	S	180	45	3,0	4	6,5	921	R	S	180	45	3,0	4	6,5						
GAS GAS	MC	65	06/07	A-M	904	L	S	180	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5						
GAS GAS	MC	65	08	A-M	1125	L	S	173	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5						
GAS GAS	MX	65	10/11	A-M	904	L	S	180	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5						
70 c.c.							70 c.c.																			
GAS GAS	TXT CADET / ROOKIE	70	10/13	A-T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5						
GAS GAS	TXT CADET / ROOKIE	70	10/13	A-T							650SP	R	S	150	45	3,0	4	6,5								
GAS GAS	TXT CADET / ROOKIE	70	10/13	A-T							1570X	R	FIM	150	45	3,0	4	6,5								
80 c.c.							80 c.c.																			
GAS GAS	ENDUROCROSS TT	80	94/98	A-E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5						
GAS GAS	ENDUROCROSS TT	80	94/98	A-E	731XK	L	S	260	108	3,5	6	6,5	1057X/1057XK	R	S	220	108	4,0	6	6,5						
GAS GAS	ENDUROCROSS TT	80	94/98	A-E	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5						
GAS GAS	ENDUROCROSS TT	80	94/98	A-E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5						
GAS GAS	ENDUROCROSS TT	80	94/98	A-E							821	R	T	220	108	4,0	6	6,5								
GAS GAS	TXT PRO RACING	80	15	A-T	1125	L	S	173	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5						
GAS GAS	TXT PRO RACING	80	15	A-T							650SP	R	S	150	45	3,0	4	6,5								
GAS GAS	TXT PRO RACING	80	15	A-T							1570X	R	FIM	150	45	3,0	4	6,5								
GAS GAS	TXT RACING	80	18/19	A-T	1125	L	S	173	-	3,0	4	6,5	650X / 650	R	S	150	45	3,0	4	6,5						
GAS GAS	TXT RACING	80	18/19	A-T							650SP	R	S	150	45	3,0	4	6,5								
GAS GAS	TXT RACING	80	18/19	A-T							1570X	R	FIM	150	45	3,0	4	6,5								
GAS GAS	TXT ROOKIE	80	01	A-T	412	L	S	185	-	3,0	4	6,5	410	R	S	130	46	3,5	4	6,5						
GAS GAS	TXT ROOKIE	80	03	A-T	666	L	S	180	46	3,5	5	6,5	667	R	S	150	46	3,5	5	6,5						
GAS GAS	TXT ROOKIE	80	04/08	A-T	649	L	S	185	-	3,0	4	6,5	389	R	S	150	45	3,0	4	6,5						
GAS GAS	TXT ROOKIE	80	04/08	A-T							650SP	R	S	150	45	3,0	4	6,5								
GAS GAS	TXT ROOKIE	80	04/08	A-T							1570X	R	FIM	150	45	3,0	4	6,5								
125 c.c.							125 c.c.																			
GAS GAS	CONTACT GT / JT / JTR	125	93/96	T	035	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-						
GAS GAS	CONTACT GT / JT / JTR	125	93/96	T	332	L	S	185	103	3,5	-	-														
GAS GAS	CONTACT JTX	125	97	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5						
GAS GAS	CONTACT TX	125	98	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5						
GAS GAS	CONTACT TXT	125	99/01	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5						
GAS GAS	EC	125	98/15	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5						
GAS GAS	EC	125	98/15	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5						
GAS GAS	EC	125	98/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5						
GAS GAS	EC	125	98/15	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5						
GAS GAS	EC	125	98/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5						
GAS GAS	EC	125	98/15	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5														
GAS GAS	EC RACING	125	12/15	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5						
GAS GAS	EC RACING	125	12/15	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5						
GAS GAS	EC RACING	125	12/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5						
GAS GAS	EC RACING	125	12/15	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5						
GAS GAS	EC RACING	125	12/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5						
GAS GAS	EC RACING	125	12/15	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5														
GAS GAS	EC SIX DAYS 2T	125	10/11	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5						
GAS GAS	EC SIX DAYS 2T	125	10/11	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5						
GAS GAS	EC SIX DAYS 2T	125	10/11	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5						
GAS GAS	EC SIX DAYS 2T	125	10/11	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5						
GAS GAS	EC SIX DAYS 2T	125	10/11	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5						
GAS GAS	EC SIX DAYS 2T	125	10/11	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5														
GAS GAS	ENDUCROSS HX / TT	125	94/97	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5						
GAS GAS	ENDUCROSS HX / TT																									



GAS GAS	ENDUCROSS HX / TT	125	94/97	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS HX / TT	125	94/97	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	HALLEY / HALLEY SM	125	08	E	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	MC	125	01/08	M	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	MC	125	01/08	M	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	MC	125	01/08	M	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	MC	125	01/08	M	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	MC	125	01/08	M	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	MC	125	01/08	M	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	PAMPERA	125	97	U	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
GAS GAS	PAMPERA	125	97	U	035	L	S	185	103	3,5	-	-								
GAS GAS	PAMPERA	125	98	U	033	L	S	240	72	3,5	6	15,8	032	R	S	180	45	3,5	5	6,5
GAS GAS	PAMPERA	125	03/05	U	385	L	S	260	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5
GAS GAS	PAMPERA	125	06	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	PAMPERA 4T	125	07	U	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	125	07	U	731XK	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	125	07	U	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	125	07	U	1690X	L	F00,0	260	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	125	08	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	PAMPERA 4T	125	09/10	U	013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
GAS GAS	TXT SCHOOL 2T	125	18/19	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT SCHOOL 2T	125	18/19	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT SCHOOL 2T	125	18/19	T									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	SM	125	01/07	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM	125	01/07	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM	125	01/07	F	1613	L	F00,0	320	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM	125	01/07	F	1613X	L	F00,0	318	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	TX RANDONNÉ	125	12/16	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TX RANDONNÉ	125	12/16	T									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT GP	125	17/19	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	02	T	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	02	T									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	02	T									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	03	T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	03	T									650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO	125	03	T									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T / RACING	125	04/17	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T / RACING	125	04/17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT PRO 2T / RACING	125	04/17	T									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	125	10/19	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	125	10/19	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT RACING 2T	125	10/19	T									1570X	R	FIM	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	125	13	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	125	13	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
GAS GAS	TXT REPLICA FACTORY	125	13	T									1570X	R	FIM	150	45	3,0	4	6,5
160 c.c.													160 c.c.							
GAS GAS	CONTACT GT / JT	160	93/95	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
GAS GAS	CONTACT GT / JT	160	93/95	T	035	L	S	185	103	3,5	-	-								
GAS GAS	CONTACT JTR	160	96	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
GAS GAS	CONTACT JTR	160	96	T	035	L	S	185	103	3,5	-	-								
200 c.c.													200 c.c.							
GAS GAS	CONTACT JTX	200	97	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5
GAS GAS	CONTACT TX	200	98	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5
GAS GAS	CONTACT TXT	200	99/01	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5
GAS GAS	EC 2T	200	18/19	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC 2T	200	18/19	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC 2T	200	18/19	E	1690X	L	F00,0	260	108	3,0	6	6,5								
GAS GAS	EC HOBBY	200	08	E	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC HOBBY	200	08	E	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC HOBBY	200	08	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC HOBBY	200	08	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC HOBBY	200	08	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC HOBBY	200	08	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	E	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	E	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC SIX DAYS 2T	200	10/11	E	1199XK09	L	KF	*270	108	3,5	6	6,5								
GAS GAS	EC SIX DAYS 2T	200	10/11	E	1738XBHK09	L	KF	*270	108	3,0	6									

			C.C.	YEAR	MODEL TYPE	FRONT										REAR									
						REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
GAS GAS	ENDUCROSS	EC	200	99/09	E	731X / 731	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	ENDUCROSS	EC	200	99/09	E	731XK	L	S	260	108	3,5	6	6,5			1057	R	S	220	108	3,5	6	6,5		
GAS GAS	ENDUCROSS	EC	200	99/09	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	ENDUCROSS	EC	200	99/09	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	ENDUCROSS	EC	200	99/09	E	1199XK09	L	KF	*270	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	ENDUCROSS	EC	200	99/09	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5			821	R	T	220	108	4,0	6	6,5		
GAS GAS	TX RANDONNÉ		200	14/15	T	715 / 715X	L	S	185	-	3,0	4	15,5			650 / 650X	R	S	150	45	3,0	4	6,5		
GAS GAS	TX RANDONNÉ		200	14/15	T											650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	TX RANDONNÉ		200	14/15	T											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	02	T	413	L	S	185	-	3,0	4	15,5			650 / 650X	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	02	T											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	03	T	649	L	S	185	-	3,0	4	6,5			650 / 650X	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	03	T											650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	03	T											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	04/07	T	413	L	S	185	-	3,0	4	15,5			389	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	04/07	T	715SP	L	S	185	-	3,0	4	15,5			650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT PRO		200	04/07	T											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	XC 2T		200	18/19	E	731XK	L	S	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	XC 2T		200	18/19	E	1288X	L	F00,0	260	108	3,5	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	XC 2T		200	18/19	E	1690X	L	F00,0	260	108	3,0	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
250 c.c.						250 c.c.										250 c.c.									
GAS GAS	CONTACT ES 2T		250	15/19	T	715X / 715	L	S	185	-	3,0	4	15,5			650X / 650	R	S	150	45	3,0	4	6,5		
GAS GAS	CONTACT ES 2T		250	15/19	T	715SP	L	S	185	-	3,0	4	15,5			650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	CONTACT ES 2T		250	15/19	T											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	CONTACT ES EXCURSION		250	17	U	715X / 715	L	S	185	-	3,0	4	15,5			650X / 650	R	S	150	45	3,0	4	6,5		
GAS GAS	CONTACT ES EXCURSION		250	17	U	715SP	L	S	185	-	3,0	4	15,5			650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	CONTACT ES EXCURSION		250	17	U											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	CONTACT ESTART		250	18	U	715X / 715	L	S	185	-	3,0	4	15,5			650X / 650	R	S	150	45	3,0	4	6,5		
GAS GAS	CONTACT ESTART		250	18	U	715SP	L	S	185	-	3,0	4	15,5			650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	CONTACT ESTART		250	18	U											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	CONTACT GT		250	92	T	332	L	S	185	103	3,5	-	-			030	R	S	170	103	3,5	-	-		
GAS GAS	CONTACT GT		250	92	T	035	L	S	185	103	3,5	-	-												
GAS GAS	CONTACT JT / JTR		250	94/96	T	332	L	S	185	103	3,5	-	-			030	R	S	170	103	3,5	-	-		
GAS GAS	CONTACT JT / JTR		250	94/96	T	035	L	S	185	103	3,5	-	-												
GAS GAS	CONTACT JTX		250	97	T	062	L	S	185	72	4,0	6	15,5			063	R	S	150	45	3,0	5	6,5		
GAS GAS	CONTACT T		250	93	T	332	L	S	185	103	3,5	-	-			030	R	S	170	103	3,5	-	-		
GAS GAS	CONTACT T		250	93	T	035	L	S	185	103	3,5	-	-												
GAS GAS	CONTACT TX		250	98	T	062	L	S	185	72	4,0	6	15,5			063	R	S	150	45	3,0	5	6,5		
GAS GAS	CONTACT TXT		250	01	T	021	L	S	185	72	3,0	6	15,5			370	R	S	130	46	3,5	5	6,5		
GAS GAS	CONTACT TXT		250	99/00	T	021	L	S	185	72	3,0	6	15,5			370	R	S	130	46	3,5	5	6,5		
GAS GAS	DELTA GT		250	91	T	035 / 332	L	S	185	103	3,5	-	-			030	R	S	170	103	3,5	-	-		
GAS GAS	EC 2T / SIX DAYS		250	19	E	1690X	L	F00,0	260	108	3,0	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T / SIX DAYS		250	19	E	1288X	L	F00,0	260	108	3,5	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T / SIX DAYS		250	19	E	731XK	L	S	260	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 2T RACING / SIX DAYS		250	17/18	E	731XK	L	S	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T RACING / SIX DAYS		250	17/18	E	1288X	L	F00,0	260	108	3,5	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T RACING / SIX DAYS		250	17/18	E	1690X	L	F00,0	260	108	3,0	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 2T / EC E 2T		250	96/15	E	731 / 731X	L	S	260	108	3,5	6	6,5			1057	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 2T / EC E 2T		250	96/15	E	731XK	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T / EC E 2T		250	96/15	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T / EC E 2T		250	96/15	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T / EC E 2T		250	96/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 2T / EC E 2T		250	96/15	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5												
GAS GAS	EC 4T CAMÍ		250	14/15	E	731X / 731XK	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 4T CAMÍ		250	14/15	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 4T CAMÍ		250	14/15	E	1690X	L	F00,0	260	10															



GAS GAS	EC R GUILLAUME / FACTORY	250	13	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5				
GAS GAS	EC R GUILLAUME / FACTORY	250	13	E									1057SP	R	S	220	108	3,5	6	6,5				
GAS GAS	ENDURO GP	250	18/19	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5				
GAS GAS	ENDURO GP	250	18/19	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5				
GAS GAS	ENDURO GP	250	18/19	E									1057SP	R	S	220	108	3,5	6	6,5				
GAS GAS	ENDUCROSS TT	250	95/98	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5				
GAS GAS	ENDUCROSS TT	250	95/98	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5				
GAS GAS	ENDUCROSS TT	250	95/98	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5				
GAS GAS	ENDUCROSS TT	250	95/98	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5				
GAS GAS	ENDUCROSS TT	250	95/98	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5				
GAS GAS	ENDUCROSS TT	250	95/98	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5				
GAS GAS	FSE EC 4T	250	99/00	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5				
GAS GAS	FSE EC 4T	250	99/00	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5				
GAS GAS	FSE EC 4T	250	99/00	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5				
GAS GAS	FSE EC 4T	250	99/00	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5				
GAS GAS	FSE EC 4T	250	99/00	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5				
GAS GAS	FSE EC 4T	250	99/00	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5				
GAS GAS	MC	250	98/08	M	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5				
GAS GAS	MC	250	98/08	M	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5				
GAS GAS	MC	250	98/08	M	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5				
GAS GAS	MC	250	98/08	M	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5				
GAS GAS	MC	250	98/08	M	1199XK09	L	KF	*270	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5				
GAS GAS	MC	250	98/08	M	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5				
GAS GAS	PAMPERA	250	95/96	U	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-				
GAS GAS	PAMPERA	250	95/96	U	035	L	S	185	103	3,5	-	-												
GAS GAS	PAMPERA	250	98	U	033	L	S	240	72	3,5	6	15,8	032	R	S	180	45	3,5	5	6,5				
GAS GAS	PAMPERA	250	02/05	U	385	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5				
GAS GAS	RAGA	250	10/11	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5				
GAS GAS	RAGA	250	10/11	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5				
GAS GAS	RAGA	250	10/11	T									1570X	R	FIM	150	45	3,0	4	6,5				
GAS GAS	SM	250	01/05	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5				
GAS GAS	SM	250	01/05	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5				
GAS GAS	SM	250	01/05	F	1613	L	F00,0	320	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5				
GAS GAS	SM	250	01/05	F	1613X	L	F00,0	318	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5				
GAS GAS	TRIAL	250	89/91	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-				
GAS GAS	TRIAL	250	89/91	T	035	L	S	185	103	3,5	-	-												
GAS GAS	TXT CONTACT	250	15	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT CONTACT	250	15	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT CONTACT	250	15	T									1570X	R	FIM	150	45	3,0	4	6,5				
GAS GAS	TXT GP	250	18/19	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5				
GAS GAS	TXT PRO	250	02	T	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO	250	02	T									650SP	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO	250	03	T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO	250	03	T									650SP	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO / REP. FACTORY	250	04/13	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO / REP. FACTORY	250	04/13	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO / REP. FACTORY	250	04/13	T									1570X	R	FIM	150	45	3,0	4	6,5				
GAS GAS	TXT PRO 2T / RACING 2T	250	14/19	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO 2T / RACING 2T	250	14/19	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT PRO 2T / RACING 2T	250	14/19	T									1570X	R	FIM	150	45	3,0	4	6,5				
GAS GAS	TXT RAGA REPLICA	250	12/13	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT RAGA REPLICA	250	12/13	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5				
GAS GAS	TXT RAGA REPLICA	250	12/13	T									1570X	R	FIM	150	45	3,0	4	6,5				
GAS GAS	XC 2T	250	18/19	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5				
GAS GAS	XC 2T	250	18/19	E	1288X	L	F00,0	260	108	3,5	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5				
GAS GAS	XC 2T	250	18/19	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5				
270 c.c.															270 c.c.									
GAS GAS	CONTACT JTR	270	96	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-				
GAS GAS	CONTACT JTR	270	96	T	035	L	S	185	103	3,5	-	-												
GAS GAS	CONTACT JTX / TXT	270	97/98	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5				
GAS GAS	CONTACT TXT	270	99	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5				
280 c.c.															280 c.c.									
GAS GAS	CONTACT ES / ESTART	280	17/19	U	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5				
GAS GAS	CONTACT ES / ESTART	280	17/19	U	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5</				

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
GAS GAS	TXT REPLICA FACTORY	280	13	T	715SP	L	S	185	-	3,0	4	15,5			650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT REPLICA FACTORY	280	13	T											1570X	R	FIM	150	45	3,0	4	6,5		
300 c.c.															300 c.c.									
GAS GAS	EC 2T SIX DAYS / RACING	300	17/19	E	731XK	L	S	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T SIX DAYS / RACING	300	17/19	E	1288X	L	F00,0	260	108	3,5	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T SIX DAYS / RACING	300	17/19	E	1690X	L	F00,0	260	108	3,0	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC / EC NANBOLIN	300	99/14	E	731 / 731X	L	S	260	108	3,5	6	6,5			1057	R	S	220	108	3,5	6	6,5		
GAS GAS	EC / EC NANBOLIN	300	99/14	E	731XK	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	EC / EC NANBOLIN	300	99/14	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC / EC NANBOLIN	300	99/14	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC / EC NANBOLIN	300	99/14	E	1199XK09	L	KF	*270	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC / EC NANBOLIN	300	99/14	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5												
GAS GAS	EC 4T RACING	300	12/15	E	731X / 731	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 4T RACING	300	12/15	E	731XK	L	S	260	108	3,5	6	6,5			1057	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 4T RACING	300	12/15	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 4T RACING	300	12/15	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 4T RACING	300	12/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 4T RACING	300	12/15	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5												
GAS GAS	EC E / F	300	14/15	E	731X / 731	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	EC E / F	300	14/15	E	731XK	L	S	260	108	3,5	6	6,5			1057	R	S	220	108	3,5	6	6,5		
GAS GAS	EC E / F	300	14/15	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC E / F	300	14/15	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC E / F	300	14/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC E / F	300	14/15	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5												
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	E	731X / 731	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	E	731XK	L	S	260	108	3,5	6	6,5			1057	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC 2T SIX DAYS / RACING	300	10/15	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5												
GAS GAS	EC REPLICA FACTORY	300	13	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057X / 1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC REPLICA FACTORY	300	13	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC REPLICA FACTORY	300	13	E											1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	EC REPLICA GUILLAUME	300	13	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057X / 1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	EC REPLICA GUILLAUME	300	13	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	EC REPLICA GUILLAUME	300	13	E											1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	ENDURO GP	300	18/19	E	1690X	L	F00,0	260	108	3,0	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	ENDURO GP	300	18/19	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	ENDURO GP	300	18/19	E											1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	RANGER	300	18/19	E	731X / 731	L	S	260	108	3,5	6	6,5			1057X	R	S	220	108	4,0	6	6,5		
GAS GAS	RANGER	300	18/19	E	731XK	L	S	260	108	3,5	6	6,5			1057	R	S	220	108	3,5	6	6,5		
GAS GAS	RANGER	300	18/19	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	RANGER	300	18/19	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
GAS GAS	RANGER	300	18/19	E											1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	TXT GP / GP	300	18/19	T	715X	L	S	185	-	3,0	4	15,5			1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	TXT 2T / PRO 2T / RACING 2T	300	14/19	T	715X / 715	L	S	185	-	3,0	4	15,5			650X / 650	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT 2T / PRO 2T / RACING 2T	300	14/19	T	715SP	L	S	185	-	3,0	4	15,5			650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT 2T / PRO 2T / RACING 2T	300	14/19	T											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	TXT REPLICA FACTORY	300	13	T	715 / 715X	L	S	185	-	3,0	4	15,5			650 / 650X	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT REPLICA FACTORY	300	13	T	715SP	L	S	185	-	3,0	4	15,5			650SP	R	S	150	45	3,0	4	6,5		
GAS GAS	TXT REPLICA FACTORY	300	13	T											1570X	R	FIM	150	45	3,0	4	6,5		
GAS GAS	XC 2T	300	18/19	E	731XK	L	S	260	108	3,5	6	6,5			1057XK	R	S	220	108	4,0	6	6,5		
GAS GAS	XC 2T	300	18/19	E	1288X	L	F00,0	260	108	3,5	6	6,5			1057SP	R	S	220	108	3,5	6	6,5		
GAS GAS	XC 2T	300	18/19	E	1690X	L	F00,0	260	108	3,0	6	6,5			1819XBH	R	S	220	108	4,0	6	6,5		
320 c.c.															320 c.c.									
GAS GAS	CONTACT GT / DELTA GT	320	91/93	T	332	L	S	185	103	3,5	-	-			030	R	S	170	103	3,5	-	-		
GAS GAS	CONTACT GT / DELTA GT	320	91/93	T	035	L	S	185																



400 c.c.										400 c.c.										
GAS GAS	ENDUCROSS EC FSE	400	01/03	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	400	01/03	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA	400	06/07	U	-	-	-	-	-	-	-	-	1057 / 1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA	400	06/07	U									1057X	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA	400	06/07	U									1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSE	400	01	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSE	400	01	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSE	400	01	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSE	400	01	F	1613X	L	F00,0	318	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	VENTURO 400 4T	400	17	T	-	L	S	250	-	-	-	-	-	R	S	220	-	-	-	-
450 c.c.										450 c.c.										
GAS GAS	ENDUCROSS EC FSE	450	02/05	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	ENDUCROSS EC FSE	450	02/05	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	EC RAID	450	15	E	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC RAID	450	15	E									1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC RAID	450	15	E									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC F 4T RACING	450	06/15	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5								
GAS GAS	EC F REPLICA CERVANTES	450	13	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC F REPLICA CERVANTES	450	13	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC F REPLICA CERVANTES	450	13	E									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	FSE SM	450	01/05	F	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	FSE SM	450	01/05	F	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	F	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	F	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	F	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	FSE SM	450	01/05	F	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	HALLEY R 4T / SM 4T	450	08	E-F	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GAS GAS	SM FSR	450	07/08	F	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSR	450	07/08	F	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	F	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	F	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	F	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	SM FSR	450	07/08	F	1738XBHK09	L	KF	*270	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	450	07	U	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	450	07	U	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	450	07	U	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	450	07	U	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	PAMPERA 4T	450	07	U	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	PAMPERA 4T	450	07	U	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
515 c.c.										515 c.c.										
GAS GAS	EC FSR 4T	515	08/09	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	EC FSR 4T	515	08/09	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
GAS GAS	EC FSR 4T	515	08/09	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	EC FSR 4T	515	08/09	E	1690X	L	F00,0	260	108	3,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	EC FSR 4T	515	08/09	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GAS GAS	EC FSR 4T	515	08/09	E	1738XBHK09	L	KF	*270	108	3,0	6	6,5	821	R	T	220	108	4,0	6	6,5
GAS GAS	SM FSR	515	08/09	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
GAS GAS	SM FSR	515	08/09	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	515	08/09	F	1613	L	F00,0	320	108	5,0	6	6,5	1819XBH	R	S	220	108	4,0	6	6,5
GAS GAS	SM FSR	515	08/09	F	1613X	L	F00,0	318	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
GENERIC										GENERIC										
50 c.c.										50 c.c.										
GENERIC	IDEO / XOR	50	05→	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	-
GENERIC	IDEO / XOR	50	05→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
GENERIC	ROC	50	08→	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	-
GENERIC	ROC	50	08→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
GENERIC	TR SM	50	17	S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-
GENERIC	XOR 2	50	10→	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	-



GENERIC XOR 2				50	10→	S	1022 / 1022X							L	MD	190	58	3,7	3	MH												
125 c.c.																				125 c.c.												
GENERIC IDEO / XOR				125	05→	S	007							L	S	190	58	3,5	3	9,5	Drum - - - - -											
GENERIC IDEO / XOR				125	05→	S	1022 / 1022X							L	MD	190	58	3,7	3	MH												
CF MOTO																																
650 c.c.																				650 c.c.												
CF MOTO TK ABS / TK G ABS				650	16	R	-							L/R		F00,0		-	-	-	-	-	- R S - - - - -									
CF MOTO NK ABS				650	16	N	-							L/R		F00,0		-	-	-	-	-	- R S - - - - -									
GILERA																																
50 c.c.																				50 c.c.												
GILERA	CANNIBAL	50	96/98	A	003							L	S	220	108	4,0	6	6,5	227							R	S	184	60	4,0	6	8,5
GILERA	CANNIBAL	50	96/98	A	026							L	S	220	108	4,0	6	6,5														
GILERA	COGUAR	50	86	A	1001							L	S	260	125	5,0	5	6,5	Drum							-	-	-	-	-	-	-
GILERA	DNA	50	00/05	H	1071							L	S	240	125	4,0	5	6,5	610							L	S	200	96,5	4,0	5	6,5
GILERA	DNA	50	06/07	H	638 / 638X							L	S	240	125	4,5	5	6,5	610							R	S	200	96,5	4,0	5	6,5
GILERA	DNA GP EXPERIENCE	50	03/04	H	1071							L	S	240	125	4,0	5	6,5	610							R	S	200	96,5	4,0	5	6,5
GILERA	EASY MOVING	50	95/97	S	406							L	S	155	40,6	3,8	3	10,5	Drum							-	-	-	-	-	-	-
GILERA	EASY MOVING	50	95/97	S	727							L	SO	*180	40,6	3,5	3	10,5														
GILERA	GSM / H @ K	50	99/01	A	003							L	S	220	108	4,0	6	6,5	227							R	S	184	60	4,0	6	8,5
GILERA	GSM / H @ K	50	99/01	A	026							L	S	220	108	4,0	6	6,5														
GILERA	ICE	50	01/05	S	610							L	S	200	96,5	4,0	5	6,5	Drum							-	-	-	-	-	-	-
GILERA	ICE	50	01/05	S	610F							L	F00,0	200	96,5	4,0	5	6,5														
GILERA	ICE	50	01/05	S	1815X							L	SO	*220	96,5	4,0	5	6,5														
GILERA	NRG	50	94	S	023							L	S	190	58	3,5	3	8,5	Drum							-	-	-	-	-	-	-
GILERA	NRG	50	94	S	1022 / 1022X							L	MD	190	58	3,7	3	MH														
GILERA	OFF ROAD / R	50	97→	A	003							L	S	220	108	4,0	6	6,5	-							-	-	-	-	-	-	-
GILERA	OFF ROAD / R	50	97→	A	026							L	S	220	108	4,0	6	6,5														
GILERA	RCR	50	05	A	193 / 193X							L	S	260	108	3,5	6	6,5	351							R	S	180	62	3,5	3	10,5
GILERA	RCR	50	05	A								089X							R	S	180	62	3,8	3	10,5							
GILERA	RCR	50	11	A	193 / 193X							L	S	260	108	3,5	6	6,5	238 / 238X							R	S	218	62	3,5	3	10,5
GILERA	RCR	50	11	A	868							L	T	260	108	3,5	6	6,5	843							R	T	218	62	3,5	3	10,5
GILERA	RK	50	96	A	003							L	S	220	108	4,0	6	6,5	-							-	-	-	-	-	-	-
GILERA	RK	50	96	A	026							L	S	220	108	4,0	6	6,5														
GILERA	RT FUN	50	90/94	A	003							L	S	220	108	4,0	6	6,5	-							-	-	-	-	-	-	-
GILERA	RT FUN	50	90/94	A	026							L	S	220	108	4,0	6	6,5														
GILERA	RUNNER	50	94/97	S	612							L	S	220	58	4,0	5	6,5	Drum							-	-	-	-	-	-	-
GILERA	RUNNER	50	94/97	S	365							L	S	220	58	4,0	5	6,5														
GILERA	RUNNER	50	96/99	S	365							L	S	220	58	4,0	5	6,5	191							C	S	174	66	4,0	5	6,5
GILERA	RUNNER	50	96/99	S	612							L	S	220	58	4,0	5	6,5														
GILERA	RUNNER	50	00/04	S	365							L	S	220	58	4,0	5	6,5	366							L	S	175	73	4,0	5	6,5
GILERA	RUNNER	50	00/04	S	612							L	S	220	58	4,0	5	6,5														
GILERA	RUNNER 2T	50	14/16	S	113 / 113X							L	S	220	105	4,0	6	6,5	233							R	S	175	73	4,0	5	6,5
GILERA	RUNNER 2T SP	50	17/18	S	1090 / 1090X							L	S	240	105	4,5	6	6,5	233							R	S	175	73	4,0	5	6,5
GILERA	RUNNER / BLACK SOUL	50	09/16	S	1090 / 1090X							L	S	240	105	4,5	6	6,5	113 / 113X							L	S	220	105	4,0	6	6,5
GILERA	RUNNER JET / REPLICA	50	03	S	612							L	S	220	58	4,0	5	6,5	366							L	S	175	73	4,0	5	6,5
GILERA	RUNNER JET / REPLICA	50	03	S	365							L	S	220	58	4,0	5	6,5														
GILERA	RUNNER PURE JET	50	02/03	S	113 / 113X							L	S	220	105	4,0	6	6,5	366							L	S	175	73	4,0	5	6,5
GILERA	RUNNER PURE JET	50	05/11	S	113 / 113X							L	S	220	105	4,0	6	6,5	-							-	-	-	-	-	-	-
GILERA	RUNNER RACING REPLICA	50	03→	S	365							L	S	220	58	4,0	5	6,5	-							-	-	-	-	-	-	-
GILERA	RUNNER RACING REPLICA	50	03→	S	612							L	S	220	58	4,0	5	6,5														
GILERA	RUNNER SP	50	98/99	S	365							L	S	220	58	4,0	5	6,5	191							C	S	174	66	4,0	5	6,5
GILERA	RUNNER SP	50	98/99	S	612							L	S	220	58	4,0	5	6,5														
GILERA	RUNNER SP	50	00/08	S	365							L	S	220	58	4,0	5	6,5	366							L	S	175	73	4,0	5	6,5
GILERA	RUNNER SP	50	00/08	S	612							L	S	220	58	4,0	5	6,5														
GILERA	RUNNER SP	50	12	S	113 / 113X							L	S	220	105	4,0	6	6,5	366							L	S	175	73	4,0	5	6,5
GILERA	RUNNER ST	50	98	S	612							L	S	220	58	4,0	5	6,5	-							-	-	-	-	-	-	-
GILERA	RUNNER ST	50	98	S	365							L	S	220	58	4,0	5	6,5														
GILERA	SCUADRA CORSE	50	06	H	1103							L	F00,0	300	90	4,0	6	6,5	802							R	T	180	57	4,0	6	6,5
GILERA	SCUADRA CORSE	50	06	H	801							L	T	300	90	4,0	6	6,5														
GILERA	SCUADRA CORSE	50	06	H	1068							L	F00,0	300	90	4,0	6	6,5														
GILERA	SMT	50	05	A	193 / 193X							L	S	260	108	3,5	6	6,5	351							R	S	180	62	3,5	3	10,5
GILERA	SMT	50	05	A								089X							R	S	180	62	3,8	3	10,5							
GILERA	SMT / SMT RACING	50	11	A	193							L	S	260	108	3,5	6	6,5	099							R	S	220	57	4,0	6	6,5
GILERA	SMT / SMT RACING	50	11	A	840							L	T	260	108	3,5	6	6,5	8021							R	T	218	57	3,5	6	6,5
GILERA	STALKER DD	50	97/01	S	023							L	S	190	58	3,5	3	8,5	233							L	S	175	73	4,0	5	6,5
GILERA	STALKER DD	50	97/01	S	1022 / 1022X							L	MD	190	58	3,7	3	MH	366							L	S	175	73	4,0	5	6,5
GILERA	STALKER DT	50	97/05	S	023							L	S	190	58	3,5	3	8,5	Drum							-	-	-	-	-	-	-
GILERA	STALKER DT	50	97/05	S	1022 / 1022X							L	MD	190	58	3,7	3	MH														
GILERA	STORM	50	94/07	S	303							L	S	190	58	4,0	3	8,5	Drum							-	-	-	-	-	-	-
GILERA	STORM	50	94/07	S	1022 / 1022X							L	MD	190	58	3,7	3	MH														
GILERA	SURFER TT	50	99/02	A	003							L	S	220	108	4,0	6	6,5	Drum							-	-	-	-	-	-	-
GILERA	SURFER TT	50	99/02	A	026							L	S	220	108	4,0	6	6,5														
TYPHOON MODELS																																

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
GILERA	TYPHOON	50	93/00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON	50	93/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
GILERA	TYPHOON	50	11	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON	50	11	S	612	L	S	220	58	4,0	5	6,5								
GILERA	TYPHOON BENETTON / MARTINI	50	97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON BENETTON / MARTINI	50	97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
GILERA	TYPHOON X	50	98/99	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON X	50	98/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
GILERA	TYPHOON X-R	50	00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON X-R	50	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
GILERA	ZULU	50	01	A	003	L	S	220	108	4,0	6	6,5	227	R	S	184	60	4,0	6	8,5
GILERA	ZULU	50	01	A	026	L	S	220	108	4,0	6	6,5								
80 c.c.													80 c.c.							
GILERA	TYPHOON	80	95/99	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON	80	95/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
125 c.c.													125 c.c.							
GILERA	COGUAR	125	99	R	1001	L	S	260	125	5,0	5	6,5	Drum	-	-	-	-	-	-	-
GILERA	DNA	125	00/03	R	1071	L	S	240	125	4,0	5	6,5	1071	R	S	240	125	4,0	5	6,5
GILERA	GFR	125	93/94	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GILERA	GFR	125	93/94	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
GILERA	KK / KZ	125	86	R	707	L	S	240	89,6	4,0	6	6,5	707	R	S	240	89,6	4,0	6	6,5
GILERA	NEXUS / NEXUS i.e.	125	07/15	S	1001	L	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
GILERA	RUNNER	125	06/08	S	365	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
GILERA	RUNNER	125	06/08	S	612	L	S	220	58	4,0	5	6,5								
GILERA	RUNNER 4T	125	05	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER FX / FX SP / SP	125	97/05	S	365	L	S	220	58	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
GILERA	RUNNER FX / FX SP / SP	125	97/05	S	612	L	S	220	58	4,0	5	6,5								
GILERA	RUNNER ST	125	08/13	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER VX	125	00/05	S	365	L	S	220	58	4,0	5	6,5	610	R	S	200	96,5	4,0	5	6,5
GILERA	RUNNER VX	125	00/05	S	612	L	S	220	58	4,0	5	6,5								
GILERA	RUNNER VX	125	06/07	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER VXR 4T	125	02/05	S	113 / 113X	L	S	220	105	4,0	6	6,5	610	L	S	200	96,5	4,0	5	6,5
GILERA	RUNNER VXR 4T	125	06/11	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER / BLACK SOUL	125	09/16	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	SCUADRA CORSE	125	06	S	801	L	T	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
GILERA	SCUADRA CORSE	125	06	S	1103	L	F00,0	300	90	4,0	6	6,5								
GILERA	SCUADRA CORSE	125	06	S	1068	L	F00,0	300	90	4,0	6	6,5								
GILERA	SKIPPER LX	125	98/99	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
GILERA	SKIPPER LX	125	98/99	S	612	L	S	220	58	4,0	5	6,5								
GILERA	SKR ST 4T	125	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
GILERA	SKR ST 4T	125	00	S	612	L	S	220	58	4,0	5	6,5								
GILERA	TYPHOON	125	95/00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON	125	95/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
GILERA	TYPHOON 4T	125	11	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
GILERA	TYPHOON 4T	125	11	S	612	L	S	220	58	4,0	5	6,5								
GILERA	TYPHOON X-R	125	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
150 c.c.													150 c.c.							
GILERA	SKIPPER LX	150	98/99	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
GILERA	SKIPPER LX	150	98/99	S	612	L	S	220	58	4,0	5	6,5								
GILERA	SKR ST 4T	150	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
GILERA	SKR ST 4T	150	00	S	612	L	S	220	58	4,0	5	6,5								
180 c.c.													180 c.c.							
GILERA	DNA	180	00/03	S	1071	L	S	240	125	4,0	5	6,5	1071	R	S	240	125	4,0	5	6,5
GILERA	RUNNER 4T	180	05	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER FXR	180	98/05	S	365	L	S	220	58	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
GILERA	RUNNER FXR	180	98/05	S	612	L	S	220	58	4,0	5	6,5								
GILERA	RUNNER FXR SP	180	99/00	S	365	L	S	220	58	4,0	5	6,5	638	L	S	240	125	4,5	5	6,5
GILERA	RUNNER FXR SP	180	99/00	S	612	L	S	220	58	4,0	5	6,5								
GILERA	RUNNER SP	180	99/05	S	365	L	S	220	58	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
GILERA	RUNNER SP	180	99/05	S	612	L	S	220	58	4,0	5	6,5								
GILERA	RUNNER VXR	180	00/03	S	612	L	S	220	58	4,0	5	6,5	610	L	S	200	96,5	4,0	5	6,5
GILERA	RUNNER VXR	180	00/03	S	365	L	S	220	58	4,0	5	6,5								
200 c.c.													200 c.c.							
GILERA	HERCULES	200	02	S	-	-	-	-	-	-	-	-	1071	L	S	240	125	4,0	5	6,5
GILERA	RUNNER SP	200	01/02	S	-	-	-	-	-	-	-	-	1071	L	S	240	125	4,0	5	6,5
GILERA	RUNNER VXR	200	02/03	S	365	L	S	220	58	4,0	5	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER VXR	200	02/03	S	612	L	S	220	58	4,0	5	6,5								
GILERA	RUNNER VXR	200	04/05	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER VXR	200	06/08	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
GILERA	RUNNER VXR ST	200	08/12	S	-	L	S	-	-	-	-	-	113 / 113X	L	S	220	105	4,0	6	6,5
250 c.c.													250 c.c.							
GILERA	NEXUS	250	06/08	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
300 c.c.													300 c.c.							



GILERA	NEXUS i.e. / HENG TONG	300	08→	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
500 c.c.					500 c.c.															
GILERA	FUOCO i.e. / LT	500	07/18	S	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / 638X	L	S	240	125	4,5	5	6,5
GILERA	NEXUS / i.e. SP	500	04/15	S	1001	L/R	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
600 c.c.					600 c.c.															
GILERA	SUPERSPORT	600	02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GILERA	SUPERSPORT	600	02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GILERA	XRT	600	91	U	136	R	S	230	-	4,5	6	10,5	-	-	-	-	-	-	-	-
800 c.c.					800 c.c.															
GILERA	GP	800	08/13	S	1351	L/R	S	300	145	5,0	5	13,7	1352	L	S	280	142	5,0	5	13,7
GOES					GOES															
50 c.c.					50 c.c.															
GOES	G RT	50	13/16	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
125 c.c.					125 c.c.															
GOES	G GT Eff E4 / NAKED / SK	125	17/18	N	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
GOES	G L / G RT	125	13/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
GOES	G MAX	125	13/17	S	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
GOVECS					GOVECS															
ELECTRIC GO! MODELS					ELECTRIC															
GOVECS	S1.2 / 1.4 / 2.4 / 3.4	E	10/14	SV	1453X	L	S	160	60	4,0	3	9,5	Drum	-	-	-	-	-	-	-
GOVECS	S1.5 / 2.5 / 2.6 / 3.4 / 3.6	E	15/18	SV	1616X	L	S	180	60	4,0	3	9,5	1617X	L	S	165	60	4,0	3	9,5
GOVECS	T1.2 / 2.4 / 3.4	E	11/14	SV	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
GOVECS	T1.4	E	13/18	SV	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
GOVECS	T1.5 / 2.5 / 2.6 / 3.6	E	17/18	SV	1616X	L	S	180	60	4,0	3	9,5	1617X	L	S	165	60	4,0	3	9,5
GOVECS	T3.4	E	15/17	SV	1616X	L	S	180	60	4,0	3	9,5	Drum	-	-	-	-	-	-	-
HANWAY					HANWAY															
50 c.c.					50 c.c.															
HANWAY	RAW	50	18	H	-X	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
HANWAY	RAW CAFÉ	50	16/18	H	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
HANWAY	TOURER	50	14/17	H	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
HANWAY	X-RAY	50	18	A	-X	L	S	300	-	-	-	-	.X	R	S	220	-	-	-	-
125 c.c. RAW MODELS					125 c.c.															
HANWAY	RAW CAFÉ / CAFÉ RACER	125	16/18	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
HANWAY	RAW	125	16/18	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
HANWAY	RAW SR CHROME / SR SPORT	125	16/18	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
HANWAY	FLASH	125	18/19	S	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
HANWAY	FURIOUS	125	18	N	-	L	-	300	-	-	5	-	-	R	S	220	-	-	-	-
HANWAY	SCRAMBLER	125	16/18	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
HANWAY	STR	125	18	U	xxxxX	L	S	275	121,8	4,0	4	10,5	xxxxX	R	S	210	58	4,0	4	10,5
HANWAY	TOURER	125	14/18	S	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
HANWAY	X-RAY	125	16/18	F	xxxxX	L	S	275	121,8	4,0	4	10,5	xxxxX	R	S	210	58	4,0	4	10,5
250 c.c.					250 c.c.															
HANWAY	RAW CAFÉ / CAFÉ RACER	250	17/18	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
HANWAY	SCRAMBLER	250	17	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
H.D.					H.D.															
H.D. E	E. ELECTRIC																			
H.D. 1	1. H-D STREET - 494 / 750 cc																			
H.D. 1	XG STREET ROD																			
H.D. 2	2. SPORTSTER - 883 / 1450 cc																			
H.D. 2	1200CUSTOM, IRON, SUPERLOW, CUSTOM, FORTY-EIGHT, ROADSTER																			
H.D. 3	(3. DYNA - 1200 / 1890 cc) DISCONTINUED																			
H.D. 3	DYNA STREET BOB, DYNA LOW RIDER,																			
H.D. 3	DYNA WIDE GLIDE, DYNA FAT BOB																			
H.D. 4	4. SOFTAIL - 1340 / 1868 cc																			
H.D. 4	DE LUXE, STREET BOB, SOFTAIL SLIM, BREAKOUT,																			
H.D. 4	FAT BOB, FAT BOY, FXDR 114SOFTAIL SLIM, DE LUXE,																			
H.D. 4	LOW RIDER, HERITAGE CLASSIC, SPORT GLIDE																			
H.D. 5	(5. V-ROD - 1130 / 1250 cc) DISCONTINUED																			
H.D. 5	NIGHT ROD, V-ROD MUSCLE																			
H.D. 6	6. TOURING - 1340 / 1868 cc																			
H.D. 6	ELECTRA GLIDE, ROAD KING, ROAD GLIDE, STREET GLIDE, ULTRA LIMITED																			
H.D. 7	7. CVO - 1745 / 1923 c.c.																			
H.D. 7	PRO STREET BREAKOUT, ROAD GLIDE, ROAD KING, STREET GLIDE, LIMITED																			
H.D. 8	8. TRIKE - 1690 -1745 c.c.																			
H.D. 8	FREEWHEELER, TRI GLIDE ULTRA CLASSIC																			
NOTAS / NOTES: C.W.: Cast wheels / S.W.: Spokes wheels																				
ELECTRIC					ELECTRIC															
H.D. E	LIVEWIRE TM	E	19	CV	-	L/R	S	-	-	-	-	-	-	L	S	-	-	-	-	-
494 c.c.					494 c.c.															
H.D. 01	1. STREET MODELS																			



H.D. 01	STREET ROD XG, XG A																			
H.D. 1	XG STREET 500	494	14/15	CVT	1783	L	S	292	56,3	5,5	5	8,5	1532	R	S	260	56,3	5,5	5	10,5
H.D. 1	XG STREET 500	494	16/17	CVT	1527	L	S	300	56,3	6,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5
750 c.c.					750 c.c.								750 c.c.							
H.D. 1	A ROD / STREET	750	16/18	CVT	1527	L/R	S	300	56,3	6,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5
H.D. 1	STREET DEPOTENZIADA	750	15	CVT	1783	L	S	292	56,3	5,5	5	8,5	1532	R	S	260	56,3	5,5	5	10,5
H.D. 1	STREET DEPOTENZIADA	750	16/19	CVT	1527	L	S	300	56,3	6,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
H.D. 1	STREET	750	14/15	CVT	1783	L	S	292	56,3	5,5	5	8,5	1532	R	S	260	56,3	5,5	5	10,5
H.D. 1	STREET ROD	750	16/19	CVT	1527	L	S	300	56,3	6,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
H.D. 02	2. SPORTSTER MODELS																			
H.D. 02	FXE, FXLR, FXR, FXRS, FXRT																			
H.D. 02	XL, XLH, XLCH, XLS, XLX, XR																			
883 c.c.													883 c.c.							
H.D. 2	SPORTSTER R-XL / XL 53C CUSTOM	883	00/03	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	L	S	292	56,3	5,0	5	10,5
H.D. 2	SPORTSTER R-XL / XL 53C CUSTOM	883	00/03	CVT	735	R	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER R-XL / XL 53C CUSTOM	883	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER R-XL / XL 53C CUSTOM	883	00/03	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER SERIES	883	84/98	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5	678	L	S	292	50,8	5,8	5	8,5
H.D. 2	SPORTSTER SERIES	883	84/98	CVT									742	R	S	292	50,8	5,8	5	8,5
H.D. 2	SPORTSTER XL	883	93	CVT	1004	L	S	292	50,8	5,0	5	10,5	-	-	-	-	-	-	-	-
H.D. 2	SPORTSTER XL	883	93	CVT	1376X	L	F00,0	292	50,8	5,0	5	10,5								
H.D. 2	SPORTSTER XL 50th ANNIVERSARY	883	07	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL 50th ANNIVERSARY	883	07	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL 50th ANNIVERSARY	883	07	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL CUSTOM	883	04/10	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	L	S	292	56,3	5,0	5	10,5
H.D. 2	SPORTSTER XL CUSTOM	883	04/10	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL CUSTOM	883	04/10	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL HUGGER	883	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL HUGGER	883	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL HUGGER	883	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L IRON	883	09/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL L IRON	883	09/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L IRON	883	09/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L / XL LOW	883	04/14	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL L / XL LOW	883	04/14	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L / XL LOW	883	04/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L LOW	883	14/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL L LOW	883	14/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L SPORTSTER LOW	883	07/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL L SPORTSTER LOW	883	07/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L SPORTSTER LOW	883	07/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L SUPERLOW	883	11/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL L SUPERLOW	883	11/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L SUPERLOW	883	11/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L SUPERLOW	883	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488	L	S	260	56,3	7,0	5	10,5
H.D. 2	SPORTSTER XL L SUPERLOW	883	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL L SUPERLOW, C. WHEEL	883	14	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL L SUPERLOW, C. WHEEL	883	14	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL N IRON	883	09/17	CVT	1494	L	S	292	56,3	5,0	5	8,5	1488	L	S	260	56,3	7,0	5	10,5
H.D. 2	SPORTSTER XL N IRON	883	09/17	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL N IRON	883	09/17	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL N IRON	883	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488	L	S	260	56,3	7,0	5	10,5
H.D. 2	SPORTSTER XL N IRON CAST WHEEL	883	11/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL N IRON CAST WHEEL	883	11/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL N IRON CAST WHEEL	883	11/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL N IRON CAST WHEEL	883	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL R	883	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL / XL R ROADSTER	883	10/13	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL / XL R ROADSTER	883	10/13	CVT	735	R	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL / XL R ROADSTER	883	10/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL / XL R ROADSTER	883	10/13	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R 100th ANNIVERSARY	883	03	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL R 100th ANNIVERSARY	883	03	CVT	735	R	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R 100th ANNIVERSARY	883	03	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R 100th ANNIVERSARY	883	03	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R CUSTOM 53C	883	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL R CUSTOM 53C	883	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R CUSTOM 53C	883	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R R	883	05/13	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
H.D. 2	SPORTSTER XL R R	883	05/13	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R R	883	05/13	CVT	736	R	S	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R R	883	05/13	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
H.D. 2	SPORTSTER XL R ROADSTER	883	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5



H.D. 2	SPORTSTER XL R ROADSTER	883	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL R ROADSTER	883	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL ROADSTER	883	14/15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5			
H.D. 2	SPORTSTER XL ROADSTER	883	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL R SPORTSTER	883	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5			
H.D. 2	SPORTSTER XL R SPORTSTER	883	00/03	CVT	735	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL R SPORTSTER	883	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL SPORTSTER CUSTOM	883	00/10	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5			
H.D. 2	SPORTSTER XL SPORTSTER CUSTOM	883	00/10	CVT	735	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL SPORTSTER CUSTOM	883	00/10	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL STANDARD	883	04/08	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5			
H.D. 2	SPORTSTER XL STANDARD	883	04/08	CVT	735	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL STANDARD	883	04/08	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XLH	883	85/99	CVT	739	L	S	292	50,8	5,0	5	8,5	1004		L	S	292	50,8	5,0	5	10,5			
H.D. 2	SPORTSTER XLH	883	85/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5												
H.D. 2	SPORTSTER XLH	883	00/06	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247		L	S	292	56,3	5,0	5	10,5			
H.D. 2	SPORTSTER XLH	883	00/06	CVT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XLH	883	00/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XLH HUGGER	883	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247		L	S	292	56,3	5,0	5	10,5			
H.D. 2	SPORTSTER XLH HUGGER	883	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XLH HUGGER	883	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XLH R FLAT TRACK	883	00/03	FT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5			
H.D. 2	SPORTSTER XLH R FLAT TRACK	883	00/03	FT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XLH R FLAT TRACK	883	00/03	FT	679	L	F00,0	292	56,3	5,0	5	8,5												
1000 c.c.															1000 c.c.									
H.D. 2	SPORTSTER XL	1000	78→	CVT	739	L/R	S	292	50,8	5,0	5	8,5	741		L	S	292	50,8	5,8	5	8,5			
H.D. 2	SPORTSTER XL	1000	78→	CVT	740	L/R	S	292	50,8	5,0	5	8,5	742		L	S	292	50,8	5,8	5	8,5			
H.D. 2	SPORTSTER XL	1000	78→	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5												
H.D. 2	SPORTSTER XL	1000	78/83	CVT	1436	L/R	S	254	61,3	4,5	5	10,5	-		-	-	-	-	-	-	-	-	-	-
H.D. 2	SPORTSTER XLS ROADSTER	1000	79/84	CVT	739	L/R	S	292	50,8	5,0	5	8,5	741		L	S	292	50,8	5,8	5	8,5			
H.D. 2	SPORTSTER XLS ROADSTER	1000	79/84	CVT	740	L/R	S	292	50,8	5,0	5	8,5	742		L	S	292	50,8	5,8	5	8,5			
H.D. 2	SPORTSTER XLS ROADSTER	1000	79/84	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5												
1200 / 1202 c.c.															1200 / 1202 c.c.									
H.D. 2	SPORTSTER ALL MODELS	1200	84/98	CVT	739	L/R	S	292	50,8	5,0	5	8,5	741		L	S	292	50,8	5,8	5	8,5			
H.D. 2	SPORTSTER ALL MODELS	1200	84/98	CVT	740	L/R	S	292	50,8	5,0	5	8,5												
H.D. 2	SPORTSTER ALL MODELS	1200	84/98	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5												
H.D. 2	SPORTSTER CUSTOM	1200	15/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5			
H.D. 2	SPORTSTER CUSTOM ABS	1200	15/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	-		-	-	-	-	-	-	-	-	-	-
H.D. 2	SPORTSTER FORTY EIGHT	1200	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5			
H.D. 2	SPORTSTER FORTY EIGHT SPECIAL	1200	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5			
H.D. 2	SPORTSTER IRON	1200	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5			
H.D. 2	SPORTSTER IRON FORTY EIGHT SPECIA	1200	18	CVT	--	L	F00,0	-	-	-	-	8,5	--		L	S	-	-	-	-	-	-	-	-
H.D. 2	SPORTSTER R FLAT TRACK	1200	00/04	FT	1494	L	S	292	56,3	5,0	5	8,5	1247		L	S	292	56,3	5,0	5	10,5			
H.D. 2	SPORTSTER R FLAT TRACK	1200	00/04	FT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER R FLAT TRACK	1200	00/04	FT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER ROADSTER	1200	16/19	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5			
H.D. 2	SPORTSTER SUPERLOW T	1200	14/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5			
H.D. 2	SPORTSTER SUPERLOW T	1200	14/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL	1200	04/06	CVT	1494	L	S	292	56,3	5,0	5	8,5	-		-	-	-	-	-	-	-	-	-	-
H.D. 2	SPORTSTER XL	1200	04/06	CVT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL	1200	04/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL CUSTOM	1200	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247		L	S	292	56,3	5,0	5	10,5			
H.D. 2	SPORTSTER XL CUSTOM	1200	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL CUSTOM	1200	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL C CUSTOM	1200	00/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5			
H.D. 2	SPORTSTER XL C CUSTOM	1200	00/13	CVT	736	L	S	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL C CUSTOM	1200	00/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5												
H.D. 2	SPORTSTER XL C CUSTOM	1200	14/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5			
H.D. 2	SPORTSTER XL C CUSTOM	1200	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5													



H.D.	2	SPORTSTER XL FORTY EIGHT	1200	14/17	CVT	FRONT						REAR					
						REFERENCE	SIDE	DISC-TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC-TYPE	OUTSIDE Ø
H.D.	2	SPORTSTER XL FORTY EIGHT	1200	14/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488	L	S	260
H.D.	2	SPORTSTER XL FORTY EIGHT	1200	14/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL L LOW / XL N NIGHTSER	1200	06/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XL L LOW / XL N NIGHTSER	1200	06/13	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL L LOW / XL N NIGHTSER	1200	06/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL N NIGHTSTER	1200	07/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	L	S	292
H.D.	2	SPORTSTER XL N NIGHTSTER	1200	07/13	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL N NIGHTSTER	1200	07/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R	1200	00/06	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	-	-	-	-
H.D.	2	SPORTSTER XL R	1200	00/06	CVT	735	R	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R	1200	00/06	CVT	736	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R	1200	00/06	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R FORTY EIGHT	1200	10/11	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	-	-	-	-
H.D.	2	SPORTSTER XL R FORTY EIGHT	1200	10/11	CVT	735	R	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R FORTY EIGHT	1200	10/11	CVT	736	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R FORTY EIGHT	1200	10/11	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R ROADSTER	1200	04/09	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	L	S	292
H.D.	2	SPORTSTER XL R ROADSTER	1200	04/09	CVT	735	R	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R ROADSTER	1200	04/09	CVT	736	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL R ROADSTER	1200	04/09	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL S SPORT	1200	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XL S SPORT	1200	00/03	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL S SPORT	1200	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL SEVENTY TWO	1200	12/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	L	S	292
H.D.	2	SPORTSTER XL SEVENTY TWO	1200	12/13	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL SEVENTY TWO	1200	12/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL SEVENTY TWO	1200	16/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488	L	S	260
H.D.	2	SPORTSTER XL T SUPER LOW	1200	14/18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488	L	S	260
H.D.	2	SPORTSTER XL T SUPER LOW	1200	14/18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL V SEVENTY TWO	1200	12/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XL V SEVENTY TWO	1200	12/13	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL V SEVENTY TWO	1200	12/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL V SEVENTY TWO	1200	14/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XL V SEVENTY TWO	1200	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488	L	S	260
H.D.	2	SPORTSTER XL X FORTY EIGHT	1200	10/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XL X FORTY EIGHT	1200	10/13	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL X FORTY EIGHT	1200	10/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL X FORTY EIGHT	1200	14/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488	L	S	260
H.D.	2	SPORTSTER XL X FORTY EIGHT	1200	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XL X FORTY EIGHT	1200	17/18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488	L	S	260
H.D.	2	SPORTSTER XLH	1200	87/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	L	S	292
H.D.	2	SPORTSTER XLH	1200	87/99	CVT	739 / 740	L	S	292	50,8	5,0	5	8,5				
H.D.	2	SPORTSTER XLH	1200	00/04	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	L	S	292
H.D.	2	SPORTSTER XLH	1200	00/04	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XLH	1200	00/04	CVT	679	L	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR	1200	08/10	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XR	1200	08/10	CVT	735	R	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR	1200	08/10	CVT	736	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR	1200	08/10	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR X	1200	10/12	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XR X	1200	10/12	CVT	735	R	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR X	1200	10/12	CVT	736	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR X	1200	10/12	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR R / X	1200	10/13	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260
H.D.	2	SPORTSTER XR R / X	1200	10/13	CVT	735	L	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR R / X	1200	10/13	CVT	736	R	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR R / X	1200	10/13	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR STORZ	1200	06/14	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5	1700	L	S	254
H.D.	2	SPORTSTER XR STORZ	1200	06/14	CVT	735	R	S	292	56,3	5,0	5	8,5				
H.D.	2	SPORTSTER XR STORZ	1200	06/14	CVT	736	L	S	292	56,3	5,0	5	8,5				
1450 c.c.												1450 c.c.					
H.D.	2	SPORTSTER FXE SUPER GLIDE	1450	78/83	CVT	1436	L/R	S	254	61,3	4,5	5	10,5	-	-	-	-
SPORTSTER FXLR MODELS																	
H.D.	2	SPORTSTER FXLR LOW RIDER CUSTOM	1450	87/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292
H.D.	2	SPORTSTER FXLR LOW RIDER CUSTOM	1450	87/99	CVT	739	L	S	292	50,8	5,0	5	8,5				
H.D.	2	SPORTSTER FXLR LOW RIDER CUSTOM	1450	87/99	CVT	740	L	S	292	50,8	5,0	5	8,5				
H.D.	2	SPORTSTER FXR SUPER GLIDE	1450	82/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292
H.D.	2	SPORTSTER FXR SUPER GLIDE	1450	82/99	CVT	739	L	S	292	50,8	5,0	5	8,5				
H.D.	2	SPORTSTER FXR SUPER GLIDE	1450	82/99	CVT	740	L	S	292	50,8	5,0	5	8,5				
H.D.	2	SPORTSTER FXRS SPORT GLIDE	1450	84/86	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292
H.D.	2	SPORTSTER FXRS SPORT GLIDE	1450	84/86	CVT	739	L	S	292	50,8	5,0	5	8,5				
H.D.	2	SPORTSTER FXRS SPORT GLIDE	1450	84/86	CVT	740	L	S	292	50,8	5,0	5	8,5				

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



H.D. 3	DYNA SUPER GLIDE FXDC CUSTOM	1584	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 3	DYNA SUPER GLIDE FXDC CUSTOM	1584	08/14	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA SUPER GLIDE FXDC CUSTOM	1584	08/14	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 3	DYNA FXDB STREET BOB	1584	07	CVT	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDB STREET BOB	1584	08/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDB STREET BOB	1584	08/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 3	DYNA FXDL LOW RIDER	1584	00/05	CVT	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDL LOW RIDER	1584	06	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDL LOW RIDER	1584	06	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 3	DYNA FXDL LOW RIDER	1584	07/10	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDL SUPER GLIDE	1584	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDL SUPER GLIDE	1584	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 3	DYNA FXDWG WIDE GLIDE	1584	00/05	CVT	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDWG WIDE GLIDE	1584	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 3	DYNA FXDWG WIDE GLIDE	1584	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
H.D. 3	DYNA FXDWG WIDE GLIDE	1584	08/17	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5
1690 c.c.(103,1 cu in)					1690 c.c.(103,1 cu in)															
H.D. 3	DYNA FLD SWITCHBACK	1690	12/16	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5
H.D. 3	DYNA FLD SWITCHBACK	1690	12/16	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDB STREET BOB, S.W.	1690	04/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDB STREET BOB, S.W.	1690	04/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDBC BOB LTD, C.W.	1690	16	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDBC BOB LTD, C.W.	1690	16	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDF FAT BOB	1690	02/17	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDF FAT BOB	1690	02/17	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDLI LOW RIDER, C.W.	1690	06/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDLI LOW RIDER, C.W.	1690	06/17	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDLI LOW RIDER, S.W.	1690	08/17	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDLI LOW RIDER, S.W.	1690	08/17	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
H.D. 3	DYNA FXDWG WIDE GLIDE	1690	14/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
H.D. 3	DYNA FXDWG WIDE GLIDE	1690	14/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
1745 c.c.(107 cu in)					1745 c.c.(107 cu in)															
H.D. 3	DYNA FAT BOB	1745	18	CVT	--	L/R	F00,0	-	-	-	-	-	--	R	F00,0	-	-	-	-	-
H.D. 3	DYNA LOW RIDER	1745	18	CVT	--	L	S	-	-	-	-	-	--	R	S	-	-	-	-	-
1801 c.c.					1801 c.c.															
H.D. 3	DYNA FXDLS LOW RIDER S	1801	16/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1525	R	S	300	56,3	6,2	5	10,5
1890 c.c.					1890 c.c.															
H.D. 3	DYNA FXDL LOW RIDER	1890	17	CVT	-	L/R	F00,0	-	-	-	-	-	-	R	S	260	-	-	-	-
H.D. 04	4. SOFTAIL MODELS FAT BOY, FLSTF, FLSTBS, FLST/i, FLSTC/i, FLSTS, FLSTN, FXDR, FXST, FXSTB, FXSTS.																			
H.D. 04																				
H.D. 04																				
H.D. 04																				
H.D. 04																				
1340 c.c.					1340 c.c.															
H.D. 4	SOFTAIL FLSTC / FLSTF FAT BOY	1340	89/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
H.D. 4	SOFTAIL FLSTC / FLSTF FAT BOY	1340	89/99	CVT	739	L	S	292	50,8	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTC / FLSTF FAT BOY	1340	89/99	CVT	740	L	S	292	50,8	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTC FAT BOY	1340	00/02	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTC FAT BOY	1340	00/02	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTC FAT BOY	1340	00/02	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTi FAT BOY 15th ANIVERS.	1340	05	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTi FAT BOY 15th ANIVERS.	1340	05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTi FAT BOY 15th ANIVERS.	1340	05	CVT	735	L	S	292	56,3	5,0	5	8,5								
SOFTAIL HERITAGE MODELS																				
H.D. 4	SOFTAIL HERITAGE FLSTC	1340	89/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
H.D. 4	SOFTAIL HERITAGE FLSTC	1340	89/99	CVT	739 / 740	L	S	292	50,8	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTC	1340	00/02	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL HERITAGE FLSTC	1340	00/02	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTC	1340	00/02	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTC CLASSIC	1340	99/02	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL HERITAGE FLSTC CLASSIC	1340	99/02	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTC CLASSIC	1340	99/02	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FXLR LOW RIDER CU	1340	00/16	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL HERITAGE FXLR LOW RIDER CU	1340	00/16	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FXLR LOW RIDER CU	1340	00/16	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FXSTS SPRINGER SC	1340	00/16	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL HERITAGE FXSTS SPRINGER SC	1340	00/02	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FXSTS SPRINGER SC	1340	00/02	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
1450 c.c.					1450 c.c.															
SOFTAIL HERITAGE MODELS																				
H.D. 4	SOFTAIL HERITAGE FLSTC / FLSTCi CLAS	1450	00/06	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL HERITAGE FLSTC / FLSTCi CLAS	1450	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTC / FLSTCi CLAS	1450	00/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTC / FLSTF / I FAT	1450	00/06	CVT	1494	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTC / FLSTF / I FAT	1450	00/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								

				C.C.	YEAR	MODEL TYPE	FRONT								REAR							
							REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
H.D. 4	SOFTAIL HERITAGE FLSTC / FLSTF / I FAT	1450	00/06	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTI	1450	06	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL HERITAGE FLSTI	1450	06	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL HERITAGE FLSTI	1450	06	CVT			735	L	S	292	56,3	5,0	5	8,5								
	FLSTS SODFTAIL HERITAGE MODELS																					
H.D. 4	FLSTS SOFTAIL HERITAGE SPRINGER	1450	00/03	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	FLSTS SOFTAIL HERITAGE SPRINGER	1450	00/03	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	FLSTS SOFTAIL HERITAGE SPRINGER	1450	00/03	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
	FLSTN SOFTAIL MODELS																					
H.D. 4	FLSTN SOFTAIL DELUXE	1450	05/07	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	FLSTN SOFTAIL DELUXE	1450	05/07	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	FLSTN SOFTAIL SOFTAIL DELUXE	1450	05/07	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
	FXST SOFTAIL MODELS																					
H.D. 4	FZST SOFTAIL STANDARD	1450	00/07	CVT			735	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	FZST SOFTAIL STANDARD	1450	00/07	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTB / FXSTB I NIGHT TRAIN	1450	00/07	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXSTB / FXSTB I NIGHT TRAIN	1450	00/07	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTB / FXSTB I NIGHT TRAIN	1450	00/07	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
	FXSTC SOFTAIL MODELS																					
H.D. 4	FXSTC SOFTAIL CUSTOM	1450	00/07	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	FXSTC SOFTAIL CUSTOM	1450	00/07	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	FXSTC SOFTAIL CUSTOM	1450	00/07	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
	SOFTAIL MODELS																					
H.D. 4	SOFTAIL FXSTD / I DEUCE	1450	00/06	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXSTD / I DEUCE	1450	00/06	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTD / I DEUCE	1450	00/06	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTS SPRINGER	1450	89/99	CVT			420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
H.D. 4	SOFTAIL FXSTS SPRINGER	1450	89/99	CVT			739	L	S	292	50,8	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTS SPRINGER	1450	89/99	CVT			740	L	S	292	50,8	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTS / I SPRINGER	1450	00/06	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXSTS / I SPRINGER	1450	00/06	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTS / I SPRINGER	1450	00/06	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
	1584 c.c.														1584 c.c.							
H.D. 4	SOFTAIL FLCW ROCKER	1584	08/09	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLCW ROCKER	1584	08/09	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLCW ROCKER	1584	08/09	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTB CROSS BONES	1584	08/11	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTB CROSS BONES	1584	08/11	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTB CROSS BONES	1584	08/11	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTB FAT BOY SPECIAL	1584	10/13	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTB FAT BOY SPECIAL	1584	10/13	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTB FAT BOY SPECIAL	1584	10/13	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTC HERITAGE CLASSIC	1584	07/14	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTC HERITAGE CLASSIC	1584	07/14	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTC HERITAGE CLASSIC	1584	07/14	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTF FAT BOY	1584	07/14	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTF FAT BOY	1584	07/14	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTF FAT BOY	1584	07/14	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTN DELUXE	1584	05/14	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTN DELUXE	1584	05/14	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTN DELUXE	1584	05/14	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
	SOFTAIL FLSTSE MODELS																					
H.D. 4	SOFTAIL FLSTSE CVO CONVERTIBLE	1584	10/11	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FLSTSE CVO CONVERTIBLE	1584	10/11	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FLSTSE CVO CONVERTIBLE	1584	10/11	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXCW ROCKER	1584	08/09	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXCW ROCKER	1584	08/09	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXCW ROCKER	1584	08/09	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXCWC ROCKER C	1584	08/13	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXCWC ROCKER C	1584	08/13	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXCWC ROCKER C	1584	08/13	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXDF FAT BOB	1584	08/14	CVT			1319	L/R	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXS BLACKLINE	1584	11/13	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXS BLACKLINE	1584	11/13	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXS BLACKLINE	1584	11/13	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTB NIGHT TRAIN	1584	08/10	CVT			1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXSTB NIGHT TRAIN	1584	08/10	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTB NIGHT TRAIN	1584	08/10	CVT			679	L	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTC CUSTOM	1584	08/10	CVT			1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
H.D. 4	SOFTAIL FXSTC CUSTOM	1584	08/10	CVT			735	L	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTC CUSTOM	1584	08/10	CVT			736	R	S	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTC CUSTOM	1584	08/10	CVT			679	L/R	F00,0	292	56,3	5,0	5	8,5								
H.D. 4	SOFTAIL FXSTSS CVO SPRINGER	1584	09	CVT			1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5



H.D. 4	SOFTAIL FXSTSS CVO SPRINGER	1584	09	CVT	735	L	S	292	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FXSTSS CVO SPRINGER	1584	09	CVT	736	R	S	292	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FXSTSS CVO SPRINGER	1584	09	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5											
1690 c.c.(103,1 cu in)					1690 c.c.(103,1 cu in)																		
H.D. 4	SOFTAIL FAT BOB	1690	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL FAT BOB	1690	16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5			
H.D. 4	SOFTAIL FAT BOY SPECIAL	1690	12/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL FLD SWITCHBACK	1690	12/15	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL FLS SOFTAIL SLIM	1690	12/14	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL FLS SOFTAIL SLIM	1690	12/14	CVT	735	L	S	292	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FLS SOFTAIL SLIM	1690	12/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FLS SOFTAIL SLIM	1690	15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL FLS SOFTAIL SLIM	1690	15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FLS SOFTAIL SLIM	1690	16/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLS SOFTAIL SLIM	1690	16/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLSTC HERITAGE CLASSIC	1690	16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5			
H.D. 4	SOFTAIL FLSTN SOFTAIL DELUXE	1690	12/14	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL FLSTN SOFTAIL DELUXE	1690	12/14	CVT	735	L	S	292	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FLSTN SOFTAIL DELUXE	1690	12/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FLSTN SOFTAIL DELUXE	1690	15/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5			
H.D. 4	SOFTAIL FLSTN SOFTAIL DELUXE	1690	15/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5											
SOFTAIL FLTRX MODELS																							
H.D. 4	SOFTAIL FLTRX ROAD GLIDE SPECIAL	1690	15/16	CVT	-	-	-	-	-	-	-	-	1333	R	S	300	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLTRX ROAD GLIDE ULTRA	1690	16	CVT	-	-	-	-	-	-	-	-	1333	R	S	300	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLTRX ROAD GLIDE CUSTOM	1690	10/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLTRX ROAD GLIDE CUSTOM	1690	10/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL FXDB STREET BOB	1690	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FXDB STREET BOB	1690	16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5			
H.D. 4	SOFTAIL FXDL LOW RIDER	1690	15/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1525	R	S	300	56,3	6,2	5	10,5			
H.D. 4	SOFTAIL FXSB BREAKOUT	1690	13/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1526	R	F00,0	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL HERITAGE CLASSIC	1690	14/15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL HERITAGE CLASSIC	1690	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL SOFTAIL BREAKOUT	1690	17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL SOFTAIL DELUXE	1690	15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
H.D. 4	SOFTAIL SOFTAIL DELUXE	1690	15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5											
H.D. 4	SOFTAIL SOFTAIL DELUXE	1690	16/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL SOFTAIL DELUXE	1690	16/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL ULTRA LIMITED	1690	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL ULTRA LIMITED LOW	1690	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5	10,5			
1745 c.c.(107 cu in)					1745 c.c.(107 cu in)																		
H.D. 4	SOFTAIL BREAKOUT	1745	18/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL BREAKOUT	1745	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL DELUXE	1745	18/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL DELUXE	1745	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FAT BOB	1745	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FAT BOB	1745	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FAT BOB	1745	19	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FAT BOB	1745	19	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FAT BOY	1745	18/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FAT BOY	1745	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1629	r	s	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLSB SPORT GLIDE	1745	18/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLSB SPORT GLIDE	1745	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLSL / FLDE DELUXE	1745	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLSL / FLDE DELUXE	1745	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLSL SOFTAIL SLIM	1745	18/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FLSL SOFTAIL SLIM	1745	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FXLR LOW RIDER	1745	18/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL FXLR LOW RIDER	1745	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL HERITATGE CLASSIC	1745	18/19	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL HERITATGE CLASSIC	1745	18/19	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5			
H.D. 4	SOFTAIL STREET BOB	1745	18/19																				

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
H.D. 6	TOURING FLHX STREET GLIDE	1584	06/07	CVT	736	R	S	292	56,3	5,0	5	8,5												
H.D. 6	TOURING FLHX STREET GLIDE	1584	06/07	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5												
H.D. 6	TOURING FLHX STREET GLIDE	1584	08/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHX STREET GLIDE	1584	08/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
1690 c.c.(103,1 cu in)					1690 c.c.(103,1 cu in)																			
TOURING FLHP ELECTRA MODELS																								
H.D. 6	TOURING FLHP ELECTRA GLIDE POLICE	1690	09/11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHP ELECTRA GLIDE POLICE	1690	09/11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
H.D. 6	TOURING FLHP ELECTRA ROAD KING PO	1690	10/11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHP ELECTRA ROAD KING PO	1690	10/11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
TOURING FLHTK ELECTRA MODELS																								
H.D. 6	TOURING FLHTK ELECTRA GLIDE LIMITE	1690	10/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHTK ELECTRA GLIDE LIMITE	1690	10/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
H.D. 6	TOURING FLHTK ELECTRA ULTRA LIMITE	1690	16	CVT	-	-	-	-	-	-	-	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHTK ELECTRA ULTRA LIMITE	1690	10/11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHTK ELECTRA ULTRA LIMITE	1690	10/11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
H.D. 6	TOURING FLHTK ELECTRA ULTRA LIMITE	1690	16	CVT	-	-	-	-	-	-	-	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHR ROAD KING	1690	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5			1333	R	S	300	56,3	6,0	5	10,5		
TOURING FLHRC MODELS																								
H.D. 6	TOURING FLHRC ROAD KING	1690	16	CVT	-	-	-	-	-	-	-	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHRC ROAD KING CLASSIC	1690	13/16	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHRC ROAD KING CLASSIC	1690	13/16	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
H.D. 6	TOURING FLHX STREET GLIDE	1690	08/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLHX STREET GLIDE	1690	08/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
TOURING FLTRXS MODELS																								
H.D. 6	TOURING FLTRXS ROAD GLIDE SPECIAL	1690	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLTRXS STREET GLIDE SPECIAL	1690	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5			1333	R	S	300	56,3	6,0	5	10,5		
TOURING FLTRU MODELS																								
H.D. 6	TOURING FLTRXS ROAD GLIDE ULTRA	1690	11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLTRXS ROAD GLIDE ULTRA	1690	11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
H.D. 6	TOURING FLTRXS ROAD GLIDE ULTRA	1690	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5			1333	R	S	300	56,3	6,0	5	10,5		
TOURING FLTRUSE SCREAM MODELS																								
H.D. 6	TOURING FLTRUSE EAGLE ROAD GLIDE	1690	11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLTRUSE EAGLE ROAD GLIDE	1690	11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
TOURING FLTRX MODELS																								
H.D. 6	TOURING FLTRXS ROAD GLIDE CUSTOM	1690	10/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1333	R	S	300	56,3	6,0	5	10,5		
H.D. 6	TOURING FLTRXS ROAD GLIDE CUSTOM	1690	10/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
1745 c.c.(107 cu in)					1745 c.c.(107 cu in)																			
H.D. 6	TOURING FLHTK ULTRA LIMITED	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLHTK ULTRA LIMITED LOW	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLHR ROAD KING	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLHR ROAD KING	1745	18/19	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1631	R	S	300	56,3	7,0	5	10,5		
H.D. 6	TOURING FLHR ROAD KING	1745	18/19	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
TOURING FLHRC MODELS																								
H.D. 6	TOURING FLHRC ROAD KING CLASSIC	1745	17/18	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5			1631	R	S	300	56,3	7,0	5	10,5		
H.D. 6	TOURING FLHRC ROAD KING CLASSIC	1745	17/18	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5												
TOURING FLHT MODELS																								
H.D. 6	TOURING ELECTRA GLIDE STANDARD	1745	19	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			-	-	-	-	-	-	-	-	-	
TOURING FLHTCU MODELS																								
H.D. 6	TOURING FLHTCU U.CLASSIC ELECTRA G	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLHTK ULTRA ELECT. GLIDE	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
TOURING FLHTKL MODELS																								
H.D. 6	TOURING FLHTKL ULTRA ELECT. GLIDE L	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLHTKL ULTRA LIMITED LOW	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLHRXS KING SPECIAL	1745	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5			1631	R	S	300	56,3	7,0	5	10,5		
H.D. 6	TOURING FLHX STREET GLIDE	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
TOURING FLHX MODELS																								
H.D. 6	TOURING FLHX STREET GLIDE SPECIAL	1745	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5			1631	R	S	300	56,3	7,0	5	10,5		
TOURING FLHXS MODELS																								
H.D. 6	TOURING FLHXS STREET GLIDE SPECIAL	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLHXS STREET GLIDE SPECIAL	1745	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5			1631	R	S	300	56,3	7,0	5	10,5		
TOURING FLTRU MODELS																								
H.D. 6	TOURING FLTRU ROAD GLIDE ULTRA	1745	17	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1525	R	S	300	56,3	6,2	5	10,5		
H.D. 6	TOURING FLTRU ROAD GLIDE ULTRA	1745	18	CVT	1656	L/R	S	300	138,8	5,0	5	13,8			1631	R	S	300	56,3	7,0	5	10,5		
H.D. 6	TOURING FLTRX ROAD GLIDE	1745	17</																					

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



CRX 10 MODELS																								
HM	CRX 10 JR / RACING / SR	50	01/02	A	467	L	S	169	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5				
HM	CRX 10 JR / RACING / SR	50	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5				
HM	CRX 10 SENIOR RACING	50	01/02	A	467	L	S	169	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5				
HM	CRX 10 SENIOR RACING	50	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5				
HM	CRX 12	50	01/02	A	469	L	S	205	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5				
HM	CRX 12	50	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5				
HM	CRX 12 / 15	50	03/05	A	710	L	S	205	46	3,0	5	6,5	-	-	-	-	-	-	-	-				
HM	CRX 15	50	01/02	A	469	L	S	205	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5				
HM	CRX 15	50	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5				
HM	DERAPAGE	50	01/02	A	219	L	S	290	108	3,5	6	6,5	115	L	S	200	62	3,5	3	10,5				
HM	DERAPAGE / COMPETITION	50	06	A	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5				
HM	MINI BAJA 10 / 12 / 14	50	10/11	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5				
HM	MINI RACING JR	50	10/11	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5				
HM	RACING 14 MX	50	10/11	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5				
125 c.c.															125 c.c.									
HM	CR E	125	01	E	398	L	S	240	108	3,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E	125	01	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR E F	125	08/09	E	1116	L	S	250	101	3,0	6	6,5	1117	R	S	220	121	4,0	4	6,5				
HM	CR E R	125	02/08	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E R	125	02/08	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR E SUPERMOTARD	125	00/01	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5				
HM	CR E SUPERMOTARD	125	00/01	F	724X	L	F00,0	318	101	5,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5				
HM	CR E SUPERMOTARD	125	02/08	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E SUPERMOTARD	125	02/08	F	724X	L	F00,0	318	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E F X / CRN F X	125	08→	E	-	-	-	-	-	-	-	-	656	R	S	220	105	4,0	4	6,5				
HM	MOTARD	125	02/04	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	MOTARD	125	02/04	F	846	L	T	320	101	4,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5				
HM	MOTARD	125	02/04	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5												
HM	MOTARD	125	02/04	F	724X	L	F00,0	318	101	5,0	6	6,5												
230 c.c.															230 c.c.									
HM	CRF EASY MOTARD	230	03	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	669	R	S	160	45	3,0	5	6,5				
HM	CRF EASY MOTARD	230	03	F	724X	L	F00,0	318	101	5,0	6	6,5	669	R	S	160	45	3,0	5	6,5				
HM	CRF EASY MOTARD	230	08	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CRF EASY MOTARD	230	08	F	724X	L	F00,0	318	101	5,0	6	6,5												
HM	CRF ENDURO	230	04/10	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CRF ENDURO	230	04/10	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CRF SUPERMOTARD	230	04/10	F	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CRF SUPERMOTARD	230	04/10	F									654SP	R	S	240	121,5	4,0	4	6,5				
250 c.c.															250 c.c.									
HM	CR E / CR F / CR X	250	09	E	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E / CR F / CR X	250	09	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR E SUPERMOTARD	250	00/01	F	-	-	-	-	-	-	-	-	1586 / 1586X	R	S	240	122,5	4,5	4	10,5				
HM	CR E SUPERMOTARD	250	04/08	F	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E SUPERMOTARD	250	04/08	F									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR R MOTO	250	04	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR R MOTO	250	04	F									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CRE	250	01	E	398	L	S	240	108	3,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CRE	250	01	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR E F / CR E X	250	04/09	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E F / CR E X	250	04/09	E	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR E F / CR E X	250	04/09	E	1154XBHK03	L	KF	*270	101	3,0	6	6,5												
HM	CR E F R	250	11	E	066X / 066	L	S	240	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5				
HM	CR E F R	250	11	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR E R	250	02/03	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E R	250	02/03	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR F F / ENDURO / MOTARD	250	04/09	E-F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR F F / ENDURO / MOTARD	250	04/09	E-F									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR F R X SUPER MOTARD	250	04/08	F	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR F R X SUPER MOTARD	250	04/08	F									654SP	R	S	240	121,5	4,0	4	6,5				
HM	MOTARD	250	02/04	F	019	L	F00,0	320	101	4,5	6	6,5	375	-	S	240	121	4,0	4	10,5				
HM	MOTARD	250	02/04	F	846	L	T	320	101	4,5	6	6,5												
HM	MOTARD	250	02/04	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5												
HM	MOTARD	250	02/04	F	724X	L	F00,0	318	101	5,0	6	6,5												
300 c.c.															300 c.c.									
HM	CRE	300	09	E	066X / 066	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CRE	300	09	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	FUTURE	300	08	U	627 / 627X	L	S	184	-	3,5	4	18,5	607	R	S	150	46	2,5	4	6,5				
450 c.c.															450 c.c.									
HM	CR E F	450	01/04	E	398	L	S	240	108	3,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HM	CR E F	450	01/04	E									654SP	R	S	240	121,5	4,0	4	6,5				
HM	CR E F ENDURO	450	02/04	E	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-				
HM	CR F R ENDURO	450	04	E	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-				

		C.C.	YEAR	MODEL TYPE	FRONT									REAR								
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
HM	CRF / X SUPERMOTARD	450	02→	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5		
HM	CRF / X SUPERMOTARD	450	02→	F									654SP	R	S	240	121,5	4,0	4	6,5		
HM	CRM F R / CRM F X INIEZIONE	450	08	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5		
HM	CRM F R / CRM F X INIEZIONE	450	08	F	846	L	T	320	101	4,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5		
HM	CRM F R / CRM F X INIEZIONE	450	08	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5										
HM	CRM F R / CRM F X INIEZIONE	450	08	F	724X	L	F00,0	318	101	5,0	6	6,5										
HM	MOTARD F	450	01/02	F	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5		
HM	MOTARD F	450	01/02	F									654SP	R	S	240	121,5	4,0	4	6,5		
500 c.c.														500 c.c.								
HM	CRF R ENDURO	500	04	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5		
HM	CRF R ENDURO	500	04	E									654SP	R	S	240	121,5	4,0	4	6,5		
HM	MOTARD	500	01/02	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5		
HM	MOTARD	500	01/02	F	846	L	T	320	101	4,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5		
HM	MOTARD	500	01/02	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5										
HM	MOTARD	500	01/02	F	724X	L	F00,0	318	101	5,0	6	6,5										
HONDA														HONDA								
50 c.c.														50 c.c.								
HONDA	AX 1	50	-	H-C	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-		
HONDA	AX 1	50	-	H-C	473 / 473X	L	S	240	118	3,0	4	6,5										
HONDA	AX 1	50	-	H-C	859	L	T	240	118	3,0	4	6,5										
HONDA	BALI 2T	50	93→	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-		
HONDA	BALI 2T	50	93→	S	610F	L	F00,0	200	96,5	4,0	5	6,5										
HONDA	BALI 2T	50	93→	S	1815X	L	SO	*220	96,5	4,0	5	6,5										
HONDA	BALI EX	50	96/02	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	BALI EX	50	96/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	BALI EX	50	96/02	S	1300X	L	FO	*220	58	3,5	3	10,5										
HONDA	BALI SJ	50	93/97	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	BALI SJ	50	93/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	BALI SJ	50	93/97	S	1300X	L	FO	*220	58	3,5	3	10,5										
HONDA	CRM R	50	95/02	A	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-		
HONDA	CRM R	50	95/02	A	473 / 473X	L	S	240	118	3,0	4	6,5										
HONDA	CRM R	50	95/02	A	859	L	T	240	118	3,0	4	6,5										
HONDA	DERAPAGE SIX / MOTARD	50	05	A	219	L	S	290	108	3,5	6	6,5	-	-	-	-	-	-	-	-		
HONDA	DIO ALL MODELS	50	91/00	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-		
HONDA	HSC 01	50	93	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-		
HONDA	HSC 01 ZR	50	92/94	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	NS AERO	50	90/97	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-		
HONDA	NSC AC / C / R / R REPSOL	50	11/16	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-		
HONDA	NSC VISION CBS	50	17/18	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-		
HONDA	NS1 REPLICIA	50	96	H-R	286 / 286X	L	S	256	144	5,0	4	10,5	-	-	-	-	-	-	-	-		
HONDA	NSR / NSR REPSOL	50	96/01	H	792	R	S	256	144	5,0	6	10,5	312	R	S	220	88	4,0	3	10,5		
HONDA	SC 01 SR	50	90/93	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-		
HONDA	SCOOPY SH / SH FIFTY	50	96	S	084	L	S	220	88	4,0	3	8,5	Drum	-	-	-	-	-	-	-		
HONDA	SCOOPY SH	50	97/03	S	312	L	S	220	88	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SFX	50	88/96	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SFS FX REPSOL	50	95/04	S	359	L	S	160	39	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SGX SKY / SKY DELUXE	50	97/03	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SGX SKY / SKY DELUXE	50	97/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	SGX SKY / SKY DELUXE	50	97/03	S	1300X	L	FO	*220	58	3,5	3	10,5										
HONDA	SHADOW	50	98	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SHADOW	50	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	SHADOW	50	98	S	1300X	L	FO	*220	58	3,5	3	10,5										
HONDA	SJ BALI	50	93/02	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SJ BALI	50	93/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	SJ BALI	50	93/02	S	1300X	L	FO	*220	58	3,5	3	10,5										
SKY MODELS																						
HONDA	SKY ANIVERSARIO/CLASSIC/SGX	50	93/03	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SKY ANIVERSARIO/CLASSIC/SGX	50	93/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	SKY ANIVERSARIO/CLASSIC/SGX	50	93/03	S	1300X	L	FO	*220	58	3,5	3	10,5										
HONDA	SKY VETRO STD SGX	50	99/02	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SKY VETRO STD SGX	50	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	SKY VETRO STD SGX	50	99/02	S	1300X	L	FO	*220	58	3,5	3	10,5										
HONDA	SXR	50	98/00	S	359	L	S	160	39	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	SXR SHADOW	50	90/93	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	VISION / VISION CBS	50	11/18	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-		
HONDA	WHY	50	99/07	S	312	L	S	220	88	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	X8R-S S / X8R-X	50	98/04	S	155	L	S	220	105	4,0	3	10,5	601	L	S	190	72	4,0	4	10,5		
HONDA	YUPI	50	90	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
HONDA	YUPI	50	90	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
HONDA	YUPI	50	90	S	1300X	L	FO	*220	58	3,5	3	10,5										
HONDA	ZX DIO	50	90/93	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
75 c.c.														75 c.c.								

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
HONDA	CRM	75	91/99	A-E	119	L	S	240	118	3,5	4	6,5			Drum	-	-	-	-	-	-	-	-	
HONDA	CRM	75	91/99	A-E	473 / 473X	L	S	240	118	3,0	4	6,5												
HONDA	CRM	75	91/99	A-E	859	L	T	240	118	3,0	4	6,5												
HONDA	MBX / NSR	75	83→	H-R	1201X	R	S22,0	220	58	4,0	3	8,5			Drum	-	-	-	-	-	-	-	-	
HONDA	NS1	75	94/98	H-R	792	R	S	256	144	5,0	6	10,5			312	L	S	220	88	4,0	3	10,5		
HONDA	NS1 REPLICA	75	92	H-R	286 / 286X	L	S	256	144	5,0	4	10,5			-	-	-	-	-	-	-	-	-	
80 c.c.															80 c.c.									
HONDA	CRE	80	98	A-E	1102 / 1102X	L	S	220	88	3,0	4	6,5			-	-	-	-	-	-	-	-	-	
HONDA	CR R	80	86/95	A-M	748 / 748X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5		
HONDA	CR R	80	96/02	A-M	1102 / 1102X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5		
HONDA	CR R2	80	03/07	A-M	1102 / 1102X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5		
85 c.c.															85 c.c.									
HONDA	CR R	85	03/07	A-M	1102 / 1102X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5		
90 c.c.															90 c.c.									
HONDA	SHADOW	90	98	S	107	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	SHADOW	90	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH												
HONDA	SHADOW	90	98	S	1300X	L	FO	*220	58	3,5	3	10,5												
HONDA	YUPI / NH / METAL NH i	90	90→	S	107	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	YUPI / NH / METAL NH i	90	90→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH												
HONDA	YUPI / NH / METAL NH i	90	90→	S	1300X	L	FO	*220	58	3,5	3	10,5												
100 c.c.															100 c.c.									
HONDA	CHIOCCIOLA NES	100	95	S	451	L	S	220	105	4,0	4	10,5			-	-	-	-	-	-	-	-	-	
HONDA	BALI SJ	100	95/03	S	107	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	BALI SJ	100	95/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH												
HONDA	BALI SJ	100	95/03	S	1300X	L	FO	*220	58	3,5	3	10,5												
HONDA	SCOOPY SH	100	96/01	S	312	L	S	220	88	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
107 c.c.															107 c.c.									
HONDA	NEW LEAD	107	08	S	110 / 110X	L	S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-	
110 c.c.															110 c.c.									
INDONESIA MODELS																								
HONDA	INDONESIA MODEL BEAT CW / FI CW / SW	110	12	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	INDONESIA MODEL SCOOPY	110	12	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	INDONESIA MODEL SPACY HELM / VARIO CW	110	12	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
MALAYSIA MODEL																								
HONDA	MALAYSIA MODEL SPACY	110	12	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	LEAD / SCV	110	08/09	S	107	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	LEAD / SCV	110	08/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH												
HONDA	LEAD / SCV	110	08/09	S	1300X	L	FO	*220	58	3,5	3	10,5												
HONDA	LEAD / SCV	110	10/13	S	1360	L	S	190	58	3,8	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	SUPER CUB CONCEPT ABS	110	18/19	S	-	R	S	220	105	3,5	5	6,5			Drum	-	-	-	-	-	-	-	-	
HONDA	VISION CBS or NCS 16' / 14'	110	11/16	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	VISION CBS ABS 16' / 16'	110	17/19	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	WAVE 125 i	110	11/17	S	1219 / 1219X	R	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
125 c.c.															125 c.c.									
INDONESIA MODEL																								
HONDA	INDONESIA MODEL VARIO TECHNO / CBS	125	12	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	@ / ES / NES	125	00/06	S	451	L	S	220	105	4,0	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	@ NES	125	09→	S	364	L	S	240	105	4,0	4	10,5			209	R	S	240	105	5,0	4	10,5		
HONDA	ANF 3 INNOVA	125	03/11	S	-	R	Sxx,x	220	61,1	4,0	4	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	CB F / CB F CBS	125	09/19	N	194	R	S	240	114	4,0	6	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	CB X CONCEPT	125	19	U	-	L	Fxx,x	-	-	-	-	-			-	R	S	-	-	-	-	-		
HONDA	CB M CONCEPT	125	19	F	-	L	Fxx,x	-	-	-	-	-			-	R	S	-	-	-	-	-		
HONDA	CBF ABS	125	18/19	N	1826X	R	S	296	-	4,5	5	19,7			1827X	R	S	220	-	5,0	4	10,6		
HONDA	CBS	125	15/18	N	194	R	S	240	114	4,0	6	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	GLR	125	09/17	N	194	R	S	240	114	4,0	6	10,5			Drum	-	-	-	-	-	-	-	-	
CB R MODELS																								
HONDA	CB R ABS	125	18/19	N	1826X	R	S	296	-	4,5	5	19,7			1827X	R	S	220	-	5,0	4	10,6		
HONDA	CB R NEO SPORTS CAFÉ ABS	125	18/19	N	1826X	R	S	296	-	4,5	5	19,7			1827X	R	S	220	-	5,0	4	10,6		
HONDA	CBR R	125	03/10	R	204	R	S	276	144	5,0	6	10,5			043 / 043X	R	S	220	105	4,0	4	10,5		
HONDA	CBR R / CBR R REPSOL	125	11/17	R	1092	R	S	276	144	4,0	5	10,5			043 / 043X	R	S	220	105	4,0	4	10,5		
HONDA	CR / CR E	125	84/94	M	198 / 198X	L	S	240	118	3,0	4	10,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR / CR E / CR R	125	95/97	E-M	066 / 066X	L	S	240	101	3,0	6	6,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR / CR E / CR R	125	95/97	E-M	724K15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR / CR E / CR R	125	95/97	E-M	724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR / CR E / CR R	125	95/97	E-M	724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E	125	98/03	E	066 / 066X	L	S	240	101	3,0	6	6,5			1586 / 1586X	R	S	240	122,5	4,5	4	10,5		
HONDA	CR E	125	98/03	E	1154XK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CR E	125	98/03	E	1154XBHK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CR E	125	98/03	E	724K15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E	125	98/03	E	724XK15	L	KF	*318	101	5,0	6	6,5			</									



HONDA	CR R	125	04/08	M		066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR R	125	04/08	M		1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR R	125	04/08	M		1154XBHK03	L	KF	*270	101	3,0	6	6,5								
HONDA	CR E / CR R	125	04/08	M		724K14	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E / CR R	125	04/08	M		724XK14	L	KF	*318	101	5,0	6	6,5								
HONDA	CR E / CR R	125	04/08	M		724SPK14	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	125	89/94	M		050	L	S	240	118	4,0	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	125	98/03	M		066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
HONDA	CR R	125	98/03	M		724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R	125	98/03	M		724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR R	125	98/03	M		724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR R SM	125	85/88	F		200	L	S	240	118	3,0	4	6,5	761	R	S	220	122	4,0	6	10,5
HONDA	CR R SM	125	89	F		198 / 198X	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R SM	125	90	F		199	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R SM	125	91	F		237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R SM	125	92/94	F		473 / 473X	L	S	240	118	3,0	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R SM	125	92/94	F		859	L	T	240	118	3,0	4	6,5								
HONDA	CR R SM	125	95/97	F		066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R SM / CR RS	125	98/01	F		066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
HONDA	CR RS	125	02/03	M		066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR RS	125	02/03	M										654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CR RS	125	04	M		066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CR RT / RV / RW / RX / RY	125	95/04	M		066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CR R SM	125	02/06	F		066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CR R SM	125	02/06	F										654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R	125	92/94	E		473 / 473X	L	S	240	118	3,0	4	6,5	-	-	-	-	-	-	-	-
HONDA	CRE R	125	92/94	E		859	L	T	240	118	3,0	4	6,5								
HONDA	CRE R	125	95/06	E		066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R	125	95/06	E										654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRE R	125	07/08	E		066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRE R SM	125	90	F		199	L	S	240	118	3,0	4	10,5	-	-	-	-	-	-	-	-
HONDA	CRE R SM	125	91	F		237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CRE R SUPERMOTARD	125	02/03	F		066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF	125	00/01	E		066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRM	125	90	E		437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	-
HONDA	CRM	125	94/98	E		437	L	S	240	62	4,0	6	10,5	1201X	R	S22,0	220	58	4,0	3	8,5
HONDA	CRM R	125	90	E		656	L	S	220	105	4,0	4	6,5	656	R	S	220	105	4,0	4	6,5
HONDA	CRM R	125	91	E		-	-	-	-	-	-	-	-	1201X	R	S22,0	220	58	4,0	3	8,5
HONDA	CRM R	125	98	E		119	L	S	240	118	3,5	4	6,5	-	-	-	-	-	-	-	-
HONDA	CRM R	125	98	E		473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	CRM R	125	98	E		859	L	T	240	118	3,0	4	6,5								
HONDA	DYLAN SES	125	00/07	S		451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	FORZA ABS	125	15/19	S		1023	L	S	256	144	4,5	6	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	MONKEY ABS	125	18/19	N		1795 / 1795X	R	S	220	105	3,5	5	10,5	1445 / 1445X	R	S	190	58	4,0	4	10,5
HONDA	MSX ABS	125	18/19	N		1795 / 1795X	R	S	220	105	3,5	5	10,5	1445 / 1445X	R	S	190	58	4,0	4	10,5
HONDA	MSX / MSX GROM	125	13/17	N		1433 / 1433X	R	S	220	58	4,0	4	10,5	1445 / 1445X	R	S	190	58	4,0	4	10,5
HONDA	MTX	125	86	E		437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	-
HONDA	NES CHIOCCIOLA	125	00/06	S		451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	NSR / RAIDEN / NSR R N	125	93/03	R		482	L	F00,0	318	106	4,0	6	8,5	-	-	-	-	-	-	-	-
HONDA	NSX / X-TREME	125	13/17	N		1219 / 1219X	R	S	220	58,3	3,5	4	10,5	1445 / 1445X	R	S	190	58	4,0	4	10,5
HONDA	PANTHEON FES 2T	125	98/02	S		364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PANTHEON FES 4T	125	98/07	S		364	L	S	240	105	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	PCX CBS	125	10/17	S		1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PCX ABS	125	18/19	S		1804 / 1804X	L	S	220	105	3,5	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PASSION i	125	06/13	S		451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PS i	125	06→	S		451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	REBEL CA	125	95/01	R		194	L	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	-
HONDA	RS GP / RS R	125	90/89	R		216 / 216G	R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	RS GP / RS R	125	90/89	R		216X / 216XG	R	F17,0	296	58	4,0	6	6,5								
HONDA	RS GP / RS R	125	90/93	R		216 / 216G	R	F17,0	296	58	4,0	6	6,5	xxxx	R	S	187	88	4,0	3	10,5
HONDA	RS GP / RS R	125	90/93	R		216X / 216XG	R	F17,0	296	58	4,0	6	6,5								
HONDA	SH i SCOOPY ABS	125	19	S		364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	SH i / SH i CBS SCOOPY	125	09/18	S		364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	SH i SPORT SCOOPY	125	09/17	S		364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	SH i / SH i EDO SCOOPY	125	00/12	S		451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	SH i SPORTY SCOOPY	125	00/12	S		451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	SH MODE SCOOPY CBS	125	13/19	S		1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	SJ BALI / SPACY / SPACY CHA	125	96→	S		10															

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
HONDA	SUPER CUB C	125	18/19	S	-	R	S	220	105	3,5	5	6,5	Drum	-	-	-	-	-	-	-
HONDA	VT C SHADOW	125	99/08	C	194	R	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	-
HONDA	XL	125	85	U	437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	-
HONDA	XL R	125	98/00	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	XLR R	125	85/86	E	237	L	S	240	118	3,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	XLR R	125	98/00	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	XLR R	125	98/00	E	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	XLR R	125	98/00	E	859	L	T	240	118	3,0	4	6,5								
HONDA	XLV VARADERO	125	01/13	R	641	R	S	276	88	4,0	4	10,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR L	125	03/07	U	1192	L	S22,0	240	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HONDA	YLAN	125	02	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
150 c.c.													150 c.c.							
BRAZIL MODEL																				
HONDA	BRAZIL MODEL NXR	150	09/10	U	1192	L	S22,0	240	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
INDONESIA MODEL																				
HONDA	INDONESIA MODEL SUPRA GTR / EXCLUSIVE	150	16/17	S	1766	R	S	256	144,5	4,0	6	10,5	043 / 043X	R	S	220	105	4,0	4	10,5
MALAYSIA MODEL																				
HONDA	MALAYSIA MODEL RS R	150	17	S	1766	R	S	256	144,5	4,0	6	10,5	043 / 043X	R	S	220	105	4,0	4	10,5
VIETNAM MODEL																				
HONDA	VIETNAM MODEL WINNER	150	17	S	1766	R	S	256	144,5	4,0	6	10,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	@ NES	150	00/06	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	@ NES	150	09→	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	CBR R	150	11/12	R	1348	R	F17,5	296	74	4,5	6	6,5	1349	R	S	220	102,5	5,0	4	10,5
HONDA	CRF F	150	03/06	M	050	L	S	240	118	4,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF R / CRF RB	150	07/19	M	1102 / 1102X	L	S	220	88	3,0	4	6,5	796 / 796X	R	S	190	80	4,0	4	6,5
HONDA	DYLAN / DYLAN SES	150	00/07	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	NES CHIOCCIOLA	150	00/03	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PCX / PCX CBS	150	10/17	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PCX ABS	150	18/19	S	1804 / 1804X	L	S	220	105	3,5	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PHANTHEON FES 2T	150	98/02	S	364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	PHANTHEON FES 4T	150	03/07	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	PS PASSION i	150	06/08	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	SH i SCOOPY	150	00/08	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	SH i / SH i ABS SCOOPY	150	09/19	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	SH i SPORTY SCOOPY	150	09/11	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
HONDA	S-WIN FES	150	07	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	S-WING	150	08/09	S	364	L	S	240	105	4,0	4	10,5	221	R	S	220	105	4,5	4	10,5
175 c.c.													175 c.c.							
HONDA	SUPER CUB	175	18	S	-X	R	F00,0	-	-	-	-	-	-X	R	S	-	-	-	-	-
200 c.c.													200 c.c.							
HONDA	MTX RWF	200	85	E	237	L	S	240	118	3,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	XL	200	85	E	437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	-
230 c.c.													230 c.c.							
HONDA	CRF EASY MOTARD	230	04/09	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF EASY MOTARD	230	04/09	F									654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF EASY TRAIL	230	04/10	U	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF F	230	03/04	M	050	L	S	240	118	4,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF F	230	05/12	M	654	L	S	240	121,5	4,0	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	CRF L / CRF M	230	07/12	E	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	CRF L / CRF M	230	07/12	E	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	CRF L / CRF M	230	07/12	E	859	L	T	240	118	3,0	4	6,5								
HONDA	SL	230	97/01	E	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	SL	230	97/01	E	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	SL	230	97/01	E	859	L	T	240	118	3,0	4	6,5								
250 c.c.													250 c.c.							
JAPAN & TURKEY MODELS																				
HONDA	CBF ABS	250	18/19	N	1826X	R	S	296	-	4,5	5	19,7	1827X	R	S	220	-	5,0	4	10,6
INDONESIA & MALAYSIA MODELS																				
HONDA	INDONESIA / MALAYSIA MODEL CBR RR / A	250	17	R	1666XG	R	F13,2	310	94,0	4,5	6	MH	1485X / 1485	R	S	240	118	5,0	4	10,0
HONDA	AX1	250	88	U	198 / 198X	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CB HORNET	250	96	R	216G / 216	R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CB HORNET	250	96	R	216XG / 216X	R	F17,0	296	58	4,0	6	6,5								
HONDA	CB TWO FIFTY	250	91/06	R	364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	CB F	250	04/08	R	1092	R	S	276	144	4,0	5	10,5	Drum	-	-	-	-	-	-	-
HONDA	CB F	250	14/15	R	--	R	S	-	-	-	-	-	--	R	S	-	-	-	-	-
HONDA	CB F HORNET	250	96/01	R	216G / 216	R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CB F HORNET	250	96/01	R	216XG / 216X	R	F17,0	296	58	4,0	6	6,5								
HONDA	CB NIGHTHAWK	250	01/14	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
HONDA	CBR MC14	250	87	R	286 / 286X	L	S	256	144	5,0	4	10,5	Drum	-	-	-	-	-	-	-
HONDA	CBR MC17	250	87	R	286 / 286X	L	S	256	144	5,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR R	250	11/16	R	1533 / 1625G	R	F17,8	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR R ABS	250	11/16	R	1625G	R	F17,8	296	94	4,5	6	6,5	1699 / 1699X	R	S	220	105	5,0	4	10,5
HONDA	CBR R ABS TRICOLORE	250	14→	R	1625G	R	F17,8	296	94	4,5	6	6,5	1699 / 1699X	R	S	220	105	5,0	4	10,5
HONDA	CBR RR MC22	250	94	R	782	L/R	F16,5	276	58	4,0	6	6,5	-	-	-	-	-	-	-	-

		C.C.		YEAR	MODEL TYPE	FRONT										REAR									
						REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
HONDA	CBX	250	86/98	R		194	R	S	240	114	4,0	6	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	CBX TWISTER	250	06/09	R		1092	R	S	276	144	4,0	5	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	CH	250	-	S		1038	L	S	190	72	4,0	4	10,5			-	-	-	-	-	-	-	-	-	
HONDA	CMX C REBEL	250	96/00	R		194	R	S	240	114	4,0	6	10,5			Drum	-	-	-	-	-	-	-	-	
HONDA	CR	250	98	R		-	-	-	-	-	-	-	-			1687	R	S	256	144	6,0	6	10,5		
HONDA	CR E	250	87	M		-	-	-	-	-	-	-	-			1119	R	S	220	122	4,5	6	10,5		
HONDA	CR E	250	89/94	M		050	L	S	240	118	4,0	4	6,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR E	250	95/96	M		066 / 066X	L	S	240	101	3,0	6	6,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR E	250	95/96	M		724K15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E	250	95/96	M		724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR E	250	95/96	M		724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E	250	97/01	M		066 / 066X	L	S	240	101	3,0	6	6,5			1586 / 1586X	R	S	240	122,5	4,5	4	10,5		
HONDA	CR E	250	97/01	M		724K15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E	250	97/01	M		724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR E	250	97/01	M		724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E	250	02/03	M		066 / 066X	L	S	240	101	3,0	6	6,5			654 / 654X	R	S	240	121,5	4,0	4	6,5		
HONDA	CR E	250	02/03	M		724K15	L	KF	*320	101	5,0	6	6,5			654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CR E	250	02/03	M		724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR E	250	02/03	M		724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E / CR F	250	04/09	M		066 / 066X	L	S	240	101	3,0	6	6,5			654 / 654X	R	S	240	121,5	4,0	4	6,5		
HONDA	CR E / CR F	250	04/09	M		1154XK03	L	KF	*270	101	3,0	6	6,5			654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CR E / CR F	250	04/09	M		1154XBHK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CR E / CR F	250	04/09	M		724K14	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E / CR F	250	04/09	M		724XK14	L	KF	*318	101	5,0	6	6,5												
HONDA	CR E / CR F	250	04/09	M		724SPK14	L	KF	*320	101	5,0	6	6,5												
HONDA	CR E SUPERMOTARD	250	00/01	F		-	-	-	-	-	-	-	-			1586 / 1586X	R	S	240	122,5	4,5	4	10,5		
HONDA	CR R	250	84/88	M		237	L	S	240	118	3,0	4	10,5			761	R	S	220	122	4,0	6	10,5		
HONDA	CR R	250	89	M		198 / 198X	L	S	240	118	3,0	4	10,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR R	250	90	M		199	L	S	240	118	3,0	4	10,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR R	250	91	M		237	L	S	240	118	3,0	4	10,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR R	250	92/94	M		473 / 473X	L	S	240	118	3,0	4	6,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR R	250	92/94	M		859	L	T	240	118	3,0	4	6,5												
HONDA	CR R	250	95/96	M		066 / 066X	L	S	240	101	3,0	6	6,5			045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CR R	250	95/96	M		724K15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R	250	95/96	M		724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR R	250	95/96	M		724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R	250	97/01	M		066 / 066X	L	S	240	101	3,0	6	6,5			1586 / 1586X	R	S	240	122,5	4,5	4	10,5		
HONDA	CR R	250	97/01	M		724K15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R	250	97/01	M		724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR R	250	97/01	M		724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R	250	02/09	M		066 / 066X	L	S	240	101	3,0	6	6,5			654 / 654X	R	S	240	121,5	4,0	4	6,5		
HONDA	CR R	250	02/03	M		724K15	L	KF	*320	101	5,0	6	6,5			654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CR R	250	02/03	M		724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR R	250	02/03	M		724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R	250	04/09	M		1154XK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CR R	250	04/09	M		1154XBHK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CR R	250	04/09	M		724K14	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R	250	04/09	M		724XK14	L	KF	*318	101	5,0	6	6,5												
HONDA	CR R	250	04/09	M		724SPK14	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R / RS / RT / RV	250	95/03	M		066 / 066X	L	S	240	101	3,0	6	6,5			-	-	-	-	-	-	-	-	-	
HONDA	CR R / RS / RT / RV	250	95/03	M		724K15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R / RS / RT / RV	250	95/03	M		724XK15	L	KF	*318	101	5,0	6	6,5												
HONDA	CR R / RS / RT / RV	250	95/03	M		724SPK15	L	KF	*320	101	5,0	6	6,5												
HONDA	CR R1 - R4	250	04/05	M		066 / 066X	L	S	240	101	3,0	6	6,5			-	-	-	-	-	-	-	-	-	
HONDA	CR R1 - R4	250	04/05	M		1154XK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CR R1 - R4	250	04/05	M		1154XBHK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CR R1 - R4	250	04/05	M		724K14	L	KF	*320	101	5,0	6	6,5												

				C.C.	YEAR	MODEL TYPE	FRONT										REAR									
							REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
HONDA	CRE F ENDURO / CRE X	250	04/09	E-M			237	L	S	240	118	3,0	4	10,5	654SP	R	S	240	121,5	4,0	4	6,5				
HONDA	CRE R	250	84/88	M			198 / 198X	L	S	240	118	3,0	4	10,5	761	L	S	220	122	4,0	6	10,5				
HONDA	CRE R	250	89	M			199	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5				
HONDA	CRE R	250	90	M			237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5				
HONDA	CRE R	250	91	M			119	L	S	240	118	3,5	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5				
HONDA	CRE R	250	92/94	M			473 / 473X	L	S	240	118	3,0	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5				
HONDA	CRE R	250	92/94	M			859	L	T	240	118	3,0	4	6,5												
HONDA	CRE R	250	95/96	M			066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5				
HONDA	CRE R / CRE R SM	250	97/01	M			066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5				
HONDA	CRE R / CRE SUPERMOTARD	250	02→	M			066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HONDA	CRE R / CRE SUPERMOTARD	250	02→	M										654SP	R	S	240	121,5	4,0	4	6,5					
HONDA	CRE SM	250	89/96	F			066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5				
HONDA	CRE R SUPERMOTARD	250	02	F			066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-				
HONDA	CRF	250	00/03	E			066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-				
HONDA	CRF	250	14/18	E			1489X	L	F00,0	296	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5				
HONDA	CRF F	250	13/16	F			1350X	L	S	256	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5				
HONDA	CRF L / CRF L ABS	250	12/20	U			1350X	L	S	256	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5				
HONDA	CRF M	250	15/16	F			1489X	L	F00,0	296	101	3,5	6	6,5	045X	R	S	220	121	5,0	4	10,5				
HONDA	CRF R / CRF X ENDURO	250	04/14	M-E			066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5				
HONDA	CRF R / CRF X ENDURO	250	04/14	M-E			1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5				
HONDA	CRF R / CRF X ENDURO	250	04/14	M-E			1154XBHK03	L	KF	*270	101	3,0	6	6,5												
HONDA	CRF R / CRF X ENDURO	250	04/14	M-E			724K14	L	KF	*320	101	5,0	6	6,5												
HONDA	CRF R / CRF X ENDURO	250	04/14	M-E			724XK14	L	KF	*318	101	5,0	6	6,5												
HONDA	CRF R / CRF X ENDURO	250	04/14	M-E			724SPK14	L	KF	*320	101	5,0	6	6,5												
HONDA	CRF R / CRF RX ENDURO	250	15/20	M-E			1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5				
HONDA	CRF R / CRF RX ENDURO	250	15/20	M-E			1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5				
HONDA	CRF R / CRF RX ENDURO	250	15/18	M-E			1154XK26	L	KF	*270	101	3,0	6	6,5												
HONDA	CRF R / CRF RX ENDURO	250	15/18	M-E			1154XBHK26	L	KF	*270	101	3,0	6	6,5												
HONDA	CRF R / CRF RX ENDURO	250	19/20	M-E			1154XKxx	L	KF	*270	101	3,0	6	6,5												
HONDA	CRF R / CRF RX ENDURO	250	19/20	M-E			1154XBHKxx	L	KF	*270	101	3,0	6	6,5												
HONDA	CRF R / CRF RX ENDURO	250	15/18	M-E			724K29	L	KF	*320	101	5,0	6	6,5												
HONDA	CRF R / CRF RX ENDURO	250	15/18	M-E			724XK29	L	KF	*318	101	5,0	6	6,5												
HONDA	CRF R / CRF RX ENDURO	250	15/18	M-E			724SPK29	L	KF	*320	101	5,0	6	6,5												
HONDA	CRF RA ABS	250	17	E			1832X	L	F00,0	296	101	3,5	6	6,5	1841X	R	S	220	105	4,5	4	10,5				
HONDA	CRF RALLY	250	15/16	U			1489X	L	F00,0	296	101	3,5	6	6,5	221X	R	S	220	105	4,5	4	10,5				
HONDA	CRF RALLY ABS	250	17/20	U			1832X	L	F00,0	296	101	3,5	6	6,5	1841X	R	S	220	105	4,5	4	10,5				
HONDA	CRF RL ABS / CRF RLA ABS	250	17/18	E			1832X	L	F00,0	296	101	3,5	6	6,5	1841X	R	S	220	105	4,5	4	10,5				
HONDA	CRF X ENDURO	250	15	E			066X	L	S	240	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5				
HONDA	CRM R	250	98	E			119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5				
HONDA	CRM R	250	98	E			473 / 473X	L	S	240	118	3,0	4	6,5												
HONDA	CRM R	250	98	E			859	L	T	240	118	3,0	4	6,5												
HONDA	FORESIGHT FES	250	97/98	S			364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-				
HONDA	FORESIGHT FES	250	99/07	S			364	L	S	240	105	4,0	4	10,5	101 / 101X	L	S	220	105	5,0	4	10,5				
HONDA	FORZA NSS	250	00/04	S			364	L	S	240	105	4,0	4	10,5	101 / 101X	L	S	220	105	5,0	4	10,5				
HONDA	FORZA X NSS / XE NSS	250	05/07	S			364	L	S	240	105	4,0	4	10,5	209	L	S	240	105	5,0	4	10,5				
HONDA	FORZA X NESS	250	08	S			792 / 792X	L	S	256	144	5,0	6	10,5	209	L	S	240	105	5,0	4	10,5				
HONDA	HELIX CN	250	95/99	S			112	L	S	190	72	5,0	4	10,5	Drum	-	-	-	-	-	-	-				
HONDA	HORNET	250	96/01	R			216G / 216	R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	HORNET	250	96/01	R			216XG / 216X	R	F17,0	296	58	4,0	6	6,5												
HONDA	JAZZ	250	01/04	S			364	L	S	240	105	4,0	4	10,5	101 / 101X	L	S	220	105	5,0	4	10,5				
HONDA	NS F / NS R MC11	250	84/86	R			286 / 286X	L	S	256	144	5,0	4	10,5	041	R	S	220	88	4,5	3	10,5				
HONDA	NSF R	250	12	R			-	-	-	-	-	-	-	-	xxxx	R	S	187	88	4,0	3	10,5				
HONDA	NS R MC21	250	95	R			-	-	-	-	-	-	-	-	041	R	S	220	88	4,5	3	10,5				
HONDA	NX L	250	87/93	E			119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-				
HONDA	NX L	250	87/93	E			473 / 473X	L	S	240	118	3,0	4	6,5												
HONDA	PANTHEON	250	98	S			364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-				
HONDA	REBEL CMX C	250	96/01	C			194	L	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	REFLEX	250	00	S			-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	RS GP / RS R	250	90/92	R			216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	RS GP / RS R	250	90/92	R			216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5												
HONDA	RS GP / RS R	250	93/97	R			216G / 216	L/R	F17,0	296	58	4,0	6	6,5	xxxx	R	S	187	88	4,0	3	10,5				
HONDA	RS GP / RS R	250	93/97	R			216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-				
HONDA	SPAZIO CN	250	87/99	S			112	L	S	190	72	5,0	4	10,5	Drum	-	-	-	-	-	-	-				
HONDA	TSR	250	98/00	R			216G / 216	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-				
HONDA	TSR	250	98/00	R			216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5												
HONDA	VF V TWIN MAGNA	250	97/98	C			125	L	S	317	144	6,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VF V TWIN MAGNA	250	97/98	C			1073	L	S	316	144	5,0	6	10,5												
HONDA	VF V TWIN MAGNA	250	97/98	C			1429																			

				C.C.	YEAR	MODEL TYPE	FRONT										REAR									
							REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
HONDA	VTR / VTR INTERCEPTOR					250	88/90	R	-	R	-	-	-	-	-	Drum	-	-	-	-	-	-	-			
HONDA	VTR					250	98/08	R	1309 / 1309X	R	F17,0	296	58	4,0	6	8,5	101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	VTR / ABS					250	09/17	N	1309 / 1309X	R	F17,0	296	58	4,0	6	8,5	1699 / 1699X	R	S	220	105	5,0	4	10,5		
HONDA	VTR F					250	12/13	R	1309 / 1309X	R	F17,0	296	58	4,0	6	8,5	101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	VTZ XELVIS					250	97	R	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5			
HONDA	XELVIS V-25					250	97/98	R	110 / 110X	R	S	296	144	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	XR L					250	91/93	R	050	L	S	240	118	4,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5		
HONDA	XL R					250	84/87	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-		
HONDA	XL R					250	84/87	E	473 / 473X	L	S	240	118	3,0	4	6,5	656	R	S	220	105	4,0	4	6,5		
HONDA	XL R					250	88/96	E	859	L	T	240	118	3,0	4	6,5										
HONDA	XL R					250	88/96	E	119	L	S	240	118	3,5	4	6,5										
HONDA	XL R					250	88/96	E	473 / 473X	L	S	240	118	3,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5		
HONDA	XR R					250	91/04	E	859	L	T	240	118	3,0	4	6,5										
HONDA	XR R					250	91/04	E	473 / 473X	L	S	240	118	3,0	4	6,5										
HONDA	XR R					250	91/04	E	859	L	T	240	118	3,0	4	6,5	656	R	S	220	105	4,0	4	6,5		
HONDA	XR R					250	91/04	E	726K15	L	KF	*320	118	5,0	4	6,5										
HONDA	XR R					250	91/04	E	726XK15	L	KF	*320	118	5,0	4	6,5										
HONDA	XR R					250	91/04	E	726SPK15	L	KF	*320	118	5,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5		
HONDA	XL R BAJA					250	88/91	E	119	L	S	240	118	3,5	4	6,5										
HONDA	XL R BAJA					250	88/91	E	473 / 473X	L	S	240	118	3,0	4	6,5										
HONDA	XL R BAJA					250	88/91	E	859	L	T	240	118	3,0	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5		
HONDA	XR MOTARD					250	03	F	-	-	-	-	-	-	-											
260 c.c.							260 c.c.																		260 c.c.	
HONDA	CRE					260	95/97	E	119	L	S	240	118	3,5	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5		
HONDA	CRE					260	95/97	E	473 / 473X	L	S	240	118	3,0	4	6,5										
HONDA	CRE					260	95/97	E	859	L	T	240	118	3,0	4	6,5										
HONDA	CRE					260	98	E	119	L	S	240	118	3,5	4	6,5	375	R	S	240	121	4,0	4	10,5		
HONDA	CRE					260	98	E	473 / 473X	L	S	240	118	3,0	4	6,5										
HONDA	CRE					260	98	E	859	L	T	240	118	3,0	4	6,5										
300 c.c.							300 c.c.										300 c.c.									
CANADA MODELS																										
HONDA	CB ABS					300	18/19	N	1826X	R	S	296	-	4,5	5	19,7	1827X	R	S	220	-	5,0	4	10,6		
HONDA	CBF ABS					300	18/19	N	1826X	R	S	296	-	4,5	5	19,7	1827X	R	S	220	-	5,0	4	10,6		
CB R MODELS																										
HONDA	CB R ABS					300	18/19	N	1826X	R	S	296	-	4,5	5	19,7	1827X	R	S	220	-	5,0	4	10,6		
HONDA	CB R SPORTS CAFÉ ABS					300	18/19	N	1826X	R	S	296	-	4,5	5	19,7	1827X	R	S	220	-	5,0	4	10,6		
HONDA	CBR ABS HRC TRICOLORE					300	14→	R	1625G	R	F17,8	296	94	4,5	6	6,5	1699 / 1699X	R	S	220	105	5,0	4	10,5		
HONDA	CBR					300	15→	R	1533	R	F17,8	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR					300	15→	R	1625G	R	F17,8	296	94	4,5	6	6,5	1699	R	S	220	105	5,0	4	10,5		
HONDA	CBR ABS					300	15→	R	1533	R	F17,8	296	94	4,5	6	6,5										
HONDA	CBR ABS					300	15→	R	1625G	R	F17,8	296	94	4,5	6	6,5										
HONDA	CBR R					300	14/16	R	1533	R	F17,8	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR R					300	14/16	R	1625G	R	F17,8	296	94	4,5	6	6,5										
HONDA	CBR R ABS					300	14/17	R	1533	R	F17,8	296	94	4,5	6	6,5										
HONDA	CBR R ABS					300	14/17	R	1625G	R	F17,8	296	94	4,5	6	6,5	1699	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR ABS					300	14	S3	1533	R	F17,8	296	94	4,5	6	6,5										
HONDA	CBR RR ABS					300	14	S3	1625G	R	F17,8	296	94	4,5	6	6,5										
HONDA	CBR RR ABS					300	17/18	S3	1666XG	R	F13,2	310	94,0	4,5	6	MH	1485X / 1485	R	S	240	118	5,0	4	10,0		
HONDA	CMX ABS					300	19	C	1793	R	S	296	46	5,0	5	10,5	1794	R	S	240	-	5,0	4	10,5		
HONDA	CRF R ENDURO					300	17	E	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF R ENDURO					300	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF RME					300	15/17	E	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF RME					0	15/17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF RME					300	15/17	E	1154XK26	L	KF	*270	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF RME					300	15/17	E	1154XBHK26	L	KF	*270	101	3,0	6	6,5										
HONDA	CRF RX ENDURO					300	19	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF RX ENDURO					300	19	E	1510X	L	F00,0	260	101	3,0	6	6,5										
HONDA	CRF X ENDURO					300	15/16	E	066X	L	S	240	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5		
FORZA MODELS																										
HONDA	FORZA DELUXE ABS					300	19	S	1023	L	S	256	144	4,5	6	10,5	209	R	S	240	105	5,0	4	10,5		
HONDA	FORZA NNS / ABS					300	14/18	S	792 / 792X	L	S	256	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5		
HONDA	FORZA REPSOL SP. EDITION ABS					300	19	S	1023	L	S	256	144	4,5	6	10,5	209	R	S	240	105	5,0	4	10,5		
SH i MODELS																										
HONDA	SH i SCOOPY / BLANER / ABS					300	06/15	S	1023	L	S	256	144	4,5	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5		
HONDA	SH i SCOOPY ABS					300	16/19	S	1023	L	S	256	144	4,5	6	10,5	209	R	S	240	105	5,0	4	10,5		
350 c.c.							350 c.c.										350 c.c.									
HONDA	CB / CB G / CB S					350	86/90	R	046 / 046X	L/R	S	256	144	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
HONDA	XL R / XR R					350	84	E	050	L	S	240	118	4,0	4	6,5	-	-	-	-	-	-	-	-		
360 c.c.							360 c.c.										360 c.c.									
HONDA	CRF R					360	14	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF R					360	14	M	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF R					360	14	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5	654X / 654X	R	S	240	121,5	4,0	4	6,5		
HONDA	CRF R					360	14	M	724K14	L	KF	*320	101	5,0	6	6,5										



		C.C.	YEAR	MODEL TYPE	FRONT	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
HONDA	CRF R	360	14	M		724XK14	L	KF	*318	101	5,0	6	6,5									
HONDA	CRF R	360	14	M		724SPK14	L	KF	*320	101	5,0	6	6,5									
400 c.c.														400 c.c.								
HONDA	CB	400	89/91	R		1161 / 1161G	R	F23,0	296	62	5,0	6	6,5		101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CB F	400	89/91	R		-	-	-	-	-	-	-	-		101 / 101X	L	S	220	105	5,0	4	10,5
HONDA	CB F NC36	400	97/98	R		-	-	-	-	-	-	-	-		209	R	S	240	105	5,0	4	10,5
HONDA	CB F SUPERFOUR	400	92/97	R		-	-	-	-	-	-	-	-		209	R	S	240	105	5,0	4	10,5
HONDA	CB N	400	82/88	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CB N	400	82/88	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	CB V-TEC	400	11	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		209	R	S	240	105	5,0	4	10,5
HONDA	CB V-TEC	400	11	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	CB FOUR	400	97	R		1161 / 1161G	L/R	F23,0	296	62	5,0	6	6,5		-	-	-	-	-	-	-	-
HONDA	CBR F	400	85/87	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		-	-	-	-	-	-	-	-
HONDA	CBR F	400	85/87	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	CBR F2	400	85/87	R		216G / 216	R	F17,0	296	58	4,0	6	6,5		041	R	S	220	88	4,5	3	10,5
HONDA	CBR F2	400	85/87	R		216XG / 216X	R	F17,0	296	58	4,0	6	6,5									
HONDA	CBR R NC23	400	86	R		204	L/R	S	276	144	5,0	6	10,5		041	R	S	220	88	4,5	3	10,5
HONDA	CBR R NC23	400	87/89	R		-	-	-	-	-	-	-	-		041	R	S	220	88	4,5	3	10,5
HONDA	CBR RR	400	89/90	R		-	-	-	-	-	-	-	-		041	R	S	220	88	4,5	3	10,5
HONDA	CBR RR	400	98	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR RR	400	98	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	CBR RR NC23	400	88/89	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		041	R	S	220	88	4,5	3	10,5
HONDA	CBR RR NC23	400	88/89	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	CBR RR NC29	400	90/94	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		101 / 101X	L	S	220	105	5,0	4	10,5
HONDA	CBR RR NC29	400	90/94	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	CRF RX ENDURO	400	18/19	E		1486X	L	S	260	101	3,0	6	6,5		654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX ENDURO	400	18/19	E		1510X	L	F00,0	260	101	3,0	6	6,5		654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF RX ENDURO	400	18	E		1154XK26	L	KF	*270	101	3,0	6	6,5									
HONDA	CRF RX ENDURO	400	18	E		1154XBHK26	L	KF	*270	101	3,0	6	6,5									
HONDA	CRF RX ENDURO	400	18	E		724K29	L	KF	*320	101	5,0	6	6,5									
HONDA	CRF RX ENDURO	400	18	E		724XK29	L	KF	*318	101	5,0	6	6,5									
HONDA	CRF RX ENDURO	400	18	E		724SPK29	L	KF	*320	101	5,0	6	6,5									
HONDA	NS R	400	85/88	R		286 / 286X	L/R	S	256	144	5,0	4	10,5		041	R	S	220	88	4,5	3	10,5
HONDA	NS R	400	88	R		792 / 792X	L/R	S	256	144	5,0	6	10,5		041	R	S	220	88	4,5	3	10,5
HONDA	NS R	400	06/07	R		-	-	-	-	-	-	-	-		041	R	S	220	88	4,5	3	10,5
HONDA	NX 4 DOMINATOR	400	99	U		046 / 046X	L	S	256	144	4,0	4	10,5		656	R	S	220	105	4,0	4	6,5
HONDA	NX 4 FALCON	400	03	F		792 / 792X	L	S	256	144	5,0	6	10,5		656	R	S	220	105	4,0	4	6,5
HONDA	RVF	400	94/98	R		216G / 216	R	F17,0	296	58	4,0	6	6,5		-	-	-	-	-	-	-	-
HONDA	RVF	400	94/98	R		216XG / 216X	R	F17,0	296	58	4,0	6	6,5									
HONDA	SILVER WING / FJS	400	06/08	S		792 / 792X	L	S	256	144	5,0	6	10,5		209	R	S	240	105	5,0	4	10,5
HONDA	STEED VSE	400	92/97	C		109	L	S	296	144	5,0	5	10,5		Drum	-	-	-	-	-	-	-
HONDA	SW T / SW T ABS	400	09/14	S		1335	L	S	276	144	6,0	6	10,5		1336	R	S	240	105	6,0	4	10,5
HONDA	SW T ABS	400	15/17	S		1335	L	S	276	144	6,0	6	10,5		-	-	-	-	-	-	-	-
HONDA	VFR	400	87/88	R		204	L/R	S	276	144	5,0	6	10,5		312	R	S	220	88	4,0	3	10,5
HONDA	VFR R	400	85/86	R		204	L/R	S	276	144	5,0	6	10,5		041	R	S	220	88	4,5	3	10,5
HONDA	VFR R	400	87	R		792 / 792X	L/R	S	256	144	5,0	6	10,5		041	R	S	220	88	4,5	3	10,5
HONDA	VFR R	400	88	R		204	L/R	S	276	144	5,0	6	10,5		041	R	S	220	88	4,5	3	10,5
HONDA	VFR R / VFR R NC30	400	89/93	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		-	-	-	-	-	-	-	-
HONDA	VFR R / VFR R NC30	400	89/93	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	VFR RG NC21	400	86	R		204	L/R	S	276	144	5,0	6	10,5		041	R	S	220	88	4,5	3	10,5
HONDA	VFR R NC24	400	87/88	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		101 / 101X	L	S	220	105	5,0	4	10,5
HONDA	VFR R NC24	400	87/88	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	VFR RR	400	91	R		216G / 216	L/R	F17,0	296	58	4,0	6	6,5		-	-	-	-	-	-	-	-
HONDA	VFR RR	400	91	R		216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5									
HONDA	VFR Z	400	86/88	R		204	L/R	S	276	144	5,0	6	10,5		-	-	-	-	-	-	-	-
HONDA	XR R / SUPERMOTARD	400	95/05	F		119	L	S	240	118	3,5	4	6,5		043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	XR R / SUPERMOTARD	400	95/05	F		473 / 473X	L	S	240	118	3,0	4	6,5									
HONDA	XR R / SUPERMOTARD	400	95/05	F		859	L	T	240	118	3,0	4	6,5									
HONDA	XR R / SUPERMOTARD	400	95/05	F		726K15	L	KF	*320	118	5,0	4	6,5									
HONDA	XR R / SUPERMOTARD	400	95/05	F		726XK15	L	KF	*320	118	5,0	4	6,5									
HONDA	XR R / SUPERMOTARD	400	95/05	F		726SPK15	L	KF	*320	118	5,0	4	6,5									
440 c.c.														440 c.c.								
HONDA	XR R	440	06/07	E		-	-	-	-	-	-	-	-		043 / 043X	R	S	220	105	4,0	4	10,5
450 c.c.														450 c.c.								
HONDA	CB S	450	85/89	R		046 / 046X	L	S	256	144	4,0	4	10,5		Drum	-	-	-	-	-	-	-
HONDA	CR	450	00/01	M		066 / 066X	L	S	240	101	3,0	6	6,5		-	-	-	-	-	-	-	-
HONDA	CRE F / CRE F SUPERMOTO	450	02→	M		066 / 066X	L	S	240	101	3,0	6	6,5		654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRE F / CRE F SUPERMOTO	450	02→	M											654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L	450	19	F		1486X	L	S	260	101	3,0	6	6,5		654X / 654	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L	450	19	F		1510X	L	F00,0	260	101	3,0	6	6,5		654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L ABS	450	19	F		xxxxX	L	S	260	101	3,5	6	6,5		654 / 654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF L ABS	450	19	F											654SP	R	S	240	121,5	4,0	4	6,5

		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø							
HONDA	CRF R SUPERMOTARD	450	02/03	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRE R SUPERMOTARD	450	02/03	F									654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF F/ R	450	02/14	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF F/ R	450	04/14	M	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF F/ R	450	04/14	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5															
HONDA	CRF F/ R	450	02/03	M	724K15	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF F/ R	450	02/03	M	724XK15	L	KF	*318	101	5,0	6	6,5															
HONDA	CRF F/ R	450	02/03	M	724SPK15	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF F/ R	450	04/14	M	724K14	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF F/ R	450	04/14	M	724XK14	L	KF	*318	101	5,0	6	6,5															
HONDA	CRF F/ R	450	04/14	M	724SPK14	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF R / RX ENDURO	450	15/20	M-E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF R / RX ENDURO	450	15/20	M-E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF R WE	450	19	M	1486X	L	S	260	101	3,0	6	6,5															
HONDA	CRF R WE	450	19	M	1510X	L	F00,0	260	101	3,0	6	6,5															
HONDA	CRF R / RX ENDURO	450	15/18	M-E	1154XK26	L	KF	*270	101	3,0	6	6,5															
HONDA	CRF R / RX ENDURO	450	15/18	M-E	1154XBHK26	L	KF	*270	101	3,0	6	6,5															
HONDA	CRF R / R WE / RX ENDURO	450	19/20	M-E	1154XKxx	L	KF	*270	101	3,0	6	6,5															
HONDA	CRF R / R WE / RX ENDURO	450	19/20	M-E	1154XBHKxx	L	KF	*270	101	3,0	6	6,5															
HONDA	CRF R / RX ENDURO	450	15/18	M-E	724K29	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF R / RX ENDURO	450	15/18	M-E	724XK29	L	KF	*318	101	5,0	6	6,5															
HONDA	CRF R / RX ENDURO	450	15/18	M-E	724SPK29	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF RALLY ABS	450	19	F	xxxxX	L	S	260	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RALLY ABS	450	19	F									654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RS ENDURO	450	17	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RS ENDURO	450	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RS SUPERMOTO	450	17	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RS SUPERMOTO	450	17	F	724	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RS SUPERMOTO	450	17	F	724X	L	F00,0	318	101	5,0	6	6,5															
HONDA	CRF RW ENDURO	450	18	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RW ENDURO	450	18	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RX COUNTRY	450	17	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RX COUNTRY	450	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RX SUPERMOTO	450	18	F	724X	L	F00,0	318	101	5,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RX SUPERMOTO	450	18	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RX SUPERMOTO	450	18	F	019	L	F00,0	320	101	4,5	6	6,5															
HONDA	CRF RX SUPERMOTO ABS	450	19	F	xxxxX	L	F00,0	320	101	5,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF RX SUPERMOTO ABS	450	19	F									654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF SM	450	04/11	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF SM	450	04/11	F	724K14	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF SM	450	04/11	F	724XK14	L	KF	*318	101	5,0	6	6,5															
HONDA	CRF SM	450	04/11	F	724SPK14	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF X ENDURO	450	04/16	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF X ENDURO	450	04/16	E	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF X ENDURO	450	04/16	E	1154XBHK03	L	KF	*270	101	3,0	6	6,5															
HONDA	CRF X ENDURO	450	04/16	E	724K14	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF X ENDURO	450	04/16	E	724XK14	L	KF	*318	101	5,0	6	6,5															
HONDA	CRF X ENDURO	450	04/16	E	724SPK14	L	KF	*320	101	5,0	6	6,5															
HONDA	CRF X ENDURO	450	17	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF X ENDURO	450	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF X SUPERMOTO	450	14/17	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF X SUPERMOTO	450	14/17	F	724 / 724SP	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF X SUPERMOTO	450	14/17	F	724X	L	F00,0	318	101	5,0	6	6,5															
HONDA	CRF XR ENDURO	450	19	E	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF XR ENDURO	450	19	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5							
HONDA	CRF XR SUPERMOTO	450	19	F	-	L	F00,0	320	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5							
471 c.c.														471 c.c.													
HONDA	REBEL MASK CMX 500 ABS	471	17/19	C	1793	R	S	296	46	5,0	5	10,5	1794	R	S	240	-	5,0	4	10,5							
500 c.c.														500 c.c.													
HONDA	CB	500	89/90	R	204	L	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-							
HONDA	CB / CB S SPORT	500	93/03	R	110 / 110X	R	S	296	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5							
HONDA	CB / ABS	500	12/17	U	1484X	R	S	320	211	5,0	6	10,0	1485X / 1485	R	S	240	118	5,0	4	10,0							
HONDA	CB F / CB F ABS	500	13/19	N	1484X	R	S	320	211	5,0	6	10,0	1485X / 1485	R													



HONDA	CR / CR E	500	95/96	M	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR / CR E	500	95/96	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR / CR E	500	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
HONDA	CR / CR E	500	97/01	M	724K15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR / CR E	500	97/01	M	724XK15	L	KF	*318	101	5,0	6	6,5								
HONDA	CR / CR E	500	97/01	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA	CR E	500	89/94	M	-	-	-	-	-	-	-	-	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	500	87/88	M	237	L	S	240	118	3,0	4	10,5	761	L	S	220	122	4,0	6	10,5
HONDA	CR R	500	89/90	M	-	-	-	-	-	-	-	-	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	500	91	M	237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	500	92/94	M	119	L	S	240	118	3,5	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	500	92/94	M	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	CR R	500	92/94	M	859	L	T	240	118	3,0	4	6,5								
HONDA	CR R	500	95/96	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
HONDA	CR R	500	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
HONDA	CR R / CR R E	500	88	M	200	L	S	240	118	3,0	4	6,5	761	L	S	220	122	4,0	6	10,5
HONDA	CR R E	500	87	M	-	-	-	-	-	-	-	-	761	L	S	220	122	4,0	6	10,5
HONDA	CR RT / RV / RW / RX	500	95/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CRF R ENDURO	500	15/16	E	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R ENDURO	500	15/16	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R ENDURO	500	15/16	E	1154XK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R ENDURO	500	15/16	E	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
HONDA	CRF R / X SUPERMOTO	500	15	F	-	L	S	320	-	3,0	-	-	654X	R	S	240	121,5	4,0	4	6,5
HONDA	CRF R / X SUPERMOTO	500	15	F	-	L	S	320	-	3,0	-	-	654SP	R	S	240	121,5	4,0	4	6,5
HONDA	CRF X ENDURO	500	15	E	066X	L	S	240	101	3,0	6	6,5	654X / 654SP	R	S	240	121,5	4,0	4	6,5
HONDA	DOMINATOR NX	500	84/87	U	792 / 792X	L/R	S	256	144	5,0	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
HONDA	DOMINATOR NX	500	88/91	U	223	L/R	S	256	144	4,0	4	8,5	043 / 043X	R	S	220	105	4,0	4	10,5
HONDA	DOMINATOR NX	500	92/03	U	223	L/R	S	256	144	4,0	4	8,5	919	R	S	220	105	5,0	4	6,5
HONDA	GB TT K CLUBMAN	500	89/90	D	204	L	S	276	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-
HONDA	VF F / VF F INTERCEPTOR	500	84/87	R	792 / 792X	L/R	S	256	144	5,0	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
HONDA	VT C SHADOW / VT C MAGNA	500	83/86	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	-
HONDA	VT C MAGNA V30 / ASCOT	500	84	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	-
HONDA	XBR S	500	85/89	R	204	L	S	276	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-
HONDA	XL R / XR R	500	84	E	050	L	S	240	118	4,0	4	6,5	-	-	-	-	-	-	-	-
HONDA	XR	500	84/85	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
HONDA	XR	500	84/85	E	473 / 473X	L	S	240	118	3,0	4	6,5								
HONDA	XR	500	84/85	E	859	L	T	240	118	3,0	4	6,5								
HONDA	XR	500	91	E	-	-	-	-	-	-	-	-	043 / 043X	R	S	220	105	4,0	4	10,5
599 c.c.													599 c.c.							
HONDA	599 (USA)	599	00	R	-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5
600 c.c.													600 c.c.							
HONDA	CB F	600	03/07	R	110 / 110X	L	S	296	144	5,0	6	10,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CB F HORNET / S	600	00/06	R	693	L/R	F23,0	296	58	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CB F HORNET / S	600	07/14	R	1580G	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CB F HORNET / S ABS	600	07/14	R	1580G	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CB F / N / ABS	600	08/11	R	1581G	L/R	F18,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CB F N / ABS	600	04/07	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CB F S / ABS	600	03/08	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CB HORNET	600	98/99	R	1161 / 1161G	L/R	F23,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CB S HORNET	600	00/06	R	693	L/R	F23,0	296	58	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F	600	87/90	R	204	L/R	S	276	144	5,0	6	10,5	041	R	S	220	88	4,5	3	10,5
HONDA	CBR F	600	91/94	R	204	L/R	S	276	144	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F	600	95/98	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F	600	95/98	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
HONDA	CBR F	600	99/03	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F	600	01/02	R	643	L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F / CBR F ABS	600	08/10	R	--	-	-	-	-	-	-	-	--	R	S	-	-	-	-	-
HONDA	CBR F	600	11/13	R	1580G	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CBR F ABS	600	01/07	R		L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F ABS / CBR FA ABS	600	11/13	R	1580G	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
HONDA	CBR F SPORT / ABS	600	01/02	R	1582G	L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F2	600	91/94	R	204	L/R	S	276	144	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F3	600	95/98	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F3	600	95/98	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
HONDA	CBR F3	600	03	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F4	600	99/00	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR F4 i SPORT	600	01/10	R	643	L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR RR	600	03/17	S6	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HONDA	CBR RR	600	03/17	S6	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5								
HONDA	CBR RR ABS	600	03/18	S6	1679G / 1679XG	L/R	F12,5	310	94	5,0	6	6,5	1699	R	S	220	105	5,0	4	10,5
HONDA	REVERE NTV	600	88/92	R	125	L	S	317	144	6,0	6	10,5	126	L	S	276	53	4,5	6	8,5
HONDA	REVERE NTV	600	8																	





HONDA	REVERE NTV	600	88/92	R	1429	L	F00,0	318	144	5,0	6	10,5																			
HONDA	SHADOW CD / VT C	600	88/07	C	109	L/R	S	296	144	5,0	5	10,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	SILVER WING FJS	600	01/06	S	792 / 792X	L	S	256	144	5,0	6	10,5			209	R	S	240	105	5,0	4	10,5									
HONDA	SILVER WING ABS	600	03/07	S	204	L	S	276	144	5,0	6	10,5			209	R	S	240	105	5,0	4	10,5									
HONDA	STEED	600	88/90	C	109	R	S	296	144	5,0	5	10,5			-	-	-	-	-	-	-	-	-	-							
HONDA	SW-T	600	09/15	S	1335	L	S	276	144	6,0	6	10,5			1336	R	S	240	105	6,0	4	10,5									
HONDA	TRANSALP XL V	600	87/90	U	204	R	S	276	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	TRANSALP XL V	600	91/96	U	204	R	S	276	144	5,0	6	10,5			209	R	S	240	105	5,0	4	10,5									
HONDA	TRANSALP XL V	600	97/01	U	046 / 046X	L/R	S	256	144	4,0	4	10,5			209	R	S	240	105	5,0	4	10,5									
HONDA	TRANSALP XL V	600	02/07	U	-	-	-	-	-	-	-	-			209	R	S	240	105	5,0	4	10,5									
HONDA	VT	600	01/03	C	110 / 110X	L	S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	VT C SHADOW / VLX	600	88/01	C	109	L	S	296	144	5,0	5	10,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	XL LM / XL RM	600	85/88	U	203	L	S	256	144	5,5	7	10,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	XL R / RD / LC	600	83/87	U	200	L	S	240	118	3,0	4	6,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	XR R	600	85/90	U	050	L	S	240	118	4,0	4	6,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	XR R	600	91/99	U	119	L	S	240	118	3,5	4	6,5			043 / 043X	R	S	220	105	4,0	4	10,5									
HONDA	XR R	600	91/99	U	473 / 473X	L	S	240	118	3,0	4	6,5																			
HONDA	XR R	600	91/99	U	859	L	T	240	118	3,0	4	6,5																			
HONDA	XR R	600	94/99	U	726K15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XR R	600	94/99	U	726XK15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XR R	600	94/99	U	726SPK15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XL RG / RM	600	83/87	U	200	L	S	240	118	3,0	4	6,5			Drum	-	-	-	-	-	-	-	-	-							
HONDA	XR R DAKAR	600	97	U	-	-	-	-	-	-	-	-			221	R	S	220	105	4,5	4	10,5									
HONDA	XR R DAKAR	600	98/99	U	119	L	S	240	118	3,5	4	6,5			221	R	S	220	105	4,5	4	10,5									
HONDA	XR R DAKAR	600	98/99	U	473 / 473X	L	S	240	118	3,0	4	6,5																			
HONDA	XR R DAKAR	600	98/99	U	859	L	T	240	118	3,0	4	6,5																			
650 c.c.															650 c.c.																
HONDA	C F	650	14	R	1339X	R	S	320	-	5,0	5	10,0			1340X	R	S	240	-	5,0	5	10,5									
HONDA	CB F / CB F ABS	650	14/18	N	1484X	L/R	S	320	211	5,0	6	10,0			1485X / 1485	R	S	240	118	5,0	4	10,0									
HONDA	CB R ABS	650	19	N	1868G / 1868XG	L/R	F00,0	310	106	4,5	5	10,5			1485 / 1485X	R	S	240	118	5,0	4	10,0									
HONDA	CB R CONFORT ABS	650	19	N	1868G / 1868XG	L/R	F00,0	310	106	4,5	5	10,5			1485 / 1485X	R	S	240	118	5,0	4	10,0									
HONDA	CB R NEO SPORT CAFÉ ABS	650	19	N	1868G / 1868XG	L/R	F00,0	310	106	4,5	5	10,5			1485 / 1485X	R	S	240	118	5,0	4	10,0									
HONDA	CB R SPORT ABS	650	19	N	1868G / 1868XG	L/R	F00,0	310	106	4,5	5	10,5			1485 / 1485X	R	S	240	118	5,0	4	10,0									
HONDA	CB SC NIGHTHAWK	650	83/85	R	204	L/R	S	276	144	5,0	6	10,5			-	-	-	-	-	-	-	-	-	-							
HONDA	CBSix50 CONCEPT	650	17	U	-	L/R	Fxx,x	-	-	-	-	-			-	R	S	-	-	-	-	-	-								
HONDA	CBR F / CBR F ABS	650	14/15	R	1339X	L/R	S	320	-	5,0	5	10,0			1702X	R	S	240	-	5,0	5	10,5									
HONDA	CBR F / FA / ABS	650	16/19	R	1484X	L/R	S	320	211	5,0	6	10,0			1485X / 1485	R	S	240	118	5,0	4	10,0									
HONDA	CBR R ABS	650	19	S6	1868G / 1868XG	L/R	F00,0	310	106	4,5	5	10,5			1485 / 1485X	R	S	240	118	5,0	4	10,0									
HONDA	FMX	650	05/06	U	1024	L	S	296	112	4,0	4	10,5			919	R	S	220	105	5,0	4	6,5									
HONDA	FX VIGOR	650	98	U	208	R	S	276	144	4,5	6	10,5			224	R	S	220	105	5,0	4	8,5									
HONDA	FX VIGOR	650	99/02	U	204	L	S	276	144	5,0	6	10,5			919	R	S	220	105	5,0	4	6,5									
HONDA	NT HAWK GT	650	88/90	R	125	L	S	317	144	6,0	6	10,5			125	L	S	317	144	6,0	6	10,5									
HONDA	NT HAWK GT	650	88/90	R	1073	L	S	316	144	5,0	6	10,5																			
HONDA	NT HAWK GT	650	88/90	R	1429	L	F00,0	318	144	5,0	6	10,5																			
HONDA	NT V DEAUVILLE	650	98/12	R	456	L/R	S	296	144	4,5	6	10,5			1335	R	S	276	144	6,0	6	10,5									
HONDA	NT V DEAUVILLE	650	98/12	R	110 / 110X	L/R	S	296	144	5,0	6	10,5			204	R	S	276	144	5,0	6	10,5									
HONDA	NT V REVERE	650	88/98	R	125	L	S	317	144	6,0	6	10,5			126	L	S	276	53	4,5	6	8,5									
HONDA	NT V REVERE	650	88/98	R	1073	L	S	316	144	5,0	6	10,5																			
HONDA	NT V REVERE	650	88/98	R	1429	L	F00,0	318	144	5,0	6	10,5																			
HONDA	NX DOMINATOR	650	88/92	U	046 / 046X	L	S	256	144	4,0	4	10,5			101 / 101X	R	S	220	105	5,0	4	10,5									
HONDA	NX DOMINATOR	650	92/04	U	046 / 046X	R	S	256	144	4,0	4	10,5			919	R	S	220	105	5,0	4	6,5									
HONDA	SLR	650	96/03	U	204	L	S	276	144	5,0	6	10,5			919	R	S	220	105	5,0	4	6,5									
HONDA	SLR	650	04/17	U	-	L	S	-	-	-	-	-			919	R	S	220	105	5,0	4	6,5									
HONDA	TRANSALP / C - ABS	650	12	U	1543	L/R	S	256	144	4,0	4	10,5			209	R	S	240	105	5,0	4	10,5									
HONDA	XL V TRANSALP	650	97/07	U	1543	L/R	S	256	144	4,0	4	10,5			209	R	S	240	105	5,0	4	10,5									
HONDA	XR L	650	03	E	050	L	S	240	118	4,0	4	6,5			043 / 043X	R	S	220	105	4,0	4	10,5									
HONDA	XR L	650	94/12	E	046 / 046X	L	S	256	144	4,0	4	10,5			101 / 101X	R	S	220	105	5,0	4	10,5									
HONDA	XR R	650	93/11	E	119	L	S	240	118	3,5	4	6,5			474	R	S	240	105	4,0	4	6,5									
HONDA	XR R	650	93/11	E	473 / 473X	L	S	240	118	3,0	4	6,5																			
HONDA	XR R	650	93/11	E	859	L	T	240	118	3,0	4	6,5																			
HONDA	XR R	650	93/11	E	726K15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XR R	650	93/11	E	726XK15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XR R	650	93/11	E	726SPK15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XR SUPERMOTARD	650	07/08	F	726K15	L	KF	*320	118	5,0	4	6,5			474	R	S	240	105	4,0	4	6,5									
HONDA	XR SUPERMOTARD	650	07/08	F	726XK15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XR SUPERMOTARD	650	07/08	F	726SPK15	L	KF	*320	118	5,0	4	6,5																			
HONDA	XRV AFRICA TWIN	650	88/90	U	048	R	S	296	144	4,0	6	10,5			209	R	S	240	105	5,0	4	10,5									
HONDA	XRV AFRICA TWIN	650	88/90	U	110 / 110X	L/R	S	296																							

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECT TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
HONDA	VT SHADOW RC50	750	04/08	CVT	110 / 110X	R	S	296	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT SHADOW SPIRIT ABS	750	07/14	C	1848	R	S	296	144	6,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT SHADOW SPIRIT BLACK ABS	750	13	C	1848	R	S	296	144	6,0	6	10,5	Drum	-	-	-	-	-	-	-				
VT C2 MODELS																								
HONDA	VT C2 B SHADOW SPIRIT	750	16	CVT	-	R	S	296	-	-	-	-	-	-	-	-	-	-	-	-				
HONDA	VT C2 BLACK WIDOW	750	01/05	C	110 / 110X	L	S	296	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT C2 C2 / F SHADOW SPIRIT	750	07/11	C	110 / 110X	R	S	296	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT C2 C2 / F SHADOW SPIRIT ABS	750	07/11	C	1848	L	S	296	144	6,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT C2 CUSTOM	750	97/03	C	110 / 110X	R	S	296	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT C2 CUSTOM ABS	750	97/03	C	1848	L	S	296	144	6,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT C2 SHADOW A.C.E.	750	97/08	C	110 / 110X	R	S	296	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	VT C2 SHADOW DELUXE	750	86/09	C	110 / 110X	L	S	296	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	XLV R	750	83/88	U	204	L	S	276	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	XRV AFRICA TWIN	750	90/03	U	207	L/R	S	276	144	4,0	4	10,5	286 / 286X	R	S	256	144	5,0	4	10,5				
800 c.c.					800 c.c.																			
HONDA	CROSSRUNNER	800	11/14	U	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	PC PACIFIC COAST	800	89/95	C	204	L/R	S	276	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-				
HONDA	PC PACIFIC COAST	800	96/97	C	110 / 110X	L/R	S	296	144	5,0	6	10,5	-	-	-	-	-	-	-	-				
HONDA	RC213V-S	800	15/17	R	-	L/R	-	-	-	-	-	-	-	R	S	-	-	-	-	-				
HONDA	VFR	800	98/01	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	313	C	S	256	94	6,0	4	8,5				
HONDA	VFR ABS	800	02/13	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	VFR ABS	800	14/18	R	1677G	L/R	F9,0	310	94	5,0	5	6,5	1676	C	S	256	70	6,0	5	8,5				
HONDA	VFR F	800	14/17	R	1519	L/R	F8,5	310	94	5,0	5	6,5	1676	C	S	256	70	6,0	5	8,5				
HONDA	VFR F ABS	800	14/18	R	1677G	L/R	F9,0	310	94	5,0	5	6,5	1676	C	S	256	70	6,0	5	8,5				
HONDA	VFR F ABS	800	19	R	1834G	L/R	F8,7	310	94	4,5	5	6,5	1676	C	S	256	70	6,0	5	8,5				
HONDA	VFR F PLUS ABS	800	19	R	1834G	L/R	F8,7	310	94	4,5	5	6,5	1676	C	S	256	70	6,0	5	8,5				
HONDA	VFR Fi	800	98/99	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	313	C	S	256	94	6,0	4	8,5				
HONDA	VFR INTERCEPTOR	800	98/13	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	VFR V-TEC / ABS	800	02/13	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	VFR V-TEC	800	14→	R	1519	L/R	F8,5	310	94	5,0	5	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	VFR V-TEC	800	14→	R	1677G	L/R	F9,0	310	94	5,0	5	6,5												
VFR X CROSSRUNNER MODELS																								
HONDA	VFR X CROSSRUNNER	800	11/15	U	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	VFR X CROSSRUNNER ABS	800	16/18	U	1677G	L/R	F9,0	310	94	5,0	5	6,5	1676	L	S	256	70	6,0	5	8,5				
HONDA	VFR X CROSSRUNNER ABS	800	19	U	1834G	L/R	F8,7	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5				
HONDA	VFR X CROSSRUNNER TRAVEL EDITION	800	15/18	U	1519	L/R	F8,5	310	94	5,0	5	6,5	1676	L	S	256	70	6,0	5	8,5				
HONDA	VFR X CROSSRUNNER TRAVEL EDITION /	800	15/18	U	1677G	L/R	F9,0	310	94	5,0	5	6,5	1676	L	S	256	70	6,0	5	8,5				
HONDA	VFR X CROSSRUNNER TRAVEL EDITION /	800	19	U	1834G	L/R	F8,7	310	94	4,5	5	6,5	1676	L	S	256	70	6,0	5	8,5				
900 c.c.					900 c.c.																			
HONDA	919 U.S.A. / CB SF HORNET	900	01	R	643	L/R	F12,5	296	94	4,5	6	6,5	067	R	S	240	105	4,0	4	10,5				
HONDA	CB F HORNET	900	02/07	R	643	L/R	F12,5	296	94	4,5	6	6,5	209	R	S	240	105	5,0	4	10,5				
HONDA	CBR F	900	03	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	CBR RR	900	92/93	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	CBR RR FIREBLADE	900	93/97	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	CBR RR FIREBLADE	900	93/97	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5												
HONDA	CBR RR FIREBLADE	900	98/99	R	751 / 751X	L/R	F21,5	310	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	CBR RR FIREBLADE	900	00/03	R	644 / 644X	L/R	F13,0	330	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
929 c.c.					929 c.c.																			
HONDA	CBR RR	929	00/01	R	644 / 644X	L/R	F13,0	330	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	CBR RR FIREBLADE	929	94/97	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	CBR RR FIREBLADE	929	94/97	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5												
954 c.c.					954 c.c.																			
HONDA	CBR RR	954	02/03	R	644 / 644X	L/R	F13,0	330	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
1000 c.c.					1000 c.c.																			
CB MODELS																								
HONDA	CB ABS	1000	08	R	-	L/R	F13,0	310	94	5,0	6	6,5	-	-	-	-	-	-	-	-				
HONDA	CB BIG ONE SUPERFOUR	1000	94/96	R	1180 / 1180X	L/R	F17,5	310	58	5,0	6	6,5	204	R	S	276	144	5,0	6	10,5				
HONDA	CB	1000	93	R	1180 / 1180X	L/R	F17,5	310	58	5,0	6	6,5	-	-	-	-	-	-	-	-				
HONDA	CB F / CB F F / CB F ST	1000	06/16	R	1581G	L/R	F18,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5				
HONDA	CB F ABS / F ABS / ST ABS	1000	06/16	R	1581G	L/R	F18,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5				
HONDA	CB F BIG ONE S. FOUR	1000	93/97	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1335	R	S	276	144	6,0	6	10,5				
HONDA	CB R ABS	1000	08/17	N	1610G	L/R	F14,7	310	94	4,5	6	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	CB R NEO CAFÉ RACER	1000	18	D	xxxxG / xxxxXG	L/R	F12,3	310	94	4,5	5	6,5	--	C	S	256	-	-	-	-				
HONDA	CB R NEO SPORTS CAFÉ	1000	18/19	D	xxxxG / xxxxXG	L/R	F12,3	310	94	4,5	5	6,5	--	C	S	256	-	-	-	-				
HONDA	CB R NON ABS	1000	08/16	R	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	1235	C	S	256	70	5,0	4	8,5				
HONDA	CB R NON ABS	1000	08/16	N	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5												
HONDA	CB RA ABS	1000	08/17	N	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5				
HONDA	CB RA ABS	1000	08/17	N	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5												
HONDA	CB R TRIBUTE ABS	1000	19	N	-	L/R	Fxx,x	-	-	-	-	-	-	C	S	-	-	-	-	-				
CBR MODELS																								
HONDA	CBR F	1000	87/92	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	204	R	S	276	144	5,0	6	10,5				
HONDA	CBR FIREBLADE	1000	12/14	R	1283	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				
HONDA	CBR FIREBLADE	1000	12/14	R	1621G	L/R	F15,2	320	94	5,0	6	6,5												
HONDA	CBR FIREBLADE ABS	1000	12/14	R	1621G	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5				

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
HONDA	CBR F HURRICANE	1000	87/92	R	110 / 110X	L/R	S	296	144	5,0	6	10,5			1335	R	S	276	144	6,0	6	10,5		
HONDA	CBR F HURRICANE	1000	93/02	R	110 / 110X	L/R	S	296	144	5,0	6	10,5			792 / 792X	R	S	256	144	5,0	6	10,5		
HONDA	CBR FP	1000	93/97	R	-	-	-	-	-	-	-	-			792 / 792X	R	S	256	144	5,0	6	10,5		
HONDA	CBR R FIREBLADE ABS	1000	18	R	--	L/R Fxx,x	-	-	-	-	-	-			--	-	-	-	-	-	-	-		
HONDA	CBR RA / RA ABS	1000	08/12	R	1621G	L/R F15,2	320	94	5,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RA / RA ABS	1000	08/12	R	1283	L/R F15,2	320	94	5,0	6	6,5													
CBR RR MODELS																								
HONDA	CBR RR FIREBLADE	1000	04/05	R	788 / 788X	L/R F13,0	310	94	5,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR FIREBLADE	1000	04/05	R	788G / 788XG	L/R F13,0	310	94	5,0	6	6,5													
HONDA	CBR RR FIREBLADE	1000	06/07	R	1015 / 1015X	L/R F12,5	320	94	4,5	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR FIREBLADE	1000	08/09	SB	1808G / 1808XG	L/R F15,2	310	94	5,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR FIREBLADE / SP / ABS	1000	10/16	SB	1621G	L/R F15,2	320	94	5,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR FIREBLADE / SP / ABS	1000	17	SB	1672G / 1672XG	L/R F15,2	320	94	5,0	5	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR FIREBLADE ABS / SP ABS	1000	18/19	SB	1833G / 1833XG	L/R F15,0	320	94	4,5	5	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR FIREBLADE SP2 ABS	1000	09/17	SB	1621G	L/R F15,2	320	94	5,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RR FIREBLADE SP2 ABS	1000	18/19	SB	1691G	L/R F15,2	320	74	5,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RRA / RRA ABS	1000	08/12	R	1621G	L/R F15,2	320	94	5,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	CBR RRA / RRA ABS	1000	08/12	R	1283	L/R F15,2	320	94	5,0	6	6,5													
HONDA	RVT RC51 U.S.A.	1000	00/06	R	-	-	-	-	-	-	-	-			101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	VF F / VF F2	1000	84/88	R	204	L/R S	276	144	5,0	6	10,5				1335	R	S	276	144	6,0	6	10,5		
HONDA	VF R ROTHMANS	1000	85/86	R	1297	L/R S	276	157	4,5	6	20,0				-	-	-	-	-	-	-	-		
HONDA	VF R	1000	84/87	R	204	L/R S	276	144	5,0	6	10,5				-	-	-	-	-	-	-	-		
CRF L AFRICA TWIN MODELS																								
HONDA	CRF L AFRICA TWIN ABS	1000	15/19	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
HONDA	CRF L AFRICA TWIN ADVENTURE SPORT	1000	18/19	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
HONDA	CRF L AFRICA TWIN ADVENTURE SPORT	1000	15/18	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
HONDA	CRF L AFRICA TWIN ADVENT. SPORTS D	1000	15/18	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
HONDA	CRF L AFRICA TWIN	1000	15/18	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
HONDA	CRF L AFRICA TWIN RALLY / RALLY ABS	1000	17/19	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
HONDA	CRF L AFRICA TWIN TRAVEL EDITION / AE	1000	16→	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
HONDA	CRF L AFRICA TWIN TWIN / TWIN ABS	1000	15/18	U	1643XG	L/R F20,3	310	62	5,0	6	6,5				1550X	R	S	256	116	6,0	4	10,5		
VTR F FIRE MODELS																								
HONDA	VTR F FIRE STORM / SUPER HAWK	1000	97/07	R	216G / 216	L/R F17,0	296	58	4,0	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	VTR F FIRE STORM / SUPER HAWK	1000	97/07	R	216XG / 216X	L/R F17,0	296	58	4,0	6	6,5													
HONDA	VTR SP01 / SP02 RC 51	1000	00/07	R	1015 / 1015X	L/R F12,5	320	94	4,5	6	6,5				101 / 101X	R	S	220	105	5,0	4	10,5		
HONDA	XLV VARADERO / ABS	1000	99/02	U	1446G / 1446XG	L/R F17,7	296	62	5,0	6	6,5				286 / 286X	R	S	256	144	5,0	4	10,5		
HONDA	XLV VARADERO / ABS	1000	03/13	U	1446G / 1446XG	L/R F17,7	296	62	5,0	6	6,5				792 / 792X	R	S	256	144	5,0	6	10,5		
1100 c.c.															1100 c.c.									
CB MODELS																								
HONDA	CB ABS	1100	10/14	R	1800	L/R S	296	154	4,5	5	20,5				1551	R	S	256	116	6,0	5	10,5		
HONDA	CB CA ABS SPOKE WHEELS	1100	17	R	-G	L/R Fxx,x	-	-	5,0	6	-				-	R	S	256	116	6,0	5	10,5		
HONDA	CB EX / ABS ALUM. WHEELS	1100	14	D	1800	L/R S	296	154	4,5	5	20,5				1551	R	S	256	116	6,0	5	10,5		
HONDA	CB EX / ABS SPOKE WHEELS	1100	14/16	D	1446G / 1446XG	L/R F17,7	296	62	5,0	6	6,5				1551	R	S	256	116	6,0	5	10,5		
HONDA	CB EX ABS SPOKE WHEELS	1100	17/19	D	--G	L/R -	296	-	4,5	6	6,5				1551	R	S	256	116	6,0	5	10,5		
HONDA	CB F	1100	83	R	204	L/R S	276	144	5,0	6	10,5				-	-	-	-	-	-	-	-		
HONDA	CB N ABS ALUMINIUM WHEELS	1100	17	D	1688G	L/R F10,0	310	94	4,5	5	6,5				1687	R	S	256	144	6,0	6	10,5		
HONDA	CB RS ABS ALUM. WHEELS	1100	17/19	D	1688G	L/R F10,0	310	94	4,5	5	6,5				1687	R	S	256	144	6,0	6	10,5		
HONDA	CB X11 / SF X11	1100	99/03	R	1197G / 1197XG	L/R F18,5	310	62	5,0	6	6,5				792 / 792X	R	S	256	144	5,0	6	10,5		
HONDA	CB X / CBR XX BLACKBIRD	1100	99/07	R	1197G / 1197XG	L/R F18,5	310	62	5,0	6	6,5				792 / 792X	R	S	256	144	5,0	6	10,5		
HONDA	CBR XX BLACKBIRD	1100	97/98	R	1114 / 1114X	L/R F22,0	310	58	5,0	6	6,5				792 / 792X	R	S	256	144	5,0	6	10,5		
HONDA	GOLD WING GL	1100	82/83	C	1115	L/R S	296	184	6,2	6	10,5				1115	L	S	296	184	6,2	6	10,5		
HONDA	ST PAN EUROPEAN	1100	90	R	110 / 110X	L/R S	296	144	5,0	6	10,5				1230	L	S	315,5	184,5	6,2	6	10,5		
HONDA	ST PAN EUROPEAN	1100	91/95	R	125	L/R S	317	144	6,0	6	10,5				1230	L	S	315,5	184,5	6,2	6	10,5		
HONDA	ST PAN EUROPEAN	1100	91/95	R	1073	L/R S	316	144	5,0	6	10,5													
HONDA	ST PAN EUROPEAN	1100	91/95	R	1429	L/R F00,0	318	144	5,0	6	10,5													



HONDA	VFR F D AC DCT	1200	10/15	R	1750G	L/R	F12,5	320	94	5,0	5	6,5	1329	C	S	276	171	6,0	5	10,5
1237 c.c.					1237 c.c.															
CROSSTOURER MODELS																				
HONDA	CROSSTOURER ABS / DCT ABS	1237	12/16	UVT	1435	L/R	S	310	165,5	4,0	5	20,5	1329	C	S	276	171	6,0	5	10,5
HONDA	CROSSTOURER ABS / DCT ABS	1237	17	UVT	1637	L/R	S	310	165,5	4,5	5	20,5	1329	C	S	276	171	6,0	5	10,5
HONDA	CROSSTOURER DCT / TRAVEL EDITION A	1237	12/16	UVT	1435	L/R	S	310	165,5	4,0	5	20,5	1329	C	S	276	171	6,0	5	10,5
HONDA	CROSSTOURER DCT TRAVEL EDITION AE	1237	12/19	UVT	1637	L/R	S	310	165,5	4,5	5	20,5	1329	C	S	276	171	6,0	5	10,5
HONDA	CROSSTOURER L / S	1237	14→	UVT	1637	L/R	S	310	165,5	4,5	5	20,5	1329	C	S	276	171	6,0	5	10,5
HONDA	CROSSTOURER VFR X	1237	16→	UVT	1637	L/R	S	310	165,5	4,5	5	20,5	1329	C	S	276	171	6,0	5	10,5
1300 c.c.					1300 c.c.															
HONDA	CB	1300	97/00	R	-	-	-	-	-	-	-	-	204	R	S	276	144	5,0	6	10,5
HONDA	CB	1300	01/02	R	1197G / 1197XG	L/R	F18,5	310	62	5,0	6	6,5	204	R	S	276	144	5,0	6	10,5
HONDA	CB	1300	03/12	R	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5
HONDA	CB	1300	03/12	R	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5								
HONDA	CB ABS	1300	03/12	R	1679G / 1679XG	L/R	F12,5	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5
HONDA	CB BI COULEUR	1300	03/05	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
HONDA	CB F	1300	05/10	R	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5
HONDA	CB F	1300	05/10	R	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5								
HONDA	CB FAIRING / ABS	1300	05/13	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
HONDA	CB R / ABS	1300	08/17	R	1679G / 1679XG	L/R	F12,5	310	94	5,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	CB S FAIRING	1300	07/10	R	1679G / 1679XG	L/R	F12,5	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5
HONDA	CB SUPER BOL DOR	1300	05/12	R	1679G / 1679XG	L/R	F12,5	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5
HONDA	CB SUPER BOL DOR	1300	14/17	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
HONDA	CB SUPER FOUR	1300	01/02	R	1197G / 1197XG	L/R	F18,5	310	62	5,0	6	6,5	1335	R	S	276	144	6,0	6	10,5
HONDA	CB SUPER FOUR / ABS	1300	03/09	N	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5
HONDA	CB SUPER FOUR / ABS	1300	03/09	N	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5								
HONDA	CB SUPER FOUR ABS	1300	11/17	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
HONDA	CB SUPER TOURING	1300	10	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
HONDA	CB X4	1300	97/03	R	751 / 751X	L/R	F21,5	310	62	5,0	6	6,5	204	R	S	276	144	5,0	6	10,5
HONDA	CTX / CTX ABS	1300	14/16	R	1692G	L/R	F21,5	310	94	5,0	6	6,5	1230	L	S	315,5	184,5	6,2	6	10,5
HONDA	ST PAN EUROPEAN ABS	1300	02/17	R	1692G	L/R	F21,5	310	94	5,0	6	6,5	1230	L	S	315,5	184,5	6,2	6	10,5
HONDA	VT C	1300	04/09	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5
HONDA	VT CX FURY	1300	10/12	CVT	-	L	-	336	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5
HONDA	VT R	1300	05/09	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5
HONDA	VT S RETRO	1300	03/07	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5
HONDA	VT T	1300	08/11	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5
HONDA	X4	1300	97/99	C	-	L/R	Fxx,x	-	-	-	-	-	204	R	S	276	144	5,0	6	10,5
1500 c.c.					1500 c.c.															
HONDA	GL F6C VALKYRIE	1500	97/03	C	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	-	-	-	-	-	-	-
HONDA	GL GOLD WING SE	1500	88/99	C	1115	L/R	S	296	184	6,2	6	10,5	1208	R	S	316	184,5	5,5	6	10,5
HONDA	GLX SE	1500	90/98	C	1115	L/R	S	296	184	6,2	6	10,5	1230	L	S	315,5	184,5	6,2	6	10,5
1800 c.c.					1800 c.c.															
HONDA	VTX C	1800	01/08	C	643	L/R	F12,5	296	94	4,5	6	6,5	-	-	-	-	-	-	-	-
HONDA	VTX RETRO	1800	03	C	643	L/R	F12,5	296	94	4,5	6	6,5	-	-	-	-	-	-	-	-
1833 c.c.					1833 c.c.															
HONDA	GL GOLD WING	1833	01/19	C	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	R	S	316	-	-	-	-
HONDA	GL GOLD WING BAGGER	1833	18/19	C	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	R	S	316	-	-	-	-
HONDA	GL GOLD WING TOUR / DCT	1833	18/19	C	-	L/R	Fxx,x	320	-	-	-	-	-	R	S	316	-	-	-	-
HONDA	GL GOLD WING F6C	1833	15	C	1637	L/R	S	310	165,5	4,5	5	20,5	-	R	S	316	-	-	-	-
HONDA	GL GOLD WING F6B	1833	13/17	C	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	R	S	316	-	-	-	-
HONDA	GL GOLD WING F6B	1833	18	C	-	L/R	Fxx,x	320	-	-	-	-	-	R	S	316	-	-	-	-
HRD					HRD															
50 c.c.					50 c.c.															
HRD	GSE COMPETITION	50	98/00	A	307	L	S	250	112	4,0	6	6,5	231	R	S	220	-	3,5	6	15,8
HRD	SONIC SUPERMOTARD	50	98/00	A	230	L	S	240	-	3,5	6	15,8	231	R	S	220	-	3,5	6	15,8
125 c.c.					125 c.c.															
HRD	GS	125	97→	E	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
HRD	GS / MC	125	94/96	E	-	-	-	-	-	-	-	-	422 / 422X	R	S	220	115	4,0	6	6,5
250 c.c.					250 c.c.															
HRD	GS / MC	250	94/96	E	-	-	-	-	-	-	-	-	422 / 422X	R	S	220	115	4,0	6	6,5
HRD	GS	250	97→	E	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
HUDSON BOSS					HUDSON BOSS															
125 c.c.					125 c.c.															
HUDSON BOSS	GOODWOOD 1/8	125	17	D	-	R	S	300	-	-	-	-	-	R	S	210	-	-	-	-
HUSABERG					HUSABERG															
125 c.c.					125 c.c.															
HUSABERG	TE	125	11/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	TE	125	11/14	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG	TE	125	12/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	TE	125	12/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
250 c.c.					250 c.c.															
HUSABERG	FE / FE 4T / TE	250	11/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG	FE / FE 4T / TE	250	11/14	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG	FE / FE 4T	250	12/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG	FE / FE 4T	250	12/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								



HUSABERG TE	250	10/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG TE	250	10/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
300 c.c.												300 c.c.							
HUSABERG TE	300	10/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG TE	300	10/14	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG TE	300	10/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG TE	300	10/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
350 c.c.												350 c.c.							
HUSABERG E	350	91/97	E	134	L	S	230	120	4,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSABERG FE / MC	350	90/99	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSABERG FE	350	12/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE	350	12/14	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FE	350	12/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE	350	12/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
390 c.c.												390 c.c.							
HUSABERG FE	390	09/12	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE	390	09/12	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FE	390	09/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE	390	09/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
400 c.c.												400 c.c.							
HUSABERG FE	400	98/99	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSABERG FE / FE E / FS	400	00/03	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FE / FE E / FS	400	00/03	E	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FE / FE E / FS	400	00/03	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE / FE E / FS	400	00/03	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS C / FS E	400	01/03	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FS C / FS E	400	01/03	E	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FS C / FS E	400	01/03	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS C / FS E	400	01/03	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
450 c.c.												450 c.c.							
HUSABERG FC	450	93	M	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSABERG FC	450	04	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FC	450	04	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FC	450	04	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FC	450	04	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE / FX	450	09/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE / FX	450	09/14	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FE / FX	450	09/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE / FX	450	09/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE E	450	06/08	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE E	450	06/08	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FS C / FS E	450	03/08	E	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	141X / 141	L	S	220	110	4,2	6	6,5
470 c.c.												470 c.c.							
HUSABERG FC / FX	470	01/02	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	-	-	-	-	-	-	-	-
HUSABERG FC / FX	470	01/02	M	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FC / FX	470	01/02	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FC / FX	470	01/02	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
501 c.c.												501 c.c.							
HUSABERG FC / FE / FE E	501	99/04	M-E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FC / FE / FE E	501	99/04	M-E	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FC / FE / FE E	501	99/04	M-E	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FC / FE / FE E	501	99/04	M-E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE	501	93/98	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSABERG FE	501	11/13	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE	501	11/13	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FE	501	12/14	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FE	501	12/14	E	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FE	501	12/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE	501	12/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE S	501	99/04	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE S	501	99/04	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG MC	501	90/92	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
550 c.c.												550 c.c.							
HUSABERG FC	550	01/05	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FC	550	01/05	M	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FC	550	01/05	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FC	550	01/05	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE E	550	04/08	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FE E	550	04/08	E	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FE E	550	04/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE E	550	04/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
570 c.c.												570 c.c.							
HUSABERG FE	570	08/12	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE	570	08/12	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5



HUSABERG FE	570	08/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE	570	08/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS	570	10/11	F	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FS	570	10/11	F									129SP / 129XSP	R	S	220	110	4,2	6	6,5
600 c.c.												600 c.c.							
HUSABERG FC	600	93/98	M	755	L	S	260	120	3,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FC / FC 4 CR	600	99/03	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FC / FC 4 CR	600	99/03	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FC / FC 4 CR	600	99/03	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FC / FC 4 CR	600	99/03	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE E	600	99/02	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE E	600	99/02	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FE E	600	99/02	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE E	600	99/02	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE S	600	99/03	E	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSABERG FE S	600	99/03	E	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FE S	600	99/03	E	730	L	F00,0	320	127	4,0	6	6,5								
650 c.c.												650 c.c.							
HUSABERG FE E	650	01/08	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSABERG FE E	650	01/08	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FE E	650	01/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FE E	650	01/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS C	650	01/04	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FS C	650	01/04	M	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSABERG FS C	650	01/04	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS C	650	01/04	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS E / FX E	650	01/05	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSABERG FS E / FX E	650	01/05	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSABERG FS E / FX E	650	01/05	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS E / FX E	650	01/05	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
HUSABERG FS C / FS E	650	05/08	M-E	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
HUSABERG FS C / FS E	650	05/08	M-E	725X	L	F00,0	318	127	5,0	6	6,5								
HUSABERG FS C / FS E	650	05/08	M-E	730	L	F00,0	320	127	4,0	6	6,5								
HUSQVARNA				HUSQVARNA															
ELECTRIC												ELECTRIC							
HUSQVARNA EE5	E	19	MV	1374X	L	S	160	72	3,0	4	6,5	1374X	R	S	160	72	3,0	4	6,5
50 c.c.												50 c.c.							
HUSQVARNA CR PRO / CR SENIOR	50	05	A	-	-	-	-	-	-	-	-	705	L	S	175	45	3,0	5	6,5
HUSQVARNA HUSKYBOY R	50	01	A	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
HUSQVARNA TC 12' / 10' / TC MINI	50	17/19	A-M	1374X	L	S	160	72	3,0	4	6,5	1374X	L	S	160	72	3,0	4	6,5
HUSQVARNA TC 12' / 10' / TC MINI	50	17/19	A-M	1378XK21	L	KF	*185	72	3,0	4	6,5								
HUSQVARNA WRS	50	98/17	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
HUSQVARNA WRS	50	98/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
HUSQVARNA WRS	50	98/17	S	1300X	L	FO	*220	58	3,5	3	10,5								
65 c.c.												65 c.c.							
HUSQVARNA CR	65	10/14	A-M	1025X	L	S	198	89	3,0	3	6,5	-	-	-	-	-	-	-	-
HUSQVARNA TC 14' / 12'	65	17/19	A-M	1025X	L	S	198	89	3,0	3	6,5	1026X	L	S	160	45,5	3,0	4	6,5
HUSQVARNA TC 14' / 12'	65	17/19	A-M	1379XK22	L	KF	*225	89	3,0	3	6,5								
85 c.c.												85 c.c.							
HUSQVARNA TC 17' / 14'	85	14/16	A-M	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA TC 17' / 14'	85	14/16	A-M	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA TC 17' / 14'	85	17/19	A-M	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA TC 17' / 14'	85	17/19	A-M	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA TC 19' / 16'	85	14/16	A-M	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA TC 19' / 16'	85	14/16	A-M	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA TC 19' / 16'	85	14/16	A-M									1481XK25	R	KS	*220	110	4,0	4	6,5
HUSQVARNA TC 19' / 16' Fixed disc	85	17/19	A-M	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
HUSQVARNA TC 19' / 16' Fixed disc	85	14/16	A-M	1324XK20	L	KF	*260	95	3,0	4	6,5								
HUSQVARNA TC 19' / 16' Fixed disc	85	17/19	A-M									1481XK25	R	KS	*220	110	4,0	4	6,5
HUSQVARNA TC 19' / 16' Floating disc	85	18	A-M	1324X	L	F00,0	260	95	3,0	4	6,5	1493X	R	S	230	110	4,0	4	6,5
125 c.c.												125 c.c.							
HUSQVARNA CR	125	87/91	M	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA CR	125	92/99	M	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSQVARNA CR	125	00/01	M	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA CR	125	00/01	M	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA CR	125	00/01	M	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA CR	125	00/01	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA CR	125	00/01	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA CR	125	00/01	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA CR	125	02/05	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA CR	125	02/05	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA CR	125	02/05	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA CR	125	02/05	M	1164X	L	F00,0	260	120	3,0	4	6,5								

						C.C.		YEAR		MODEL TYPE	FRONT		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
HUSQVARNA	CR	125	02/05	M		1325XK16	L	KF	*270	120	3,0	4	6,5																	
HUSQVARNA	CR	125	02/05	M		1325XBHK16	L	KF	*270	120	3,0	4	6,5																	
HUSQVARNA	CR	125	06/13	M		910 / 910X	L	S	260	120	3,0	4	6,5									648	R	S	240	112	4,0	4	9,5	
HUSQVARNA	CR	125	06/13	M		910SP	L	S	260	120	3,0	4	6,5									1264X	R	S	240	112	4,0	4	9,5	
HUSQVARNA	CR	125	06/13	M		392	L	S	260	120	3,5	4	6,5																	
HUSQVARNA	CR	125	06/13	M		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	CR	125	06/13	M		1325XK16	L	KF	*270	120	3,0	4	6,5																	
HUSQVARNA	CR	125	06/13	M		1325XBHK16	L	KF	*270	120	3,0	4	6,5																	
HUSQVARNA	CR	125	09/13	M		722K27	L	KF	*320	120	5,0	4	6,5																	
HUSQVARNA	CR	125	09/13	M		722XK27	L	KF	*318	120	5,0	4	6,5																	
HUSQVARNA	CR	125	09/13	M		722SPK27	L	KF	*320	120	5,0	4	6,5																	
HUSQVARNA	SM	125	98/99	F		755	L	S	260	120	3,0	6	6,5									135	L	S	220	112	4,0	6	6,5	
HUSQVARNA	SMR	125	12	F		910 / 910X	L	S	260	120	3,0	4	6,5									263 / 263X	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMR	125	12	F		910SP	L	S	260	120	3,0	4	6,5									263SP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMR	125	12	F		392	L	S	260	120	3,5	4	6,5									263XSP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMR	125	12	F		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	SMS	125	00/01	F		910 / 910X	L	S	260	120	3,0	4	6,5									263 / 263X	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMS	125	00/01	F		910SP	L	S	260	120	3,0	4	6,5									263SP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMS	125	00/01	F		392	L	S	260	120	3,5	4	6,5									263XSP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMS	125	00/01	F		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	SMS	125	02/04	F		910 / 910X	L	S	260	120	3,0	4	6,5									464	R	S	220	126	4,0	4	19,0	
HUSQVARNA	SMS	125	02/04	F		910SP	L	S	260	120	3,0	4	6,5									706	R	S	220	126	4,0	4	19,0	
HUSQVARNA	SMS	125	02/04	F		392	L	S	260	120	3,5	4	6,5																	
HUSQVARNA	SMS	125	02/04	F		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	SMS	125	05/12	F		910 / 910X	L	S	260	120	3,0	4	6,5									263 / 263X	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMS	125	05/12	F		910SP	L	S	260	120	3,0	4	6,5									263SP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMS	125	05/12	F		392	L	S	260	120	3,5	4	6,5									263XSP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	SMS	125	05/12	F		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	TC 2T	125	14/20	M		140X / 140	L	S	260	-	3/3,5	6	6,5									129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	TC 2T	125	14/20	M		1725X	L	F00,0	260	-	3,0	6	6,5									129SP / 129XSP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	TC 2T	125	14/20	M		1254XK17	L	KF	*270	-	3,0	6	6,5																	
HUSQVARNA	TC 2T	125	14/20	M		1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
HUSQVARNA	TE	125	12/13	E		910X	L	S	260	120	3,0	4	6,5									263X	R	S	220	112	4,0	4	9,5	
HUSQVARNA	TE	125	12/13	E		1164X	L	F00,0	260	120	3,0	4	6,5									263XSP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	TE	125	12/13	E		910SP	L	S	260	120	3,0	4	6,5																	
HUSQVARNA	TE 2T	125	14/18	E		140X / 140	L	S	260	-	3/3,5	6	6,5									129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	TE 2T	125	14/18	E		1725X	L	F00,0	260	-	3,0	6	6,5									129SP / 129XSP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	TE 2T	125	14/18	E		1254XK17	L	KF	*270	-	3,0	6	6,5																	
HUSQVARNA	TE 2T	125	14/18	E		1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
HUSQVARNA	TX 2T	125	17/19	E		140X / 140	L	S	260	-	3/3,5	6	6,5									129X / 129	R	S	220	110	4,2	6	6,5	
HUSQVARNA	TX 2T	125	17/19	E		1725X	L	F00,0	260	-	3,0	6	6,5									129SP / 129XSP	R	S	220	110	4,2	6	6,5	
HUSQVARNA	TX 2T	125	17/19	E		1254XK17	L	KF	*270	-	3,0	6	6,5																	
HUSQVARNA	TX 2T	125	17/19	E		1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
HUSQVARNA	WR	125	87/91	E		733	L	S	240	120	3,0	6	6,5									-	-	-	-	-	-	-	-	-
HUSQVARNA	WR	125	92/99	E		755	L	S	260	120	3,0	6	6,5									135	L	S	220	112	4,0	6	6,5	
HUSQVARNA	WR / WRE	125	00/01	E		910 / 910X	L	S	260	120	3,0	4	6,5									263 / 263X	R	S	220	112	4,0	4	9,5	
HUSQVARNA	WR / WRE	125	00/01	E		910SP	L	S	260	120	3,0	4	6,5									263SP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	WR / WRE	125	00/01	E		392	L	S	260	120	3,5	4	6,5									263XSP	R	S	220	112	4,0	4	9,5	
HUSQVARNA	WR / WRE	125	00/01	E		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	WR	125	02/05	E		910 / 910X	L	S	260	120	3,0	4	6,5									464	R	S	220	126	4,0	4	19,0	
HUSQVARNA	WR	125	02/05	E		910SP	L	S	260	120	3,0	4	6,5									706	R	S	220	126	4,0	4	19,0	
HUSQVARNA	WR	125	02/05	E		392	L	S	260	120	3,5	4	6,5																	
HUSQVARNA	WR	125	02/05	E		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	WR	125	07/14	E		910 / 910X	L	S	260	120	3,0	4	6,5									648	R	S	240	112	4,0	4	9,5	
HUSQVARNA	WR	125	07/14	E		910SP	L	S	260	120	3,0	4	6,5									1264X	R	S	240	112	4,0	4	9,5	
HUSQVARNA	WR	125	07/14	E		392	L	S	260	120	3,5	4	6,5																	
HUSQVARNA	WR	125	07/14	E		1164X	L	F00,0	260	120	3,0	4	6,5																	
HUSQVARNA	WR	125	07/14	E		1325XK16	L	KF	*270	120	3,0	4	6,5																	
HUSQVARNA	WR	125	07/14	E		1325XBHK16	L	KF	*270	120	3,0	4	6,5																	
HUSQVARNA	WR	125	09/14	E		722K27	L	KF	*320	120	5,0	4	6,5																	
HUSQVARNA	WR	125	09/14	E		722XK27	L	KF	*318	120	5,0	4	6,5																	
HUSQVARNA	WR	125	09/14	E		722SPK27	L	KF	*320	120	5,0	4	6,5																	
HUSQVARNA	WRE	125	98/99	E		755	L	S	260	120	3,0	6	6,5									135	L	S	220	112	4,0	6	6,5	
HUSQVARNA	WRE	125	02/12	E		910 / 910X	L	S	260	120	3,0	4	6,5									464	R	S	220	126	4,0	4	19,0	
HUSQVARNA	WRE	125	02/12	E																										

																			
HUSQVARNA TE	150	17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5	250 c.c.							
HUSQVARNA CR	250	85/87	M	ND / NA	L	S	240	118	3,5	4	6,5	1119	R	S	220	122	4,5	6	10,5
HUSQVARNA CR	250	88/91	M	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA CR	250	92/94	M	755	L	S	260	120	3,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA CR	250	95/99	M	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA CR	250	00/01	M	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA CR	250	00/01	M	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA CR	250	00/01	M	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA CR	250	00/01	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA CR / TC	250	02/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA CR / TC	250	02/04	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA CR / TC	250	02/04	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA CR / TC	250	02/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA CR	250	05/11	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA CR	250	05/11	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA CR	250	05/11	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA CR	250	05/11	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA CR	250	05/11	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA CR	250	05/11	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA FC 4T / FE 4T	250	14/20	M-E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA FC 4T / FE 4T	250	14/20	M-E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA FC 4T / FE 4T	250	14/20	M-E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA FC 4T / FE 4T	250	14/20	M-E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA FX	250	17	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA FX	250	17	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA FX	250	17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA FX	250	17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA SMR	250	05/08	F	-	-	-	-	-	-	-	-	1193X / 1193	R	S	240	126	4,0	4	19,0
HUSQVARNA TC 2T	250	02/13	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA TC 2T	250	02/13	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TC 2T	250	02/13	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TC 2T	250	02/13	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TC 2T	250	07/13	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TC 2T	250	07/13	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TC 2T	250	04/06	M	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC 2T	250	04/06	M	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TC 2T	250	04/06	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC 2T	250	08/13	M	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC 2T	250	08/13	M	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TC 2T	250	08/13	M	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC 2T	250	14/20	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA TC 2T	250	14/20	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA TC 2T	250	14/20	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA TC 2T	250	14/20	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA TC R	250	04/13	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA TC R	250	04/13	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TC R	250	04/13	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TC R	250	04/13	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TC R	250	07/13	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TC R	250	07/13	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TCX	250	08/10	M	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA TCX	250	08/10	M	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA TCX	250	08/10	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TCX	250	08/10	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TE	250	02/04	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA TE	250	02/04	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA TE	250	02/04	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TE	250	02/04	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TE	250	04	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	250	04	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	250	02/03	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	250	02/03	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TE	250	02/03	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	250	05/06	E	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA TE	250	05/06	E	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA TE	250	05/06	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TE	250	05/06	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TE	250	05/06	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	250	05/06	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	250	05/06	E	722K11	L	KF	*320	120	5,0	4	6,5								



HUSQVARNA TE	250	05/06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TE	250	05/06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	250	07/13	E	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA TE	250	07/13	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TE	250	07/13	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TE	250	07/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TE	250	07/13	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	250	07/13	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	250	08/13	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	250	08/13	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TE	250	08/13	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE i 2T	250	14/19	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA TE i 2T	250	14/19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA TE i 2T	250	14/19	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA TE i 2T	250	14/19	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA TE i 4T	250	17/19	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA TE i 4T	250	17/19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA TXC	250	07/13	E	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA TXC	250	07/13	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TXC	250	07/13	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TXC	250	07/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TXC	250	07/13	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TXC	250	07/13	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TXC	250	11/13	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TXC	250	11/13	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TXC	250	11/13	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA WR	250	87/91	E	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA WR	250	94/99	E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA WR	250	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	250	00/01	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	250	00/01	E	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	250	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA WR	250	02/07	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA WR	250	02/07	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA WR	250	02/07	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA WR	250	02/07	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA WR	250	05/07	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA WR	250	05/07	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA WR	250	08/14	E	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	250	08/14	E	910SP	L	S	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	250	08/14	E	392	L	S	260	120	3,5	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	250	08/14	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA WR	250	08/14	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA WR	250	08/14	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA WR	250	08/14	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA WR	250	08/14	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA WR	250	08/14	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
300 c.c.												300 c.c.							
HUSQVARNA TC	300	14→	M	140X / 140	L	S	260	-	3/3,5	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA TC	300	14→	M	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA TE i 2T	300	14/19	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA TE i 2T	300	14/19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA TE i 2T	300	14/19	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA TE i 2T	300	14/19	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA TX	300	17/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSQVARNA TX	300	17/18	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA TX	300	17/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA TX	300	17/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA WR	300	09/10	E	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	300	09/10	E	910SP	L	S	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	300	09/10	E	392	L	S	260	120	3,5	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA WR	300	09/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA WR	300	12/14	E	910X / 910	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA WR	300	12/14	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA WR	300	12/14	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA WR	300	12/14	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA WR	300	12/14	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA WR	300	12/14	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA WR	300	12/14	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA WR	300	12/14	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA WR	300	12/14	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
310 c.c.												310 c.c.							

FRONT										REAR										
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
HUSQVARNA	TE / TE R	310	09/13	E	910X / 910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TE R	310	09/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE / TE R	310	09/13	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC	310	11	E	910X	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	310	11	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC	310	11	E	910SP	L	S	260	120	3,0	4	6,5								
350 c.c.					350 c.c.															
HUSQVARNA	FC 4T / FE 4T	350	14/20	M-E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T / FE 4T	350	14/20	M-E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T / FE 4T	350	14/20	M-E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T / FE 4T	350	14/20	M-E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FE / TE	350	16/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FE / TE	350	16/17	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	TE	350	89/91	E	733	L	S	240	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA	TE	350	92/95	E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA	TE	350	96/13	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSQVARNA	FX	350	17/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FX	350	17/18	M	1725X	L	F00,0	260	-	3,0	6	6,5								
HUSQVARNA	FX	350	17	M-E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FX	350	17	M-E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
360 c.c.					360 c.c.															
HUSQVARNA	CR	360	87/91	M	733	L	S	240	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
HUSQVARNA	CR / WR	360	92/99	M-E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA	WR	360	87/91	E	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	WR	360	00/04	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	WR	360	00/04	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	WR	360	00/04	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	WR	360	00/04	E	1164X	L	F00,0	260	120	3,0	4	6,5								
375 c.c.					375 c.c.															
HUSQVARNA	SVARTPILEN 401 (Cast wheels)	375	19	N	1642G / 1642XG	L	F00,0	320	90	5,0	6	10,5	1311 / 1311X	R	S	230	104	4,0	6	10,5
HUSQVARNA	SVARTPILEN 401 (Spoke wheels)	375	17/19	N	-	L	S	320	-	-	-	-	1311 / 1311X	R	S	230	104	4,0	6	10,5
HUSQVARNA	VITPILEN 401 / ABS	375	17/19	N	-G / -XG	L	F00,0	320	-	5,0	6	-	1311 / 1311X	R	S	230	104	4,0	6	10,5
HUSQVARNA	VITPILEN 401 / ABS	375	17/19	N	-	L	S	320	-	5,0	6	-								
400 c.c.					400 c.c.															
HUSQVARNA	TC	400	02→	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	400	02→	M	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	400	02→	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	400	02→	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	400	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	400	00/01	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	400	00/01	E	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	400	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	400	00/01	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	400	00/01	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	400	00/01	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	400	02	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE	400	02	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE	400	02	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	400	02	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	400	02	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	400	02	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	400	02	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
410 c.c.					410 c.c.															
HUSQVARNA	TE	410	95/99	E	755	L	S	260	120	3,0	6	6,5	266	R	S	220	112	4,0	6	9,5
HUSQVARNA	TE / TE E	410	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TE E	410	00/01	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TE E	410	00/01	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE / TE E	410	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TE E	410	00/01	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TE E	410	00/01	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE / TE E	410	00/01	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE E	410	99	E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
449 c.c.					449 c.c.															
HUSQVARNA	TE / TC / TXC	449	11/13	E-M	910X / 910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TC / TXC	449	11/13	E-M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TC / TXC	449	11/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TC / TXC	449	11/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
450 c.c.					450 c.c.															
HUSQVARNA	FC 4T / FE 4T	450	14/20	M-E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5

FRONT										REAR										
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
HUSQVARNA	FC 4T / FE 4T	450	14/20	M-E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FC 4T / FE 4T	450	14/20	M-E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FC 4T / FE 4T	450	14/20	M-E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FX	450	17/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FX	450	17/18	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FX	450	17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FX	450	17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA	FS	450	15/17	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
HUSQVARNA	FS	450	15/17	F	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FS, w/o speedometer hole	450	18/19	F	1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA	FS, w/o speedometer hole	450	18/19	F									129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA	FSE-C	450	05/08	F	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	R	450	16/17	E	1733X	L	F00,0	300	127	5,0	6	6,5	1294X	R	S	240	110	4,0	6	6,5
HUSQVARNA	SMR	450	03/04	F	722	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	450	03/04	F	722X	L	F00,0	318	120	5,0	4	8,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR / SMR RR	450	03/10	F	1561X / 1561	L	F9,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	450	02/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	450	02/04	M	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
HUSQVARNA	TC	450	02/04	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	450	02/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	02/04	M	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	02/04	M	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	450	02/04	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	05/06	M	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA	TC	450	05/06	M	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	05/06	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	05/06	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	450	05/06	M	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	05/06	M	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	450	05/06	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	07/11	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	450	07/11	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TC	450	07/11	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TC	450	07/11	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TC	450	07/10	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	07/10	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	11	M	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	11	M	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TC	450	07/11	M	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TC	450	07/11	M	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TC	450	07/11	M	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TCX	450	08/10	M	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
HUSQVARNA	TCX	450	08/10	M	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TCX	450	08/10	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TCX	450	08/10	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	450	02/05	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	450	02/05	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	450	02/05	E	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	450	02/05	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	450	02/05	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	02/05	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	450	02/05	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	06/10	E	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE	450	06/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE	450	06/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	450	06/10	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	450	06/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE	450	06/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE	450	08/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	08/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	450	08/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	450	14	E	910X / 910	L	S	260	120	3,0	4	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	TE	450	14	E	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA	TE	450	14	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	450	14	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC	450	11/13	E	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	450	11/13	E	910SP	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	450	11/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC	450	11/13	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC	450	11/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC	450	11/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								



HUSQVARNA TXC	450	11/13	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TXC	450	11/13	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TXC	450	11/13	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
480 c.c.												480 c.c.							
HUSQVARNA TXC	480	13	E	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TXC	480	13	E	910SP	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA TXC	480	13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TXC	480	13	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TXC	480	13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TXC	480	13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
501 c.c.												501 c.c.							
HUSQVARNA FE 4T	501	14/19	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA FE 4T	501	14/19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA FE 4T	501	14/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA FE 4T	501	14/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
510 c.c.												510 c.c.							
HUSQVARNA FE 4T	510	14/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
HUSQVARNA FE 4T	510	14/17	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
HUSQVARNA FE	510	14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA FE	510	14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA SM-R	510	05/10	F	1561X / 1561	L	F9,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TC	510	02/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA TC	510	02/04	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA TC	510	02/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TC	510	02/04	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TC	510	02/04	M	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC	510	02/04	M	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TC	510	02/04	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC	510	05/06	E	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA TC	510	05/06	E	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA TC	510	05/06	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TC	510	05/06	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TC	510	05/06	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC	510	05/06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TC	510	05/06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC	510	07/10	E	910X / 910	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA TC	510	07/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TC	510	07/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TC	510	07/10	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TC	510	07/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TC	510	07/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TC	510	07/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TC	510	07/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TC	510	07/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TCX	510	05/10	M	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0
HUSQVARNA TCX	510	05/10	M	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA TCX	510	05/10	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TCX	510	05/10	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TE	510	90/91	E	733	L	S	240	120	3,0	6	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA TE	510	90/91	E									706	R	S	220	126	4,0	4	19,0
HUSQVARNA TE	510	02/04	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA TE	510	02/04	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA TE	510	02/04	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TE	510	02/04	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TE	510	02/04	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	510	02/04	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TE	510	02/04	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	510	05	E	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0
HUSQVARNA TE	510	05	E	910SP	L	S	260	120	3,0	4	6,5								
HUSQVARNA TE	510	05	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TE	510	05	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TE	510	05	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	510	05	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA TE	510	05	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	510	06/10	E	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA TE	510	06/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA TE	510	06/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA TE	510	06/10	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA TE	510	06/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	510	06/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA TE	510	06	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA TE	510	06	E	722XK11	L	KF	*318	120	5,0	4	6,5								



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
HUSQVARNA	TE	510	06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	07/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	510	07/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	510	07/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC	510	09/10	E	910X / 910	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	510	09/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TXC	510	09/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TXC	510	09/10	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TXC	510	09/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC	510	09/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TXC	510	06/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TXC	510	06/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TXC	510	06/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
511 c.c.					511 c.c.															
HUSQVARNA	SMR	511	11/12	F	722X	L	F00,0	318	120	5,0	4	8,5	648	R	S	240	112	4,0	4	9,5
HUSQVARNA	SMR	511	11/12	F	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TXC	511	11/13	E	910X / 910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
HUSQVARNA	TE / TXC	511	11/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TXC	511	11/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA	TE / TXC	511	11/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
520 c.c.					520 c.c.															
HUSQVARNA	NOX	520	01	F	-	-	-	-	-	-	-	-	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	NOX	520	01	F									263SP / 263XSP	R	S	220	112	4,0	4	9,5
570 c.c.					570 c.c.															
HUSQVARNA	NOX	570	01/03	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	NOX	570	01/03	F									263SP / 263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	SMR	570	00/04	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR / SMR R	570	00/03	F	850	L	T	290	120	5,0	4	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	TE / TC	570	00/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TC	570	00/04	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE / TC	570	00/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE / TC	570	00/04	M	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE / TC	570	00/04	M	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE / TC	570	00/04	M	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE / TC	570	00/04	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
610 c.c.					610 c.c.															
HUSQVARNA	TC	610	91	M	733	L	S	240	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA	TC / TE	610	92/98	M	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA	TE	610	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	610	00/01	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	610	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE	610	00/01	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	610	00/01	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	610	00/01	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	610	00/01	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	610	02/08	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE	610	02/08	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE	610	02/08	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE	610	02/08	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE	610	02/06	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE	610	02/06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE	610	02/06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE E	610	98/99	E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
HUSQVARNA	TE E	610	00/01	E	755	L	S	260	120	3,0	6	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE E	610	00/01	E									263SP / 263XSP	R	S	220	112	4,0	4	9,5
HUSQVARNA	TE E	610	02/06	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE E	610	02/06	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	TE E	610	02/06	E	1164X	L	F00,0	260	120	3,0	4	6,5								
HUSQVARNA	TE E	610	02/06	E	392	L	S	260	120	3,5	4	6,5								
HUSQVARNA	TE E	610	02/06	E	722K11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	TE E	610	02/06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
HUSQVARNA	TE E	610	02/06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA	SM i.e.	610	07/09	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SM i.e.	610	07/09	F									706	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	610	99/04	F	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMR	610	99/04	F	722X	L	F00,0	318	120	5,0	4	8,5	706	R	S	220	126	4,0	4	19,0
HUSQVARNA	SM - S	610	97/01	F	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SM - S	610	97/01	F	722X	L	F00,0	318	120	5,0	4	8,5								
HUSQVARNA	SMS	610	02/06	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	-	-	-	-	-	-	-	-
630 c.c.					630 c.c.															
HUSQVARNA	FSE-C	630	05/08	F	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	-	-	-	-	-	-	-	-
HUSQVARNA	SMR	630	05/13	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
HUSQVARNA	SMS	630	10/12	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	--	-	-	-	-	-	-	-

				C.C.	YEAR	MODEL TYPE	FRONT										REAR													
							REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø						
HUSQVARNA	TE	630	10/13	E			910X / 910	L	S	260	120	3,0	4	6,5			1497X	R	S	220	112	4,0	4	10,5						
HUSQVARNA	TE	630	10/13	E			910SP	L	S	260	120	3,0	4	6,5			1497XSP	R	S	220	112	4,0	4	10,5						
HUSQVARNA	TE	630	10/13	E			1164X	L	F00,0	260	120	3,0	4	6,5																
HUSQVARNA	TE	630	10/13	E			392	L	S	260	120	3,5	4	6,5																
650 c.c.																				650 c.c.										
HUSQVARNA	STR CRC	650	07→	F			1561 / 1561X	L	F9,0	320	120	5,0	4	8,5			-	-	S	220	-	-	-	-	-	-	-	-		
HUSQVARNA	TR STRADA / TR TERRA	650	12/14	F			1232	L	S	300	105	5,0	6	6,5			325 / 325X	L	S	240	110	5,0	6	6,5						
HUSQVARNA	TR STRADA / TR TERRA	650	12/14	F			1194 / 1194X	L	F00,0	300	105	5,0	6	6,5																
HUSQVARNA	TR STRADA / TR TERRA	650	12/14	F			1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5																
693 c.c.																				693 c.c.										
HUSQVARNA	SVARPILEN 701 ABS	693	19	N			1465XG / 1465G	L	F00,0	320	52	5,0	5	MD			1171 / 1171X	R	S	240	107,5	5,0	5	8,5						
HUSQVARNA	VITPILEN 701 ABS	693	18	N			1465G / 1465XG	L	F00,0	320	52	5,0	5	MD			1171 / 1171X	R	S	240	107,5	5,0	5	8,5						
HUSQVARNA	VITPILEN 701 ABS	693	18	N			1465 / 1465X	L	F00,0	320	52	5,0	5	8,5			1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5						
HUSQVARNA	VITPILEN 701 AERO R ABS	693	19	R			1465G / 1465XG	L	F00,0	320	52	5,0	5	MD			1171 / 1171X	R	S	240	107,5	5,0	5	8,5						
701 c.c.																				701 c.c.										
HUSQVARNA	ENDURO ABS	701	15/19	E			1733X	L	F00,0	300	127	5,0	6	6,5			1578X / 1578	R	F00,0	240	106,3	5,0	6	6,5						
HUSQVARNA	SUPERMOTO	701	15/17	F			725 / 725SP	L	F00,0	320	127	5,0	6	6,5																
HUSQVARNA	SUPERMOTO	701	15/17	F			725X	L	F00,0	318	127	5,0	6	6,5																
HUSQVARNA	SUPERMOTO	701	15/17	F			730	L	F00,0	320	127	4,0	6	6,5																
HUSQVARNA	SUPERMOTO ABS	701	15/19	F			1640	L	F00,0	320	127	5,0	6	6,5			1578 / 1578X	R	F00,0	240	106,3	5,0	6	6,5						
HUSQVARNA	SUPERMOTO ABS	701	15/19	F			1640X	L	F00,0	318	127	5,0	6	6,5																
HYOSUNG							HYOSUNG													HYOSUNG										
50 c.c.																				50 c.c.										
HYOSUNG	FAST SF	50	00/03	S			703	L	S	162	34	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-		
HYOSUNG	PLUS / SUPER CAP	50	95	S			1011 / 1011X	R	S	180	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-		
HYOSUNG	SUPER CAP PLUS	50	98	S			1011X / 1011	R	S	180	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-		
HYOSUNG	SR R	50	06	S			703	L	S	162	34	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-		
125 c.c.																				125 c.c.										
HYOSUNG	AQUILA GV / KARION RT	125	16/18	C			-	L	S	-	-	-	-	-			Drum	-	-	-	-	-	-	-	-	-	-	-		
HYOSUNG	AQUILA GV C / GV S	125	18/19	C			-	L	-	270	-	-	-	-			-	R	S	250	-	-	-	-	-	-	-	-		
HYOSUNG	GD N EXIV	125	19	N			-X	L	S	300	-	-	-	-			-X	R	S	230	-	-	-	-	-	-	-	-		
HYOSUNG	GT	125	06	R			1175	L	S	276	124	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT COMET	125	04/18	N			1231	L	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT NAKED	125	03/12	N			1231	L	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT i NAKED	125	13/15	N			1231	L	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT R / GT RC	125	03/16	R			1231	R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT R PRO COMET	125	13/18	R			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	XRX	125	04/09	E			xxxx	L	S	240	50	4,0	4	10,5				R	S											
HYOSUNG	XRX OFFROAD	125	99→	E			xxxx	L	S	240	50	4,0	4	10,5				R	S											
HYOSUNG	XRX TRAIL	125	09	U			xxxx	L	S	240	50	4,0	4	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-		
250 c.c.																				250 c.c.										
HYOSUNG	COMET GT	250	04/05	N			1231	L	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GD N EXIV	250	13/19	N			1231	L	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GD R	250	18	R			1231	L	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT	250	06/18	N			1231	L	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT R	250	05/07	R			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT i PRO / GT Ri PRO COMET	250	08/18	R			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GV AQUILA DR ABS	250	18/19	C			-	L	-	300	-	-	-	-			-	-	-	270	-	-	-	-	-	-	-	-		
HYOSUNG	GV i AQUILA	250	18	C			-	L	-	300	-	-	-	-			-	-	-	270	-	-	-	-	-	-	-	-		
HYOSUNG	R XPEED MS3	250	13	S			1409X	R	S	240	86	4,0	5	10,5			1410X	R	S	220	80	4,5	5	10,5						
650 c.c.																				650 c.c.										
HYOSUNG	AQUILA	650	04/05	C			1505 / 1505X	L/R	F00,0	298	130	4,0	6	10,5			1496	R	S	270	88	4,5	6	8,5						
HYOSUNG	GT	650	09/15	N			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT COMET	650	04/06	N			-	L/R	-	-	-	-	-	-			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT i COMET	650	07/18	N			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT S	650	05/08	R			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT R	650	07/08	R			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT Ri PRO COMET	650	09/18	R			1231	L/R	F19,5	300	64	4,0	6	10,5			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GT X	650	09/15	R			-	L/R	-	-	-	-	-	-			1191	R	S	230	87	4,2	6	10,5						
HYOSUNG	GV AQUILLA	650	05/07	C			1727 / 1727X	L/R	S	298	132	5,0	6	8,5			-	R	S	270	-	-	-	-	-	-	-	-		
HYOSUNG	GV i AQUILA PRO	650	16/18	C			-	L/R	-	300	-	-	-	-			-	R	S	270	-	-	-	-	-	-	-	-		
HYOSUNG	GV PA	650	18/19	C				L/R		300							-	R	S	270	-	-	-	-	-	-	-	-		
678 c.c.																				678 c.c.										
HYOSUNG	ST-7 PRO	678	18	C			-	L	-	300	-	-	-	-			-	R	S	240	-	-	-	-	-	-	-	-		
I.MOTO							I.MOTO													I.MOTO										
125 c.c.																				125 c.c.										
I.MOTO	LEPUS	125	16/17	N			-	L	S	-	-	-	-	-			Drum	-	-	-	-	-	-	-	-	-	-	-		
I.MOTO	STRADA	125	16/17</																											

		C.C.	YEAR	MODEL TYPE	FRONT										REAR										
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			
ITALJET	OMBRA NERA	50	97/00	S	190	L	S	174	38	4,0	5	6,5			191	C	S	174	66	4,0	5	6,5			
ITALJET	PISTA / PISTA 2	50	92/93	S	406	L	S	155	40,6	3,8	3	10,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	PISTA / PISTA 2	50	92/93	S	727	L	SO	*180	40,6	3,5	3	10,5													
ITALJET	SCOOP / YANKEE / YANKEE 8	50	93/94	A	406	L	S	155	40,6	3,8	3	10,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	SCOOP / YANKEE / YANKEE 8	50	93/94	A	727	L	SO	*180	40,6	3,5	3	10,5													
ITALJET	TORPEDO 2T / 4T	50	97/03	S	192	L	S	218	42	3,5	4	8,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	TORPEDO FC BOLOGNA	50	98	S	192	L	S	218	42	3,5	4	8,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	WILLIAMS	50	97/03	S	190	L	S	174	38	4,0	5	6,5			191	C	S	174	66	4,0	5	6,5			
100 c.c.															100 c.c.										
ITALJET	MILLENNIUM	100	00/02	S	281	R	S	218	42	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-		
125 c.c.															125 c.c.										
ITALJET	DRAGSTER	125	97	S	190	L	S	174	38	4,0	5	6,5			191	C	S	174	66	4,0	5	6,5			
ITALJET	DRAGSTER	125	98	S	190	L	S	174	38	4,0	5	6,5			361	L	S	190	66	4,0	5	6,5			
ITALJET	DRAGSTER	125	99/01	S	190	L	S	174	38	4,0	5	6,5			1071	L	S	240	125	4,0	5	6,5			
ITALJET	DRAGSTER	125	99/01	S											257	L	S	240	125	4,0	5	6,5			
ITALJET	FORMULA	125	96/99	S	190	L	S	174	38	4,0	5	6,5			191	C	S	174	66	4,0	5	6,5			
ITALJET	FORMULA L.C.	125	97/03	S	190	L	S	174	38	4,0	5	6,5			191	C	S	174	66	4,0	5	6,5			
ITALJET	FORMULA TWIN	125	99/00	S	190	L	S	174	38	4,0	5	6,5			191	C	S	174	66	4,0	5	6,5			
ITALJET	JACKPOT 4T	125	01	S	281	R	S	218	42	4,0	5	6,5			-	-	-	-	-	-	-	-	-		
ITALJET	JET-SET 4T	125	01/03	S	078	L	S	220	42,2	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	JUPITER	125	02	S	281	R	S	218	42	4,0	5	6,5			689	R	S	230	116	5,0	3	8,5			
ITALJET	MILLENNIUM 4T	125	00/02	S	281	R	S	218	42	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	TORPEDO ARIA 4T / 4T L.C.	125	98/02	S	192	L	S	218	42	3,5	4	8,5			Drum	-	-	-	-	-	-	-	-		
150 c.c.															150 c.c.										
ITALJET	JACKPOT 4T	150	01	S	281	R	S	218	42	4,0	5	6,5			-	-	-	-	-	-	-	-	-		
ITALJET	JET-SET 4T	150	01/03	S	078	L	S	220	42,2	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	JUPITER	150	02	S	281	R	S	218	42	4,0	5	6,5			689	R	S	230	116	5,0	3	8,5			
ITALJET	MILLENNIUM 4T	150	00/02	S	281	R	S	218	42	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-		
ITALJET	TORPEDO 4T	150	00/02	S	192	L	S	218	42	3,5	4	8,5			Drum	-	-	-	-	-	-	-	-		
180 c.c.															180 c.c.										
ITALJET	DRAGSTER	180	97/98	S	190	L	S	174	38	4,0	5	6,5			-	-	-	-	-	-	-	-	-		
ITALJET	DRAGSTER L.C.	180	99/01	S	190	L	S	174	38	4,0	5	6,5			1071	L	S	240	125	4,0	5	6,5			
ITALJET	DRAGSTER L.C.	180	99/01	S											257	L	S	240	125	4,0	5	6,5			
250 c.c.															250 c.c.										
ITALJET	DRAGSTER	250	03/06	S	190	L	S	174	38	4,0	5	6,5			361	L	S	190	66	4,0	5	6,5			
ITALJET	JUPITER	250	00/03	S	028	R	S	245	115	4,0	6	8,5			689	R	S	230	116	5,0	3	8,5			
500 c.c.															500 c.c.										
ITALJET	SC	500	01	S	418	R	S	276	141	5,0	5	8,7			-	-	-	-	-	-	-	-	-		
900 c.c.															900 c.c.										
ITALJET	GRIFON	900	00	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-		
ITALJET	GRIFON	900	00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5													
JM STAR					JM STAR										JM STAR					JM STAR					
125 c.c.															125 c.c.										
JM STAR	TOMAHAWK II	125	-	S	1201X	R	S22,0	220	58	4,0	3	8,5			-	-	-	-	-	-	-	-	-		
JOTAGAS					JOTAGAS										JOTAGAS					JOTAGAS					
80 c.c.															80 c.c.										
JOTAGAS	JT / JTR	80	18/19	T	715X / 715SP	L	S	185	-	3,0	4	15,5			650X / 650SP	R	S	150	45	3,0	4	6,5			
JOTAGAS	JT / JTR	80	18/19	T											1570X	R	FIM	150	45	3,0	4	6,5			
125 c.c.															125 c.c.										
JOTAGAS	JT / JTR	125	11/19	T	715X / 715SP	L	S	185	-	3,0	4	15,5			650X / 650SP	R	S	150	45	3,0	4	6,5			
JOTAGAS	JT / JTR	125	11/19	T											1570X	R	FIM	150	45	3,0	4	6,5			
250 c.c.															250 c.c.										
JOTAGAS	JT / JTR	250	11/19	T	715X / 715SP	L	S	185	-	3,0	4	15,5			650X / 650SP	R	S	150	45	3,0	4	6,5			
JOTAGAS	JT / JTR	250	11/19	T											1570X	R	FIM	150	45	3,0	4	6,5			
280 c.c.															280 c.c.										
JOTAGAS	JT / JTR	280	11/19	T	715X / 715SP	L	S	185	-	3,0	4	15,5			650X / 650SP	R	S	150	45	3,0	4	6,5			
JOTAGAS	JT / JTR	280	11/19	T											1570X	R	FIM	150	45	3,0	4	6,5			
300 c.c.															300 c.c.										
JOTAGAS	JT / JTR	300	11/19	T	715X / 715SP	L	S	185	-	3,0	4	15,5			650X / 650SP	R	S	150	45	3,0	4	6,5			
JOTAGAS	JT / JTR	300	11/19	T											1570X	R	FIM	150	45	3,0	4	6,5			
JOTAGAS	JTR	300	19/20	T	1854X	L	S	200	-	3,0	4	15,5			1570X	R	FIM	150	45	3,0	4	6,5			
JOTAGAS	MK	300	11/13	E	1280X	L	S	260	118	3,5	6	6,5			372X	R	S	240	115	4,0	6	6,5			
JOTAGAS	MK	300	17/18	E	1280X	L	S	260	118	3,5	6	6,5			422X	R	S	220	115	4,0	6	6,5			
JOTAGAS	JEN	300	19	E	1280X	L	S	260	118	3,5	6	6,5			372X	R	S	240	115	4,0	6	6,5			



KAWASAKI D-TRACKER	125	10/17	F	1576X	L	S	240	96	4,0	6	10,5	1577X	R	S	190	84	4,0	6	10,5
KAWASAKI J SPECIAL EDITION	125	15/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
KAWASAKI J ABS / J SE ABS	125	15/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
KAWASAKI J ABS / J SE ABS	125	17/19	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
KAWASAKI KLX	125	10/17	E	1576X	L	S	240	96	4,0	6	10,5	1577X	R	S	190	84	4,0	6	10,5
KAWASAKI KDX	125	90/03	U	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S	220	100	4,5	6	10,5
KAWASAKI KDX	125	90/03	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KMX	125	86/03	U	172	L	S	230	120	4,0	6	10,5	ND / NA	R	S	210	110	4,5	8	6,5
KAWASAKI KX	125	85	M	1761X	L	MD	250	100	3,0	4	MH	-	-	-	-	-	-	-	-
KAWASAKI KX	125	85	M	137X / 137	L	MDF	250	100	3,0	4	MH								
KAWASAKI KX	125	86/88	M	1761X	L	MD	250	100	3,0	4	MH	ND / NA	R	S	210	110	4,5	8	6,5
KAWASAKI KX	125	86/88	M	137X / 137	L	MDF	250	100	3,0	4	MH								
KAWASAKI KX	125	89/02	M	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KX	125	89/02	M	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KX	125	95/02	M	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI KX	125	95/02	M	1150XBHK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI KX	125	03/05	M	137 / 137X	L	MDF	250	100	3,0	4	MH	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI KX	125	03/05	M	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KX	125	06/08	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI KX	125	06/08	M	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI KX	125	06/08	M	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI KX	125	06/08	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI KX	125	06/08	M	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI KX	125	06/08	M	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI KX	125	06/08	M	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI NINJA ABS	125	19	R	1835X	R	S	290	130	4,5	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI SM	125	06	F	1771G	L	F6,5	320	109	5,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI SM	125	06	F	1013	L	F6,5	320	109	5,0	4	9,5								
KAWASAKI Z ABS	125	19	R	1835X	R	S	290	130	4,5	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI Z 12' / Z PRO 12'	125	16/18	N	1661X	R	S	200	48,3	3,5	4	10,5	1662X	R	S	185	74,3	4,0	4	10,5
140 c.c.												140 c.c.							
KAWASAKI KLX / KLX L	140	11/16	U	756 / 756X	L	S	220	96	3,0	6	9,0	797 / 797X	R	S	184	84	3,0	4	9,5
200 c.c.												200 c.c.							
KAWASAKI KDX	200	86/88	U	1761X	L	MD	250	100	3,0	4	MH	Drum	-	-	-	-	-	-	-
KAWASAKI KDX	200	86/88	U	137X / 137	L	MDF	250	100	3,0	4	MH								
KAWASAKI KDX	200	89/92	U	173	L	S	240	130	3,0	9	10,5	138 / 138X	L	S	220	100	4,5	6	6,5
KAWASAKI KDX	200	94/96	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KDX	200	94/96	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KDX	200	97/06	U	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S	220	100	4,5	6	10,5
KAWASAKI KDX	200	97/06	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KDX SR	200	-	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KDX SR	200	-	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KMX	200	89/92	U	173	L	S	240	130	3,0	9	10,5	-	-	-	-	-	-	-	-
220 c.c.												220 c.c.							
KAWASAKI KDX	220	94/05	U	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S	220	100	4,5	6	10,5
KAWASAKI KDX	220	94/05	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KDX R	220	00/03	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KDX R	220	00/03	U	1761X	L	MD	250	100	3,0	4	MH								
250 c.c.												250 c.c.							
MALAYSIA MODELS																			
KAWASAKI MALAYSIA MODEL Z	250	13	N	1419X	R	S	290	130	5,0	5	10,5	148X	R	S	220	100	5,0	3	10,5
KAWASAKI EL	250	90	C	151	L	S	260	130	5,5	6	10,5	-	-	-	-	-	-	-	-
KAWASAKI EX NINJA R	250	07/12	R	1419X	R	S	290	130	5,0	5	10,5	148 / 148X	R	S	220	100	5,0	3	10,5
KAWASAKI GPX R	250	88/90	R	180	R	S	261	150	5,0	6	10,5	-	R	S	230	110	5,0	4	-
KAWASAKI GPZ R NINJA	250	90/96	R	-	-	-	-	-	-	-	-	148 / 148X	R	S	220	100	5,0	3	10,5
KAWASAKI KDX	250	91/98	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S	220	100	4,5	6	10,5
KAWASAKI KDX	250	91/98	E	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KDX R	250	93/96	E	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KDX R	250	93/96	E	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KDX SR	250	91	U	137 / 137X	L	MDF	250	100	3,0	4	MH	-	-	-	-	-	-	-	-
KAWASAKI KDX SR	250	91	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KLR	250	84/00	U	173	L	S	240	130	3,0	9	10,5	Drum	-	-	-	-	-	-	-
KAWASAKI KLX	250	09/14	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI KLX	250	09/14	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KLX	250	15/17	E	1762X	L	S	250	109	3,0	4	9,5	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI KLX	250	15/17	E	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5								
KAWASAKI KLX / KLX R	250	93/98	U	137 / 137X	L	MDF	250	100	3,0	4	MH	094	R	S	230	100	4,5	6	10,5
KAWASAKI KLX / KLX R	250	93/98	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KLX R	250	93/96	U	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI KLX R	250	93/96	M	1150XBHK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI KLX R	250	07/14	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI KLX R	250	07/14	M	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI KLX R	250	07/14	M	1151XK01	L	KF	*270	109	3,0	4	9,5								



	C.C.	YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
KAWASAKI KLX R	250	07/14	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI KLX R	250	07/14	M	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI KLX R	250	07/14	M	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI KLX R	250	07/14	M	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI KLX S / KLX SF	250	09/14	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1650X	R	S	240	100	5,0	6	10,5
KAWASAKI KLX S / KLX SF	250	09/14	E	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KX	250	85/88	M	137 / 137X	L	MDF	250	100	3,0	4	MH	-	-	-	-	-	-	-	-
KAWASAKI KX	250	85/88	M	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KX	250	89/02	M	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KX	250	89/02	M	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KX	250	95/02	M	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI KX	250	95/02	M	1150XBHK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI KX	250	03/08	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI KX	250	03/08	M	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI KX	250	03/08	M	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI KX	250	03/08	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI KX	250	06/08	M	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI KX	250	06/08	M	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI KX	250	06/08	M	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI KX F	250	04/14	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI KX F	250	04/14	M	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI KX F	250	04/14	M	1151XK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI KX F	250	04/14	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5								
KAWASAKI KX F	250	04/14	M	732K13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI KX F	250	04/14	M	732XK13	L	KF	*318	109	5,0	4	9,5								
KAWASAKI KX F	250	04/14	M	732SPK13	L	KF	*320	109	5,0	4	9,5								
KAWASAKI KX F RACING	250	15/19	M	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4	10,5
KAWASAKI KX F RACING	250	15/19	M	1151XBH	L	F00,0	270	109	3,0	4	9,5								
KAWASAKI KXE F	250	06/07	E	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI KXE F	250	06/07	E	1762X	L	S	250	109	3,0	4	9,5								
KAWASAKI NINJA EX R	250	86/87	R	151	L/R	S	260	130	5,5	6	10,5	-	-	-	-	-	-	-	-
KAWASAKI NINJA EX R	250	07/14	R	1291X	R	S	290	130	5,0	6	10,5	148X / 148	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA SL	250	13/18	R	1419X	R	S	290	130	5,0	5	10,5	1756X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA SL ABS	250	14/18	R	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA ZX	250	13	D	1291X	L/R	S	290	130	5,0	6	10,5	-	R	S	-	-	-	-	-
KAWASAKI SC EPSYLON	250	02/03	S	196	L	S	260	121	4,5	6	10,5	691	L	S	210	109	5,0	5	10,5
KAWASAKI SM / SM F	250	06	F	1771G	L	F6,5	320	109	5,0	4	9,5	799 / 799X	R	S	240	116	4,0	4	10,5
KAWASAKI SM / SM F	250	06	F	1013	L	F6,5	320	109	5,0	4	9,5								
KAWASAKI VERSYS X	250	17	U	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI Z ABS / Z SL ABS	250	15/17	N	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI ZR / ZXR / ZXR R	250	89/02	R	-	-	-	-	-	-	-	-	256	R	S	230	100	5,0	3	10,5
KAWASAKI ZZR	250	92/95	R	765 / 765X	R	F13,5	300	61	4,5	5	10,5	-	-	-	-	-	-	-	-
KAWASAKI ZZR	250	96/04	R	750 / 750X	R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-	-
300 c.c.												300 c.c.							
KAWASAKI J ABS / J RACING ABS	300	17/19	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
KAWASAKI J SE / ABS	300	17/19	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
KAWASAKI J ABS / J RACING ABS	300	14/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X	R	S	240	89	5,0	5	10,5
KAWASAKI J SE / ABS	300	14/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X	R	S	240	89	5,0	5	10,5
KAWASAKI J RACING / SE / ABS	300	14/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
KAWASAKI J SOLUTION	300	14/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X	R	S	240	89	5,0	5	10,5
KAWASAKI J SOLUTION ABS	300	14/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
KAWASAKI J SPECIAL EDITION ABS	300	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
KAWASAKI J SPECIAL EDITION ABS	300	14/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
KAWASAKI KLX	300	96/07	E	-	-	-	-	-	-	-	-	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KLX R	300	96/07	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1383	R	S	220	100	4,5	6	10,5
KAWASAKI KLX R	300	96/07	E	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KLX R	300	96/07	E	1150XK01	L	KF	*270	100	3,0	4	MH								
KAWASAKI KLX R	300	96/07	E	1150XBHK01	L	KF	*270	100	3,0	4	MH								
NINJA MODELS																			
KAWASAKI NINJA KRT EDITION ABS	300	17	R	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA KRT EDITION ABS	300	17	R	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA EX R / R	300	13/17	S3	1419X	R	S	290	130	5,0	5	10,5	148X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA EX R ABS	300	13/17	S3	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA SPECIAL EDITION	300	13/14	S3	1419X	R	S	290	130	5,0	5	10,5	148X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA SPECIAL EDITION ABS	300	13/14	S3	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA WINTER TEST EDITION ABS	300	17	R	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA Z	300	15/17	N	1419X	R	S	290	130	5,0	5	10,5	1756X	R	S	220	100	5,0	3	10,5
KAWASAKI NINJA Z ABS	300	15/17	N	1419X	R	S	290	130	5,0	5	10,5	1752X	R	S	220	100	5,0	3	10,5
VERSYS-X MODELS																			
KAWASAKI VERSYS-X ABS	300	17/18	U	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI VERSYS-X ABS	300	19	U	1835X	R	S	290	130	4,5	5	10,5	1632X	R	S	220	100	5,5	3	10,5
KAWASAKI VERSYS-X X ADVENTURE / ABS	300	17/19	U	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3	10,5

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

																			
KAWASAKI ZX / ZX C1 - C10 NINJA R	600	88/90	R	170	L/R	S	271	130	5,0	6	10,5	1549	R	S	250	130	5,0	6	10,5
KAWASAKI ZX-6R NINJA	600	94/97	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	175 / 175X	R	S	230	100	6,0	4	10,5
KAWASAKI ZX-6R NINJA	600	98/02	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI ZX-6 / ZX-6R NINJA	600	05/15	S6	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI ZX-6 / ZX-6R NINJA	600	05/15	S6	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI ZX-6R NINJA ABS	600	13/18	S6	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
KAWASAKI ZX-6RR NINJA	600	03/04	R	1414X	L/R	F00,0	280	80,5	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5
KAWASAKI ZX-6RR NINJA	600	05/06	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI ZX-6RR NINJA	600	05/06	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI ZZR NINJA	600	90/92	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	175 / 175X	R	S	230	100	6,0	4	10,5
KAWASAKI ZZR NINJA	600	93/06	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	637	R	S	240	100	5,5	4	10,5
636 c.c. NINJA MODELS												636 c.c.							
KAWASAKI NINJA ZX-6	636	17	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI NINJA ZX-6	636	17	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI NINJA ZX-6 ABS KRT EDITION	636	17	R	1559XG / 1559X	L/R	MDF	310	80	5,0	5	MH	100XA	R	S	220	100	4,2	4	10,5
KAWASAKI NINJA ZX-6R	636	02	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI NINJA ZX-6R	636	03/04	R	1414X	L/R	F00,0	280	80,5	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5
KAWASAKI NINJA ZX-6R	636	05/12	R	1056X / 1056	L/R	MDF	300	80	5,0	5	MH	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI NINJA ZX-6R	636	05/12	R	1056XG / 1056G	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI NINJA ZX-6R / ABS	636	13/15	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI NINJA ZX-6R / ABS	636	13/15	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI NINJA ZX-6R ABS	636	16/19	R	1559XG / 1559X	L/R	MDF	310	80	5,0	5	MH	1655X / 1655	R	S	220	100	5,0	4	10,5
KAWASAKI NINJA ZX-6R ABS KRT EDITION	636	16/19	R	1559XG / 1559X	L/R	MDF	310	80	5,0	5	MH	1655X / 1655	R	S	220	100	5,0	4	10,5
650 c.c.												650 c.c.							
KAWASAKI ER 6F / ER 6N	650	06/17	N	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI ER 6F / ER 6N	650	06/17	N	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI ER 6F ABS / ER 6N ABS	650	13/17	N	1701X / 1701XG	L/R	F00,0	300	80	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI F / F ABS	650	06/14	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI F / F ABS	650	06/14	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI KL TENGAI	650	90/91	U	-	-	-	-	-	-	-	-	091 / 091X	R	S	230	120	5,0	6	10,5
KAWASAKI KLR	650	87/89	U	1389	L	S	260	130	4,5	9	10,5	091 / 091X	R	S	230	120	5,0	6	10,5
KAWASAKI KLR	650	90/07	U	694	L	S	280	130	4,0	9	10,5	091 / 091X	R	S	230	120	5,0	6	10,5
KAWASAKI KLR	650	08/12	U	694	L	S	280	130	4,0	9	10,5	-	R	S	240	-	-	-	-
KAWASAKI KLR TENGAI	650	-	U	694	L	S	280	130	4,0	9	10,5	-	-	-	-	-	-	-	-
KAWASAKI KLR TENGAI	650	89/92	U	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	091 / 091X	R	S	230	120	5,0	6	10,5
KAWASAKI KLR TENGAI	650	89/92	U	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI KLX	650	93/97	U	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	094	R	S	230	100	4,5	6	10,5
KAWASAKI KLX	650	93/97	U	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KAWASAKI KLX R	650	93/95	U	137 / 137X	L	MDF	250	100	3,0	4	MH	094	R	S	230	100	4,5	6	10,5
KAWASAKI KLX R	650	93/95	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KLX R	650	93/14	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KAWASAKI KLX R	650	93/14	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KLX R	650	97/03	U	137 / 137X	L	MDF	250	100	3,0	4	MH	094	R	S	230	100	4,5	6	10,5
KAWASAKI KLX R	650	97/03	U	1761X	L	MD	250	100	3,0	4	MH								
KAWASAKI KLX S	650	93/97	U	093	L	S	290	100	4,0	4	10,5	094	R	S	230	100	4,5	6	10,5
NINJA MODELS																			
KAWASAKI NINJA ABS	650	17/19	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	1813X	R	S	220	100	5,0	4	10,5
KAWASAKI NINJA CITY / TOURER	650	07/11	U	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
KAWASAKI NINJA KRT EDITION	650	17	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI NINJA KRT EDITION ABS	650	17/18	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI NINJA PERFORMANCE	650	17	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI NINJA PERFORMANCE ABS	650	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI NINJA PERFORMANCE ABS	650	18/19	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	1813X	R	S	220	100	5,0	4	10,5
KAWASAKI NINJA R	650	06/08	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100	R	S	220	100	4,0	4	10,5
KAWASAKI NINJA R	650	06/08	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
KAWASAKI NINJA SE ABS	650	18/19	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	1813X	R	S	220	100	5,0	4	10,5
KAWASAKI NINJA TOURER	650	17	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI NINJA TOURER ABS	650	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI NINJA TOURER ABS	650	18/19	R	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	1813X	R	S	220	100	5,0	4	10,5
VERSYS MODELS																			
KAWASAKI VERSYS ABS	650	12/14	U	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI VERSYS ABS	650	12/14	U	1056X / 1056XG	R	MDF	300	80	5,0	5	MH								
KAWASAKI VERSYS ABS	650	15/16	U	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5	1782X	R	S	250	100	4,5	4	10,5
KAWASAKI VERSYS ABS	650	15/16	U	1056X / 1056XG	R	MDF	300	80	5,0	5	MH	1782	R	S	250	100	4,5	4	10,5
KAWASAKI VERSYS ABS	650	17/19	U	1701X / 1701XG	L	F00,0	300												



KAWASAKI	VERSYS KLE ABS	650	15/18	U	1056X / 1056XG	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VERSYS TOURER ABS	650	17/18	U	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS TOURER ABS	650	17/18	U	1056X / 1056XG	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VERSYS TOURER PLUS ABS	650	17/18	U	1701X / 1701XG	L	F00,0	300	80	5,0	5	10,5	1789X	R	S	250	100	5,0	4	10,5
KAWASAKI	VERSYS TOURER PLUS ABS	650	17/18	U	1056X / 1056XG	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VERSYS	650	07/14	U	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
VULCAN MODELS																				
KAWASAKI	VULCAN 70 by Mr. MARTINI ABS	650	18	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN 70 by Mr. MARTINI ABS	650	18	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VULCAN S	650	15/16	C	1768	R	MD	300	80	5,0	5	MH	1491 / 1491X	R	S	250	100	4,5	4	MH
KAWASAKI	VULCAN S	650	15/16	C	1056 / 1056X	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VULCAN S	650	15/16	C	1056G / 1056XG	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VULCAN S ABS	650	15/19	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN S ABS	650	15/19	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VULCAN S CAFÉ ABS	650	17/19	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN S CAFÉ ABS	650	17/19	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VULCAN S LIGHT TOURER ABS	650	17/18	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN S LIGHT TOURER ABS	650	17/18	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VULCAN S / S CAFÉ / LIGHT TOURER	650	17	C	1768	R	MD	300	80	5,0	5	MH	1603	R	S	250	100	5,0	4	MH
KAWASAKI	VULCAN S / S CAFÉ / LIGHT TOURER	650	17	C	1056 / 1056X	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VULCAN S / S CAFÉ / LIGHT TOURER	650	17	C	1056G / 1056XG	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VULCAN S SPECIAL EDITION ABS	650	17/18	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN S SPECIAL EDITION ABS	650	17/18	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VULCAN S SE ABS	650	17	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN S SE ABS	650	17	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VULCAN S SE SPORT ABS	650	18	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN S SE SPORT ABS	650	18	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	VULCAN S SPORT	650	17	C	1768	R	MD	300	80	5,0	5	MH	1603	R	S	250	100	5,0	4	MH
KAWASAKI	VULCAN S SPORT	650	17	C	1056G / 1056XG	R	MDF	300	80	5,0	5	MH								
KAWASAKI	VULCAN S SPORT ABS	650	17/18	C	1770	R	MD	300	80	5,0	5	10,5	1789	R	S	250	100	5,0	4	10,5
KAWASAKI	VULCAN S SPORT ABS	650	17/18	C	1701 / 1701G	R	F00,0	300	80	5,0	5	10,5								
KAWASAKI	Z	650	17	N	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI	Z ABS	650	17/18	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI	Z ABS	650	19	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1813X	R	S	220	100	5,0	4	10,5
KAWASAKI	Z SX	650	17	N	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI	Z SX ABS	650	17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI	Z SX PERFORMANCE	650	17	N	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI	Z SX PERFORMANCE ABS	650	17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
KAWASAKI	Z SX TOURER	650	17	N	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	100X / 100	R	S	220	100	4,2/4	4	10,5
KAWASAKI	Z SX TOURER ABS	650	17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1719X	R	S	220	100	4,2	4	10,5
750 c.c.													750 c.c.							
KAWASAKI	GPZ	750	10/11	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	GPZ R	750	85/87	R	170	L/R	S	271	130	5,0	6	10,5	1549	R	S	250	130	5,0	6	10,5
KAWASAKI	GPZ TURBO	750	83/85	R	687	L/R	S	280	130	4,5	6	10,5	151	R	S	260	130	5,5	6	10,5
KAWASAKI	GPZ UNITRAK	750	83/88	R	170	L/R	S	271	130	5,0	6	10,5	151	R	S	260	130	5,5	6	10,5
KAWASAKI	GPX R	750	86/90	R	-	-	-	-	-	-	-	-	637	R	S	240	100	5,5	4	10,5
KAWASAKI	NUE	750	87	R	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	
KAWASAKI	VN VULCAN	750	98	C	1272	L/R	S	260	130	5,0	7	10,5	Drum	-	-	-	-	-	-	
KAWASAKI	Z	750	03/06	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI	Z	750	07/12	R	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	Z E1 / Z E1L / Z TURBO	750	84/86	R	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5
KAWASAKI	Z L ELIMINATOR	750	88	R	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5
KAWASAKI	Z R / Z R ABS	750	11/14	R	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	Z S	750	05/06	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI	ZR ZEPHYR	750	91/94	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-	
KAWASAKI	ZR ZEPHYR	750	92/97	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	175 / 175X	R	S	230	100	6,0	4	10,5
KAWASAKI	ZR	750	98/03	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	637	R	S	240	100	5,5	4	10,5
KAWASAKI	ZR	750	04/06	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI	ZR S	750	99/03	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	637	L	S	240	100	5,5	4	10,5
KAWASAKI	ZX	750	89/90	R	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	-	-	-	-	-	-	-	
KAWASAKI	ZX NINJA / ZX 7R NINJA	750	91/99	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5
KAWASAKI	ZX NINJA / ZX 7R NINJA	750	00/03	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	156	R	S	230	82	6,0	5	10,5
KAWASAKI	ZX 7RR NINJA	750	93/99	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5
KAWASAKI	ZX 7RR NINJA	750	00/04	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	156	R	S	230	82	6,0	5	10,5
KAWASAKI	ZXR R NINJA	750	89/92	R	-	-	-	-	-	-	-	-	1225 / 1225X	R	S	230	82	4,0	5	10,5
KAWASAKI	ZXR R NINJA	750	93/95	R	-	-	-	-	-	-	-	-	156	R	S	230	82	6,0	5	10,5
800 c.c.																				



KAWASAKI W STREET	800	19	D	-	R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-	-
KAWASAKI W CAFÉ	800	19	D	-	R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-	-
KAWASAKI Z / Z E	800	12	N	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
KAWASAKI Z / Z E	800	12	N	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI Z / Z E	800	13/17	N	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
KAWASAKI Z / Z E	800	13/17	N	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI Z ABS / Z E ABS	800	12	R	1559X	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
KAWASAKI Z ABS / Z E ABS	800	12	R	1559XG	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI Z ABS / Z E ABS	800	13/17	R	1559X	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
KAWASAKI Z ABS / Z E ABS	800	13/17	R	1559XG	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI Z SUGOMI EDITION ABS	800	15	N	1559X	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
KAWASAKI Z SUGOMI EDITION ABS	800	15	N	1559XG	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI Z SUGOMI EDITION ABS	800	16→	N	1559X	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
KAWASAKI Z SUGOMI EDITION ABS	800	16→	N	1559XG	L/R	MDF	310	80	5,0	5	MH									
900 c.c.				900 c.c.																
KAWASAKI ELIMINATOR	900	85/87	C	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-	
KAWASAKI GPZ	900	86	R	-	L/R	s	280	-	-	-	-	156	R	S	230	82	6,0	5	10,5	
KAWASAKI GPZ NINJA / GPZ R NINJA	900	84→	R	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5	
KAWASAKI GPZ R NINJA	900	90/03	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	1549	R	S	250	130	5,0	6	10,5	
VN VULCAN MODELS																				
KAWASAKI VN VULCAN CLASSIC SPECIAL EDITION	900	11/17	CVT	1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
KAWASAKI VN VULCAN CUSTOM	900	06/09	CVT	1372	L	S	300	130	5,0	5	10,5	1421	R	S	270	130	5,0	5	10,5	
KAWASAKI VN VULCAN CUSTOM ALUM. WHEELS	900	07/15	CVT	1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
KAWASAKI VN VULCAN LIGHT TOURER	900	14/17	CVT	1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
KAWASAKI VN VULCAN / CLASSIC	900	06/17	CVT	1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
KAWASAKI ZL ELIMINATOR	900	85/87	R	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5	
KAWASAKI ZX 9R NINJA	900	94/95	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5	
KAWASAKI ZX 9R NINJA	900	96/97	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	156	R	S	230	82	6,0	5	10,5	
KAWASAKI ZX 9R NINJA	900	98/99	R	1212	L/R	F13,2	296	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
KAWASAKI ZX 9R NINJA	900	00/01	R	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
KAWASAKI ZX 9R NINJA	900	02/03	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
948 c.c.				948 c.c.																
KAWASAKI Z 900 ABS	948	16/17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1218X	R	S	250	110	5,5	4	10,5	
KAWASAKI Z 900 A2 ABS	948	18/19	N	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	1716X / 1716	R	S	250	110	5,0	4	10,5	
KAWASAKI Z 900 PERFORMANCE ABS	948	16/17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1218X	R	S	250	110	5,5	4	10,5	
KAWASAKI Z 900 PERFORMANCE A2 ABS	948	18/19	N	1623X / 1623	L/R	F00,0	300	142,2	5,0	5	10,5	1716X / 1716	R	S	250	110	5,0	4	10,5	
Z RS MODELS																				
KAWASAKI Z RS 900 ABS / 900 CAFÉ ABS	948	18/19	D	1623 / 1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1716 / 1716X	R	S	250	110	5,0	4	10,5	
1000 c.c.				1000 c.c.																
KAWASAKI ELIMINATOR	1000	86/90	C	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5	
KAWASAKI GPX / GPX RX	1000	86/89	R	687	L/R	S	280	130	4,5	6	10,5	151	R	S	260	130	5,5	6	10,5	
KAWASAKI GPZ RX	1000	85→	R	687	L/R	S	280	130	4,5	6	10,5	-	R	S	-	-	-	-	-	
KAWASAKI GTR	1000	86/89	R	170	L/R	S	271	130	5,0	6	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5	
KAWASAKI GTR	1000	90/93	R	170	L/R	S	271	130	5,0	6	10,5	156	R	S	230	82	6,0	5	10,5	
KAWASAKI GTR	1000	94/06	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	687	R	S	280	130	4,5	6	10,5	
KAWASAKI GTR CONCOURS	1000	86/93	R	170	L/R	S	271	130	5,0	6	10,5	156	R	S	230	82	6,0	5	10,5	
KAWASAKI KLV	1000	04/07	U	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5	
NINJA MODELS																				
KAWASAKI NINJA H2 ABS / H2 R ABS	1000	15/19	R	1811G	L/R	F00,0	330	148,4	5,5	5	10,5	1812	C	S	250	70	5,0	5	10,5	
KAWASAKI NINJA H2 CARBON ABS	1000	15/19	R	1811G	L/R	F00,0	330	148,4	5,5	5	10,5	1812	C	S	250	70	5,0	5	10,5	
KAWASAKI NINJA H2 SX ABS	1000	19	R	--	L/R	F00,0	320	-	-	-	-	1812	C	S	250	70	5,0	5	10,5	
KAWASAKI NINJA H2 SX SE / H2 SX SE + / ABS	1000	19	R	--	L/R	F00,0	320	-	-	-	-	1812	C	S	250	70	5,0	5	10,5	
KAWASAKI NINJA ZX	1000	88/92	R	-	-	-	-	-	-	-	-	1549	R	S	250	130	5,0	6	10,5	
KAWASAKI NINJA ZX-10R	1000	04/07	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
KAWASAKI NINJA ZX-10R	1000	04/07	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH									
KAWASAKI NINJA ZX-10R	1000	08/10	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	100X / 100	R	S	220	100	4,2/4	4	10,5	
KAWASAKI NINJA ZX-10R	1000	08/10	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI NINJA ZX-10R ABS	1000	11/15	SB	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	1726X	R	S	220	100	4,2	4	10,5	
KAWASAKI NINJA ZX-10R ABS	1000	11/15	SB	1056 / 1056G	L/R	MDF	300	80	5,0	5	MH	1726	R	S	220	100	4,2	4	10,5	
KAWASAKI NINJA ZX-10R ABS	1000	16/17	SB	1537G / 1537	L/R	F00,0	330	80,5	5,0	5	10,5	1655 / 1655X	R	S	220	100	5,0	4	10,5	
KAWASAKI NINJA ZX-10R ABS / ZX-10R SE ABS	1000	18/19	SB	1641XG / 1641G	L/R	F11,7	330	70,0	5,0	5	10,5	1655X / 1655	R	S	220	100	5,0	4	10,5	
KAWASAKI NINJA ZX-10R PERFORMANCE ABS	1000	16/17	SB	1537G / 1537	L/R	F00,0	330	80,5	5,0	5	10,5	1655 / 1655X	R	S	220	100	5,0	4	10,5	
KAWASAKI NINJA ZX-10RR ABS	1000	17/19	SB	1641XG / 1641G	L/R	F11,7	330	70,0	5,0	5	10,5	1655X / 1655	R	S	220	100	5,0	4	10,5	
KAWASAKI NINJA ZX-10RR KRT ABS	1000	16/17	SB	1537G / 1537	L/R	F00,0	330	80,5	5,0	5	10,5	1655 / 1655X	R	S	220	100	5,0	4	10,5	
VERSYS MODELS																				
KAWASAKI VERSYS ABS / SE ABS	1000	16/19	U	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
KAWASAKI VERSYS ABS / SE ABS	1000	16/19	U	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI VERSYS GRAND TOURER ABS	1000	16/18	U	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
KAWASAKI VERSYS GRAND TOURER ABS	1000	16/18	U	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH									
KAWASAKI VERSYS LT ABS	1000	12/14	U	1056XG / 1056X	L/R	MDF	300	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
KAWASAKI VERSYS LT ABS	1000	12/14	U	1056G / 1056	L/R	MDF	300	80	5,0	5	MH									
KAWASAKI VERSYS LT ABS	1000	15/18	U	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
KAWASAKI VERSYS LT ABS	1000	15/18	U	1213X / 1213	L/R	MDF	310	80	5,0	5	MH									

		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
KAWASAKI	VERSYS	VERSYS	1000	11/15	U	1056XG / 1056X	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	VERSYS	TOURER / PLUS / ABS	1000	16/18	U	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	VERSYS	TOURER / PLUS / ABS	1000	16/18	U	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	Z		1000	03/06	N	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
KAWASAKI	Z		1000	15/17	N	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	Z		1000	15/17	N	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	Z	ABS	1000	15/17	N	1559XG / 1559G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	Z	ABS	1000	15/17	N	1559	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	Z	ABS	1000	18/19	N	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	Z / Z	ABS	1000	07/14	N	1056XG / 1056X	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	Z	Z K1 LTD	1000	81→	N	188	L/R	S	300	170	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5
KAWASAKI	Z	J1 / Z J2	1000	81/83	N	-	-	-	-	-	-	-	-	103	R	S	270	130	5,0	7	10,5
KAWASAKI	Z	L	1000	87	C	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5
KAWASAKI	Z	L	1000	86/88	C	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5
KAWASAKI	Z	R	1000	83	N	-	-	-	-	-	-	-	-	188	R	S	300	170	5,0	7	10,5
KAWASAKI	Z	R EDITION ABS	1000	17/19	N	1633XG / 1633G	L/R	F00,0	310	80	5,5	5	10,5	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	Z	SE	1000	12/13	N	1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	Z	SUGOMI EDITION ABS	1000	15/16	N	1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	Z	SR	1000	11/12	R	1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	Z	SX / Z SX ABS	1000	12/16	N	1056XG	L/R	MDF	300	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	Z	SX / Z SX ABS	1000	17/19	R	1647XG / xxxxG	L/R	F00,0	300	80	5,5	5	10,5	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	Z	SX TOURER / ABS	1000	17	R	1647XG / xxxxG	L/R	F00,0	300	80	5,5	5	10,5	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	Z	SX PERFORMANCE / ABS	1000	17	R	1647XG / xxxxG	L/R	F00,0	300	80	5,5	5	10,5	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	ZZ	R	1000	93/01	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-
1100 c.c.													1100 c.c.								
KAWASAKI	GPZ		1100	82	R	1276	L/R	S	280	130	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5
KAWASAKI	GPZ		1100	83/85	R	687	L/R	S	280	130	4,5	6	10,5	188	R	S	300	170	5,0	7	10,5
KAWASAKI	GPZ		1100	95/98	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	188	R	S	300	170	5,0	7	10,5
KAWASAKI	GPZ	HORIZONT ABS	1100	96/98	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-	-
KAWASAKI	GPZ	S	1100	95/01	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-	-
KAWASAKI	Z	GP / Z SPECTRE	1100	81/83	R	188	L/R	S	300	170	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5
KAWASAKI	Z	R	1100	84	R	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	188	R	S	300	170	5,0	7	10,5
KAWASAKI	ZR	ZEPHYR	1100	92/95	C	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5
KAWASAKI	ZR	ZEPHYR	1100	96/98	C	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	156	R	S	230	82	6,0	5	10,5
KAWASAKI	ZRX		1100	99/00	R	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	1262	R	S	250	100	5,0	5	10,5
KAWASAKI	ZX	NINJA / ZZR NINJA	1100	89/99	R	-	-	-	-	-	-	-	-	1549	R	S	250	130	5,0	6	10,5
KAWASAKI	ZX	NINJA / ZZR NINJA	1100	90/92	R	776	L/R	F13,2	310	61	5,0	5	10,5	1549	R	S	250	130	5,0	6	10,5
KAWASAKI	ZX	NINJA / ZZR NINJA	1100	93/01	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-
1200 c.c.													1200 c.c.								
KAWASAKI	ZRX	/ ZRX R / ZRX S	1200	01/06	R	776	L/R	F13,2	310	61	5,0	5	10,5	1262	R	S	250	100	5,0	5	10,5
KAWASAKI	ZX	12R	1200	00/03	R	166X / 166	L/R	F13,2	320	61	5,0	5	10,5	1182X	R	S	230	102	5,0	4	10,5
KAWASAKI	ZX	12R	1200	04/07	R	750X	L/R	F13,2	300	61	5,0	5	10,5	1182X	R	S	230	102	5,0	4	10,5
KAWASAKI	ZZR		1200	02/05	C	166	L/R	F13,2	320	61	5,0	5	10,5	1262	R	S	250	100	5,0	5	10,5
1400 c.c. GTR MODELS													1400 c.c.								
KAWASAKI	GTR	ABS / GRAND TOURER ABS	1400	07/18	R	1559X / 1559XG	L/R	MDF	310	80	5,0	5	MH	1524X	R	S	270	110	5,5	4	10,5
KAWASAKI	GTR	GTR / GRAND TOURER	1400	07/18	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1524X	R	S	270	110	5,5	4	10,5
KAWASAKI	GTR	GTR / GRAND TOURER	1400	07/18	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	ZX14		1400	07/15	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	ZX14		1400	07/15	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	ZX14	ABS	1400	07/15	R	1559XG	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	ZZR		1400	06/16	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	ZZR		1400	06/16	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	ZZR	ABS	1400	06/16	R	1559XG	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
KAWASAKI	ZZR	ABS	1400	17/18	R	1559XG	L/R	MDF	310	80	5,0	5	MH	1606X	R	S	250	110	6,0	4	10,5
ZZR PERFORMANCE MODELS																					
KAWASAKI	ZZR	PERFORMANCE ABS	1400	15/18	R	1559G / 1559XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	ZZR	PERFORMANCE ABS	1400	15/18	R	1559	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	ZZR	PERFORMANCE ABS	1400	19	R	1633G / 1633XG	L/R	F00,0	310	80	5,5	5	10,5	1606 / 1606X	R	S	250	110	6,0	4	10,5
KAWASAKI	ZZR	PERFORMANCE PERFORMANCE SP(	1400	15/18	R	1559XG / 1559G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
KAWASAKI	ZZR	PERFORMANCE PERFORMANCE SP(	1400	15/18	R	1559	L/R	MDF	310	80	5,0	5	MH								
KAWASAKI	ZZR	PERFORMANCE SPORT ABS	1400	19	R	1633G / 1633XG	L/R	F00,0	310	80	5,5	5	10,5	1606 / 1606X	R	S	250	110			

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
KAWASAKI	VN VULCAN SE	1500	88/92	C	1037	L	S	300	130	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5
KAWASAKI	VN VULCAN VN VULCAN	1500	88/95	C	1037	L	S	300	130	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5
1600 c.c.					1600 c.c.															
KAWASAKI	CLASSIC	1600	03/08	C	1372	L/R	S	300	130	5,0	5	10,5	-	-	S	-	-	7,0	7	10,5
KAWASAKI	CLASSIC TOURER	1600	05/08	C	1372	L/R	S	300	130	5,0	5	10,5	-	-	S	-	-	7,0	7	10,5
KAWASAKI	MEAN STREAK	1600	04/08	C	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-
1700 c.c.					1700 c.c.															
KAWASAKI	CLASSIC / TOURER / ABS	1700	10/14	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-	-
KAWASAKI	CLASSIC TOURER	1700	09/14	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	300	-	-	-	-
KAWASAKI	VN VULCAN	1700	09/16	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-	-
KAWASAKI	VOYAGER CUSTOM	1700	11/16	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	300	-	-	-	-
KAWASAKI	NOMAD	1700	14/16	CVT	--	L/R	-	300	-	-	-	-	-	-	-	300	-	-	-	-
2000 c.c.					2000 c.c.															
KAWASAKI	CLASSIC	2000	08/09	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-	-
KAWASAKI	VN VULCAN	2000	04/07	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-	-
KEEWAY ELECTRIC					KEEWAY ELECTRIC															
KEEWAY	e-Zi	E	19	SV	-	L	S	180	-	-	-	-	Drum	-	-	-	-	-	-	-
50 c.c.					50 c.c.															
KEEWAY	FACT EVO 2T / 4T	50	15/19	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
KEEWAY	FACT EVO 2T / 4T	50	15/19	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
KEEWAY	HURRICANE	50	07/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
KEEWAY	PIXEL	50	08/11	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
KEEWAY	RY6	50	17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
KEEWAY	URBAN BLADE 4T	50	18/19	S	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
KEEWAY	X-BLADE	50	17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	-	R	S	180	-	-	-	-
KEEWAY	ZAHARA 4T	50	15/19	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
KEEWAY	ZAHARA 4T	50	15/19	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
125 c.c.					125 c.c.															
KEEWAY	BENELLI MACIS / BLADE	125	15/16	S	-	L	S	240	-	-	-	-	-	L	S	240	-	-	-	-
KEEWAY	CITYBLADE 4T Efi CBS	125	15/19	S	-X	L	S	240	-	4,0	6	6,5	-X	R	S	220	-	4,0	6	6,5
KEEWAY	Efi - RE-EVOLUTION	125	08/12	S	364	L	S	240	105	4,0	4	10,5	364	L	S	240	105	4,0	4	10,5
KEEWAY	K-BLADE CBS	125	16/19	S	-	R	S	220	-	4,0	4	-	Drum	-	-	-	-	-	-	-
KEEWAY	K-BLADE CBS	125	16/19	S	-	R	S	220	-	4,0	-	-	-	-	-	180	-	-	-	-
KEEWAY	K-LIGHT 4T CBS	125	18/19	D	-	R	S	280	-	4,0	6	6,5	1431	R	S	239	110	5,0	6	6,5
KEEWAY	LOGIK	125	08/12	S	364	L	S	240	105	4,0	4	10,5	364	L	S	240	105	4,0	4	10,5
KEEWAY	LOGIK i 4T Efi CBS	125	13/19	S	364	L	S	240	105	4,0	4	10,5	043	L	S	220	105	4,0	4	10,5
KEEWAY	OUTLOOK	125	08→	S	451	L	S	220	105	4,0	4	10,5	451	-	S	220	105	4,0	4	10,5
KEEWAY	RK	125	15/17	C	-	-	-	-	-	-	-	-	-	R	S	190	-	-	-	-
KEEWAY	RKF CBS E4	125	18/19	N	-X	L	Sxx,x	260	-	4,0	6	-	-X	R	S	220	-	-	6	-
KEEWAY	RKS CBS	125	18/19	N	-	R	S	230	-	-	6	-	-	R	S	-	-	-	-	-
KEEWAY	RKS SPORT Efi	125	15/19	R	-	R	S	230	-	4,0	6	-	-X	R	S	180	-	-	4	-
KEEWAY	RKV Efi CBS	125	10/19	N	1605X	L	S	260	112,7	4,0	6	6,5	1431X	R	S	239	110	5,0	6	6,5
KEEWAY	RKR CBS	125	18/19	R	-X	L	Sxx,x	260	-	5,0	6	6,5	-X	R	S	240	-	-	-	-
KEEWAY	SILVERBLADE Efi	125	15/17	S	-	L/R	S	256	-	-	-	-	-	R	S	256	-	-	-	-
KEEWAY	SPEED	125	09/17	N	1664G	L	F11,2	219	50	4,0	4	8,5	1665	R	S	190	58,2	4,0	4	10,5
KEEWAY	SUPERLIGHT LIMITED CBS	125	10/19	C	1618	L	S	276	132	4,0	6	10,5	-	-	-	240	-	-	6	-
KEEWAY	SUPERLIGHT STANDARD CBS	125	17/19	C	1618	L	S	276	132	4,0	6	10,5	Drum	-	-	-	-	-	-	-
KEEWAY	TARGET CBS	125	18/19	S	-	R	S	Sxx,x	217	-	-	-	Drum	-	-	-	-	-	-	-
KEEWAY	TX 2 / TX S	125	16/19	F	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TX ADVENTURE	125	19	U	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TX CBS	125	12/19	U	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	TXM 4T CBS	125	17/19	F	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	ZAHARA	125	15/19	S	303	L	S	190	58	4,0	3	8,5	-	-	S	190	-	-	-	-
KEEWAY	ZAHARA	125	15/19	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
150 c.c.					150 c.c.															
KEEWAY	OUTLOOK	150	07	S	364	L	S	240	105	4,0	4	10,5	364	L	S	240	105	4,0	4	10,5
KEEWAY	OUTLOOK	150	08→	S	451	L	S	220	105	4,0	4	10,5	451	L	S	220	105	4,0	4	10,5
200 c.c.					200 c.c.															
KEEWAY	TX EN / TX SM	200	11/14	E	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	KXM	200	12/14	E	1430X	L	S	280	112,7	4,0	6	6,5	1431X / 1431	R	S	239	110	5,0	6	6,5
KEEWAY	RK / RKV / RKS / RKS S	200	11/16	N	-	R	S	260	-	-	-	-	1431X / 1431	R	S	239	110	5,0	6	6,5
250 c.c.					250 c.c.															
KEEWAY	CRUISER Efi	250	09/15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KEEWAY	SILVERBLADE Efi CBS	250	15/19	S	-	L/R	S	250	-	-	-	-	-	R	S	250	-	-	-	-
KEEWAY	BENELLI BN	250	16	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
302 c.c.					302 c.c.															
KEEWAY	BENELLI BN	302	15/17	N	1818X / 1818XG	L/R	FMD	260	112	4,0	5/6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
350 c.c.					350 c.c.															
KEEWAY	BENELLI ZEN ZERO	350	15/16	N	-	L	S	256	-	-	-	-	-	R	S	256	-	-	-	-
KENROD 125 c.c.					KENROD 125 c.c.															
KENROD	BRAVO	125	17/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
KL 50 c.c.					KL 50 c.c.															



KL	HELIO SR750	50	98	S	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-				
KL	HELIO SR750	50	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
KL	KRYPTON	50	99	S	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-				
KL	KRYPTON	50	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
125 c.c.					125 c.c.																		
KL	NOX / PROXY / PULSAR	125	00/01	E	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-				
KL	NOX / PROXY / PULSAR	125	00/01	E	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
150 c.c.					150 c.c.																		
KL	NOX / PROXY / PULSAR	150	00/01	E	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-				
KL	NOX / PROXY / PULSAR	150	00/01	E	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
KREIDLER					KREIDLER																		
50 c.c.					50 c.c.																		
KREIDLER FLORETT 2.1 RS / CITY					50	14/15	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
KREIDLER FLORETT 2.1 RS / CITY					50	14/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
KSR MOTO					KSR MOTO																		
ELECTRIC					ELECTRIC																		
KSR	EPICO	E	12/13	SV	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	EPICO	E	12/13	SV	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	EPICO	E	12/13	SV	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
50 c.c.					50 c.c.																		
KSR	CRACKER 2T / 4T	50	09/15	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	CRACKER 2T / 4T	50	09/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	CRACKER 2T / 4T	50	09/15	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	DEMONIO	50	18/19	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KSR	EPICO	50	12/17	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	EPICO	50	12/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	EPICO	50	12/17	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	GT - RACE	50	09	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	GT - RACE	50	09	S	1507 / 1507X	L	MD	180	58	4,0	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	IDEO / XOR 2T	50	05/14	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	IDEO / XOR 2T	50	05/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	IDEO / XOR 2T	50	05/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	PANDORA	50	18/19	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KSR	RACE 2 2T / 4T	50	10/14	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	RACE 2 2T / 4T	50	10/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	RACE 2 2T / 4T	50	10/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	ROC / SIRION 2T / 4T	50	08/11	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	ROC / SIRION 2T / 4T	50	08/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	ROC / SIRION 2T / 4T	50	08/11	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	SIRION	50	18/19	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KSR	TR SM COMPETITION	50	17	S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KSR	TRIGGER	50	02→	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	TRIGGER	50	02→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	TRIGGER	50	02→	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	VERTIGO 4T	50	12/14	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	VERTIGO 4T	50	12/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	VERTIGO 4T	50	12/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	VIONIS	50	18/19	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125 c.c.					125 c.c.																		
KSR	GRS BLACK EDITION	125	17/18	N	-X	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KSR	SIRION 4T	125	02/14	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	SIRION 4T	125	02/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	SIRION 4T	125	02/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	SOHO	125	15/16	S	-	L	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KSR	XOR	125	05/11	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	XOR	125	05/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	XOR	125	05/11	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KSR	RUMBLER	125	13/14	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KSR	RUMBLER	125	13/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	-	-	-
KSR	RUMBLER	125	13/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	-	-	-
KTM					KTM																		
- c.c.					- c.c.																		
ALL MODELS																							
KTM	ALL MODELS REVERSE SUSPENSION	-	07/08	E	725K11	L	KF	*320	127	5,0	6	6,5	-	-	-	-	-	-	-	-	-	-	-
KTM	ALL MODELS REVERSE SUSPENSION	-	07/08	E	725XK11	L	KF	*318	127	5,0	6	6,5	-	-	-	-	-	-	-	-	-	-	-
KTM	ALL MODELS REVERSE SUSPENSION	-	07/08	E	725SPK11	L	KF	*320	127	5,0	6	6,5	-	-	-	-	-	-	-	-	-	-	-
KTM	ALL MODELS REVERSE SUSPENSION	-	07/08	E	730K11	L	KF	*320	127	4,0	6	6,5	-	-	-	-	-	-	-	-	-	-	-
ELECTRIC					ELECTRIC																		
KTM	E-ROCKIT	E	13	FV	1681X	L	S	240	95	4,0	4	6,5	1481X	R	S	220	110	4,0	4	6,5	-	-	-
KTM	FREERIDE E-SM / E-SX	E	15/17	FV	1777X	L	S	260	95	3,0	4	6,5	1493X	R	S	230	110	4,0	4	6,5	-	-	-
KTM	FREERIDE E-SM / E-SX	E	15/17	FV	1324X	L	F00,0	260	95	3,0	4	6,5	-	-	-	-	-	-	-	-	-	-	-
KTM	FREERIDE E-SX	E	12/14	MV	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5	-	-	-
KTM	FREERIDE E-SX	E	12/14	MV	1324XK20	L	KF	*260	95	3,0	4	6,5	-	-	-	-	-	-	-	-	-	-	-
KTM	FREERIDE E-SX	E	12/14	MV	-	-	-	-	-	-	-	-	1481XK25	R	KS	*220	110	4,0	4	6,5	-	-	-

				FRONT										REAR										
		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			
KTM	FREERIDE E-XC	E	15/19	EV	1718X	L	S	260	95	4,2	4	6,5		1493X	R	S	230	110	4,0	4	6,5			
KTM	SX-E5 (4 - 10 years)	E	20	MV	1374X	L	S	160	72	3,0	4	6,5		1374X	R	S	160	72	3,0	4	6,5			
50 c.c.															50 c.c.									
KTM	EXC	50	97	A	072	L	S	240	72	3,5	4	6,5		073	R	S	185	70	3,5	6	6,5			
KTM	EXC	50	99/00	A	114	L	S	240	72	3,5	6	6,5		127	R	S	185	45	3,5	5	6,5			
KTM	KROSS	50	94/99	A	023	L	S	190	58	3,5	3	8,5		-	-	-	-	-	-	-	-			
KTM	KROSS	50	94/99	A	1022 / 1022X	L	MD	190	58	3,7	3	MH												
KTM	SX	50	08/13	A-M	1374X	L	S	160	72	3,0	4	6,5		1375X	R	S	140	45	3,2	5	6,5			
KTM	SX	50	12/13	A-M	1378XK21	L	KF	*185	72	3,0	4	6,5												
KTM	SX / SX MINI 2T 4 / 10 years	50	14/20	A-M	1374X	L	S	160	72	3,0	4	6,5		1374X	R	S	160	72	3,0	4	6,5			
KTM	SX / SX MINI 2T 4 / 10 years	50	14/19	A-M	1378XK21	L	KF	*185	72	3,0	4	6,5												
60 c.c.															60 c.c.									
KTM	SX	60	99/00	A-M	178	L	S	198	-	3,0	3	6,5		-	-	-	-	-	-	-	-			
65 c.c.															65 c.c.									
KTM	SX 2T 8 / 12 years	65	98/20	A-M	1025X / 1025	L	S	198	89	3,0	3	6,5		1026X / 1026	R	S	160	45,5	3,0	4	6,5			
KTM	SX 2T 8 / 12 years	65	98/19	A-M	1379XK22	L	KF	*225	89	3,0	3	6,5												
KTM	SXS	65	12/13	A-M	1025X / 1025	L	S	198	89	3,0	3	6,5		1026X / 1026	R	S	160	45,5	3,0	4	6,5			
KTM	XC	65	08/09	A-M	1025 / 1025X	L	S	198	89	3,0	3	6,5		1026 / 1026X	R	S	160	45,5	3,0	4	6,5			
80 c.c.															80 c.c.									
KTM	MX	80	00/02	A-M	178	L	S	198	-	3,0	3	6,5		1026 / 1026X	R	S	160	45,5	3,0	4	6,5			
85 c.c.															85 c.c.									
KTM	XC	85	07/09	A-M	1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5			
KTM	SX	85	03	A-M	178	L	S	198	-	3,0	3	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5			
KTM	SX 17 / 14'	85	19	A-M	1681X	L	S	240	95	4,0	4	6,5		1281X	R	S	210	110	4,0	4	6,5			
KTM	SX 17 / 14'	85	19	A-M	1324XK20	L	KF	*260	95	3,0	4	6,5												
KTM	SX 17 / 14'	85	19	A-M										1481XK25	R	KS	*220	110	4,0	4	6,5			
KTM	SX 17 / 14' - 19 / 16'	85	03/12	A-M	1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5			
KTM	SX 17 / 14' - 19 / 16'	85	13/16	A-M	1394X	L	S	240	95	3,0	4	6,5		1281X	R	S	210	110	4,0	4	6,5			
KTM	SX 17 / 14' - 19 / 16'	85	12/16	A-M	1324XK20	L	KF	*260	95	3,0	4	6,5												
KTM	SX 17 / 14' - 19 / 16'	85	13/16	A-M										1481XK25	R	KS	*220	110	4,0	4	6,5			
KTM	SX 17 / 14' - 19 / 16'	85	17/20	A-M	1681X	L	S	240	95	4,0	4	6,5		1281X	R	S	210	110	4,0	4	6,5			
KTM	SX 17 / 14' - 19 / 16'	85	17/19	A-M	1324XK20	L	KF	*260	95	3,0	4	6,5												
KTM	SX 17 / 14' - 19 / 16'	85	17/19	A-M										1481XK25	R	KS	*220	110	4,0	4	6,5			
KTM	XC	85	11/15	M	1029 / 1029X	L	S	220	95	3,0	4	6,5		1281X	L	S	210	110	4,0	4	6,5			
105 c.c.															105 c.c.									
KTM	SX	105	04/15	M	1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5			
KTM	XC	105	08/09	M	1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5			
125 c.c.															125 c.c.									
KTM	DUKE	125	11/12	N	1310	L	MD	280	60,5	4,0	6	MH		1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE / DUKE ABS	125	13/16	N	1438	L	MD	300	60,5	5,0	6	MH		1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE / DUKE ABS	125	13/16	N	1596GK32	L	KF	*320	60,5	5,0	6	MH												
KTM	DUKE / DUKE ABS	125	13/16	N	1596XGK32	L	KF	*320	60,5	5,0	6	MH												
KTM	DUKE / DUKE ABS	125	17/19	N	1645 / 1645X	L	S	300	90	5,0	6	10,5		1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE / DUKE ABS	125	17/19	N	1705X / 1705	L	F00,0	300	90	5,0	6	10,5												
KTM	DUKE / DUKE ABS	125	17/19	N	1642GK32	L	KF	*320	90	5,0	6	10,5												
KTM	DUKE / DUKE ABS	125	17/19	N	1642XGK32	L	KF	*320	90	5,0	6	10,5												
KTM	EGS	125	93/97	E	139	L	S	240	-	3,7	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EGS	125	93/97	E										129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC	125	90/97	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		-	-	-	-	-	-	-	-			
KTM	EXC	125	90/97	E	1725X	L	F00,0	260	-	3,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	98/08	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EXC / EXC SIX DAYS	125	98/08	E	1725X	L	F00,0	260	-	3,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC	125	00/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5												
KTM	EXC	125	00/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	04/08	E	725K27	L	KF	*320	127	5,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	04/08	E	725XK27	L	KF	*318	127	5,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	04/08	E	725SPK27	L	KF	*320	127	5,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	09/17	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EXC / EXC SIX DAYS	125	09/17	E	1725X	L	F00,0	260	-	3,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC / EXC SIX DAYS	125	09/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	09/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5												
KTM	EXC / EXC SIX DAYS	125	09/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5												
KTM	GS	125	90/92	E	139	L	S	240	-	3,7	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	GS	125	90/92	E										129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	GS	125	93/97	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	GS	125	93/97	E	1725X	L	F00,0	260	-	3,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	GS	125	93/97	E	1254XK16	L	KF	*270	-	3,0	6	6,5												
KTM	GS	125	93/97	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
KTM	MX	125	88/92	M	140 /																			



KTM	MX	125	92	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	RC / RC ABS	125	14/16	R	1438	L	MD	300	60,5	5,0	6	MH	1311 / 1311X	R	S	230	104	4,0	6	10,5
KTM	RC / RC ABS	125	14/16	R	1596GK32	L	KF	*320	60,5	5,0	6	MH								
KTM	RC / RC ABS	125	14/16	R	1596XGK32	L	KF	*320	60,5	5,0	6	MH								
KTM	RC / RC ABS	125	17/19	R	1645 / 1645X	L	S	300	90	5,0	6	10,5	1311 / 1311X	R	S	230	104	4,0	6	10,5
KTM	RC / RC ABS	125	17/19	R	1705 / 1705X	L	F00,0	300	90	5,0	6	10,5								
KTM	RC / RC ABS	125	17/19	R	1642GK32	L	KF	*320	90	5,0	6	10,5								
KTM	RC / RC ABS	125	17/19	R	1642XGK32	L	KF	*320	90	5,0	6	10,5								
KTM	SX 2T	125	93/20	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX 2T	125	93/20	M	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	SX 2T	125	93/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	125	93/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	125	09/17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	125	09/17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	125	00/08	M	725K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T	125	00/08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX 2T	125	00/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T	125	09/17	M	725K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T	125	09/17	M	725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX 2T	125	09/17	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS	125	00/12	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SXS	125	00/12	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SXS	125	00/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	00/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	09/10	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	09/10	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS	125	09/12	M	725K11	L	KF	*320	127	5,0	6	6,5								
KTM	SXS	125	09/12	M	725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SXS	125	09/12	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC-W 2T	125	17/19	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W 2T	125	17/19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC-W 2T	125	17/19	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W 2T	125	17/19	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
144 c.c.					144 c.c.															
KTM	SX	144	07/12	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX	144	07/12	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX	144	07	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	144	07	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	144	08/12	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX	144	08/12	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX	144	08/12	M	725K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX	144	08/12	M	725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX	144	08/12	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
150 c.c.					150 c.c.															
KTM	SX 2T	150	07/20	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX 2T	150	07/20	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX 2T	150	07	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	150	07	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	150	08/17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	150	08/17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX 2T	150	07/08	M	725K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T	150	07/08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX 2T	150	07/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T	150	09/17	M	725K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX 2T	150	09/17	M	725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX 2T	150	09/17	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC	150	09/16	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC	150	09/16	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC	150	09/16	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC	150	09/16	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC-W	150	17/19	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC-W	150	17/19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
200 c.c.					200 c.c.															
KTM	DUKE / ABS	200	12	N	1310	L	MD	280	60,5	4,0	6	MH	1311 / 1311X	R	S	230	104	4,0	6	10,5
KTM	DUKE / ABS	200	13/16	N	1438	L	MD	300	60,5	5,0	6	MH	1311 / 1311X	R	S	230	104	4,0	6	10,5
KTM	DUKE	200	13/18	N	1596GK32	L	KF	*320	60,5	5,0	6	MH								
KTM	DUKE	200	13/18	N	1596XGK32	L	KF	*320	60,5	5,0	6	MH								
KTM	EGS	200	99/02	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EGS	200	99/02	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EGS	200	99/02	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EGS	200	99/02	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	98/16	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5

					C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø							
										REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø					
KTM	EXC	200	98/16	E			1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP							
KTM	EXC	200	00/09	E			1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	00/09	E			1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	10/16	E			1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	10/16	E			1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	200	00/08	E			725K27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC	200	00/08	E			725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC	200	00/08	E			725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC	200	09/16	E			725K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC	200	09/16	E			725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC	200	09/16	E			725SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	MXC	200	98/03	M			140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X							
KTM	MXC	200	98/03	M			1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP							
KTM	MXC	200	98/03	M			1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC	200	98/03	M			1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	RC	200	13/18	R			1438	L	MD	300	60,5	5,0	6	MH	1311 / 1311X							
KTM	RC	200	13/18	R			1596GK32	L	KF	*320	60,5	5,0	6	MH								
KTM	RC	200	13/18	R			1596XGK32	L	KF	*320	60,5	5,0	6	MH								
KTM	SX	200	03/09	M			140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129							
KTM	SX	200	03/09	M			1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP							
KTM	SX	200	03/08	M			1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	03/08	M			1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	09	M			1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	09	M			1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX	200	03/08	M			725K27	L	KF	*320	127	5,0	6	6,5								
KTM	SX	200	03/08	M			725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	SX	200	03/08	M			725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX	200	09	M			725K11	L	KF	*320	127	5,0	6	6,5								
KTM	SX	200	09	M			725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	SX	200	09	M			725SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	XC	200	08/09	M			140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X							
KTM	XC	200	08/09	M			1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP							
KTM	XC W	200	00/16	E			140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X							
KTM	XC W	200	00/16	E			1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP							
KTM	XC W	200	00/09	E			1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	200	00/09	E			1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	200	10→	E			1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	200	10→	E			1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	200	00/09	E			725K27	L	KF	*320	127	5,0	6	6,5								
KTM	XC W	200	00/09	E			725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC W	200	00/09	E			725SPK27	L	KF	*320	127	5,0	6	6,5								
250 c.c.								250 c.c.														
KTM	DUKE	250	13/16	N			1438	L	MD	300	60,5	5,0	6	MH	1311 / 1311X							
KTM	DUKE	250	13/16	N			1596GK32	L	KF	*320	60,5	5,0	6	MH								
KTM	DUKE	250	13/16	R			1596XGK32	L	KF	*320	60,5	5,0	6	MH								
KTM	DUKE ABS	250	17→	N			1642G / 1642XG	L	F00,0	320	90	5,0	6	10,5	1311 / 1311X							
KTM	EGS	250	88/89	M			-	-	-	-	-	-	-	-								
KTM	EGS	250	94/02	E			140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X							
KTM	EGS	250	94/02	E			1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP							
KTM	EGS	250	94/02	E			1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EGS	250	94/02	E			1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	ENDURO	250	92/93	E			140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X							
KTM	ENDURO	250	92/93	E			1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP							
KTM	ENDURO	250	92/93	E			1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	ENDURO	250	92/93	E			1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC	250	90/93	E			150	L	S	220	110	4,0	6	6,5	129 / 129X							
KTM	EXC	250	90/93	E											129SP / 129XSP							
KTM	EXC 2T TPI	250	19	E			140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129							
KTM	EXC 2T TPI	250	19	E			1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP							
KTM	EXC 2T / EXC-F 4T	250	94/17	E			140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129							
KTM	EXC 2T / EXC-F 4T	250	94/17	E			1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP							
KTM	EXC 2T / EXC-F 4T	250	94/09	E			1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	94/09	E			1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	10/17	E			1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	10/17	E			1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	00/09	E			725K27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	00/09	E			725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	00/09	E			725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	10/17	E			725K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	10/17	E			725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC 2T / EXC-F 4T	250	10/17	E			725SPK11	L	KF	*320	127	5,0	6	6,5								

		C.C.		YEAR	MODEL TYPE	FRONT										REAR									
						REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
KTM	EXC RACING	250	03/06	E		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	EXC RACING	250	03/06	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC 2T TPI SIX DAYS	250	19	E		1725X	L F00,0	260	-	3,0	6	6,5				129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC / EXC-F SIX DAYS	250	09/18	E		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	EXC / EXC-F SIX DAYS	250	09/18	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC / EXC-F SIX DAYS	250	10/17	E		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	EXC / EXC-F SIX DAYS	250	10/17	E		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	EXC / EXC-F SIX DAYS	250	09/17	E		725K11	L KF	*320	127	5,0	6	6,5													
KTM	EXC / EXC-F SIX DAYS	250	09/17	E		725XK11	L KF	*318	127	5,0	6	6,5													
KTM	EXC / EXC-F SIX DAYS	250	09/17	E		725SPK11	L KF	*320	127	5,0	6	6,5													
KTM	EXC-F 4T SIX DAYS	250	19	E		1725X	L F00,0	260	-	3,0	6	6,5				129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC G	250	04/09	E		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	EXC G	250	04/09	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC G	250	04/09	E		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC G	250	04/09	E		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	F	250	06	E		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	F	250	06	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	F	250	06	E		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	F	250	06	E		1254XBHK16	L KF	*270	-	3,0	6	6,5													
	FREERIDE																								
KTM	FREERIDE 2T	250	14	E		140 / 140X	L S	260	-	3,5/3	6	6,5				1281X	R	S	210	110	4,0	4	6,5		
KTM	FREERIDE 2T	250	14	E		1725X	L F00,0	260	-	3,0	6	6,5													
KTM	FREERIDE F 4T w/o speedometer hole	250	18/19	E		1718X	L S	260	95	4,2	4	6,5				1281X	R	S	210	110	4,0	4	6,5		
KTM	FREERIDE R 2T	250	12/17	E		1777X	L S	260	95	3,0	4	6,5				1281X	R	S	210	110	4,0	4	6,5		
KTM	FREERIDE R 2T	250	12/17	E		1324X	L F00,0	260	95	3,0	4	6,5													
KTM	GS	250	88/92	E		139	L S	240	-	3,7	6	6,5				141 / 141X	L	S	220	110	4,2	6	6,5		
KTM	GS	250	93/97	E		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	GS	250	93/97	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	GS	250	93/97	E		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	GS	250	93/97	E		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	MX	250	88/92	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	MX	250	88/92	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	MXC	250	98/03	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	MXC	250	98/03	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	MXC	250	98/03	M		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	MXC	250	98/03	M		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	RC	250	14/16	R		1438	L MD	300	60,5	5,0	6	MH				1311 / 1311X	R	S	230	104	4,0	6	10,5		
KTM	RC	250	14/16	R		1596GK32	L KF	*320	60,5	5,0	6	MH													
KTM	RC	250	14/16	R		1596XGK32	L KF	*320	60,5	5,0	6	MH													
KTM	RC / RC ABS, VERSION 1	250	17	R		1596G / 1596XG	L MDF	320	60,5	5,0	6	MH				1311 / 1311X	R	S	230	104	4,0	6	10,5		
KTM	RC / RC ABS, VERSION 1	250	17	R		1593	L MD	320	60,5	5,0	6	MH													
KTM	RC / RC ABS, VERSION 2	250	17→	R		1642G / 1642XG	L F00,0	320	90	5,0	6	10,5				1311 / 1311X	R	S	230	104	4,0	6	10,5		
KTM	RC / RC ABS, VERSION 2	250	17→	R		1644	L S	320	90	5,0	6	10,5													
KTM	SX 2T	250	93/20	M		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	SX 2T	250	93/20	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SX 2T	250	93/08	M		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	SX 2T	250	93/08	M		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	SX 2T	250	09/15	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	SX 2T	250	09/15	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	SX 2T	250	00/08	M		725K27	L KF	*320	127	5,0	6	6,5													
KTM	SX 2T	250	00/08	M		725XK27	L KF	*318	127	5,0	6	6,5													
KTM	SX 2T	250	00/08	M		725SPK27	L KF	*320	127	5,0	6	6,5													
KTM	SX 2T	250	09/17	E		725K11	L KF	*320	127	5,0	6	6,5													
KTM	SX 2T	250	09/17	E		725XK11	L KF	*318	127	5,0	6	6,5													
KTM	SX 2T	250	09/17	E		725SPK11	L KF	*320	127	5,0	6	6,5													
KTM	SX-F 4T	250	03/20	M		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	SX-F 4T	250	03/20	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SX-F 4T	250	03/08	M		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	SX-F 4T	250	03/08	M		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	SX-F 4T	250	09/18	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	SX-F 4T	250	09/18	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	SX-F 4T	250	06/08	M		725K27	L KF	*320	127	5,0	6	6,5													
KTM	SX-F 4T	250	06/08	M		725XK27	L KF	*318	127	5,0	6	6,5													
KTM	SX-F 4T	250	06/08	M		725SPK27	L KF	*320	127	5,0	6	6,5													
KTM	SX-F 4T	250	09/19	M		725K11	L KF	*320	127	5,0	6	6,5													
KTM	SX-F 4T	250	09/19	M		725XK11	L KF	*318	127	5,0	6	6,5													
KTM	SX-F 4T	250	09/19	M		725SPK11	L KF	*320	127	5,0	6	6,5													
KTM	SXS	250	03/08	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	SXS	250	03/08	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SXS	250	03/08	M		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	SXS	250	03/08	M		1254XBHK16	L KF	*270	-	3,0	6	6,5													

		C.C.		YEAR	MODEL TYPE	FRONT										REAR									
						REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
KTM	SXS / SXS F	250	09/16	M		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	SXS / SXS F	250	09/16	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SXS / SXS F	250	09	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	SXS / SXS F	250	09	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	XC	250	06/16	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	XC	250	06/16	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	XC	250	06/08	M		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	XC	250	06/08	M		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	XC	250	09/13	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XC	250	09/13	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	XC	250	06/08	M		725K27	L KF	*320	127	5,0	6	6,5													
KTM	XC	250	06/08	M		725XK27	L KF	*318	127	5,0	6	6,5													
KTM	XC	250	06/08	M		725SPK27	L KF	*320	127	5,0	6	6,5													
KTM	XC F	250	06/16	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	XC F	250	06/16	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	XC F	250	06/08	M		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	XC F	250	06/08	M		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	XC F	250	09/12	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XC F	250	09/12	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	XC F	250	06/08	M		725K27	L KF	*320	127	5,0	6	6,5													
KTM	XC F	250	06/08	M		725XK27	L KF	*318	127	5,0	6	6,5													
KTM	XC F	250	06/08	M		725SPK27	L KF	*320	127	5,0	6	6,5													
KTM	XC W	250	06/16	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	XC W	250	06/16	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	XC W	250	06/09	M		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	XC W	250	06/09	M		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	XC W	250	10/12	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XC W	250	10/12	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	XC W	250	06/09	M		725K27	L KF	*320	127	5,0	6	6,5													
KTM	XC W	250	06/09	M		725XK27	L KF	*318	127	5,0	6	6,5													
KTM	XC W	250	06/09	M		725SPK27	L KF	*320	127	5,0	6	6,5													
KTM	XC W SIX DAYS	250	10/16	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	XC W SIX DAYS	250	10/16	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	XC W SIX DAYS	250	10→	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XC W SIX DAYS	250	10→	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	XCF	250	10→	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	XCF	250	10→	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	XCF	250	10→	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XCF	250	10→	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	XCF W SIX DAYS	250	10→	M		140 / 140X	L S	260	-	3,5/3	6	6,5				129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	XCF W SIX DAYS	250	10→	M		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	XCF W SIX DAYS	250	10→	M		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XCF W SIX DAYS	250	10→	M		1254XBHK17	L KF	*270	-	3,0	6	6,5													
300 c.c.																300 c.c.									
KTM	EGS	300	96/97	E		139	L S	240	-	3,7	6	6,5				141 / 141X	L	S	220	110	4,2	6	6,5		
KTM	EGS	300	98/03	E		140 / 140X	L S	260	-	3,5/3	6	6,5				141 / 141X	L	S	220	110	4,2	6	6,5		
KTM	EGS	300	98/03	E		1725X	L F00,0	260	-	3,0	6	6,5													
KTM	EGS	300	98/03	E		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	EGS	300	98/03	E		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC 2T	300	94/18	E		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	EXC 2T	300	94/18	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC 2T	300	94/09	E		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC 2T	300	94/09	E		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC 2T	300	10/17	E		1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	EXC 2T	300	10/17	E		1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	EXC 2T	300	00/09	E		725K27	L KF	*320	127	5,0	6	6,5													
KTM	EXC 2T	300	00/09	E		725XK27	L KF	*318	127	5,0	6	6,5													
KTM	EXC 2T	300	00/09	E		725SPK27	L KF	*320	127	5,0	6	6,5													
KTM	EXC 2T	300	10/17	E		725K11	L KF	*320	127	5,0	6	6,5													
KTM	EXC 2T	300	10/17	E		725XK11	L KF	*318	127	5,0	6	6,5													
KTM	EXC 2T	300	10/17	E		725SPK11	L KF	*320	127	5,0	6	6,5													
KTM	EXC 2T TPI	300	18/19	E		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	EXC 2T TPI	300	18/19	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC 2T TPI SIX DAYS	300	19	E		1725X	L F00,0	260	-	3,0	6	6,5				129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC-E	300	97/11	E		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	EXC-E	300	97/11	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC SIX DAYS	300	94/17	E		140X / 140	L S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5		
KTM	EXC SIX DAYS	300	94/17	E		1725X	L F00,0	260	-	3,0	6	6,5				129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC SIX DAYS	300	94/09	E		1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC SIX DAYS	300	94/09	E		1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC SIX DAYS	300	10/17	E		1254XK17	L KF	*270	-	3,0	6	6,5													

C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
KTM	EXC SIX DAYS	300	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC SIX DAYS	300	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC SIX DAYS	300	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	GS	300	91/96	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	GS	300	91/96	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	GS	300	93/96	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	GS	300	93/96	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MX	300	91/92	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MX	300	91/92	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MX	300	92	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MX	300	92	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC	300	94/06	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC	300	94/06	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC	300	94/06	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MXC	300	94/06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	300	93/03	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX	300	93/03	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX	300	93/03	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	300	93/03	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F	300	10/12	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	SX-F	300	10/12	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX-F	300	10/12	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F	300	10/12	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC	300	06/09	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC	300	06/09	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC	300	06/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC	300	06/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	300	06/12	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC W	300	06/12	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC W	300	06/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	300	06/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	300	10/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	300	10/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC W	300	06/12	E	725K27	L	KF	*320	127	5,0	6	6,5								
KTM	XC W	300	06/12	E	725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC W	300	06/12	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC W SIX DAYS	300	10→	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC W SIX DAYS	300	10→	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC W SIX DAYS	300	10→	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC W SIX DAYS	300	10→	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC W SIX DAYS	300	10→	E	725K27	L	KF	*320	127	5,0	6	6,5								
KTM	XC W SIX DAYS	300	10→	E	725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC W SIX DAYS	300	10→	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
350 c.c.										350 c.c.										
KTM	EXC L.C.	350	90/94	M	139	L	S	240	-	3,7	6	6,5	-	-	-	-	-	-		
KTM	EXC-F 4T	350	19	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T	350	19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T / SIX DAYS	350	09/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T / SIX DAYS	350	09/18	E	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP / 129SP	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T / SIX DAYS	350	10/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T / SIX DAYS	350	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC-F 4T / SIX DAYS	350	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T / SIX DAYS	350	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC-F 4T / SIX DAYS	350	09/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T / SIX DAYS	350	18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC-F 4T SIX DAYS	350	19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP	R	S	220	110	4,2	6	6,5
KTM	FREERIDE	350	12/17	E	1777X	L	S	260	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
KTM	FREERIDE	350	12/17	E	1324X	L	F00,0	260	95	3,0	4	6,5								
KTM	GS 4T	350	93/96	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	GS 4T	350	93/96	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	GS 4T	350	93/96	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	GS 4T	350	93/96	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	LC4	350	94/97	E	-	-	-	-	-	-	-	-	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	MX	350	92	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MX	350	92	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MX	350	92	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MX	350	92	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T	350	10/20	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T	350	10/20	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX-F 4T	350	10/17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX-F 4T	350	10/17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								

					C.C.	YEAR	MODEL TYPE	FRONT										REAR									
								REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
KTM	XC F / XCF W	350	10/18	E				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	XC F / XCF W	350	10/18	E				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	XC F / XCF W	350	10/18	E				1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XC F / XCF W	350	10/18	E				1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	XCF W SIX DAYS	350	12→	E				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	XCF W SIX DAYS	350	12→	E				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	XCF W SIX DAYS	350	12→	E				1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	XCF W SIX DAYS	350	12→	E				1254XBHK17	L KF	*270	-	3,0	6	6,5													
					360 c.c.										360 c.c.												
KTM	EXC / SX	360	97/99	E-M				140 / 140X	L S	260	-	3,5/3	6	6,5			141 / 141X	L	S	220	110	4,2	6	6,5			
KTM	EXC / SX	360	97/99	E-M				1725X	L F00,0	260	-	3,0	6	6,5													
KTM	GS	360	94/97	E				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	GS	360	94/97	E				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
					380 c.c.										380 c.c.												
KTM	EXC / MXC / SX	380	98/02	E-M				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EXC / MXC / SX	380	98/02	E-M				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC / SX	380	00/02	E-M				1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC / SX	380	00/02	E-M				1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	SX	380	00/02	E-M				725K27	L KF	*320	127	5,0	6	6,5													
KTM	SX	380	00/02	E-M				725XK27	L KF	*318	127	5,0	6	6,5													
KTM	SX	380	00/02	E-M				725SPK27	L KF	*320	127	5,0	6	6,5													
					390 c.c.										390 c.c.												
KTM	DUKE	390	12	N				1310	L MD	280	60,5	4,0	6	MH			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE	390	13/16	S3				1438	L MD	300	60,5	5,0	6	MH			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE	390	13/16	S3				1596GK32	L KF	*320	60,5	5,0	6	MH													
KTM	DUKE	390	13/16	S3				1596XGK32	L KF	*320	60,5	5,0	6	MH													
KTM	DUKE / ABS, VERSION 1	390	17	S3				1593	L MD	320	60,5	5,0	6	MH			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE / ABS, VERSION 1	390	17	S3				1596G / 1596XG	L MDF	320	60,5	5,0	6	MH													
KTM	DUKE / ABS, VERSION 2	390	17	S3				1642G / 1642XG	L F00,0	320	90	5,0	6	10,5			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE / ABS, VERSION 2	390	17	S3				1644	L S	320	90	5,0	6	10,5													
KTM	DUKE ABS	390	18/19	S3				1642XG / 1642G	L F00,0	320	90	5,0	6	10,5			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	DUKE ABS	390	18/19	S3				1644	L S	320	90	5,0	6	10,5													
KTM	RC	390	14/16	S3				1438	L MD	300	60,5	5,0	6	MH			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	RC	390	14/16	S3				1596GK32	L KF	*320	60,5	5,0	6	MH													
KTM	RC	390	14/16	S3				1596XGK32	L KF	*320	60,5	5,0	6	MH													
KTM	RC ABS, VERSION 1	390	17	S3				1596G / 1596XG	L MDF	320	60,5	5,0	6	MH			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	RC ABS, VERSION 1	390	17	S3				1593	L MD	320	60,5	5,0	6	MH													
KTM	RC ABS, VERSION 2	390	17	S3				1642G / 1642XG	L F00,0	320	90	5,0	6	10,5			1311 / 1311X	R	S	230	104	4,0	6	10,5			
KTM	RC ABS, VERSION 2	390	17	S3				1644	L S	320	90	5,0	6	10,5													
KTM	RC ABS / RC R	390	18/19	S3				1642XG / 1642G	L F00,0	320	90	5,0	6	10,5			1311X / 1311	R	S	230	104	4,0	6	10,5			
KTM	RC ABS / RC R	390	18/19	S3				1644	L S	320	90	5,0	6	10,5													
					400 c.c.										400 c.c.												
KTM	EGS	400	96/99	E				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EGS	400	96/99	E				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC	400	94/15	E				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EXC	400	94/15	E				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC	400	94/06	E				1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC	400	94/06	E				1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC	400	10/11	E				1254XK17	L KF	*270	-	3,0	6	6,5													
KTM	EXC	400	10/11	E				1254XBHK17	L KF	*270	-	3,0	6	6,5													
KTM	EXC	400	00/08	E				725K27	L KF	*320	127	5,0	6	6,5													
KTM	EXC	400	00/08	E				725XK27	L KF	*318	127	5,0	6	6,5													
KTM	EXC	400	00/08	E				725SPK27	L KF	*320	127	5,0	6	6,5													
KTM	EXC	400	09/15	E				725K11	L KF	*320	127	5,0	6	6,5													
KTM	EXC	400	09/15	E				725XK11	L KF	*318	127	5,0	6	6,5													
KTM	EXC	400	09/15	E				725SPK11	L KF	*320	127	5,0	6	6,5													
KTM	EXC G	400	04/06	M				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EXC G	400	04/06	M				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC G	400	04/06	M				1254XK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC G	400	04/06	M				1254XBHK16	L KF	*270	-	3,0	6	6,5													
KTM	EXC LC4	400	94/03	E				140 / 140X	L S	260	-	3,5/3	6	6,5			129 / 129X	R	S	220	110	4,2	6	6,5			
KTM	EXC LC4	400	94/03	E				1725X	L F00,0	260	-	3,0	6	6,5			129SP / 129XSP	R	S	220	110	4,2	6	6,5			
KTM	EXC LC4	400	00	E				725K27	L KF	*320	127	5,0	6	6,5													
KTM	EXC LC4	400	00	E				725XK27	L KF	*318	127	5,0	6	6,5													

FRONT										REAR									
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
KTM	LC4 EGS	400	96/02	E	1733X	L F00,0	300	127	5,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	LC4 EXC	400	94/03	E	140 / 140X	L S	260	-	3,5/3	6 6,5	129 / 129X	R	S	220	110	4,2	6 6,5		
KTM	LC4 EXC	400	94/03	E	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	LC4 EXC	400	00	E	725K27	L KF	*320	127	5,0	6 6,5									
KTM	LC4 EXC	400	00	E	725XK27	L KF	*318	127	5,0	6 6,5									
KTM	LC4 EXC	400	00	E	725SPK27	L KF	*320	127	5,0	6 6,5									
KTM	RC / RC ABS	400	14/16	R	1534	L F00,0	300	60,5	5,0	6 8,5	1311	R	S	230	104	4,0	6 10,5		
KTM	SC 4T	400	98/00	M	-	-	-	-	-	-	141 / 141X	L	S	220	110	4,2	6 6,5		
KTM	SX 4T	400	00/08	M	140 / 140X	L S	260	-	3,5/3	6 6,5	141 / 141X	L	S	220	110	4,2	6 6,5		
KTM	SX 4T	400	00/08	M	1725X	L F00,0	260	-	3,0	6 6,5									
KTM	SX 4T	400	00/08	M	1254XK16	L KF	*270	-	3,0	6 6,5									
KTM	SX 4T	400	00/08	M	1254XBHK16	L KF	*270	-	3,0	6 6,5									
KTM	SX 4T	400	09/10	E	1254XK17	L KF	*270	-	3,0	6 6,5									
KTM	SX 4T	400	09/10	E	1254XBHK17	L KF	*270	-	3,0	6 6,5									
KTM	SX 4T	400	00/08	M	725K27	L KF	*320	127	5,0	6 6,5									
KTM	SX 4T	400	00/08	M	725XK27	L KF	*318	127	5,0	6 6,5									
KTM	SX 4T	400	00/08	M	725SPK27	L KF	*320	127	5,0	6 6,5									
KTM	XC F-W	400	10	M	140 / 140X	L S	260	-	3,5/3	6 6,5	129 / 129X	R	S	220	110	4,2	6 6,5		
KTM	XC F-W	400	10	M	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	XC F-W	400	10	M	1254XK17	L KF	*270	-	3,0	6 6,5									
KTM	XC F-W	400	10	M	1254XBHK17	L KF	*270	-	3,0	6 6,5									
KTM	XC W	400	07/10	M	140 / 140X	L S	260	-	3,5/3	6 6,5	129 / 129X	R	S	220	110	4,2	6 6,5		
KTM	XC W	400	07/10	M	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	XC W	400	07/09	M	1254XK16	L KF	*270	-	3,0	6 6,5									
KTM	XC W	400	07/09	M	1254XBHK16	L KF	*270	-	3,0	6 6,5									
440 c.c.										440 c.c.									
KTM	SX	440	94	M	140 / 140X	L S	260	-	3,5/3	6 6,5	129 / 129X	R	S	220	110	4,2	6 6,5		
KTM	SX	440	94	M	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	SX	440	94	M	1254XK16	L KF	*270	-	3,0	6 6,5									
KTM	SX	440	94	M	1254XBHK16	L KF	*270	-	3,0	6 6,5									
450 c.c.										450 c.c.									
KTM	EXC 2T / EXC-F 4T	450	03/18	E	140X / 140	L S	260	-	3/3,5	6 6,5	129X / 129	R	S	220	110	4,2	6 6,5		
KTM	EXC 2T / EXC-F 4T	450	03/18	E	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	EXC 2T / EXC-F 4T	450	03/09	E	1254XK16	L KF	*270	-	3,0	6 6,5									
KTM	EXC 2T / EXC-F 4T	450	03/09	E	1254XBHK16	L KF	*270	-	3,0	6 6,5									
KTM	EXC 2T / EXC-F 4T / SIX DAYS	450	10/17	E	1254XK17	L KF	*270	-	3,0	6 6,5									
KTM	EXC 2T / EXC-F 4T / SIX DAYS	450	10/17	E	1254XBHK17	L KF	*270	-	3,0	6 6,5									
KTM	EXC 2T / EXC-F 4T	450	03/09	E	725K27	L KF	*320	127	5,0	6 6,5									
KTM	EXC 2T / EXC-F 4T	450	03/09	E	725XK27	L KF	*318	127	5,0	6 6,5									
KTM	EXC 2T / EXC-F 4T	450	03/09	E	725SPK27	L KF	*320	127	5,0	6 6,5									
KTM	EXC 2T / EXC-F 4T / SIX DAYS	450	10/17	E	725K11	L KF	*320	127	5,0	6 6,5									
KTM	EXC 2T / EXC-F 4T / SIX DAYS	450	10/17	E	725XK11	L KF	*318	127	5,0	6 6,5									
KTM	EXC 2T / EXC-F 4T / SIX DAYS	450	10/17	E	725SPK11	L KF	*320	127	5,0	6 6,5									
KTM	EXC-F 4T	450	19	E	1725X	L F00,0	260	-	3,0	6 6,5	129X / 129	R	S	220	110	4,2	6 6,5		
KTM	EXC-F 4T	450	19	E	140X / 140	L S	260	-	3/3,5	6 6,5	129XSP / 129SP	R	S	220	110	4,2	6 6,5		
KTM	EXC-F 4T SIX DAYS	450	19	E	1725X	L F00,0	260	-	3,0	6 6,5	129XSP	R	S	220	110	4,2	6 6,5		
KTM	EXC-F 4T SIX DAYS	450	19	E	140X / 140	L S	260	-	3/3,5	6 6,5	129X / 129	R	S	220	110	4,2	6 6,5		
KTM	EXC R	450	08/09	E	140X / 140	L S	260	-	3/3,5	6 6,5	129X / 129	R	S	220	110	4,2	6 6,5		
KTM	EXC R	450	08/09	E	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	EXC R	450	08/09	E	1254XK16	L KF	*270	-	3,0	6 6,5									
KTM	EXC R	450	08/09	E	1254XBHK16	L KF	*270	-	3,0	6 6,5									
KTM	MXC	450	03/06	M	140 / 140X	L S	260	-	3,5/3	6 6,5	129 / 129X	R	S	220	110	4,2	6 6,5		
KTM	MXC	450	03/06	M	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	MXC	450	03/06	M	1254XK16	L KF	*270	-	3,0	6 6,5									
KTM	MXC	450	03/06	M	1254XBHK16	L KF	*270	-	3,0	6 6,5									
KTM	450 ADVENTURE R	450	18/19	N	-	L/R	-	-	-	-	-	R	S	-	-	-	-		
KTM	RALLY FACTORY	450	11/17	E	1733X	L F00,0	300	127	5,0	6 6,5	1294X	R	S	240	110	4,0	6 6,5		
KTM	SMR	450	04/13	F	1224X / 1224XG	L F00,0	310	127	5,0	6 6,5	129X / 129	R	S	220	110	4,2	6 6,5		
KTM	SX-F 4T / FACTORY EDITION	450	03/20	M	140X / 140	L S	260	-	3/3,5	6 6,5	129X / 129	R	S	220	110	4,2	6 6,5		
KTM	SX-F 4T / FACTORY EDITION	450	03/20	M	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		
KTM	SX-F 4T / FACTORY EDITION	450	03/08	M	1254XK16	L KF	*270	-	3,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	03/08	M	1254XBHK16	L KF	*270	-	3,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	09/19	M	1254XK17	L KF	*270	-	3,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	09/19	M	1254XBHK17	L KF	*270	-	3,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	03/08	M	725K27	L KF	*320	127	5,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	03/08	M	725XK27	L KF	*318	127	5,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	03/08	M	725SPK27	L KF	*320	127	5,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	09/19	M	725K11	L KF	*320	127	5,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	09/19	M	725XK11	L KF	*318	127	5,0	6 6,5									
KTM	SX-F 4T / FACTORY EDITION	450	09/19	M	725SPK11	L KF	*320	127	5,0	6 6,5									
KTM	SXS / SXS F	450	03/16	M	140 / 140X	L S	260	-	3,5/3	6 6,5	129 / 129X	R	S	220	110	4,2	6 6,5		
KTM	SXS / SXS F	450	03/16	M	1725X	L F00,0	260	-	3,0	6 6,5	129SP / 129XSP	R	S	220	110	4,2	6 6,5		



KTM	SXS / SXS F	450	03/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS / SXS F	450	03/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SXS / SXS F	450	09/10	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SXS / SXS F	450	09/10	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC	450	06/09	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC	450	06/09	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC	450	06/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC	450	06/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC SIX DAYS	450	10	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC SIX DAYS	450	10	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC SIX DAYS	450	10	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC SIX DAYS	450	10	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / XC F-W	450	07/15	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F / XC F-W	450	07/15	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F / XC F-W	450	07/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / XC F-W	450	07/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / XC F-W	450	09→	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / XC F-W	450	09→	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / XC F-W	450	07/09	E	725K27	L	KF	*320	127	5,0	6	6,5								
KTM	XC F / XC F-W	450	07/09	E	725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC F / XC F-W	450	07/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	XC F-W SIX DAYS	450	10→	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F-W SIX DAYS	450	10→	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC F-W SIX DAYS	450	10→	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F-W SIX DAYS	450	10→	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC G	450	06	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC G	450	06	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XC G	450	06	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC G	450	06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
500 c.c.					500 c.c.															
KTM	EXC F 4T	500	19	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T	500	19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T / SIX DAYS	500	08/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T / SIX DAYS	500	08/18	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	EXC F 4T / SIX DAYS	500	12/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	12/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08	M	725K27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	09/17	M	725K11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	09/17	M	725XK11	L	KF	*318	127	5,0	6	6,5								
KTM	EXC F 4T / SIX DAYS	500	09/17	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
KTM	EXC-F 4T SIX DAYS	500	19	E	1725X	L	F00,0	260	-	3,0	6	6,5	129XSP	R	S	220	110	4,2	6	6,5
KTM	MX	500	83/91	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	MX	500	83/91	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MX / SX	500	92/11	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	MX / SX	500	92/11	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MX / SX	500	92/11	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	MX / SX	500	92/11	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / SX F	500	07/09	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XC F / SX F	500	07/09	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	XCF-W / XCF-W SIX DAYS	500	12/16	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / SX F	500	07/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	XC F / SX F	500	07/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX F	500	09	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
KTM	SX F	500	09	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
KTM	XC F	500	09→	M	725K27	L	KF	*320	127	5,0	6	6,5								
KTM	XC F	500	09→	M	725XK27	L	KF	*318	127	5,0	6	6,5								
KTM	XC F	500	09→	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM	SX	500	07	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
KTM	SX	500	07	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	SX	500	07	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
KTM	SX	500	07	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
520 c.c.					520 c.c.															
KTM	SC 4T	520	98/00	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
KTM	SC 4T	520	98/00	E	1725X	L	F00,0	260	-	3,0	6	6,5								
KTM	MXC 4T / SX 4T	520	00/02	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
KTM	MXC 4T / SX 4T	520	00/02	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	MXC 4T / SX 4T	520	00/02	M	1254XK16	L	KF	*270	-	3,0	6	6,5								

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
KTM	MXC 4T / SX 4T	520	00/02	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
KTM	SX 4T	520	01/02	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5				
KTM	SX 4T	520	01/02	M	1725X	L	F00,0	260	-	3,0	6	6,5												
525 c.c.															525 c.c.									
KTM	EXC	525	03/08	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5				
KTM	EXC	525	03/08	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	EXC	525	03/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5												
KTM	EXC	525	03/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
KTM	EXC	525	03/08	E	725K27	L	KF	*320	127	5,0	6	6,5												
KTM	EXC	525	03/08	E	725XK27	L	KF	*318	127	5,0	6	6,5												
KTM	EXC	525	03/08	E	725SPK27	L	KF	*320	127	5,0	6	6,5												
KTM	XCF-W 530	525	10/12	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5				
KTM	XCF-W 530	525	10/12	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	XCF-W 530	525	10/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5												
KTM	XCF-W 530	525	10/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5												
KTM	MXC 4T	525	03/05	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5				
KTM	MXC 4T	525	03/05	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	MXC 4T	525	03/05	M	1254XK16	L	KF	*270	-	3,0	6	6,5												
KTM	MXC 4T	525	03/05	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
KTM	SMR	525	05	F	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5				
KTM	SMR	525	05	F									129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	SX	525	03/07	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5				
KTM	SX	525	03/07	M	1725X	L	F00,0	260	-	3,0	6	6,5												
KTM	SX	525	03/06	M	1254XK16	L	KF	*270	-	3,0	6	6,5												
KTM	SX	525	03/06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
KTM	SX	525	04/07	M	725K27	L	KF	*320	127	5,0	6	6,5												
KTM	SX	525	04/07	M	725XK27	L	KF	*318	127	5,0	6	6,5												
KTM	SX	525	04/07	M	725SPK27	L	KF	*320	127	5,0	6	6,5												
KTM	XC G / XC W	525	06/08	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5				
KTM	XC G / XC W	525	06/08	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	XC G / XC W	525	06/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5												
KTM	XC G / XC W	525	06/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
530 c.c.															530 c.c.									
KTM	EXC	530	08/12	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5				
KTM	EXC	530	08/12	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	EXC	530	10/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC	530	10/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC	530	08/09	E	725K27	L	KF	*320	127	5,0	6	6,5												
KTM	EXC	530	08/09	E	725XK27	L	KF	*318	127	5,0	6	6,5												
KTM	EXC	530	08/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5												
KTM	EXC	530	10/12	E	725K11	L	KF	*320	127	5,0	6	6,5												
KTM	EXC	530	10/12	E	725XK11	L	KF	*318	127	5,0	6	6,5												
KTM	EXC	530	10/12	E	725SPK11	L	KF	*320	127	5,0	6	6,5												
KTM	EXC CHAMPION EDITION	530	10	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5				
KTM	EXC CHAMPION EDITION	530	10	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	EXC CHAMPION EDITION	530	10	E	1254XK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC CHAMPION EDITION	530	10	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC FACTORY EDITION	530	11	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5				
KTM	EXC FACTORY EDITION	530	11	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	EXC FACTORY EDITION	530	11	E	1254XK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC FACTORY EDITION	530	11	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC R	530	08/09	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5				
KTM	EXC R	530	08/09	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	EXC R	530	08/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5												
KTM	EXC R	530	08/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5												
KTM	EXC SIX DAYS	530	09/12	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5				
KTM	EXC SIX DAYS	530	09/12	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	EXC SIX DAYS	530	09/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5												
KTM	EXC SIX DAYS	530	09/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5												
KTM	XCF-W FACTORY EDITION	530	10/11	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5				
KTM	XCF-W FACTORY EDITION	530	10/11	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5				
KTM	XCF-W FACTORY EDITION	530	10/11	E	1254XK17	L	KF	*270	-	3,0	6	6,5												
KTM	XCF-W FACTORY EDITION	530	10/11	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5												
KTM	XCF-W SIX DAYS	530	09/12	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5				
KTM	XCF-W SIX DAYS</																							

		C.C.	YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR REFERENCE									
KTM	SXC	540	99/00	M	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	SXC	540	99/00	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
KTM	SXS	540	01/06	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	SXS	540	01/06	M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SXS	540	01/06	M	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	SXS	540	01/06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
550 c.c.													550 c.c.									
KTM	MG / XC	540	94	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	MG / XC	540	94	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	MG / XC	540	94	E	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	MG / XC	540	94	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
560 c.c.													560 c.c.									
KTM	SMR	560	06/08	F	1224X / 1224XG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5		
KTM	SMR	560	06/08	F									129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SMR	560	09/12	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	SMR	560	09/12	F	725X	L	F00,0	318	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
600 c.c.													600 c.c.									
KTM	GARA 4T	600	91/92	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5		
KTM	GARA 4T	600	91/92	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	GARA 4T	600	91/92	E	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	GARA 4T	600	91/92	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
KTM	GS 4T	600	93/11	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5		
KTM	GS 4T	600	93/11	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	GS 4T	600	93/11	E	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	GS 4T	600	93/11	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
KTM	LC4 ENDURO / MX	600	90/92	E-M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4 ENDURO / MX	600	90/92	E-M	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
620 c.c.													620 c.c.									
KTM	ADVENTURE	620	97/98	E	1043	L	S	300	127	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	ADVENTURE	620	97/98	E	1733X	L	F00,0	300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	DUKE I	620	94/98	E	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	DUKE I	620	94/98	E	725X	L	F00,0	318	127	5,0	6	6,5										
KTM	DUKE I	620	94/98	E	730	L	F00,0	320	127	4,0	6	6,5										
KTM	LC4	620	94/96	E	139	L	S	240	-	3,7	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4	620	94/96	E									129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	LC4 ADVENTURE	620	97/00	E	1043	L	S	300	127	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4 ADVENTURE	620	97/00	E	1733X	L	F00,0	300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	LC4 EGS	620	96/02	E	1043	L	S	300	127	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4 EGS	620	96/02	E	1733X	L	F00,0	300	127	5,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	LC4 SUPER COMPETICION	620	98/01	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4 SUPER COMPETICION	620	98/01	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	LC4 SXC 4T SUPER MOTO	620	00/01	F	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4 SXC 4T SUPERMOTO	620	00/01	F	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SC SUPER COMPETICION	620	96/00	F	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	SC SUPER COMPETICION	620	96/00	F	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SX	620	96/99	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	SX	620	96/99	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	SX LC 4	620	90/94	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5		
KTM	SX LC 4	620	90/94	M	1725X	L	F00,0	260	-	3,0	6	6,5										
625 c.c.													625 c.c.									
KTM	EXC	625	03	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	EXC	625	03	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	EXC	625	03	E	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	EXC	625	03	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
KTM	LC4 SUPER COMPETICION	625	01/04	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4 SUPER COMPETICION	625	01/04	E	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	LC4 SUPER COMPETICION	625	01/04	E	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	LC4 SUPER COMPETICION	625	01/04	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
KTM	LC4 SUPER COMPETICION	625	01/04	E	725K27	L	KF	*320	127	5,0	6	6,5										
KTM	LC4 SUPER COMPETICION	625	01/04	E	725XK27	L	KF	*318	127	5,0	6	6,5										
KTM	LC4 SUPER COMPETICION	625	01/04	E	725SPK27	L	KF	*320	127	5,0	6	6,5										
KTM	LC4 SUPERMOTARD	625	05	F	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	LC4 SUPERMOTARD	625	05	F	1725X	L	F00,0	260	-	3,0	6	6,5	129SP / 129XSP	R	S	220	110	4,2	6	6,5		
KTM	LC4 SUPERMOTARD	625	05	F	1254XK16	L	KF	*270	-	3,0	6	6,5										
KTM	LC4 SUPERMOTARD	625	05	F	1254XBHK16	L	KF	*270	-	3,0	6	6,5										
KTM	LC4 SUPERMOTARD	625	05	F	725K27	L	KF	*320	127	5,0	6	6,5										
KTM	LC4 SUPERMOTARD	625	05	F	725XK27	L	KF	*318	127	5,0	6	6,5										
KTM	LC4 SUPERMOTARD	625	05	F	725SPK27	L	KF	*320	127	5,0	6	6,5										
KTM	SMC	625	04/08	M	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5		
KTM	SMC	625	04/08	M	725X	L	F00,0	318	127	5,0	6	6,5										
KTM	SMC	625	04/08	M	730	L	F00,0	320	127	4,0	6	6,5										
KTM</																						

		C.C.		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
KTM	SXC	625	03/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
KTM	SXC	625	03/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
640 c.c.																					
KTM	DUKE / DUKE 2 / DUKE E	640	98/02	E	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	DUKE / DUKE 2 / DUKE E	640	98/02	E	725X	L	F00,0	318	127	5,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	DUKE / DUKE 2 / DUKE E	640	98/02	E	730	L	F00,0	320	127	4,0	6	6,5									
KTM	DUKE 2	640	03/08	U	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	DUKE 2	640	03/08	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	98/00	U	1043	L	S	300	127	4,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	98/00	U	1733X	L	F00,0	300	127	5,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	01/02	U	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	01/02	U	725X	L	F00,0	318	127	5,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	01/02	U	730	L	F00,0	320	127	4,0	6	6,5									
KTM	LC4 ADVENTURE	640	04/07	E	1043	L	S	300	127	4,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 ADVENTURE	640	04/07	E	1733X	L	F00,0	300	127	5,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 ENDURO	640	99/07	E	1043	L	S	300	127	4,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 ENDURO	640	99/07	E	1733X	L	F00,0	300	127	5,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T	640	04/06	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T	640	04/06	E	1725X	L	F00,0	260	-	3,0	6	6,5		129SP / 129XSP	R	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T SM	640	98/03	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		141 / 141X	L	S	220	110	4,2	6	6,5
KTM	LC4 EGS 4T SM	640	98/03	F	725X	L	F00,0	318	127	5,0	6	6,5									
KTM	LC4 EGS 4T SM	640	98/03	F	730	L	F00,0	320	127	4,0	6	6,5									
KTM	LC4 SMC 4T SUPERMOTO	640	98/07	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		141 / 141X	L	S	220	110	4,2	6	6,5
KTM	LC4 SMC 4T SUPERMOTO	640	98/07	F	725X	L	F00,0	318	127	5,0	6	6,5									
KTM	LC4 SMC 4T SUPERMOTO	640	98/07	F	730	L	F00,0	320	127	4,0	6	6,5									
660 c.c.																					
KTM	RALLY	660	99/03	U	1043	L	S	300	127	4,0	6	6,5		141 / 141X	L	S	220	110	4,2	6	6,5
KTM	RALLY	660	99/03	U	1733X	L	F00,0	300	127	5,0	6	6,5									
KTM	LC4 SMC	660	05/08	M	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		141 / 141X	L	S	220	110	4,2	6	6,5
KTM	LC4 SMC	660	05/08	M	725X	L	F00,0	318	127	5,0	6	6,5									
KTM	LC4 SMC	660	05/08	M	730	L	F00,0	320	127	4,0	6	6,5									
690 c.c.																					
KTM	DUKE II	690	03/08	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		129 / 129X	R	S	220	110	4,2	6	6,5
KTM	DUKE II	690	03/08	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
KTM	DUKE III R	690	10	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	DUKE III R	690	10	N										1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	DUKE / ABS / DUKE R	690	08/11	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	DUKE / ABS / DUKE R	690	08/11	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	DUKE / ABS / R / ABS	690	12/17	N	1465G / 1465XG	L	F00,0	320	52	5,0	5	MD		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	DUKE / ABS / R / ABS	690	12/17	N	1465 / 1465X	L	F00,0	320	52	5,0	5	8,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	DUKE ABS	690	18/19	N	1465G / 1465XG	L	F00,0	320	52	5,0	5	MD		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	DUKE ABS	690	18/19	N										1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	DUKE EJC	690	12/13	U	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	DUKE EJC	690	12/13	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	ENDURO / ABS	690	08/10	E	1043	L	S	300	127	4,0	6	6,5		1337	R	S	240	111	5,0	6	6,5
KTM	ENDURO / ABS	690	08/10	E	1733X	L	F00,0	300	127	5,0	6	6,5									
KTM	ENDURO R	690	08/13	E	1043	L	S	300	127	4,0	6	6,5		1337	R	S	240	111	5,0	6	6,5
KTM	ENDURO R	690	08/13	E	1733X	L	F00,0	300	127	5,0	6	6,5									
KTM	ENDURO R ABS	690	14/19	E	1733X	L	F00,0	300	127	5,0	6	6,5		1578X	R	F00,0	240	106,3	5,0	6	6,5
KTM	SUPERDUKE	690	07/08	U	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERDUKE	690	07/08	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO	690	07/08	M	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		1172 / 1172X	R	S	240	111	4,0	6	6,5
KTM	SUPERMOTO	690	07/08	M	725X	L	F00,0	318	127	5,0	6	6,5		1337	R	S	240	111	5,0	6	6,5
KTM	SUPERMOTO	690	07/08	M	730	L	F00,0	320	127	4,0	6	6,5									
KTM	SM / PRESTIGE	690	07	U	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SM / PRESTIGE	690	07	U	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM	690	07/08	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SM	690	07/08	F	725X	L	F00,0	318	127	5,0	6	6,5		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM	690	07/08	F	730	L	F00,0	320	127	4,0	6	6,5									
KTM	SMC	690	07/14	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		1172 / 1172X	R	S	240	111	4,0	6	6,5
KTM	SMC	690	07/14	F	725X	L	F00,0	318	127	5,0	6	6,5		1337	R	S	240	111	5,0	6	6,5
KTM	SMC	690	07/14	F	730	L	F00,0	320	127	4,0	6	6,5									
KTM	SMC R / SMC R ABS	690	12/13	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		1337	R	S	240	111	5,0	6	6,5
KTM	SMC R / SMC R ABS	690	12/13	F	725X	L	F00,0	318	127	5,0	6	6,5									
KTM	SMC R / SMC R ABS	690	12/13	F	730	L	F00,0	320	127	4,0	6	6,5									
KTM	SMC R - SMC R ABS	690	14/17	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		1578	R	F00,0	240	106,3	5,0	6	6,5
KTM	SMC R - SMC R ABS	690	14/17	F	725X	L	F00,0	318	127	5,0	6	6,5		1578X	R	F00,0	240	106,3	5,0	6	6,5
KTM	SMC R - SMC R ABS	690	14/17	F	730	L	F00,0	320	127	4,0	6	6,5									
KTM	SMC R ABS	690	18/19	F	1715 / 1715X	L	F00,0	320	127	4,5	6	6,5		1578 / 1578X	R	F00,0	240	106,3	5,0	6	6,5
KTM	SMR	690	07	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5		1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SMR	690	07	F	725X	L	F00,0	318	127	5,0	6	6,5		1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SMR	690	07	F	730	L	F00,0	320	127	4,0	6	6,5									



KTM	SUPERMOTO	690	07/10	F	725 / 725SP	L	F00,0	320	127	5,0	6	6,5	1337	R	S	240	111	5,0	6	6,5
KTM	SUPERMOTO	690	07/10	F	725X	L	F00,0	318	127	5,0	6	6,5								
KTM	SUPERMOTO	690	07/10	F	730	L	F00,0	320	127	4,0	6	6,5								
KTM	SUPERMOTO PRESTIGE / R	690	07/08	F	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	1172X / 1172	R	S	240	111	4,0	6	6,5
KTM	SUPERMOTO PRESTIGE / R	690	07/08	F	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5	1337	R	S	240	111	5,0	6	6,5
799 c.c.													799 c.c.							
KTM	790 ADVENTURE ABS	799	18/19	U	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	--	R	F00,0	260	-	5,0	6	6,5
KTM	790 ADVENTURE R ABS	799	18/19	U	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	--	R	F00,0	260	-	5,0	6	6,5
KTM	790 DUKE ABS	799	18/19	N	1717G / 1717XG	L/R	MDF	300	52	5,0	5	MH	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	790 DUKE ABS	799	18/19	N	1837GK34	L/R	KF	*320	52	5,0	5	MH	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	790 DUKE ABS	799	18/19	N	1837XGK34	L/R	KF	*320	52	5,0	5	MH								
950 c.c.													950 c.c.							
KTM	LC8 ADVENTURE	950	02/07	U	1043	L/R	S	300	127	4,0	6	6,5	1337	R	S	240	111	5,0	6	6,5
KTM	LC8 ADVENTURE	950	02/07	U	1733X	L/R	F00,0	300	127	5,0	6	6,5								
KTM	LC8 ADVENTURE S	950	04/06	U	1043	L/R	S	300	127	4,0	6	6,5	1172 / 1172X	R	S	240	111	4,0	6	6,5
KTM	LC8 ADVENTURE S	950	04/06	U	1733X	L/R	F00,0	300	127	5,0	6	6,5	1337	R	S	240	111	5,0	6	6,5
KTM	LC8 DUKE	950	03	F	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KTM	LC8 DUKE	950	03	F	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
KTM	SMR / SMT	950	07/10	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KTM	SUPER DUKE	950	05	F	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KTM	SUPER DUKE	950	05	F	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5								
KTM	SUPER ENDURO R	950	06/09	E	1043	L	S	300	127	4,0	6	6,5	1337	R	S	240	111	5,0	6	6,5
KTM	SUPER ENDURO R	950	06/09	E	1733X	L	F00,0	300	127	5,0	6	6,5								
KTM	SUPERMOTO	950	05/07	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERMOTO	950	05/07	F									1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO R	950	05	F	1060XG / 1060G	L	F10,5	320	64	5,0	6	8,5	1823X / 1823	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO R	950	05	F	1060X / 1060	L	F10,5	320	64	5,0	6	8,5								
KTM	SUPERMOTO R	950	07/08	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1172 / 1172X	R	S	240	111	4,0	6	6,5
KTM	SUPERMOTO R	950	07/08	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1337	R	S	240	111	5,0	6	6,5
990 c.c.													990 c.c.							
KTM	LC8 ADVENTURE / R	990	02/09	U	1733X	L/R	F00,0	300	127	5,0	6	6,5	1337	R	S	240	111	5,0	6	6,5
KTM	LC8 ADVENTURE R	990	10/13	U	1733X	L/R	F00,0	300	127	5,0	6	6,5	1459	R	S	240	111	5,0	6	6,5
KTM	LC8 ADVENTURE S	990	06/08	U	1043	L/R	S	300	127	4,0	6	6,5	1172 / 1172X	R	S	240	111	4,0	6	6,5
KTM	LC8 ADVENTURE S	990	06/08	U	1733X	L/R	F00,0	300	127	5,0	6	6,5	1337	R	S	240	111	5,0	6	6,5
KTM	SM	990	07→	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SM	990	07→	F									1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM R	990	07/08	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SM R	990	07/08	F									1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM R	990	09/14	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SM R	990	08/14	F									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERMOTO T / ABS	990	09/13	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO T / ABS	990	09/13	F									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERDUKE / R	990	05/13	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERDUKE / R	990	05/13	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERMOTO	990	07/12	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO	990	07/12	F									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
KTM	SUPERMOTO R / ABS	990	09/13	F	1369 / 1369X	L/R	F10,0	305	64	5,0	6	8,5	1823 / 1823X	R	F00,0	240	107,5	5,0	5	8,5
KTM	SUPERMOTO R / ABS	990	09/13	F									1171 / 1171X	R	S	240	107,5	5,0	5	8,5
1050 c.c.													1050 c.c.							
ADVENTURE																				
KTM	ADVENTURE 1090 ABS / 1090 R ABS	1050	13/16	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
KTM	ADVENTURE 1090 ABS / 1090 R ABS	1050	13/16	UVT	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5								
KTM	ADVENTURE 1090 ABS / 1090 R ABS	1050	17/18	UVT	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
1190 c.c.													1190 c.c.							
KTM	ADVENTURE ABS / R ABS	1190	13/16	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
KTM	ADVENTURE ABS / R ABS	1190	13/16	UVT	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5								
KTM	RC8 / RC8R	1190	07/15	RVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1368	R	S	220	88,9	5,0	5	9,5
KTM	RC8 / RC8R	1190	07/15	RVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
1301 c.c.													1301 c.c.							
SUPER ADVENTURE																				
KTM	SUPER ADVENTURE 1290	1301	15/16	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
KTM	SUPER ADVENTURE 1290	1301	15/16	UVT	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5								
KTM	SUPER ADVENTURE 1290 R ABS / 1290 S , SUPER DUKE	1301	17/19	UVT	1840 / 1840X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
KTM	SUPER DUKE 1290 GT ABS	1301	16/19	NVT	1565G / 1565XG	L/R	F00,0	320	64	5,0	5	8,5	1571 / 1571X	C	S	240	86	5,0	5	8,5
KTM	SUPER DUKE 1290 GT ABS	1301	16/19	NVT	1565 / 1565X	L/R	F00,0	320	64	5,0	5	8,5								
KTM	SUPER DUKE 1290 R ABS	1301	14/18	NVT	1565G / 1565XG	L/R	F00,0	320	64	5,0	5	8,5	1571 / 1571X	C	S	240	86	5,0	5	8,5
KTM	SUPER DUKE 1290 R ABS	1301	14/18	NVT	1565 / 1565X	L/R	F00,0	320	64	5,0	5	8,5								
KTM	SUPER DUKE 1290 SPECIAL EDITION ABS	1301	16/17	NVT	1565XG / 1565G	L/R	F00,0	320	64	5,0	5	8,5	1571X / 1571	C	S	240	86	5,0	5	8,5
KTM	SUPER DUKE 1290 SPECIAL EDITION ABS	1301	16/17	NVT	1565X / 1565	L/R	F00,0	320	64	5,0	5	8,5								
KYMCO ELECTRIC													KYMCO ELECTRIC							
KYMCO	AGILITY EV	E	19	SV	1011 / 1011X	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
KYMCO	AGILITY CARRY EV	E	19	SV	1011 /															



C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
KYMC	B2B EV IONEX	E 19 SV	1011 / 1011X	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	CANDY 2.0 EV / 3.0 EV	E 17 SV	-	R S	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	LIKE EV	E 19 SV	1345 / 1345X	L S	220 89,5	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	QUEEN 3.0 EV	E 17 SV	-	R S	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	SUPER NEX ABS	E 19 RV	-	L/R Fxx,x	-	-	-	-	-	-	-	R S	-	-	-	-	-	-
50 c.c.											50 c.c.							
KYMC	AGILITY 2T / 4T 10'	50 05/14 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY 2T / 4T 12'	50 06/18 S	1011 / 1011X	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY 2T / 4T 16 +	50 08/17 S	1093 / 1093X	L S	260 87,5	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY 10' 4T	50 06/14 S	1011 / 1011X	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY 12' RS NAKED 4T	50 06/17 S	1011 / 1011X	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY CARRY 12' 4T	50 11/13 S	1390 / 1390X	L S	200 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY CARRY 12' 4T	50 14/18 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY CITY 16' 2T	50 08/12 S	1093 / 1093X	L S	260 87,5	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY CITY 16' 4T	50 16/17 S	1093 / 1093X	L S	260 87,5	4,0 5	10,5	-	R S	240	-	-	-	-	-	-	-	-
KYMC	AGILITY NAKED 12' 4T	50 19 S	xxxxX	L S	220 90	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY ONE 4T	50 08/09 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY RS NAKED 2T	50 10/18 S	1390X / 1390	L S	200 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY RS NAKED 4T	50 09/18 S	1390X / 1390	L S	200 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY WIDE 4T	50 17 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	ACTIV SR	50 05/06 S	-	R S	220	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	BET-WIN	50 01/02 S	612	L S	220 58	4,0 5	6,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	BET-WIN	50 01/02 S	365	L S	220 58	4,0 5	6,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	BET-WIN	50 03/06 S	086 / 086X	R S	220 58	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	COBRA CROSS / RACER	50 00/06 S	1011 / 1011X	L S	180 58	4,0 3	10,5	1011 / 1011X	L S	180 58	4,0 3	10,5	-	-	-	-	-	-
KYMC	CURIO CX	50 93 S	108	L S	160 58	4,0 3	10,5	-	-	-	-	-	-	-	-	-	-	-
KYMC	CURIO CX SUPER	50 94 S	108	L S	160 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	CURIO CX SUPER	50 95/98 S	108	L S	160 58	4,0 3	10,5	-	-	-	-	-	-	-	-	-	-	-
KYMC	DINK	50 97/98 S	086 / 086X	L S	220 58	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	DINK / DINK L.C.	50 99/02 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	DINK CLASSIC EURO / SPORT	50 02/06 S	086 / 086X	R S	220 58	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	DJS	50 12/13 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	DJW WORLD	50 95/97 S	108	L S	160 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	FEVER ZX	50 99 S	1011X / 1011	L S	180 58	4,0 3	10,5	-	-	-	-	-	-	-	-	-	-	-
KYMC	FILLY / FILLY LX	50 00/02 S	108	L S	160 58	4,0 3	10,5	-	-	-	-	-	-	-	-	-	-	-
KYMC	GRAND DINK 2T	50 04/15 S	086 / 086X	R S	220 58	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	HEROISM	50 95/99 S	108	L S	160 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	JETIX	50 17 S	-	R S	260	-	-	-	-	S	220	-	-	-	-	-	-	-
KYMC	K12 / K12 SPORT / KB	50 95/00 S	108	L S	160 58	4,0 3	10,5	-	-	-	-	-	-	-	-	-	-	-
KYMC	LIKE 2T / LIKE 4T	50 09/18 S	1345 / 1345X	L S	220 89,5	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	MXU R	50 17 S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	NEXXON	50 08/09 S	-	R S	220	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	PEOPLE	50 99 S	285	L S	226 60	3,5 3	9,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	PEOPLE	50 00/03 S	158	L S	226 60	3,5 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	PEOPLE S 2T	50 05/17 S	1093 / 1093X	L S	260 87,5	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	PEOPLE S 4T	50 06/15 S	1093 / 1093X	L S	260 87,5	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	SCOUT	50 98 S	108	L S	160 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	SENTO i 4T	50 08/15 S	-	- S	160	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	SNIPER	50 93 S	108	L S	160 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	SNIPER	50 94/98 S	108	L S	160 58	4,0 3	10,5	183	L S	160 60	3,5 4	6,5	-	-	-	-	-	-
KYMC	SPACER	50 97/02 S	1011 / 1011X	L S	180 58	4,0 3	10,5	1011 / 1011X	L S	180 58	4,0 3	10,5	-	-	-	-	-	-
KYMC	SUPER 8 2T / 4T	50 14/18 S	1432X	L S	240 126,5	3,5 6	8,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	SUPER 9	50 00/07 S	1072	R S	210 58	4,0 3	10,5	1011 / 1011X	R S	180 58	4,0 3	10,5	-	-	-	-	-	-
KYMC	SUPER 9	50 00/07 S	-	-	-	-	-	1507 / 1507X	R MD	180 58	4,0 3	MH	-	-	-	-	-	-
KYMC	SUPER 9 AC SPORTS	50 08/09 S	1072	R S	210 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	TOP BOY	50 97/06 S	108	L S	160 58	4,0 3	10,5	-	-	-	-	-	-	-	-	-	-	-
KYMC	VISA R	50 11/15 S	-	- S	220	-	-	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	VITALITY 2T / 4T	50 04/18 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	YAGER	50 99/02 S	1011 / 1011X	R S	180 58	4,0 3	10,5	1011 / 1011X	L S	180 58	4,0 3	10,5	-	-	-	-	-	-
KYMC	YAGER	50 07 S	1011 / 1011X	R S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	YUP	50 00/10 S	1011X / 1011	L S	180 58	4,0 3	10,5	1011 / 1011X	L S	180 58	4,0 3	10,5	-	-	-	-	-	-
KYMC	ZX SUPER FEVER / SCOUT	50 99/06 S	1011X / 1011	L S	180 58	4,0 3	10,5	1011 / 1011X	L S	180 58	4,0 3	10,5	-	-	-	-	-	-
90 c.c.											90 c.c.							
KYMC	YUP	90 00 S	1011X / 1011	L S	180 58	4,0 3	10,5	-	-	-	-	-	-	-	-	-	-	-
100 c.c.											100 c.c.							
KYMC	KB MANBOY	100 97/00 S	108	L S	160 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
110 c.c.											110 c.c.							
KYMC	VISA R	110 11/15 S	-	R S	220	-	-	Drum	-	-	-	-	-	-	-	-	-	-
125 c.c.											125 c.c.							
AGILITY MODELS																		
KYMC	AGILITY 4T 12'	125 06/17 S	1011X / 1011	L S	180 58	4,0 3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY 4T 12'	125 18 S	1345X / 1345	L S	220 89,5	4,0 5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KYMC	AGILITY 16+ 2T	125 08/17 S	1093 / 1093X	L S	260 87,5	4,0 5	10,5	240 / 240X	R S	240 89	5,0 5	10,5	-	-	-	-	-	-

																												
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø										
KYMCO	AGILITY 16+ 4T CBS	125	17/19	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5								
KYMCO	AGILITY CARRY	125	12/17	S	-	L	S	260	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	AGILITY CARRY	125	18/19	S	1345 / 1345X	L	S	220	89,5	4,0	5	10,5	1346 / 1346X	R	S	200	89,5	4,0	5	10,5								
KYMCO	AGILITY CITY / CITY CBS E4	125	09/19	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5								
KYMCO	AGILITY R16	125	08/14	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5								
KYMCO	AGILITY RS NAKED	125	13/15	S	1439	L	S	220	88	3,5	5	8,5	Drum	-	-	-	-	-	-									
KYMCO	AGILITY RS / NAKED PLUS	125	09/17	S	1390X / 1390	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-									
KYMCO	ACTIV SR	125	17	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	BET-WIN	125	00/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5								
KYMCO	CK1	125	14/17	N	-	R	S	260	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	DINK	125	96/99	S	1011X / 1011	R	S	180	58	4,0	3	10,5	1011X / 1011	L	S	180	58	4,0	3	10,5								
KYMCO	DINK BET & WIN	125	00/06	S	1011X / 1011	R	S	180	58	4,0	3	10,5	1011X / 1011	L	S	180	58	4,0	3	10,5								
KYMCO	DINK CLASSIC	125	02	S	086 / 086X	R	S	220	58	4,0	5	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5								
KYMCO	DINK LX	125	98/00	S	1011X / 1011	R	S	180	58	4,0	3	10,5	1011X / 1011	L	S	180	58	4,0	3	10,5								
KYMCO	DINK / SPACER	125	97/04	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5								
KYMCO	DOWNTOWN i / ABS	125	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5								
KYMCO	DOWNTOWN i ABS	125	17/18	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5								
KYMCO	DOWNTOWN NOODOE i ABS	125	19	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5								
KYMCO	FILLY 4T ABS	125	18/19	S	-	L	S	180	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	GRAND DINK	125	01/11	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5								
KYMCO	GRAND DINK i	125	12/15	S	240X / 240	R	S	240	89	5,0	5	10,5	1346X / 1346	R	S	200	89,5	4,0	5	10,5								
KYMCO	GRAND DINK / ABS	125	16/19	S	1611X	R	S	260	150,5	4,0	6	10,5	1612X	R	S	240	88	5,0	5	10,5								
KYMCO	GT i	125	16	S	1440	R	S	260	125	5,5	5	8,5	1440	R	S	260	125	5,5	5	8,5								
KYMCO	GT i	125	17	S	1602	R	S	260	125	4,5	5	8,5	1602	R	S	260	125	4,5	5	8,5								
KYMCO	HEROISM	125	95/98	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-									
KYMCO	JETIX	125	10/17	S	-	R	S	260	-	-	-	-	-	-	S	220	-	-	-	-								
KYMCO	K-PIPE	125	12/15	N	-	R	S	276	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	K-XCT i	125	12/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X / 240	R	S	240	89	5,0	5	10,5								
KYMCO	K-XCT i ABS	125	12/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5								
KYMCO	K-XCT i ABS	125	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5								
KYMCO	KTR	125	14/15	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-									
KYMCO	LIKE 2T / LIKE 4T	125	09/18	S	1345 / 1345X	L	S	220	89,5	4,0	5	10,5	1346	R	S	200	89,5	4,0	5	10,5								
KYMCO	LIKE 4T CBS	125	09/19	S	1345 / 1345X	L	S	220	89,5	4,0	5	10,5	1346	R	S	200	89,5	4,0	5	10,5								
KYMCO	LIKE LX 4T	125	08/16	S	1345 / 1345X	L	S	220	89,5	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5								
KYMCO	LIKE S 4T CBS	125	19	S	1345 / 1345X	L	S	220	89,5	4,0	5	10,5	1346	R	S	200	89,5	4,0	5	10,5								
KYMCO	MILER 4T	125	17/19	S	1651	L	S	226	88	4,0	5	10,5	1545	R	S	200	88	4,0	5	10,5								
KYMCO	MOVIE	125	99/00	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-									
KYMCO	MOVIE E3	125	06/07	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-									
KYMCO	MOVIE S	125	17	S	-	R	S	-	-	-	-	-	-	-	S	200	-	-	-	-								
KYMCO	MOVIE S i	125	09	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-									
KYMCO	MOVIE XL	125	01/04	S	086 / 086X	R	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-									
KYMCO	MXER	125	03/07	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5								
KYMCO	NEXXON	125	17	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	NSR	125	-	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-									
KYMCO	PEOPLE	125	99/11	S	158	L	S	226	60	3,5	3	10,5	Drum	-	-	-	-	-	-									
KYMCO	PEOPLE GTi	125	10/13	S	1317 / 1317X	R	S	260	125	5,0	5	10,5	1317 / 1317X	R	S	260	125	5,0	5	10,5								
KYMCO	PEOPLE GTi / ABS	125	14/15	S	1440	R	S	260	125	5,5	5	8,5	1440	R	S	260	125	5,5	5	8,5								
KYMCO	PEOPLE GTi ABS	125	16/17	S	1602	R	S	260	125	4,5	5	8,5	1602	R	S	260	125	4,5	5	8,5								
KYMCO	PEOPLE ONE i	125	13/14	S	1651	L	S	226	88	4,0	5	10,5	Drum	-	-	-	-	-	-									
KYMCO	PEOPLE ONE i / CBS	125	14/19	S	1651	L	S	226	88	4,0	5	10,5	1346 / 1346X	R	S	200	89,5	4,0	5	10,5								
KYMCO	PEOPLE S	125	05/06	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	Drum	-	-	-	-	-	-									
KYMCO	PEOPLE S	125	07/15	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1093 / 1093X	R	S	260	87,5	4,0	5	10,5								
KYMCO	PEOPLE S i ABS	125	17/19	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5								
KYMCO	PULSE 4T	125	17	R	-	L	S	220	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	QUANNON	125	06/11	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-									
KYMCO	QUANNON NAKED	125	10/17	N	-	R	-	276	-	-	-	-	-	R	S	220	-	-	-	-								
KYMCO	RS NAKED	125	13/14	S	1439	L	S	220	88	3,5	5	8,5	Drum	-	-	-	-	-	-									
KYMCO	SENTO i 4T	125	17	S	-	-	S	160	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	SPACER	125	97/99	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5								
KYMCO	SUPER 8 4T	125	14/17	S	1432X	L	S	240	126,5	3,5	6	8,5	Drum	-	-	-	-	-	-									
KYMCO	SUPER DINK i	125	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X / 240	R	S	240	89	5,0	5	10,5								
KYMCO	SUPER DINK i ABS	125	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5								
KYMCO	SUPER DINK i ABS	125	17/19	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5								
KYMCO	VISA R	125	11/15	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-									
KYMCO	VIVIO	125	00/03	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-									
KYMCO	X-T																											

		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
KYMC0	AGILITY i 16' / ABS	150	08/17	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
KYMC0	AGILITY i + 16'	150	14/16	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
KYMC0	AGILITY i + 16' / ABS	150	18/19	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5
KYMC0	AGILITY R16	150	08/12	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5
KYMC0	BET-WIN	150	00/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
KYMC0	DINK CLASSIC	150	00/03	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
KYMC0	DINK LX	150	98/00	S	1011X / 1011	R	S	180	58	4,0	3	10,5	1011X / 1011	L	S	180	58	4,0	3	10,5
KYMC0	DINK / SPACER	150	97/04	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5
KYMC0	GRAND DINK	150	01/07	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
KYMC0	HEROISM	150	94/98	S	108	L	S	160	58	4,0	3	10,5	183	L	S	160	60	3,5	4	6,5
KYMC0	KTR / NSR	150	-	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-	-
KYMC0	LIKE 4T	150	11/17	S	1345 / 1345X	L	S	220	89,5	4,0	5	10,5	1346	R	S	200	89,5	4,0	5	10,5
KYMC0	MOVIE S	150	17	S	-	R	S	-	-	-	-	-	-	-	S	200	-	-	-	-
KYMC0	MOVIE XL	150	01/02	S	086 / 086X	R	S	220	58	4,0	5	10,5	086 / 086X	R	S	220	58	4,0	5	10,5
KYMC0	MXER	150	03/07	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5
KYMC0	PEOPLE	150	99/04	S	158	L	S	226	60	3,5	3	10,5	Drum	-	-	-	-	-	-	-
KYMC0	PEOPLE ONE i ABS	150	18/19	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1346 / 1346X	R	S	200	89,5	4,0	5	10,5
KYMC0	PEOPLE S i ABS	150	17/19	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5
KYMC0	QUANNON	150	10/11	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-	-
KYMC0	SPACER	150	97/99	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5
KYMC0	VIVIO	150	00/03	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-
200 c.c.																200 c.c.				
KYMC0	AGILITY CITY i	200	12	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5
KYMC0	AGILITY 16'	200	09/16	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
KYMC0	AGILITY 16' +	200	09/17	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
KYMC0	AGILITY R16	200	09/14	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5
KYMC0	DINK CLASSIC	200	03/08	S	086 / 086X	R	S	220	58	4,0	5	10,5	1011X / 1011	R	S	180	58	4,0	3	10,5
KYMC0	DINK i	200	06/15	S	--	-	-	-	-	-	-	-	095 / 095X	R	S	200	58	4,0	5	10,5
KYMC0	DOWNTOWN i	200	10/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X / 240	R	S	240	89	5,0	5	10,5
KYMC0	LIKE / LIKE i	200	09/16	S	1345 / 1345X	L	S	220	89,5	4,0	5	10,5	1346 / 1346X	R	S	200	89,5	4,0	5	10,5
KYMC0	NEW DINK	200	08→	S	1238 / 1238X	R	S	240	87,5	3,8	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
KYMC0	PEOPLE Gi / ABS	200	10/11	S	1317 / 1317X	R	S	260	125	5,0	5	10,5	1317 / 1317X	R	S	260	125	5,0	5	10,5
KYMC0	PEOPLE S / S i	200	07/17	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	1093 / 1093X	R	S	260	87,5	4,0	5	10,5
KYMC0	PEOPLE S	200	05/06	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	Drum	-	-	-	-	-	-	-
KYMC0	PEOPLE S i	200	07/15	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	1093 / 1093X	R	S	260	87,5	4,0	5	10,5
KYMC0	YAGER i	200	07/13	S	--	-	-	-	-	-	-	-	095 / 095X	R	S	200	58	4,0	5	10,5
250 c.c.																250 c.c.				
KYMC0	BET & WIN	250	00/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
KYMC0	GRAND DINK	250	00/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
KYMC0	PEOPLE L.C.	250	03/06	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1093 / 1093X	R	S	260	87,5	4,0	5	10,5
KYMC0	PEOPLE S i	250	02/10	S	1093 / 1093X	L/R	S	260	87,5	4,0	5	10,5	1093 / 1093X	R	S	260	87,5	4,0	5	10,5
KYMC0	XCITING / XCITING i	250	04/08	S	1066 / 1066X	L/R	S	260	105	5,0	5	10,5	1067 / 1067X	R	S	240	125,5	5,0	5	10,5
KYMC0	VENOX	250	03/08	S	125	L	S	317	144	6,0	6	10,5	Drum	-	-	-	-	-	-	-
KYMC0	VENOX	250	03/08	S	1073	L	S	316	144	5,0	6	10,5								
KYMC0	VENOX	250	03/08	S	1429	L	F00,0	318	144	5,0	6	10,5								
KYMC0	YUP	250	02/03	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
300 c.c.																300 c.c.				
KYMC0	AGILITY+ ABS	300	19	S	xxxxX	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
KYMC0	AGILITY MAXI i ABS	300	14/15	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X / 240	R	S	240	89	5,0	5	10,5
KYMC0	DOWNTOWN i	300	09/15	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X / 240	R	S	240	89	5,0	5	10,5
KYMC0	DOWNTOWN i ABS	300	16/18	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
KYMC0	GRAND DINK ABS	300	12/16	S	240X / 240	R	S	240	89	5,0	5	10,5	1346X / 1346	R	S	200	89,5	4,0	5	10,5
KYMC0	GRAND DINK ABS	300	17/19	S	1611X	R	S	260	150,5	4,0	6	10,5	1612X	R	S	240	88	5,0	5	10,5
KYMC0	PEOPLE Gi / ABS	300	10/13	S	1317 / 1317X	R	S	260	125	5,0	5	10,5	1317 / 1317X	R	S	260	125	5,0	5	10,5
KYMC0	PEOPLE Gi ABS	300	14/15	S	1440	R	S	260	125	5,5	5	8,5	1602	R	S	260	125	4,5	5	8,5
KYMC0	PEOPLE Gi ABS	300	16/17	S	1602	R	S	260	125	4,5	5	8,5	1602	R	S	260	125	4,5	5	8,5
KYMC0	PEOPLE S / Si	300	08/10	S	1093 / 1093X	L/R	S	260	87,5	4,0	5	10,5	1093 / 1093X	R	S	260	87,5	4,0	5	10,5
KYMC0	PEOPLE Si	300	17/19	S	1317	L	S	260	125	5,0	5	10,5	1317	L	S	260	125	5,0	5	10,5
KYMC0	PEOPLE Si ABS	300	19	S	-	R	S	-	-	-	-	-	1317	R	S	260	125	5,0	5	10,5
KYMC0	K-XCT i	300	13	S	1066X / 1066	R	S	260	105	5,0	5	10,5	1067X / 1067	R	S	2				

		C.C.		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
KYMC	DOWNTOWN i TCS NOODOE	350	18/19	S		1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
KYMC	SUPER DINK i ABS	350	17/19	S		1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
		400 c.c.															400 c.c.				
KYMC	XCITING i / ABS	400	12/18	S		1547X	L/R	F00,0	280	88	4,0	5	10,5	1067X / 1067	R	S	240	125,5	5,0	5	10,5
KYMC	XCITING i S ABS	400	18/19	S		1547X	L/R	F00,0	280	88	4,0	5	10,5	1067X / 1067	R	S	240	125,5	5,0	5	10,5
		500 c.c.															500 c.c.				
KYMC	XCITING	500	04/09	S		1066 / 1066X	L/R	S	260	105	5,0	5	10,5	1067 / 1067X	R	S	240	125,5	5,0	5	10,5
KYMC	XCITING i R ABS	500	07/13	S		1066X / 1066	L/R	S	260	105	5,0	5	10,5	1067X / 1067	R	S	240	125,5	5,0	5	10,5
		550 c.c.															550 c.c.				
KYMC	AK ABS	550	17/19	S		1685X	L/R	F00,0	270	88	4,5	5	10,5	1317X	R	S	260	125	5,0	5	10,5
KYMC	AK SE ABS	550	18/19	S		1685X	L/R	F00,0	270	88	4,5	5	10,5	1317X	R	S	260	125	5,0	5	10,5
KYMC	C SERIES ABS	550	17/18	S		-	L/R	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
		125 c.c.															125 c.c.				
LAMBRETTA	LN 4T	125	11/17	S		-	-	-	190	-	-	-	-	Drum	-	-	-	-	-	-	-
LAMBRETTA	V SPECIAL	125	18/19	S		-	L	S	226	-	-	-	-	-	R	S	220	-	-	-	-
		650 c.c.															650 c.c.				
LAVERDA	FORMULA	650	95/96	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
LAVERDA	FORMULA	650	95/96	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	FORMULA / SPORT	650	97/01	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	416	R	S	245	115	6,0	6	8,5
LAVERDA	FORMULA / SPORT	650	97/01	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	GHOST / LEGEND / STRIKE	650	96/99	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	GHOST / LEGEND / STRIKE	650	96/99	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	SPORT	650	95/96	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
LAVERDA	SPORT	650	95/96	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
		668 c.c.															668 c.c.				
LAVERDA	DIAMANTE	668	96/98	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	DIAMANTE	668	96/98	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	GHOST / LEGEND / STRIKE	668	96/99	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	GHOST / LEGEND / STRIKE	668	96/99	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
		750 c.c.															750 c.c.				
LAVERDA	BLACK STRIKE - CARENATA S	750	98/00	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	BLACK STRIKE - CARENATA S	750	98/00	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	DIAMANTE / MONO LEGEND	750	98→	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	DIAMANTE / MONO LEGEND	750	98→	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	FORMULA	750	98/01	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
LAVERDA	FORMULA	750	98/01	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	S FORMULA / STRIKE	750	98/01	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
LAVERDA	S FORMULA / STRIKE	750	98/01	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	SPORT	750	97/98	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	SPORT	750	97/98	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	STRIKE BIFARO	750	98/00	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	STRIKE BIFARO	750	98/00	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	SUPER SPORT	750	99/00	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
LAVERDA	SUPER SPORT	750	99/00	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
		800 c.c.															800 c.c.				
LAVERDA	T-8	800	98	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	T-8	800	98	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
LAVERDA	TSS	800	99	R		1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5
LAVERDA	TSS	800	99	R		1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
		1000 c.c.															1000 c.c.				
LAVERDA	SFC	1000	03→	R		-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5
		150 c.c.															150 c.c.				
LEMEV	STAR DE LUXE	150	09	S		610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LEMEV	STAR DE LUXE	150	09	S		610F	R	F00,0	200	96,5	4,0	5	6,5								
		ELECTRIC															ELECTRIC				
LEMEV	EV STREAM	E	16/18	SV		-	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		125 c.c.															125 c.c.				
LEONART	DAYTONA / HERITAGE	125	17/18	C		-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LEONART	TRACKER	125	17/18	U		-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
		50 c.c.															50 c.c.				
LEXMOTO	EXO	50	17/18	S		-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
LEXMOTO	HUNTER	50	17/18	A		-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
		125 c.c.															125 c.c.				
LEXMOTO	AQUARIUS / ARIES	125	17/18	U		-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LEXMOTO	ASPIRE Efi	125	17/18	U		-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LEXMOTO	ADRENALINE Efi	125	17/18	U		-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
LEXMOTO	CHIEFTAIN / DIABLO Efi	125	17/18	S		-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
LEXMOTO	FALCOM	125	17/18	R		-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
LEXMOTO	FMX Efi	125	17/18	S		-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
LEXMOTO	FMR Efi	125	17/18	S		-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-



LEXMOTO HAWK	125	17/18	U	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-	
LEXMOTO MATADOR Efi / MICHIGAN Efi	125	17/18	S	-X	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
LEXMOTO MILANO Efi	125	17/18	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
LEXMOTO MONZA	125	17/18	S	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-	
LEXMOTO PISCES / RIVIERA	125	17/18	C	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
LEXMOTO TEKKEN	125	17/18	E	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-	
LEXMOTO TEMPEST	125	17/18	U	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
LEXMOTO TITAN / URBAN	125	17/18	S	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
LEXMOTO VALIANT Efi	125	17/18	D	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
LEXMOTO VALLETTA	125	17/18	S	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
LEXMOTO VENOM Efi	125	17/18	N	-X	L	S	-	-	-	-	-	-X	R	S	-	-	-	-	-	
LEXMOTO VIENNA	125	17/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
LEXMOTO VIPER	125	17/18	N	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
LEXMOTO XTR S	125	17/18	U	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
LEXMOTO ZSX-F Efi	125	17/18	R	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-	
LEXMOTO ZSX-R Efi	125	17/18	N	-X	R	S	-	-	-	-	-	-X	R	S	-	-	-	-	-	
LIFAM				LIFAM								LIFAM								
125 c.c.				125 c.c.								125 c.c.								
LIFAN	JD STAR	125	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5
150 c.c.				150 c.c.								150 c.c.								
LIFAN	LF T-6	150	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5
LINHAI				LINHAI								LINHAI								
260 c.c.				260 c.c.								260 c.c.								
LINHAI	VOG	260	-	S	1266X	R	S	243	115	4,0	6	8,5	1393X	R	S	230	116	5,0	3	8,5
300 c.c.				300 c.c.								300 c.c.								
LINHAI	MAINSTREET	300	-	S	1266X	R	S	243	115	4,0	6	8,5	1393X	R	S	230	116	5,0	3	8,5
LINHAI	AG ELEGANCE / AG DD	300	-	S	1266X	R	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	-
LML				LML								LML								
125 c.c.				125 c.c.								125 c.c.								
LML	STAR 2T	125	10/15	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR 2T	125	10/15	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
LML	STAR 4T LITE / MANUAL	125	14/18	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR 4T LITE / MANUAL	125	14/18	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
LML	STAR AUTOMATIC DELUXE 4T	125	15/17	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR AUTOMATIC DELUXE 4T	125	15/17	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
LML	STAR DELUXE 4T	125	01/18	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR DELUXE 4T	125	01/18	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
LML	STAR STREET POWER	125	15/17	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR STREET POWER	125	15/17	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
LML	STAR VINTAGE POWER	125	15/17	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR VINTAGE POWER	125	15/17	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
150 c.c.				150 c.c.								150 c.c.								
LML	STAR 2T / STAR 4T	150	10/12	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR 2T / STAR 4T	150	10/12	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
LML	STAR DELUXE	150	01/03	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR DELUXE	150	01/03	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
200 c.c.				200 c.c.								200 c.c.								
LML	STAR 4T / DELUXE 4T	200	10/18	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LML	STAR 4T / DELUXE 4T	200	10/18	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
MACAL				MACAL								MACAL								
50 c.c.				50 c.c.								50 c.c.								
MACAL	BIG WARRIOR / THUNDER	50	95/96	S	007	L	S	190	58	3,5	3	9,5	-	-	-	-	-	-	-	-
MACAL	BIG WARRIOR / THUNDER	50	95/96	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MACAL	FLASH	50	95/97	S	007	L	S	190	58	3,5	3	9,5	-	-	-	-	-	-	-	-
MACAL	FLASH	50	95/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MACAL	TROFEU RVE	50	96	H	-	-	-	-	-	-	-	-	376	R	S	185	45	4,0	4	8,5
MACBOR				MACBOR								MACBOR								
50 c.c.				50 c.c.								50 c.c.								
MACBOR	XC 510 RACING	50	06/11	A-M	668	L	S	184	46	3,0	5	6,5	426	R	S	150	45	3,0	5	6,5
MACBOR	XC 512 PRO	50	06/11	A-M	668	L	S	184	46	3,0	5	6,5	Drum	-	-	-	-	-	-	-
MACBOR	XC 515 R6V	50	06/11	A-M	700	L	S	184	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
MACBOR	XC 515 R6V	50	06/11	A-M	-	-	-	-	-	-	-	-	650SP	R	S	150	45	3,0	4	6,5
125 c.c.				125 c.c.								125 c.c.								
MACBOR	MC1 i	125	17	N	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MACBOR	ROCKSTER i	125	17/18	C	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
MACBOR	ROCKSTER FLAT	125	17/18	C	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
MACBOR	MONTANA XR1	125	17/19	U	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MACBOR	ROCKSTER / FLAT	125	17/18	C	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MACBOR	STORMER R	125	17/19	N	-X	L	S	-	-	-	-	-	-X	R	S	-	-	-	-	-
MACBOR	SHIFTER MC1	125	17/19	N	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
250 c.c.				250 c.c.								250 c.c.								
MACBOR	MONTANA XR3 ABS	250	18/19	U	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
MALAGUTI				MALAGUTI								MALAGUTI								
ELECTRIC				ELECTRIC								ELECTRIC								
MALAGUTI	CIAK ELECTRIC POWER	E	00	S	339	L	S	200	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
50 c.c.				50 c.c.								50 c.c.								





	C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
MALAGUTI CENTRO BASE / SL / CAT	50	93→	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI CIAK MASTER 2T / 4T	50	04/08	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI CIAK MONO E2 / 3	50	07/08	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI CIAK TWIN DISC	50	99/02	S	1100	L	S	230	105	4,0	6	6,5	665	R	S	190	58	4,0	3	12,0
MALAGUTI CROSSER CR1	50	97/98	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-
MALAGUTI CROSSER EL	50	99/00	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-
MALAGUTI CRW ENDURO	50	03→	A	193 / 193X	L	S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI DRAKON	50	05/06	S	024	R	F00,0	280	108	4,0	7	6,5	610	R	S	200	96,5	4,0	5	6,5
MALAGUTI DRAKON	50	07	S	-	-	-	-	-	-	-	-	042	R	S	220	57	4,0	5	6,5
MALAGUTI F10	50	92/98	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI F10 RESTYLING	50	01/06	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI F10 AC	50	08→	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI F12 DIGIT / FOGGY REPLICA	50	00	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3	12,0
MALAGUTI F12 DIGIT KAT E2 H2o	50	02→	S	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-	-
MALAGUTI F12 DIGIT KAT E2 H2o	50	02→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MALAGUTI F12 PHANTOM	50	94	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
MALAGUTI F12 PHANTOM	50	94	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MALAGUTI F12 PHANTOM	50	95→	S	303	-	S	190	58	4,0	3	8,5	303	-	S	190	58	4,0	3	8,5
MALAGUTI F12 PHANTOM	50	95→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
MALAGUTI F12 PHANTOM	50	00	S	339	L	S	200	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
MALAGUTI F12 2T AIR	50	07/08	S	303	-	S	190	58	4,0	3	8,5	-	-	-	-	-	-	-	-
MALAGUTI F12 2T AIR	50	07/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MALAGUTI F12 2T PHANTOM L.C.	50	95/97	S	303	-	S	190	58	4,0	3	8,5	-	-	-	-	-	-	-	-
MALAGUTI F12 2T PHANTOM L.C.	50	95/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MALAGUTI F12 PHANTOM L.C.	50	99/00	S	339	L	S	200	58	4,0	3	8,5	-	-	-	-	-	-	-	-
MALAGUTI F12 2T R AIR / L.C.	50	07/10	S	303	-	S	190	58	4,0	3	8,5	-	-	-	-	-	-	-	-
MALAGUTI F12 2T R AIR / L.C.	50	07/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MALAGUTI F12 SPECTRUM	50	00	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3	12,0
MALAGUTI F12 FIRE FOX TDS	50	99	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3	12,0
MALAGUTI F15 FIEREFOX	50	96/97	S	339	L	S	200	58	4,0	3	8,5	303	-	S	190	58	4,0	3	8,5
MALAGUTI F15 FIEREFOX	50	96/97	S	-	-	-	-	-	-	-	-	1022 / 1022X	L	MD	190	58	3,7	3	MH
MALAGUTI F15 FIEREFOX	50	98/05	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3	12,0
MALAGUTI FIFTY ELLY STAR	50	89	S	310 / 310X	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI FIFTY EVOLUTION	50	91	S	310 / 310X	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI FIFTY FULL CX	50	87	S	310 / 310X	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI FIFTY MISTRAL / TOP	50	87	S	310 / 310X	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI FIREFOX F15 DT	50	96/03	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3	12,0
MALAGUTI PHANTOM F12 KAT L.C.	50	94/03	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3	12,0
MALAGUTI PHANTOM F12 R	50	08/09	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3	12,0
MALAGUTI PHANTOM LC / KAT / TD	50	94/03	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3	12,0
MALAGUTI RST SPORT	50	88	H	310 / 310X	R	S	220	105	3,5	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI X3M ENDURO	50	07/08	A	837	L	T	240	108	3,5	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI X3 MOTARD EXTREME	50	07/08	A	614	L	S	259	108	3,5	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI X3 MOTARD EXTREME	50	07/08	A	828	L	T	260	108	4,0	6	7,5	-	-	-	-	-	-	-	-
MALAGUTI XSM SUPERMOTARD	50	04	A	119	L	S	240	118	3,5	4	6,5	836	R	T	218	62	3,5	3	8,5
MALAGUTI XSM SUPERMOTARD	50	03/06	A	614	L	S	259	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
MALAGUTI XSM SUPERMOTARD	50	07/10	A	1531	L	S	259	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
MALAGUTI XTM ENDURO	50	07/10	A	1539	L	S	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
MALAGUTI YESTERDAY	50	98→	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-
100 c.c.				100 c.c.								100 c.c.							
MALAGUTI CIAK TD	100	99/01	S	1100	L	S	230	105	4,0	6	6,5	665	R	S	190	58	4,0	3	12,0
MALAGUTI PHANTOM F12 TDS	100	99/03	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3	12,0
MALAGUTI PHANTOM MAX	100	99→	S	339	L	S	200	58	4,0	3	8,5	303	R	S	190	58	4,0	3	8,5
MALAGUTI PHANTOM MAX	100	99→	S	-	-	-	-	-	-	-	-	1022 / 1022X	L	MD	190	58	3,7	3	MH
125 c.c.				125 c.c.								125 c.c.							
MALAGUTI CENTRO i.e	125	07/10	S	686	L	S	270	90	4,0	6	6,5	043 / 043X	L	S	220	105	4,0	4	10,5
MALAGUTI CIAK / CIAK RESTYLING	125	00/04	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI CIAK MASTER / E3	125	04/06	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI F18 WARRIOR	125	00/02	S	1098	L	S	220	60	4,0	3	8,5	339	R	S	200	58	4,0	3	8,5
MALAGUTI MADISON / MADISON R	125	99/03	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
MALAGUTI MADISON 3	125	06/09	S	1008	L	S	240	105	4,5	5	6,5	1008	R	S	240	105	4,5	5	6,5
MALAGUTI PHANTOM MAX	125	99/06	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
150 c.c.				150 c.c.								150 c.c.							
MALAGUTI CIAK	150	00/02	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI CIAK MASTER	150	03→	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI CIAK RESTYLING E2	150	04→	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
MALAGUTI F18 WARRIOR	150	00/02	S	1098	L	S	220	60	4,0	3	8,5	339	R	S	200	58	4,0	3	8,5
MALAGUTI MADISON T	150	99/03	S	717	L/R	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
160 c.c.				160 c.c.								160 c.c.							
MALAGUTI CENTRO i.e	160	07/08	S	686	L	S	270	90	4,0	6	6,5	043 / 043X	L	S	220	105	4,0	4	10,5
180 c.c.				180 c.c.								180 c.c.							
MALAGUTI MADISON R	180	01/02	S	717	L/R	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
200 c.c.				200 c.c.								200 c.c.							

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
MALAGUTI	CIAMASTER E2	200	06→	S	1100	L	S	230	105	4,0	6	6,5	-	-	-	-	-	-	-	-
MALAGUTI	MADISON S	200	03	S	717	L/R	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
MALAGUTI	PHANTOM MAX	200	04/05	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
250 c.c.													250 c.c.							
MALAGUTI	MADISON 3	250	06/09	S	707	L	S	240	89,6	4,0	6	6,5	707	L	S	240	89,6	4,0	6	6,5
MALAGUTI	MADISON S	250	99/02	S	707	L	S	240	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
MALAGUTI	MADISON RS	250	04/05	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
MALAGUTI	PASSWORD / CK / E3	250	05/09	S	686	L	S	270	90	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
350 c.c.													350 c.c.							
MALAGUTI	PHANTOM MAX	350	06	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6	6,5
400 c.c.													400 c.c.							
MALAGUTI	MADISON	400	01	S	707	R	S	240	89,6	4,0	6	6,5	707	R	S	240	89,6	4,0	6	6,5
MALAGUTI	MADISON K / RESTYLING	400	02/06	S	686	L	S	270	90	4,0	6	6,5	707	R	S	240	89,6	4,0	6	6,5
MALAGUTI	MADISON BLACK RIDER	400	02	S	686	L	S	270	90	4,0	6	6,5	707	R	S	240	89,6	4,0	6	6,5
500 c.c.													500 c.c.							
MALAGUTI	SPIDER MAX GT / RS	500	04/09	S	686	L/R	S	270	90	4,0	6	6,5	1087	L	S	260	120	4,0	6	6,5
MASH 50 c.c.													MASH 50 c.c.							
MASH	BIBOP / BIBOP RACING	50	14/15	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MASH	BIBOP / BIBOP RACING	50	14/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MASH	BIBOP / BIBOP RACING	50	14/15	S	1300X	L	FO	*220	58	3,5	3	10,5								
MASH	DIRT TRACK / FITTY	50	17/18	H	-X	-	-	220	-	-	-	-	Drum	-	-	-	-	-	-	-
125 c.c.													125 c.c.							
MASH	B7 BROWN EDITION	125	17/18	D	-	R	S	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	BLACK SEVEN	125	16/18	D	-	R	S	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	BLACK SEVENTY FIVE	125	16/18	D	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	CAFÉ RACER	125	16/18	C	-	L	S	300	-	-	-	-	-	-	-	220	-	-	-	-
MASH	DIRT TRACK	125	17/18	F	-	-	-	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	SEVENTY FIVE	125	17/18	D	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	SIXTY FIVE	125	13/15	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MASH	SIXTY FIVE	125	13/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MASH	SIXTY FIVE	125	13/15	S	1300X	L	FO	*220	58	3,5	3	10,5								
250 c.c.													250 c.c.							
MASH	BLACK SEVEN	250	17/18	D	-	L	-	300	-	-	-	-	-	R	S	220	-	-	-	-
MASH	TWO FITTY ABS	250	17/18	D	-	L	-	300	-	-	-	-	-	R	S	220	-	-	-	-
400 c.c.													400 c.c.							
MASH	FAMILY SIDE W/SIDECAR	400	17/18	D	-	L	-	280	-	-	-	-	-	-	-	240	-	-	-	-
MASH	FORCE	400	19	D	-	L	-	280	-	-	-	-	Drum	-	-	-	-	-	-	-
MASH	FIVE HUNDRED CHROMIUM	400	17/18	D	-	L	-	280	-	-	-	-	Drum	-	-	-	-	-	-	-
MASH	SCRAMBLER	400	17/18	D	-	L	-	280	-	-	-	-	Drum	-	-	-	-	-	-	-
MASH	SCRAMBLER CHROMIUM	400	17/18	D	-	L	-	280	-	-	-	-	Drum	-	-	-	-	-	-	-
MASH	TT40 CAFÉ RACER	400	17/18	D	-	L	Fxx,x	320	-	-	-	-	-	-	-	220	-	-	-	-
MASH	VON DUTCH	400	17/18	D	-	S	-	280	-	-	-	-	Drum	-	-	-	-	-	-	-
MBK 50 c.c.													MBK 50 c.c.							
BOOSTER MODELS																				
MBK	BOOSTER	50	97	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NAKED	50	95/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MBK	BOOSTER NAKED 10'	50	04/16	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NAKED 12'	50	08/12	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NAKED 13'	50	13/17	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NAKED 13'	50	13/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NAKED 13'	50	13/17	S	1300X	L	FO	*220	58	3,5	3	10,5								
MBK	BOOSTER NEXT GENERATION 2T AIR	50	96→	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NEXT GENERATION 2T AIR	50	96→	S	610F	L	F00,0	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NEXT GENERATION 2T AIR	50	96→	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
MBK	BOOSTER NEXT GENERATION	50	01/04	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NEXT GENERATION	50	01/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MBK	BOOSTER NEXT GENERATION	50	01/04	S	1300X	L	FO	*220	58	3,5	3	10,5								
MBK	BOOSTER R ROCKET	50	94→	S	406	L	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
MBK	BOOSTER ROAD / SPIRIT	50	93/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER ROAD / SPIRIT	50	93/99	S	727	L	SO	*180	40,6	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER ROCKET	50	96	S	393	L	S	180	48	3,5	4	10,5								
MBK	BOOSTER ROCKET	50	96/99	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER ROCKET / TRACK	50	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MBK	BOOSTER SPIRIT 2T AIR	50	99/05	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MBK	BOOSTER SPIRIT 2T AIR	50	99/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MBK	BOOSTER SPIRIT 2T AIR	50	99/05	S	1300X	L	FO	*220	58	3,5	3	10,5								
MBK	CR Z TARGET	50	91/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CR Z TARGET	50	91/95	S	727	L	SO	*180	40,6	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CS MACH G A.C.	50	02/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MBK	CS MACH G L.C.	50	99/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
CW MODELS																				
MBK	CW BOOSTER	50	01→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER	50	01→	S	727	L	SO	*180	40,6	3,5	3	10,5	Drum	-	-	-	-	-	-	-

					FRONT								REAR							
		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
MBK	CW BOOSTER 10'	50	09/10	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER 12'	50	01/10	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER N.G.	50	95/98	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER N.G.	50	95/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	-
MBK	CW BOOSTER N.G.	50	95/98	S	1300X	L	FO	*220	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER N.G.	50	99	S	303	L	S	190	58	4,0	3	8,5		-	-	-	-	-	-	-
MBK	CW BOOSTER N.G.	50	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER SPIRIT	50	96/98	S	406	L	S	155	40,6	3,8	3	10,5		-	-	-	-	-	-	-
MBK	CW BOOSTER SPIRIT	50	96/98	S	727	L	SO	*180	40,6	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER SPIRIT	50	99/16	S	393	L	S	180	48	3,5	4	10,5		-	-	-	-	-	-	-
MBK	CW BOOSTER L	50	01	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	CW POWER ROCKET	50	06	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER R ROAD	50	94/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER R ROAD	50	94/95	S	727	L	SO	*180	40,6	3,5	3	10,5		-	-	-	-	-	-	-
MBK	CW BOOSTER RS NAKED	50	05/06	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER RS N.G.	50	95/98	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER RS N.G.	50	01/06	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER RS N.G.	50	01/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	-
MBK	CW BOOSTER RS N.G.	50	01/06	S	1300X	L	FO	*220	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	CW BOOSTER RS ROCKET	50	96/98	S	393	L	S	180	48	3,5	4	10,5		-	-	-	-	-	-	-
MBK	CW BOOSTER RSX TRACK	50	96/98	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	EVOLIS YE	50	92/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	EVOLIS YE	50	92/95	S	727	L	SO	*180	40,6	3,5	3	10,5		-	-	-	-	-	-	-
MBK	F1 ASSISTANCE	50	01	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MBK	F1 ASSISTANCE	50	01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	-
MBK	F1 ASSISTANCE	50	01	S	1300X	L	FO	*220	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	FIZZ YM	50	94/95	S	406	L	S	155	40,6	3,8	3	10,5		-	-	-	-	-	-	-
MBK	FIZZ YM	50	94/95	S	727	L	SO	*180	40,6	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	FLIPPER KAT	50	98/03	S	084	L	S	220	88	4,0	3	8,5		-	-	-	-	-	-	-
MBK	FORTE 2T AIR	50	95→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	FORTE 2T AIR	50	95→	S	727	L	SO	*180	40,6	3,5	3	10,5		-	-	-	-	-	-	-
MBK	MATCH G	50	02/03	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
MBK	MATCH G	50	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	-
MBK	NEW GENERATION	50	95	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
MBK	NITRO / NITRO NKD YQ	50	97/10	S	107	L	S	190	58	4,0	3	10,5		107	L	S	190	58	4,0	3
MBK	NITRO / NITRO NKD YQ	50	97/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
MBK	NITRO / NITRO NKD YQ	50	97/10	S	1300X	L	FO	*220	58	3,5	3	10,5		L	FO	*220	58	3,5	3	10,5
MBK	NITRO E2	50	03	S	107	L	S	190	58	4,0	3	10,5	107	L	S	190	58	4,0	3	10,5
MBK	NITRO E2	50	03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		L	MD	190	58	3,7	3	MH
MBK	NITRO E2	50	03	S	1300X	L	FO	*220	58	3,5	3	10,5	107	L	S	190	58	4,0	3	10,5
MBK	NITRO F1 ASSISTANCE	50	01	S	107	L	S	190	58	4,0	3	10,5		L	S	190	58	4,0	3	10,5
MBK	NITRO F1 ASSISTANCE	50	01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
MBK	NITRO F1 ASSISTANCE	50	01	S	1300X	L	FO	*220	58	3,5	3	10,5		L	FO	*220	58	3,5	3	10,5
MBK	NITRO JAGUAR RACING	50	04	S	107	L	S	190	58	4,0	3	10,5	107	L	S	190	58	4,0	3	10,5
MBK	NITRO JAGUAR RACING	50	04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		L	MD	190	58	3,7	3	MH
MBK	NITRO JAGUAR RACING	50	04	S	1300X	L	FO	*220	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	OVETTO	50	97/10	S	023	L	S	190	58	3,5	3	8,5		-	-	-	-	-	-	-
MBK	OVETTO	50	97/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MBK	SLIDER	50	-	S	107	L	S	190	58	4,0	3	10,5		-	-	-	-	-	-	-
MBK	SLIDER	50	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
MBK	SLIDER	50	-	S	1300X	L	FO	*220	58	3,5	3	10,5		-	-	-	-	-	-	-
MBK	STUNT / STUNT NAKED EW	50	00/10	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MBK	STUNT / STUNT NAKED EW	50	00/10	S	610F	L	F00,0	200	96,5	4,0	5	6,5		-	-	-	-	-	-	-
MBK	STUNT / STUNT NAKED EW	50	00/10	S	1815X	L	SO	*220	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
MBK	TARGET	50	92/95	S	406	L	S	155	40,6	3,8	3	10,5		-	-	-	-	-	-	-
MBK	TARGET	50	92/95	S	727	L	SO	*180	40,6	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MBK	TRACK	50	95	S	1187	L	S	190	48	3,5	4	10,5		-	-	-	-	-	-	-
MBK	X LIMIT	50	00/02	A	274	L	S	230	112	4,5	6	6,5	Drum	-	-	-	-	-	-	-
MBK	X LIMIT LIMIT ENDURO	50	03/05	A	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
MBK	X LIMIT SM	50	03	A	614	L	S	259	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
MBK	X LIMIT SM	50	03	A	828	L	T	260	108	4,0	6	7,5		-	-	-	-	-	-	-
MBK	X POWER	50	00/01	S	401	R	S	282	132	4,0	6	8,5	388	R	S	203	84	4,5	4	8,5
MBK	X POWER	50	03/05	S	289	L	S	280	155	4,0	5	6,5	609	R	S	220	102	4,0	5	6,5
MBK	YA R FORTE	50	94/97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	YA R FORTE	50	94/97	S	727	L	SO	*180	40,6	3,5	3	10,5		-	-	-	-	-	-	-
80 c.c.					80 c.c.															
MBK	EVOLIS	80	94/97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MBK	EVOLIS	80	94/97	S	727	L	SO	*180	40,6	3,5	3	10,5		-	-	-	-	-	-	-
100 c.c.					100 c.c.															
MBK	NITRO YQ	100	99/03	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
MBK	NITRO YQ	100	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	-
MBK	NITRO YQ	100	99/03	S	1300X	L	FO	*220	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
MH	RX SUPER RACING	50	00/06	H									8022	R	T	220	57	4,0	6	6,5
		RYZ MODELS																		
MH	RYZ ENDURO	50	05/13	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	RYZ PRO ENDURO	50	12/13	A	8019	L	T	280	108	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
MH	RYZ PRO ENDURO	50	12/13	A	1327 / 1327X	L	S	280	108	4,0	6	7,5								
MH	RYZ PRO RACING	50	06	A	342 / 342X	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	RYZ PRO RACING	50	06	A									8022	R	T	220	57	4,0	6	6,5
MH	RYZ SUPERMOTARD	50	05/13	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	RYZ URBAN BIKE	50	06	A	342 / 342X	L	S	260	90	3,5	6	6,5	729	R	S	200	57	3,5	6	6,5
MH	RYZ URBAN BIKE / PRO RACING	50	07/08	A	8019	L	T	280	108	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	RYZ URBAN BIKE / PRO RACING	50	07/08	A	1327 / 1327X	L	S	280	108	4,0	6	7,5	343	R	S	220	57	3,5	6	6,5
MH	RYZ PRO SUPER MOTARD	50	12/13	A	8019	L	T	280	108	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
MH	RYZ PRO SUPER MOTARD	50	12/13	A	1327 / 1327X	L	S	280	108	4,0	6	7,5								
MH	SPORT 6	50	99	H	342 / 342X	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	SPORT 6	50	99	H									8022	R	T	220	57	4,0	6	6,5
MH	XP6	50	06	A	-	-	-	-	-	-	-	-	8025	R	T	180	58	3,5	6	6,5
MH	XP6 P UP	50	10/11	A	8024	L	T	240	90	3,5	6	6,5	-	-	-	-	-	-	-	-
MH	XP7 / YR11	50	11	A	8024	L	T	240	90	3,5	6	6,5	916	R	T	200	58	4,0	6	6,5
MH	XPS TRACK	50	06/07	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
		125 c.c.											125 c.c.							
MH	ARENA ENDURO	125	05	E	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	ARENA SUPERMOTO	125	05	F	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	BOGGA Efi / BRIXTON BX	125	17/18	D	-	R	S	280	-	-	-	-	-	R	S	200	-	-	-	-
MH	DUNA	125	12/13	E	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA HARD ROAD ECO	125	10	E	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA REVOLUTION	125	07/09	E	728	L	S	260	90	3,5	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	DUNA REVOLUTION	125	07/09	E									343	R	S	220	57	3,5	6	6,5
MH	DUNA REVOLUTION	125	12/13	E	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA REVOL. DUAL PLUS	125	08	E	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	DUNA REVOL. SUPER CITY	125	08	E	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	KN1 NAKED	125	10→	N	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	KN2 LC / MH7 L.C.	125	12/13	R	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	KN2 L.C. / MH7 L.C.	125	12/13	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	KN2 NAKED	125	14→	N	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	MH7 NAKED	125	07/13	R	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	MH7 NAKED	125	07/13	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	MH10 PRO L.C. ENDURO	125	12/13	E	8019	L	T	280	108	4,0	6	6,5	213	R	S	220	62	3,5	3	10,5
MH	MH10 PRO L.C. ENDURO	125	12/13	E	1327 / 1327X	L	S	280	108	4,0	6	7,5								
MH	MH10 PRO L.C. SM	125	12/13	F	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	MH10 PRO L.C. SM	125	12/13	F	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	MHX	125	17/18	E	-	L	S	280	-	-	-	-	-	R	S	220	-	-	-	-
MH	NK3	125	16/17	N	-	L	S	-	-	-	-	-	-	-	S	-	-	-	-	-
MH	NKZ	125	17/18	N	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
MH	RANGER L.C.	125	16/17	U	-	L	S	280	-	-	-	-	-	R	S	210	-	-	-	-
MH	REVENTAGE Efi	125	18	D	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
MH	RX R	125	07/13	R	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	RX R	125	07/13	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
MH	RYZ	125	02	R	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
MH	RYZ PRO RACING	125	07/08	R	729	L	S	200	57	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
MH	STREET EVOLUTION	125	15/18	N	-	L	S	240	-	-	-	-	Drum	-	-	-	-	-	-	-
MH	WYN	125	17/18	U	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
		250 c.c.											250 c.c.							
MH	MH7 L.C.	250	12/13	R	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
MH	MH7 L.C.	250	12/13	R	1608 / 1608X	L	S	300	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
		MONDIAL											MONDIAL							
		50 c.c.											50 c.c.							
MONDIAL	XR7	50	99	H	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
MONDIAL	XR7	50	99	H	1022 / 1022X	L	MD	190	58	3,7	3	MH								
		125 c.c.											125 c.c.							
MONDIAL	HPS	125	17/18	D	-	L	S	280	-	-	-	-	-	R	S	218	-	-	-	-
MONDIAL	SMX ENDURO / MOTARD	125	17/18	E	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
		1000 c.c.											1000 c.c.							
MONDIAL	EVO / NUDA / PIEGA	1000	03→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MONDIAL	PIEGA EVO	1000	03→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
MONDIAL	PIEGA NUDA	1000	04→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5
MONDIAL	RZ NUDA	1000	02→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5
MONDIAL	RZ STARFIGHTER	1000	02→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5
		MONKEY BIKE											MONKEY BIKE							
		50 c.c.											50 c.c.							
MONKEY BIKE	MB 50 D / G / R	50	06→	A	406	R	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
MONKEY BIKE	MB R	50	18/19	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		90 c.c.											90 c.c.							
MONKEY BIKE	MB 90 R	50	06→	A	406	R	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
		110 c.c.											110 c.c.							



MONKEY BIKE MB 110 D / G / M				50	06→	A	406				R	S	155	40,6	3,8	3	10,5	-								-	-	-	-	-	-	-	-	-
MONSTER PRO							MONSTER PRO																											
150 / 160 c.c.							150 / 160 c.c.																											
MONSTER PRO 150				150	-	C	1307X				-	S	220	76	4,0	4	11,5	1308X				-	S	190	76	4,0	4	8,5						
MONSTER PRO 160				160	-	C	1307X				-	S	220	76	4,0	4	11,5	1308X				-	S	190	76	4,0	4	8,5						
MONTESA							MONTESA																											
- c.c.																					- c.c.													
MONTESA COTA				-	87	T	-				L	S	-	-	-	-	-	248				L	S	175	60	4,0	6	6,5						
250 c.c.							250 c.c.																											
MONTESA COTA 4RT				250	05/06	T	627 / 627X				L	S	184	-	3,5	4	18,5	607				R	S	150	46	2,5	4	6,5						
MONTESA COTA 4RT				250	07/15	T	627 / 627X				L	S	184	-	3,5	4	18,5	905				R	S	150	45	2,5	4	6,5						
MONTESA COTA 4RT				250	07/15	T													1570X				R	FIM	150	45	3,0	4	6,5					
MONTESA COTA EVASIÓN				250	95/96	T	062				L	S	185	72	4,0	6	15,5	061				R	S	185	45	3,5	5	6,5						
260 c.c.							260 c.c.																											
MONTESA 4 RIDE				260	16/19	U	627X				L	S	184	-	3,5	4	18,5	xxxxxX				R	S	183	45	3,5	4	6,5						
MONTESA COTA 4RT				260	07/19	T	627 / 627X				L	S	184	-	3,5	4	18,5	905				R	S	150	45	2,5	4	6,5						
MONTESA COTA 4RT				260	07/19	T													1570X				R	FIM	150	45	3,0	4	6,5					
MONTESA COTA 4RT RACE REPLICA				260	07/19	T	627 / 627X				L	S	184	-	3,5	4	18,5	905				R	S	150	45	2,5	4	6,5						
MONTESA COTA 4RT RACE REPLICA				260	07/19	T													1570X				R	FIM	150	45	3,0	4	6,5					
289 c.c.							289 c.c.																											
MONTESA COTA 300 RR				289	15/19	T	627 / 627X				L	S	184	-	3,5	4	18,5	905				R	S	150	45	2,5	4	6,5						
MONTESA COTA 300 RR				289	15/19	T													1570X				R	FIM	150	45	3,0	4	6,5					
MONTESA COTA 300 RR 50ANNIVERSARI				289	15/19	T	627 / 627X				L	S	184	-	3,5	4	18,5	905				R	S	150	45	2,5	4	6,5						
MONTESA COTA 300 RR 50ANNIVERSARI				289	15/19	T													1570X				R	FIM	150	45	3,0	4	6,5					
MONTESA COTA 300 RR SP2				289	18/19	T	627 / 627X				L	S	184	-	3,5	4	18,5	1570X				R	FIM	150	45	3,0	4	6,5						
307 / 310 / 311 c.c.							307 / 310 / 311 c.c.																											
MONTESA COTA				307	87	T	247				L	S	185	60	4,0	6	14,5	242				R	S	175	45	4,0	6	6,5						
MONTESA COTA				307	88	T	-				-	-	-	-	-	-	-	245				-	S	150	45	4,0	6	6,5						
MONTESA COTA				307	89	T	-				-	-	-	-	-	-	-	244				-	S	150	45	4,0	5	6,5						
MONTESA COTA				307	90	T	246				L	S	185	45	4,0	5	6,5	252				-	S	150	45	3,5	5	6,5						
MONTESA COTA				310	90/91	T	062				L	S	185	72	4,0	6	15,5	062				R	S	185	72	4,0	6	15,5						
MONTESA COTA				310	95/96	T	062				L	S	185	72	4,0	6	15,5	063				R	S	150	45	3,0	5	6,5						
MONTESA COTA				311	92	T	-				-	-	-	-	-	-	-	252				R	S	150	45	3,5	5	6,5						
MONTESA COTA				311	95/96	T	062				L	S	185	72	4,0	6	15,5	063				R	S	150	45	3,0	5	6,5						
315 c.c.							315 c.c.																											
MONTESA COTA				315	95/96	T	062				L	S	185	72	4,0	6	15,5	063				R	S	150	45	3,0	5	6,5						
MONTESA COTA				315	97/00	T	260				L	S	185	72	4,0	6	15,8	261				R	S	150	46	3,0	5	10,5						
MONTESA COTA				315	00/03	T	355				L	S	184	72	4,0	6	15,5	356				R	S	150	46	3,0	5	10,5						
MONTESA COTA				315	04	T	627 / 627X				L	S	184	-	3,5	4	18,5	607				R	S	150	46	2,5	4	6,5						
335 c.c.							335 c.c.																											
MONTESA COTA				335	86/87	T	-				-	-	-	-	-	-	-	242				R	S	175	45	4,0	6	6,5						
360 c.c.							360 c.c.																											
MONTESA ENDURO H7				360	83/84	E	099				L	S	220	57	4,0	6	6,5	Drum				-	-	-	-	-	-	-						
MOTO GUZZI							MOTO GUZZI																											
750 c.c.							750 c.c.																											
MOTO GUZZI BREVA i.e. / CLASSIC				750	03/07	R	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				-	-	-	-	-	-	-						
MOTO GUZZI BREVA i.e. / CLASSIC				750	03/07	R	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI NEVADA				750	02/16	CVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				-	-	-	-	-	-	-						
MOTO GUZZI NEVADA				750	02/16	CVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI STR V i.e.				750	03	R	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				-	-	-	-	-	-	-						
MOTO GUZZI STR V i.e.				750	03	R	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 / STONE / SPECIAL				750	10/14	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				L	S	260	-	-	-	-						
MOTO GUZZI V7 / STONE / SPECIAL				750	10/14	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 CLASSIC				750	07/17	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				L	S	260	-	-	-	-						
MOTO GUZZI V7 CLASSIC				750	07/17	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 CLASSIC CAFÉ				750	09	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				L	S	260	-	-	-	-						
MOTO GUZZI V7 CLASSIC CAFÉ				750	09	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 RACER				750	11/17	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				L	S	260	-	-	-	-						
MOTO GUZZI V7 RACER				750	11/17	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 SCRAMBLER				750	12	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				-	-	-	-	-	-	-						
MOTO GUZZI V7 SCRAMBLER				750	12	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 STORNELLO				750	15/17	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				L	S	260	-	-	-	-						
MOTO GUZZI V7 STORNELLO				750	15/17	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
V7 II CUSTOM MODELS																																		
MOTO GUZZI V7 II CUSTOM DARK RIDER				750	14/15	NVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				-	-	-	-	-	-	-						
MOTO GUZZI V7 II CUSTOM DARK RIDER				750	14/15	NVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 II CUSTOM SCRAMBLER / ABS				750	14/16	NVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				-	-	-	-	-	-	-						
MOTO GUZZI V7 II CUSTOM SCRAMBLER / ABS				750	14/16	NVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 II CUSTOM STONE / STORNELLO				750	15/17	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				L	S	260	-	-	-	-						
MOTO GUZZI V7 II CUSTOM STONE / STORNELLO				750	15/17	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 II CUSTOM STORNELLO LTD. EDITION				750	17	DVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				L	S	260	-	-	-	-						
MOTO GUZZI V7 II CUSTOM STORNELLO LTD. EDITION				750	17	DVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
MOTO GUZZI V7 II CUSTOM RACER / SPECIAL / ABS				750	15/16	NVT	1060 / 1060X				L	F10,5	320	64	5,0	6	8,5	-				-	-	-	-	-	-	-						
MOTO GUZZI V7 II CUSTOM RACER / SPECIAL / ABS				750	15/16	NVT	1060G / 1060XG				L	F10,5	320	64	5,0	6	8,5																	
V7 III MODELS																																		



MOTO GUZZI	V7 III CARBON / ROUGH ABS	750	18/19	DVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	-	-	-	-	-
MOTO GUZZI	V7 III CARBON / ROUGH ABS	750	18/19	DVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	-	-	-	-	-
MOTO GUZZI	V7 III MILANO ABS	750	18	DVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	-	-	-	-	-
MOTO GUZZI	V7 III MILANO ABS	750	18	DVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	-	-	-	-	-
MOTO GUZZI	V7 III RACER ABS	750	17/18	DVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	-	-	-	-	-
MOTO GUZZI	V7 III RACER ABS	750	17/18	DVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	-	-	-	-	-
MOTO GUZZI	V7 III SPECIAL / STONE / ABS	750	17/18	DVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V7 III SPECIAL / STONE / ABS	750	17/18	DVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V7 III STONE ABS	750	18/19	DVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	-	-	-	-	-
MOTO GUZZI	V7 III STONE ABS	750	18/19	DVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	-	-	-	-	-
850 c.c.					850 c.c.										850 c.c.					
MOTO GUZZI	BREVA / GRISO 8V	850	06/08	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	BREVA / GRISO 8V	850	06/08	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CONCEPT V85	850	19	U	-	L/R	-	-	-	-	-	-	-	L	S	-	-	-	-	-
MOTO GUZZI	GRISO 8V ESP. EDITION	850	09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	GRISO 8V ESP. EDITION	850	09	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	NORGE T GTL	850	07/08	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	NORGE T GTL	850	07/08	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STR BREVA	850	06	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	STR BREVA	850	06	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V85 TT ABS	850	19	UVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V85 TT ABS	850	19	UVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V9 BOBBER ABS	850	16/18	CVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V9 BOBBER ABS	850	16/18	CVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V9 BOBBER SPORT ABS	850	18/19	CVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V9 BOBBER SPORT ABS	850	18/19	CVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V9 ROAMER ABS	850	16/19	CVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	260	-	-	-	-
MOTO GUZZI	V9 ROAMER ABS	850	16/19	CVT	1780G / 1780XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-
936 c.c.					936 c.c.										936 c.c.					
MOTO GUZZI	BELLAGIO / DELUXE	936	07/13	NVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	BELLAGIO / DELUXE	936	07/13	NVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BELLAGIO MODELS																				
MOTO GUZZI	BELLAGIO AQUILA NERA	936	10	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	BELLAGIO AQUILA NERA	936	10	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CUSTOM	936	07	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CUSTOM	936	07	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CALIFORNIA MODELS																				
MOTO GUZZI	CALIFORNIA AQUILA NERA	936	10	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA AQUILA NERA	936	10	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA EV	936	97	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA EV	936	97	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA SPECIAL / JACKAL	936	99	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA SPECIAL / JACKAL	936	99	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA SPECIAL SPORT	936	03	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA SPECIAL SPORT	936	03	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA STONE	936	03	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA STONE	936	03	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	BELLAGIO AQUILA NERA	936	10	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	BELLAGIO AQUILA NERA	936	10	CVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1000 c.c.					1000 c.c.										1000 c.c.					
MOTO GUZZI	CENTAUR0 V10	1000	96	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CENTAUR0 V10	1000	96	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CENTAUR0 GT V10 / SV10	1000	99/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CENTAUR0 GT V10 / SV10	1000	99/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	DAYTONA i.e	1000	91/94	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	DAYTONA i.e	1000	95/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	DAYTONA i.e	1000	95/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	DAYTONA RS	1000	94/00	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	DAYTONA RS	1000	94/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	EV STONE	1000	02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	EV STONE	1000	02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	MGS / 01	1000	03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	MGS / 01	1000	03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1100 c.c.					1100 c.c.										1100 c.c.					
MOTO GUZZI	BREVA i.e	1100	05/07	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	BREVA i.e	1100	05/07	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA ALUMINIUM	1100	03	C	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA EV	1100	96/00	C	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA EV	1100	96/00	C	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA EV SPECIAL	1100	97/03	C	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA EV SPECIAL	1100	97/03	C	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA EV TOURING	1100	03→	C	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	CALIFORNIA JACKAL	1100	01/06	C	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5



MOTO GUZZI	CALIFORNIA JACKAL	1100	01/06	C	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	CALIFORNIA TITANIUM	1100	03→	C	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	GRISO	1100	05/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	GRISO	1100	05/08	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	GRISO	1100	05→	RVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	GRISO	1100	05→	RVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	METAL	1100	02→	C	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	SPORT i.e	1100	95/00	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	SPORT i.e	1100	95/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	SPORT CORSA	1100	98/99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	SPORT CORSA	1100	98/99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	STR	1100	04	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	STR	1100	04	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	V10 CENTAURO SPORT	1100	96/00	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V10 CENTAURO SPORT	1100	96/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
V11 MODELS																				
MOTO GUZZI	V11 BALLABIO	1100	03→	R	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 CAFÉ SPORT	1100	03→	R	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 COPPA ITALIA	1100	03→	R	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 GT / LE MANS / SPORT	1100	97/05	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 GT / LE MANS / SPORT	1100	97/05	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	V11 LE MANS NERO CORSA	1100	c	R	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 LE MANS ROSSO CORSA	1100	03→	R	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 NAKED	1100	01/03	N	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 SCURA / SPORT BALLABIO	1100	03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	V11 SCURA / SPORT BALLABIO	1100	03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	V11	1100	00→	R	-	-	-	-	-	-	-	-	1334	-	S	282	144	5,0	6	10,5
1151 c.c.													1151 c.c.							
MOTO GUZZI	NORGE GT 8V	1151	12/15	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	NORGE GT 8V	1151	12/15	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	STELVIO 8V / NTX	1151	08/15	UVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	STELVIO 8V / NTX	1151	08/15	UVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	STELVIO TT	1151	08/10	UVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	STELVIO TT	1151	08/10	UVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
1200 c.c.													1200 c.c.							
MOTO GUZZI	BREVA ABS	1200	08/09	R	1290 / 1290X	L/R	F10,2	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	GRISO 8V SE	1200	07/15	NVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	GRISO 8V SE	1200	07/15	NVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	NORGE T-GTL	1200	06/09	RVT	1290 / 1290X	L/R	F10,2	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	NORGE GT 8V ABS	1200	10/16	RVT	1290 / 1290X	L/R	F10,2	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	SPORT	1200	06/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	SPORT	1200	06/08	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	SPORT 8V	1200	08/13	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	SPORT 8V	1200	08/13	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	SPORT ABS	1200	06/08	R	1290 / 1290X	L	F10,2	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	SPORT V4	1200	09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	SPORT V4	1200	09	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	STELVIO 8V / ABS	1200	09/18	U	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	STELVIO 8V / ABS	1200	09/18	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	STELVIO NTX	1200	12→	U	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1334	-	S	282	144	5,0	6	10,5
MOTO GUZZI	STELVIO NTX	1200	12→	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	V 12 LE MANS / V12 STRADA	1200	10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V 12 LE MANS / V12 STRADA	1200	10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
MOTO GUZZI	12→	1200	10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	V 12 X	1200	10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
1400 c.c.													1400 c.c.							
CALIFORNIA MODELS																				
MOTO GUZZI	CALIFORNIA CUSTOM	1400	83/12	RVT	-	-	-	-	-	-	-	-	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	CALIFORNIA CUSTOM ABS	1400	13/15	RVT	1387 / 1387X	L	F00,0	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	CALIFORNIA CUSTOM ABS	1400	13/15	RVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
MOTO GUZZI	CALIFORNIA TOURING	1400	83/12	RVT	-	-	-	-	-	5,0	-	-	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	CALIFORNIA TOURING ABS	1400	13/18	RVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	1821	-	S	282	157	6,0	6	8,6
MOTO GUZZI	CALIFORNIA TOURING ABS	1400	13/18	RVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
MOTO GUZZI	CALIFORNIA TOURING SE ABS	1400	15/16	RVT	1387 / 1387X	L	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI	CALIFORNIA TOURING SE ABS	1400	15/16	RVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
MOTO GUZZI	AUDACE ABS	1400	15/19	CVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	1821	L	S	282	157	6,0	6	8,6
MOTO GUZZI	AUDACE ABS	1400	15/19	CVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
MOTO GUZZI	AUDACE CARBONO ABS	1400	17	CVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	1821	L	S	282	157	6,0	6	8,6
MOTO GUZZI	AUDACE CARBONO ABS	1400	17	CVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
MOTO GUZZI	EL DORADO	1400	15/17	CVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	1821	L	S	282	157	6,0	6	8,6
MOTO GUZZI	EL DORADO	1400	15/17	CVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
MGX-21 MODELS																				
MOTO GUZZI	MGX-21 CONCEPT	1400	15/18	CVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	1821	L	S	282	157	6,0	6	8,6

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

																	
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES
FRONT																	
REAR																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	
OUTSIDE Ø																	
INSIDE Ø																	
THICKNESS																	
N° HOLES																	
HOLES Ø																	
DISC TYPE																	




		C.C.	YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
MV AGUSTA F4 RR CORSACORTA		1000	11/13	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
MV AGUSTA F4 S		1000	04/07	R	1528	L/R	F10,0	310	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
MV AGUSTA F4 SENNA		1000	06/08	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
MV AGUSTA F4 TAMBURINI		1000	07/08	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
MV AGUSTA F4 ZAGATO ABS		1000	17	R	1528	L/R	F10,0	310	80	5,0	5	8,5	-	C	S	210	-	-	-	-
MV AGUSTA VELTRO 1		1000	06	R	1528	L/R	F10,0	310	80	5,0	5	8,5	XXXX	C	S	210	108	5,0	4	7,5
1078 c.c.													1078 c.c.							
MV AGUSTA F4 CC		1078	07/11	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
MV AGUSTA F4 RR / 312 RR		1078	08/11	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
MV AGUSTA BRUTALE / RR		1078	08/10	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
1090 c.c.													1090 c.c.							
MV AGUSTA B4		1090	15/16	N	1528	L/R	F10,0	310	80	5,0	5	8,5	-	-	-	-	-	-	-	-
MV AGUSTA B4 RR / ABS		1090	10/16	N	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	L	S	210	108	5,0	4	7,5
MV AGUSTA BRUTALE / ABS		1090	17	R	1528	L/R	F10,0	310	80	5,0	5	8,5	XXXX	C	S	210	108	5,0	4	7,5
MV AGUSTA BRUTALE R / ABS		1090	10→	R	1528	L/R	F10,0	310	80	5,0	5	8,5	XXXX	C	S	210	108	5,0	4	7,5
MV AGUSTA BRUTALE RR		1090	10/13	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	C	S	210	108	5,0	4	7,5
MV AGUSTA BRUTALE RR ABS		1090	14	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	XXXX	C	S	210	108	5,0	4	7,5
MZ / Muz													MZ / Muz							
50 c.c.													50 c.c.							
MZ	MOSKITO FB	50	97/03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MZ	MOSKITO FB	50	97/03	S	727	L	SO	*180	40,6	3,5	3	10,5								
MZ	MOSKITO SX	50	00/03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MZ	MOSKITO SX	50	00/03	S	727	L	SO	*180	40,6	3,5	3	10,5								
125 c.c.													125 c.c.							
MZ	RT	125	99/02	R	149	R	S	280	105	4,0	6	6,5	150	R	S	220	110	4,0	6	6,5
650 c.c.													650 c.c.							
MZ	Baghira	650	97/06	R	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
1000 c.c.													1000 c.c.							
MZ	S	1000	01/03	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MZ	S	1000	01/03	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
Mx-MOTOR													Mx-MOTOR							
125 c.c.													125 c.c.							
Mx-MOTOR	C5	125	15/17	S	-	L	S	-	-	-	-	-	-	L	S	-	-	-	-	-
Mx-MOTOR CANYON		125	15/17	S	-	L	R	-	-	-	-	-	Drum	-	-	-	-	-	-	-
NIMOTO													NIMOTO							
ELECTRIC													ELECTRIC							
NIMOTO	TRENDY R	E	16/17	SV	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
NIU													NIU							
ELECTRIC													ELECTRIC							
NIU	M+ / M+ SPORT	E	19	SV	xxxx	L	S	180	58	3,5	3	10,5	-	L	S	180	-	-	-	-
NIU	M SERIES	E	19	SV																
NIU	M PRO	E	19	SV	xxxx	L	S	180	58	3,5	3	10,5	-	-	-	-	-	-	-	-
NIU	NS SPORT	E	18/19	SV	xxxx	R	S	220	58	4,0	3	10,5	-	-	-	-	-	-	-	-
NIU	N GT	E	19	SV	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
NIU	N SERIES	E	19	SV																
NORTON													NORTON							
850 c.c.													850 c.c.							
NORTON	COMANDO MK3	850	17/18	D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
961 c.c.													961 c.c.							
COMMANDO MODELS																				
NORTON	COMMANDO CALIFORNIA	961	18	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
NORTON	COMMANDO CALIFORNIA	961	18	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
NORTON	COMMANDO SE	961	10	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
NORTON	COMMANDO SE	961	10	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
NORTON	COMMANDO SF	961	13	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
NORTON	COMMANDO SF	961	13	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
NORTON	COMMANDO SPORT / SPORT MK II ABS	961	10/18	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
NORTON	COMMANDO SPORT / SPORT MK II ABS	961	10/18	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
NORTON	COMMANDO CAFÉ RACER MK II	961	10/18	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
NORTON	COMMANDO CAFÉ RACER MK II	961	10/18	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
NORTON	DOMINATOR	961	17/18	N	-	L/R	Fxx,x	320	-	-	-	-	-	L	S	220	-	-	-	-
1200 c.c.													1200 c.c.							
NORTON	V4 RR / V4 SS	1200	17/19	R	-	L/R	Fxx,x	330	-	-	-	-	-	C	S	245	-	-	-	-
OHVALE													OHVALE							
110 c.c.													110 c.c.							
OHVALE	GP-0 AUTOMATIC	110	17/19	R	727	L	S	180	40,6	3,5	3	10,5	406	R	S	155	40,6	3,8	3	10,5
OHVALE	GP-0 4 SPEED	110	17/19	R	727	L	S	180	40,6	3,5	3	10,5	406	R	S	155	40,6	3,8	3	10,5
160 c.c.													160 c.c.							
OHVALE	GP-0 4 SPEED	160	17/19	R	727	L	S	180	40,6	3,5	3	10,5	406	R	S	155	40,6	3,8	3	10,5
190 c.c.													190 c.c.							
OHVALE	GP-0 4 DAYTONA	190	17/19	R	727	L	S	180	40,6	3,5	3	10,5	406	R	S	155	40,6	3,8	3	10,5
ORCAL													ORCAL							
125 c.c.													125 c.c.							
ORCAL	ASTOR	125	17/18	D	-	R	S	300	-	-	-	-	-	R	S	210	-	-	-	-
OSSA													OSSA							
125 c.c.													125 c.c.							
OSSA	TR i	125	14/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
		250 c.c.											250 c.c.							
OSSA	TR i	250	14/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
		280 c.c.											280 c.c.							
OSSA	EXPLORER i	280	12/14	U	649	L	S	185	-	3,0	4	6,5	1314	-	S	180	45	2,5	4	6,5
OSSA	TR i	280	09/10	T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
OSSA	TR i	280	09/10	T									650SP	R	S	150	45	3,0	4	6,5
OSSA	TR i	280	09/10	T									1570X	R	FIM	150	45	3,0	4	6,5
OSSA	TR i	280	11/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
		290 c.c.											290 c.c.							
OSSA	TR i Factory R	290	11/15	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
		300 c.c.											300 c.c.							
OSSA	TR i	300	14/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
		500 c.c.											500 c.c.							
OSSA	YANKEE	500	76	D	-	L	Fxx,x	-	-	-	-	-	-	L	S	-	-	-	-	-
				PEUGEOT ELECTRIC																
PEUGEOT	2,0 E-LUDIX	E	19	SV	-	L	S	-	-	-	3	-	-	R	S	-	-	-	-	-
PEUGEOT	2,0 E-POWERED by GenZe	E	18	SV	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
PEUGEOT	e-METROPOLIS	E	19	SV	-	L/R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
PEUGEOT	E-VIVACITY	E	14	SV	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	GENZE	E	17	SV	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
		50 c.c.											50 c.c.							
PEUGEOT	BUXY / BUXY RS	50	94/97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	BUXY / BUXY RS	50	94/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PEUGEOT	CITYSTAR 2T / ACTIVE / RS	50	14/19	S	1542	L	S	240	70	4,0	5	8,5	1855	C	S	180	58	4,0	3	9,0
PEUGEOT	CITYSTAR 2T BLACK EDITION	50	17/19	S	1542	L	S	240	70	4,0	5	8,5	1855	C	S	180	58	4,0	3	9,0
				DJANGO MODELS																
PEUGEOT	ALLURE 2T / EVASION 2T	50	14/18	S	1838	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	HERITAGE 2T / ID WHEELS 2T	50	14/18	S	1838	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	SPORT 2T	50	14/18	S	1838	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	4T	50	18/19	S	1838	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	ADVENTURE	50	14/18	S	1838	L	S	200	58	3,5	3	8,5	1615	-	S	196	58,3	3,5	5	8,5
PEUGEOT	ELYSEO	50	98/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	ELYSEO	50	98/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PEUGEOT	ELYSEO	50	03	S	303	L	S	190	58	4,0	3	8,5	176	C	S	180	58	3,5	3	9,0
PEUGEOT	ELYSEO	50	03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PEUGEOT	ELYSEO TSDi	50	02/07	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
PEUGEOT	ELYSTAR	50	-	S	367	L	S	180	58	3,5	3	11,7	176	C	S	180	58	3,5	3	9,0
PEUGEOT	ELYSTAR	50	01	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
PEUGEOT	ELYSTAR / i / TSDi	50	02/07	S	306	L	S	226	58	4,0	3	11,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT	ELYSTAR ADVANTAGE	50	02/07	S	1234	L	S	226	70	4,0	5	8,5	176	C	S	180	58	3,5	3	9,0
PEUGEOT	JET C - TECH	50	06	S	306	L	S	226	58	4,0	3	11,5	665	L	S	190	58	4,0	3	12,0
PEUGEOT	JET C - TECH	50	-	S	-	-	-	-	-	-	-	-	1234	L	S	226	70	4,0	5	8,5
PEUGEOT	JET C - TECH	50	12/13	S	1234	L	S	226	70	4,0	5	8,5	665	L	S	190	58	4,0	3	12,0
PEUGEOT	JET FORCE	50	02	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
PEUGEOT	KISBEE / RS ZONE	50	07/11	S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	KISBEE 2T / 4T ACTIVE	50	18/19	S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	KISBEE 4T BLACK EDITION	50	17/19	S	1363X / 1363	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	KISBEE 4T RS	50	14/19	S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	KISBEE RS ZONE	50	12/16	S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	KISBEE 2T / 4T SPORTLINE	50	14/18	S	1363X / 1363	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	LOOXOR 2T / TSDi 2T	50	01/06	S	1078	L	S	226	105	4,0	5	6,5	107	L	S	190	58	4,0	3	10,5
PEUGEOT	LOOXOR 2T / TSDi 2T	50	01/06	S									1022 / 1022X	L	MD	190	58	3,7	3	MH
PEUGEOT	LOOXOR 2T	50	03/07	S	1078	L	S	226	105	4,0	5	6,5	-	-	-	-	-	-	-	-
PEUGEOT	LUDIX	50	05/07	S	1120X	L	S	155	42	3,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX BLASTER / R-CUP	50	08/09	S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX CLASSIC	50	17	S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX ELEGANCE	50	08/09	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX ONE 2 SITZER	50	08/09	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX ONE 2 SITZER	50	08/09	S	727	L	SO	*180	40,6	3,5	3	10,5								
PEUGEOT	LUDIX PRO / LUDIX EP	50	12/13	S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX SNAKE / TREND	50	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX SNAKE / TREND	50	03	S	727	L	SO	*180	40,6	3,5	3	10,5								
PEUGEOT	LUDIX SNAKE	50	08/09	S	1188X	L	S	155	42	3,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	LUDIX TREND	50	08/09	S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	METAL X	50	02/03	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	METAL X	50	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PEUGEOT	SPEEDAKE	50	95/01	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT	SPEEDAKE	50	95/01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
				SPEEDFIGHT MODELS																
PEUGEOT	SPEEDFIGHT 2T	50	18/19	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5
PEUGEOT	SPEEDFIGHT 2T DARKSIDE	50	09/19	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5
PEUGEOT	SPEEDFIGHT 2T R-CUP	50	18/19	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5
PEUGEOT	SPEEDFIGHT 4 2T AC TOTAL SPORT	50	18/19	S	1356X	L	S	215	74	3,5	3	8,5	Drum	-	-	-	-	-	-	-

				FRONT										REAR									
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø					
PEUGEOT	SPEEDFIGHT 4 4T AC	50	18/19	S	1356X	L	S	215	74	3,5	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT 4 4T DARKSIDE / R-CUP	50	18/19	S	1356X	L	S	215	74	3,5	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT 20 EDITION	50	15/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5			
PEUGEOT	SPEEDFIGHT AIR KAT / H2o	50	97/08	S	176	L	S	180	58	3,5	3	9,0	Drum	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT AC	50	09/13	S	1356X	L	S	215	74	3,5	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT A.C. / L.C.	50	15/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5			
PEUGEOT	SPEEDFIGHT ICEBLADE	50	14/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5			
PEUGEOT	SPEEDFIGHT L	50	01/07	S	176	L	S	180	58	3,5	3	9,0	176	C	S	180	58	3,5	3	9,0			
PEUGEOT	SPEEDFIGHT L / N	50	01/02	S	176	L	S	180	58	3,5	3	9,0	176	C	S	180	58	3,5	3	9,0			
PEUGEOT	SPEEDFIGHT L.C. N / X - LE MANS	50	14/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5			
PEUGEOT	SPEEDFIGHT N / ND	50	01/02	S	176	L	S	180	58	3,5	3	9,0	Drum	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT PROST	50	99/00	S	176	L	S	180	58	3,5	3	9,0	-	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT PURE	50	15/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X / 1615	L	S	196	58,3	3,5	5	8,5			
PEUGEOT	SPEEDFIGHT R-CUP / SPEEDFIGHT	50	08	S	1122X	L	S	180	58	3,7	3	9,0	-	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT ULTIMATE EDITION	50	08	S	1122X	L	S	180	58	3,7	3	9,0	-	-	-	-	-	-	-				
PEUGEOT	SPEEDFIGHT X PRO	50	99/00	S	176	L	S	180	58	3,5	3	9,0	176	C	S	180	58	3,5	3	9,0			
PEUGEOT	SPEEDFIGHT X RACE L/N/ND	50	01/02	S	176	L	S	180	58	3,5	3	9,0	176	C	S	180	58	3,5	3	9,0			
PEUGEOT	SQUAB / JUNIOR	50	95/01	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	SQUAB / JUNIOR	50	95/01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
PEUGEOT	STREETZONE 10'	50	14/18	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-				
PEUGEOT	STREETZONE 10'	50	14/18	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
PEUGEOT	STREETZONE 10'	50	14/18	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-				
PEUGEOT	STREETZONE 12'	50	17/18	S	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-				
PEUGEOT	STREETZONE 12'	50	17/18	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-				
PEUGEOT	STREETZONE 12'	50	17/18	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-				
PEUGEOT	SV GEO / EXECUTIVE	50	91/99	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	SV GEO / EXECUTIVE	50	91/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
PEUGEOT	SV T	50	92	S	ND / NA	L	S	155	39	4,0	5	6,5	Drum	-	-	-	-	-	-				
PEUGEOT	SVM	50	97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-				
PEUGEOT	SVM	50	97	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-				
TREKKER MODELS																							
PEUGEOT	TREKKER OFF ROAD / STREET BOARD	50	98/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	TREKKER OFF ROAD / STREET BOARD	50	98/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
PEUGEOT	TREKKER URBAN BLACK	50	00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	TREKKER URBAN BLACK	50	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
PEUGEOT	TREKKER TKR / TKR 10	50	08/12	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	TREKKER TKR / TKR 10	50	08/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-				
PEUGEOT	TWEET	50	11	S	1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-				
PEUGEOT	TWEET	50	17	S	1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-				
PEUGEOT	TWEET / TWEET RS ABS	50	18/19	S	-	L	Sxx,x	260	-	-	-	-	1313X / 1313	L	S	226	59	4,0	5	10,5			
PEUGEOT	TWEET EVO	50	14/15	S	1313X / 1313	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-				
PEUGEOT	TWEET EVO S	50	16/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5			
PEUGEOT	TWEET RS	50	13/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5			
PEUGEOT	VIVA 3	50	12→	S	1838	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	VIVACITY	50	99/02	S	1464	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-				
PEUGEOT	VIVACITY 2T	50	05/18	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	VIVACITY 4T	50	14/18	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	VIVACITY / SIXTIES	50	10/13	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-				
PEUGEOT	V-CLIC	50	08/13	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-				
PEUGEOT	V-CLIC	50	08/13	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-				
PEUGEOT	X-FIGHT AIR / H2o / L.C.	50	00	S	176	L	S	180	58	3,5	3	9,0	176	C	S	180	58	3,5	3	9,0			
PEUGEOT	XP-6 ALUMINIUM HUB	50	02	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5			
PEUGEOT	XP-6 ALUMINIUM HUB	50	02	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5			
PEUGEOT	XP-6 SUPERMOTARD	50	97/01	A	336	L	S	220	108	3,5	6	6,5	-	-	-	-	-	-	-				
PEUGEOT	XP-6 SUPERMOTARD	50	05	A	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5			
PEUGEOT	XP-6 SM - STEEL HUB	50	02	A	336	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5			
PEUGEOT	XP-6 SM - ALUMINIUM HUB	50	02	A	336	L	S	220	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5			
PEUGEOT	XP-6 SM - ALUMINIUM HUB	50	02	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5			
PEUGEOT	XP-6 TOP ROAD	50	08/09	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5			
PEUGEOT	XP-6 TOP ROAD	50	08/09	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5			
PEUGEOT	XPS ENDURO	50	05/09	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5			
PEUGEOT	XPS STREET	50	05	A	342 / 342X	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5			
PEUGEOT	XPS STREET	50	05	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5			
PEUGEOT	XPS SUPERMOTARD	50	05	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5			
PEUGEOT	XPS TOP ROAD POWER	50	05	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5			
PEUGEOT	XPS TRACK	50	08/09	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5			
PEUGEOT	XR-6	50	00	H	342 / 342X	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5			
PEUGEOT	XR-6	50	00	H	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5			
PEUGEOT	X-FIGHT	50	00/01	S	176	L	S	180	58	3,5	3	9,0	176	C	S	180	58	3,5	3	9,0			
PEUGEOT	XR-7	50	08/12	A	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5			
PEUGEOT	XR-7	50	08/12	A	1608 / 1608X	L																	



C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
PEUGEOT X-RACE	50	02/05	S	-	-	-	-	-	-	-	1011X / 1011	C	S	180	58	4,0	3	10,5
PEUGEOT ZENITH	50	92	S	ND / NA	L	-	155	30	4,0	5 6,5	Drum	-	-	-	-	-	-	-
PEUGEOT ZENITH LM / LUXE	50	94→	S	ND / NA	L	-	155	30	4,0	5 6,5	Drum	-	-	-	-	-	-	-
80 c.c.											80 c.c.							
PEUGEOT SV L	80	95/98	S	303	L	S	190	58	4,0	3 8,5	Drum	-	-	-	-	-	-	-
PEUGEOT SV L	80	95/98	S	1022 / 1022X	L	MD	190	58	3,7	3 MH	-	-	-	-	-	-	-	-
100 c.c.											100 c.c.							
PEUGEOT ELYSEO	100	98/02	S	306	L	S	226	58	4,0	3 11,5	Drum	-	-	-	-	-	-	-
PEUGEOT ELYSEO	100	03	S	306	L	S	226	58	4,0	3 11,5	176	C	S	180	58	3,5	3	9,0
PEUGEOT KISBEE 4T	100	14/15	S	1363 / 1363X	L	S	170	46	4,0	3 8,5	Drum	-	-	-	-	-	-	-
PEUGEOT LOOXOR SBC 2T	100	01/02	S	1078	L	S	226	105	4,0	5 6,5	107	L	S	190	58	4,0	3	10,5
PEUGEOT LOOXOR SBC 2T	100	01/02	S	-	-	-	-	-	-	-	1022 / 1022X	L	MD	190	58	3,7	3	MH
PEUGEOT LOOXOR SBC 2T	100	03/07	S	1078	L	S	226	105	4,0	5 6,5	-	-	-	-	-	-	-	-
PEUGEOT SPEEDFIGHT / 2 NT / PROST	100	97/02	S	176	L	S	180	58	3,5	3 9,0	176	C	S	180	58	3,5	3	9,0
PEUGEOT STREETZONE	100	14	S	1363 / 1363X	L	S	170	46	4,0	3 8,5	Drum	-	-	-	-	-	-	-
PEUGEOT SV EXECUTIVE / SV L	100	97/98	S	303	L	S	190	58	4,0	3 8,5	Drum	-	-	-	-	-	-	-
PEUGEOT SV EXECUTIVE / SV L	100	97/98	S	1022 / 1022X	L	MD	190	58	3,7	3 MH	-	-	-	-	-	-	-	-
PEUGEOT SV GEO	100	98	S	007	L	S	190	58	3,5	3 9,5	-	-	-	-	-	-	-	-
PEUGEOT SV GEO	100	98	S	1022 / 1022X	L	MD	190	58	3,7	3 MH	-	-	-	-	-	-	-	-
PEUGEOT TREKKER ON ROAD	100	98	S	007	L	S	190	58	3,5	3 9,5	Drum	-	-	-	-	-	-	-
PEUGEOT TREKKER ON ROAD	100	98	S	1022 / 1022X	L	MD	190	58	3,7	3 MH	-	-	-	-	-	-	-	-
PEUGEOT VIVACITY	100	99/00	S	665	L	S	190	58	4,0	3 12,0	007	L	S	190	58	3,5	3	9,5
PEUGEOT VIVACITY	100	99/00	S	-	-	-	-	-	-	-	1022 / 1022X	L	MD	190	58	3,7	3	MH
125 c.c.											125 c.c.							
PEUGEOT AVENUE	125	04/13	S	1121	L	S	263	101	5,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
BELVILLE MODELS																		
PEUGEOT BELVILLE ALLURE / RS / ABS	125	17/19	S	-X	L	Sxx,x	260	-	-	-	-	L	S	220	-	-	-	-
CITYSTAR MODELS																		
PEUGEOT CITYSTAR A.C. - L.C. / A.C. - L.C. RS	125	11/18	S	1542	L	S	240	70	4,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT CITYSTAR ACTIVE / SMARTMOTION	125	14/19	S	1542	L	S	240	70	4,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT CITYSTAR BLACK EDITION	125	17/19	S	1542	L	S	240	70	4,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT CITYSTAR POWER MOTION / ABS	125	15/19	S	1542	L	S	240	70	4,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT CITYSTAR POWERMOTION / RS ABS	125	18/19	S	1542	L	S	240	70	4,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT CITYSTAR ADVENTURE	125	17/18	S	1390 / 1390X	L	S	200	58	4,0	3 10,5	-	C	S	200	-	-	-	-
PEUGEOT CITYSTAR ACTIVE / ALLURE / ID	125	18	S	1390 / 1390X	L	S	200	58	4,0	3 10,5	-	C	S	190	-	-	-	-
PEUGEOT CITYSTAR EVASION / ID / HERITAGE	125	15/17	S	1390 / 1390X	L	S	200	58	4,0	3 10,5	-	C	S	190	-	-	-	-
PEUGEOT CITYSTAR SPORT	125	15/17	S	1390 / 1390X	L	S	200	58	4,0	3 10,5	-	C	S	190	-	-	-	-
DJANGO MODELS																		
PEUGEOT CONCEPT P2X	125	19	N	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-
PEUGEOT DJANGO ALLURE / EVASION / ABS	125	12/19	S	1838	L	S	200	58	3,5	3 8,5	1615	-	S	196	58,3	3,5	5	8,5
PEUGEOT DJANGO / ID / SPORT / ABS	125	15/19	S	1838	L	S	200	58	3,5	3 8,5	1615	-	S	196	58,3	3,5	5	8,5
PEUGEOT DJANGO HERITAGE	125	14/19	S	1838	L	S	200	58	3,5	3 8,5	1615	-	S	196	58,3	3,5	5	8,5
PEUGEOT ELYSEO / T / RGT	125	98/04	S	306	L	S	226	58	4,0	3 11,5	Drum	-	-	-	-	-	-	-
PEUGEOT ELYSTAR / ABS	125	01/03	S	1234	L	S	226	70	4,0	5 8,5	-	-	-	-	-	-	-	-
PEUGEOT ELYSTAR ADVANTAGE	125	01/03	S	1234	L	S	226	70	4,0	5 8,5	-	-	-	-	-	-	-	-
PEUGEOT GEOPOLIS / RS	125	07/13	S	1121	L	S	263	101	5,0	5 8,5	1177	L	S	226	126	4,5	5	6,5
PEUGEOT GEOPOLIS CITY / EXECUTIVE	125	06/07	S	1121	L	S	263	101	5,0	5 8,5	1177	L	S	226	126	4,5	5	6,5
PEUGEOT GEOPOLIS CITY / EXECUTIVE	125	08/12	S	1121	L	S	263	101	5,0	5 8,5	1275	L	S	226	113	4,5	5	6,5
PEUGEOT GEOPOLIS PREMIUM	125	06/07	S	1121	L	S	263	101	5,0	5 8,5	1177	L	S	226	126	4,5	5	6,5
PEUGEOT GEOPOLIS PREMIUM	125	08/12	S	1121	L	S	263	101	5,0	5 8,5	1275	L	S	226	113	4,5	5	6,5
PEUGEOT JET COMPRESSOR / FORCE	125	03	S	1234	L	S	226	70	4,0	5 8,5	-	-	-	-	-	-	-	-
PEUGEOT JET FORCE	125	07	S	-	-	-	-	-	-	-	1145	L	S	210	58	4,0	3	8,5
PEUGEOT LOOXOR SBC 4T	125	03/07	S	1078	L	S	226	105	4,0	5 6,5	-	-	-	-	-	-	-	-
PEUGEOT LXR	125	09→	S	1126	L	S	220	96,5	4,0	5 10,5	-	-	-	-	-	-	-	-
PEUGEOT PULSION ALLURE / RS	125	18/19	S	xxxx	L	S	263	140	4,0	5 8,5	-	R	S	-	-	-	-	-
SATELIS MODELS																		
PEUGEOT SATELIS	125	06/19	S	1121	L	S	263	101	5,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT SATELIS 4V EXECUTIVE	125	06/09	S	1121	L	S	263	101	5,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT SATELIS BLACK EDITION / ABS	125	17/19	S	1121	L	S	263	101	5,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT SATELIS COMPRESSOR	125	06/13	S	1121	L	S	263	101	5,0	5 8,5	1145	R	S	210	58	4,0	3	8,5
PEUGEOT SATELIS K BLACK / WHITESAT	125	08/11	S	1121	L	S	263	101	5,0	5 8,5	1145	R	S	210	58	4,0	3	8,5
PEUGEOT SATELIS PREMIUM / RS / URBAN	125	14/17	S	1121	L	S	263	101	5,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT SATELIS RS	125	04/18	S	1121	L	S	263	101	5,0	5 8,5	1145	C	S	210	58	4,0	3	8,5
PEUGEOT SPEEDFIGHT / 4	125	14/19	S	1356X	L	S	215	74	3,5	3 8,5	-	L	S	190	-	-	-	-
PEUGEOT SPEEDFIGHT / 4 i	125	17	S	1356X	L	S	215	74	3,5	3 8,5	1615X / 1615	C	S	196	58,3	3,5	5	8,5
PEUGEOT SPEEDFIGHT 4 i / R-CUP	125	18/19	S	1356X	L	S	215	74	3,5	3 8,5	-	L	S	190	-	-	-	-
PEUGEOT SUM UP	125	09/12	S	1201X	R	S22,0	220	58	4,0	3 8,5	Drum	-	-	-	-	-	-	-
PEUGEOT SV EXECUTIVE	125	95/98	S	665	L	S	190	58	4,0	3 12,0	Drum	-	-	-	-	-	-	-
PEUGEOT TWEET / TWEET SBC	125	18/19	S	1313 / 1313X	L	S	226	59	4,0	5 10,5	1313 / 1313X	C	S	226	59	4,0	5	10,5
PEUGEOT TWEET / TWEET RS	125	10/17	S	1313X / 1313	L	S	226	59	4,0	5 10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
PEUGEOT TWEET ALLURE	125	16	S	1313X / 1313	L	S	226	59	4,0	5 10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
PEUGEOT TWEET EVO	125	15→	S	1313X / 1313	L	S	226	59	4,0	5 10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
PEUGEOT TWEET / TWEET RS ABS	125	18	S	-X	L	Sxx,x	260	-	-	-	1313X / 1313	L	S	226	59	4,0	5	10,5

																																																																					
				C.C.	YEAR	MODEL TYPE	FRONT				SIDE		DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR				SIDE		DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø																																							
				REFERENCE															REFERENCE																																																		
PEUGEOT TWEET DOUBLE BLACK				125	15/17	S	1313X / 1313				L	S	226	59	4,0	5	10,5	1313X / 1313				L	S	226	59	4,0	5	10,5																																									
PEUGEOT TWEET PARIS				125	15/17	S	1313X / 1313				L	S	226	59	4,0	5	10,5	1313X / 1313				L	S	226	59	4,0	5	10,5																																									
PEUGEOT TWEET EVO / RS / S				125	10/16	S	1313X / 1313				L	S	226	59	4,0	5	10,5	1313X / 1313				L	S	226	59	4,0	5	10,5																																									
PEUGEOT TWEET i SBC				125	17	S	1313 / 1313X				L	S	226	59	4,0	5	10,5	1313 / 1313X				L	S	226	59	4,0	5	10,5																																									
PEUGEOT VIVACITY NEW 4T				125	14/17	S	1392				L	S	200	58	3,5	3	8,5	Drum				-	-	-	-	-	-	-																																									
150 c.c.																				150 c.c.																																																	
DJANGO MODELS																																																																					
PEUGEOT DJANGO ACTIVE / ALLURE				150	14/18	S	1838				L	S	200	58	3,5	3	8,5	1615				-	S	196	58,3	3,5	5	8,5																																									
PEUGEOT DJANGO				150	15→	S	1838				L	S	200	58	3,5	3	8,5	1615				-	S	196	58,3	3,5	5	8,5																																									
PEUGEOT DJANGO EVASION / SPORT				150	14/17	S	1838				L	S	200	58	3,5	3	8,5	1615				-	S	196	58,3	3,5	5	8,5																																									
PEUGEOT DJANGO HERITAGE				150	14→	S	1838				L	S	200	58	3,5	3	8,5	1615				-	S	196	58,3	3,5	5	8,5																																									
PEUGEOT DJANGO ID				150	15/18	S	1838				L	S	200	58	3,5	3	8,5	Drum				-	-	-	-	-	-	-																																									
PEUGEOT CITYSTAR				150	14→	S	1542				L	S	240	70	4,0	5	8,5	1145				C	S	210	58	4,0	3	8,5																																									
PEUGEOT ELYSTAR / ADVANTAGE / ABS				150	01/03	S	1234				L	S	226	70	4,0	5	8,5	-				-	-	-	-	-	-	-																																									
PEUGEOT LOOXOR				150	02/04	S	303				L	S	190	58	4,0	3	8,5	303				L	S	190	58	4,0	3	8,5																																									
PEUGEOT LOOXOR SBC 4T				150	03/07	S	1078				L	S	226	105	4,0	5	6,5	-				-	-	-	-	-	-	-																																									
PEUGEOT LXR				150	09→	S	1126				L	S	220	96,5	4,0	5	10,5	-				-	-	-	-	-	-	-																																									
PEUGEOT TWEET				150	11/18	S	1313X / 1313				L	S	226	59	4,0	5	10,5	1313X / 1313				L	S	226	59	4,0	5	10,5																																									
PEUGEOT TWEET EVO				150	15→	S	1313X / 1313				L	S	226	59	4,0	5	10,5	1313X / 1313				L	S	226	59	4,0	5	10,5																																									
PEUGEOT TWEET / TWEET RS				150	10/13	S	1313X / 1313				L	S	226	59	4,0	5	10,5	1313X / 1313				L	S	226	59	4,0	5	10,5																																									
200 c.c.																				200 c.c.																																																	
PEUGEOT BELVILLE ALLURE				200	18	S	xxxxX				L	Sxxx	260	-	-	-	-	-				C	-	240	-	-	-	-																																									
PEUGEOT BELVILLE ALLURE / RS				200	17	S	-				L	S	-	-	-	-	-	-				-	-	-	-	-	-	-																																									
PEUGEOT CITYSTAR / RS				200	14/18	S	1542				L	S	240	70	4,0	5	8,5	1145				C	S	210	58	4,0	3	8,5																																									
PEUGEOT GEOPOLIS CITY / EXECUTIVE				200	06/09	S	1121				L	S	263	101	5,0	5	8,5	1200				L	S	240	126	6,0	5	6,5																																									
250 c.c.																				250 c.c.																																																	
GEOPOLIS MODELS																																																																					
PEUGEOT GEOPOLIS STD / EXECUTIVE / URBAN				250	06/11	S	1121				L	S	263	101	5,0	5	8,5	1177				L	S	226	126	4,5	5	6,5																																									
PEUGEOT GEOPOLIS PREMIUM				250	06/11	S	1121				L	S	263	101	5,0	5	8,5	1200				L	S	240	126	6,0	5	6,5																																									
PEUGEOT GEOPOLIS RS				250	06/08	S	1121				L	S	263	101	5,0	5	8,5	1177				L	S	226	126	4,5	5	6,5																																									
PEUGEOT SATELIS				250	06/13	S	1121				L	S	263	101	5,0	5	8,5	1177				L	S	226	126	4,5	5	6,5																																									
PEUGEOT SATELIS PREMIUM / RS				250	08/09	S	1121				L	S	263	101	5,0	5	8,5	-				-	-	-	-	-	-	-																																									
PEUGEOT SV				250	01/07	S	364				L	S	240	105	4,0	4	10,5	101 / 101X				R	S	220	105	5,0	4	10,5																																									
300 c.c.																				300 c.c.																																																	
PEUGEOT CAFÉ RACER				300	18/19	N	-				L	S	-	-	-	-	-	-				R	S	-	-	-	-	-																																									
PEUGEOT GEOPOLIS / RS				300	10/13	S	1121				L	S	263	101	5,0	5	8,5	1275				L	S	226	113	4,5	5	6,5																																									
PEUGEOT GEOPOLIS / SATELIS / GT				300	14	S	1121				L	S	263	101	5,0	5	8,5	1275				L	S	226	113	4,5	5	6,5																																									
PEUGEOT GEOPOLIS PREMIUM				300	10/14	S	1121				L	S	263	101	5,0	5	8,5	1275				L	S	226	113	4,5	5	6,5																																									
PEUGEOT GEOSTYLE				300	10/15	S	1121				L	S	263	101	5,0	5	8,5	1275				L	S	226	113	4,5	5	6,5																																									
PEUGEOT SATELIS i / PREMIUM				300	13/17	S	1121				L	S	263	101	5,0	5	8,5	1177				L	S	226	126	4,5	5	6,5																																									
400 c.c.																				400 c.c.																																																	
PEUGEOT GEOPOLIS				400	07/09	TS	1121				L	S	263	101	5,0	5	8,5	1799				L	S	240	126	6,0	5	6,5																																									
PEUGEOT GEOPOLIS GT				400	14→	S	1121				L	S	263	101	5,0	5	8,5	1177				L	S	226	126	4,5	5	6,5																																									
PEUGEOT GEOPOLIS URBAN				400	07/13	S	1121				L	S	263	101	5,0	5	8,5	1275				L	S	226	113	4,5	5	6,5																																									
PEUGEOT GEOPOLIS PREMIUM / RS				400	07/12	S	1121				L	S	263	101	5,0	5	8,5	1177				L	S	226	126	4,5	5	6,5																																									
METROPOLIS MODELS																																																																					
PEUGEOT METROPOLIS 120 ANS, F:13" - R:14"				400	19	TS	1798				L/R	S	230	74,5	5,0	3	8,5	1799				R	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS ACCESS, F:12" - R:14"				400	18/19	TS	xxxx				L/R	S	200	64	4,0	3	8,5	1799				R	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS ACTIVE 12"				400	15/17	TS	--				L/R	S	-	-	-	-	-	--				R	S	-	-	-	-	-																																									
PEUGEOT METROPOLIS ALLURE, F:13" - R:14"				400	18/19	TS	1798				L/R	S	230	74,5		3	8,5	1799				C	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS ALLURE / RS 13"				400	15/17	TS	xxxx				L/R	S	200	64	4,0	3	8,5	1799				R	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS GTi / i SPORT				400	14→	TS	xxxx				L/R	S	200	64	4,0	3	8,5	1799				R	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS RD, F:13" - R:14"				400	17	TS	1798				L/R	S	230	74,5	5,0	3	8,5	1799				R	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS RS				400	14/16	TS	xxxx				L/R	S	200	64	4,0	3	8,5	1799				R	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS RS, F:13" - F:14" ABS				400	17/19	TS	1798				L/R	S	230	74,5	5,0	3	8,5	1799				C	S	240	126	6,0	5	6,5																																									
PEUGEOT METROPOLIS RX-R, F:13" - F:14" ABS				400	17/19	TS	1798				L/R	S	230	74,5	5,0	3	8,5	1799				C	S	240	126	6,0	5	6,5																																									
PEUGEOT SATELIS / RS / 2 RS				400	07/17	S	1121				L/R	S	263	101	5,0	5	8,5	1200				L	S	240	126	6,0	5	6,5																																									
500 c.c.																				500 c.c.																																																	
PEUGEOT GEOPOLIS				500	08/11	S	1121				L/R	S	263	101	5,0	5	8,5	-				-	-	-	-	-	-	-																																									
PEUGEOT SATELIS				500	06/13	S	1121				L/R	S	263	101	5,0	5	8,5	1200				L	S	240	126	6,0	5	6,5																																									
PEUGEOT SATELIS PREMIUM RS				500	06/12	S	1121				L/R	S	263	101	5,0	5	8,5	1200				L	S	240	126	6,0	5	6,5																																									
PEUGEOT SATELIS RS				500	07→	S	1121				L/R	S	263	101	5,0	5	8,5	1200				L	S	240	126	6,0	5	6,5																																									
PGO ELECTRIC																				PGO ELECTRIC																																																	
PGO IDEP				E	16/17	SV	-				L	S	-	-	-	-	-	-				-	-	-	-	-	-	-																																									
50 c.c.																				50 c.c.																																																	
PGO BIG MAX 2T AIR				50	94/17	S	406				L	S	155	40,6	3,8	3	10,5	Drum				-	-	-	-	-	-	-																																									
PGO BIG MAX 2T AIR				50	94/17	S	727				L	SO	*180	40,6	3,5	3	10,5	-				-	-	-	-	-	-	-																																									
PGO CLASSIC SPORT				50	97	S	612				L	S	220	58	4,0	5	6,5	-				-	-	-	-	-	-	-																																									
PGO CLASSIC SPORT				50	97	S	365				L	S	220	58	4,0	5	6,5	-				-	-	-	-	-	-	-																																									
PGO DIESIS				50	02/04	S	087				L	S	190	62	3,5	3	10,5	Drum				-	-	-	-	-	-	-																																									
PGO ENERGY EXTREME				50	99	S	612				L	S	220	58	4,0	5	6,5	-				-	-	-	-	-	-	-																																									
PGO ENERGY EXTREME				50	99	S	365				L	S	220	58	4,0	5	6,5	-				-	-	-	-	-	-	-																																									
PGO EPS				50	97/15	S	406				L	S	155	40,6	3,8	3	10,5	Drum				-	-	-	-	-	-	-																																									
PGO EPS				50	97/15	S	727				L	SO	*180	40,6	3,5	3	10,5	-				-	-	-	-	-	-																																										



PGO	FLY 4T	50	06	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
PGO	FLY 4T	50	06	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
PGO	FLY 4T	50	06	S	1815X	L	SO	*220	96,5	4,0	5	6,5									
PGO	FREE	50	95/02	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
PGO	FREE	50	95/02	S	610F	R	F00,0	200	96,5	4,0	5	6,5									
PGO	FREE	50	95/02	S	1815X	L	SO	*220	96,5	4,0	5	6,5									
PGO	GMAX	50	15/16	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
PGO	I-CHARGE	50	01/02	S	107	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
PGO	I-CHARGE	50	01/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	I-CHARGE	50	01/02	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	LIBRA	50	15/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
PGO	LIGERO NEW 2T	50	06/17	S	340	L	S	190	40,6	4,0	3	8,5		Drum	-	-	-	-	-	-	-
PGO	MEGA FIFTY	50	99	S	406	L	S	155	40,6	3,8	3	10,5									
PGO	MEGA FIFTY	50	99	S	727	L	SO	*180	40,6	3,5	3	10,5	Drum		-	-	-	-	-	-	-
PGO	MY BUBU	50	03	S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-
PGO	MY BUBU	50	03	S	727	L	SO	*180	40,6	3,5	3	10,5									
PGO	PMS	50	99/03	S	107	L	S	190	58	4,0	3	10,5	Drum		-	-	-	-	-	-	-
PGO	PMS	50	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	PMS	50	99/03	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	PMX	50	97/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	PMX	50	97/98	S	727	L	SO	*180	40,6	3,5	3	10,5									
PGO	PMX	50	00/07	S	107	L	S	190	58	4,0	3	10,5		107 1022 / 1022X	L	S	190	58	4,0	3	10,5
PGO	PMX	50	00/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X		L	MD	190	58	3,7	3	MH
PGO	PMX	50	00/07	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	TR3	50	03/04	S	107	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
PGO	TR3	50	03/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	TR3	50	03/04	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	T-REX 2T	50	99/17	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	T-REX 2T	50	99/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	T-REX 2T	50	99/17	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	TORNADO	50	97/02	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	TORNADO	50	97/02	S	727	L	SO	*180	40,6	3,5	3	10,5									
PGO	X-HOT	50	15/16	S	-	L	S	-	-	-	-	-		Drum	-	-	-	-	-	-	-
80 c.c.													80 c.c.								
PGO	BIG MAX	80	95/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum		-	-	-	-	-	-	-
PGO	BIG MAX	80	95/00	S	727	L	SO	*180	40,6	3,5	3	10,5									
100 c.c.														100 c.c.							
PGO	BUBU	100	03/08	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	BUBU	100	03/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	BUBU	100	03/08	S	1300X	L	FO	*220	58	3,5	3	10,5									
110 c.c.													110 c.c.								
PGO	PMS / T-REX	110	99→	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	PMS / T-REX	110	99→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	PMS / T-REX	110	99→	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	PMX	110	00/07	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	PMX	110	00/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	PMX	110	00/07	S	1300X	L	FO	*220	58	3,5	3	10,5									
125 c.c.													125 c.c.								
PGO	BUBU	125	03/08	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	BUBU	125	03/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	BUBU	125	03/08	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	CHARGE A / B	125	01/02	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	CHARGE A / B	125	01/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	CHARGE A / B	125	01/02	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	GMAX / LIBRA	125	15/16	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
PGO	LIBRA	125	15/17	S	-	L	S	-	-	-	-	-		Drum	-	-	-	-	-	-	-
PGO	LIGERO 2T	125	06/08	S	107	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-
PGO	LIGERO 2T	125	06/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	LIGERO 2T	125	06/08	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	LIGERO NEW 4T	125	06/17	S	340	L	S	190	40,6	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
PGO	TIGRA Efi 4V	125	15/17	S	-	L	S	-	-	-	-	-									
PGO	T-REX	125	99/16	S	107	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
PGO	T-REX	125	99/16	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PGO	T-REX	125	99/16	S	1300X	L	FO	*220	58	3,5	3	10,5									
PGO	TORNADO	125	97/02	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
PGO	TORNADO	125	97/02	S	727	L	SO	*180	40,6	3,5	3	10,5									
PGO	X-HOT	125	15/17	S	-X	L	S	-	-	-	-	-		Drum	-	-	-	-	-	-	-
150 c.c.													150 c.c.								
PGO	T-REX	150	99/02	S	340	L	S	190	40,6	4,0	3	8,5	Drum		-	-	-	-	-	-	-
PIAGGIO ELECTRIC					PIAGGIO ELECTRIC																
PIAGGIO	LIBERTY / E-MAIL	E	11/12	SV	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
PIAGGIO	ZIP ELECTRICO	E	00	SV	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-	

				FRONT										REAR							
		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
PIAGGIO	ZIP ELECTRICO	E	02	SV	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP ELECTRICO	E	02	SV	727	L	SO	*180	40,6	3,5	3	10,5									
50 c.c.														50 c.c.							
PIAGGIO	DIESIS	50	01/05	S	665	L	S	190	58	4,0	3	12,0		Drum	-	-	-	-	-	-	-
PIAGGIO	ENERGY EXTREME DD	50	99→	S	-	-	-	-	-	-	-	-		233	L	S	175	73	4,0	5	6,5
PIAGGIO	FLY 2T	50	05/11	S	610	L	S	200	96,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 2T	50	05/11	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
PIAGGIO	FLY 2T	50	05/11	S	1815X	L	SO	*220	96,5	4,0	5	6,5									
PIAGGIO	FLY 2T	50	12/15	S	1694	L	S	220	96	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 4T	50	18	S	1694	L	S	220	96	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 4T 2V	50	10/11	S	610	L	S	200	96,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 4T 2V	50	10/11	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
PIAGGIO	FLY 4T 2V	50	10/11	S	1815X	L	SO	*220	96,5	4,0	5	6,5									
PIAGGIO	FLY 4T 4V i.e.	50	12/17	S	1694	L	S	220	96	4,0	5	6,5		113 / 113X	R	S	220	105	4,0	6	6,5
PIAGGIO	FLY 4T, CHINA ENGINE	50	06/07	S	610	L	S	200	96,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 4T, CHINA ENGINE	50	06/07	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
PIAGGIO	FLY 4T, CHINA ENGINE	50	06/07	S	1815X	L	SO	*220	96,5	4,0	5	6,5									
PIAGGIO	FREE FL	50	95/02	S	610	L	S	200	96,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	FREE FL	50	95/02	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
PIAGGIO	FREE FL	50	95/02	S	1815X	L	SO	*220	96,5	4,0	5	6,5									
PIAGGIO	FREE DELIVERY	50	99/01	S	610	R	S	200	96,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	FREE DELIVERY	50	99/01	S	610F	R	F00,0	200	96,5	4,0	5	6,5									
PIAGGIO	FREE DELIVERY	50	99/01	S	1815X	L	SO	*220	96,5	4,0	5	6,5									
PIAGGIO	LIBERTY 2T	50	97/11	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 2T SPORT	50	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 2T / 4T	50	12/17	S	1090 / 1090X	L	S	240	105	4,5	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T	50	00/09	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T	50	18/19	S	xxxx	L	S	240	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T S	50	18	S	1090 / 1090X	L	S	240	105	4,5	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T SPORT	50	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY DELIVERY TNT	50	09	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY E-MAIL	50	12	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY LE	50	97/02	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY S 2T / 4T	50	06/09	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NEW FLY 4T / 4V	50	12/13	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NEW LIBERTY i-GET	50	16/18	S	1090 / 1090X	L	S	240	105	4,5	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NEW LIBERTY S i-GET	50	16	S	1090 / 1090X	L	S	240	105	4,5	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NTT	50	94/96	S	023	L	S	190	58	3,5	3	8,5		-	-	-	-	-	-	-	-
PIAGGIO	NTT	50	94/96	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PIAGGIO	NRG	50	93/01	S	023	L	S	190	58	3,5	3	8,5		-	-	-	-	-	-	-	-
PIAGGIO	NRG	50	93/01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PIAGGIO	NRG DD 2T	50	06/13	S	113 / 113X	L	S	220	105	4,0	6	6,5		-	-	-	-	-	-	-	-
PIAGGIO	NRG DD 2T	50	18	S	-	L	S	240	-	-	-	-		-	-	S	175	-	-	-	-
PIAGGIO	NRG DT	50	94/96	S	303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NRG DT	50	94/96	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PIAGGIO	NRG DT POWER	50	05/13	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NRG EXTREME A.C.	50	99/01	S	365	L	S	220	58	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NRG EXTREME A.C.	50	99/01	S	612	L	S	220	58	4,0	5	6,5									
PIAGGIO	NRG EXTREME L.C.	50	99/01	S	365	L	S	220	58	4,0	5	6,5		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG EXTREME L.C.	50	99/01	S	612	L	S	220	58	4,0	5	6,5									
PIAGGIO	NRG EXTREME MC 2	50	96/98	S	303	L	S	190	58	4,0	3	8,5		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG EXTREME MC 2	50	96/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PIAGGIO	NRG EXTREME MC 3	50	01/04	S	-	-	-	-	-	-	-	-		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG FERRARI	50	97	S	303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NRG FERRARI	50	97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PIAGGIO	NRG JET	50	03	S	-	-	-	-	-	-	-	-		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG MC 3	50	94/99	S	303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NRG MC 3	50	94/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PIAGGIO	NRG MC 3 DD	50	01/05	S	365	L	S	220	58	4,0	5	6,5		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG MC 3 DD	50	01/05	S	612	L	S	220	58	4,0	5	6,5									
PIAGGIO	NRG MC 3 DT AIR	50	01/05	S	365	L	S	220	58	4,0	5	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NRG MC 3 DT AIR	50	01/05	S	612	L	S	220	58	4,0	5	6,5									
PIAGGIO	NRG POWER DD	50	05/14	S	113 / 113X	L	S	220	105	4,0	6	6,5		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG POWER DD	50	18	S	-	L	S	-	-	-	-	-		-	L	S	-	-	-	-	-
PIAGGIO	NRG POWER DT	50	05/13	S	113 / 113X	L	S	220	105	4,0	6	6,5		Drum	-	-	-	-	-	-	-
PIAGGIO	NRG POWER PUREJET	50	02/03	S	365	L	S	220	58	4,0	5	6,5		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG POWER PUREJET	50	02/03	S	612	L	S	220	58	4,0	5	6,5									
PIAGGIO	NRG POWER PUREJET	50	04/11	S	113 / 113X	L	S	220	105	4,0	6	6,5		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NRG PUREJET	50	04/10	S	113 / 113X	L	S	220	105	4,0	6	6,5		-	-	-	-	-	-	-	-
PIAGGIO	NGR RST MC2 DD	50	96/98	S	665	L	S	190	58	4,0	3	12,0		233	L	S	175	73	4,0	5	6,5
PIAGGIO	NGR RST MC2 DT	50	96/98	S	665	L	S	190	58	4,0	3	12,0		Drum	-	-	-	-	-	-	-



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
PIAGGIO	NRG SILVER BULLET	50	10	S	113 / 113X	L	S	220	105	4,0	6	6,5	233	L	S	175	73	4,0	5	6,5
PIAGGIO	NTT	50	95/98	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	NTT	50	95/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PIAGGIO	QUARTZ	50	91/96	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SFERA 2T AIR	50	91→	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SFERA 2T AIR	50	91→	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	SFERA 2T AIR	50	91→	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	SFERA ET2	50	95/97	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SFERA RST / RESTYLING	50	95/99	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SFERA RST / RESTYLING	50	95/99	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	SFERA RST / RESTYLING	50	95/99	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	STORM	50	94/97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	STORM	50	94/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
TYPHOON MODELS																				
PIAGGIO	TYPHOOM 2T 10'	50	93/11	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOOM 2T 10'	50	93/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PIAGGIO	TYPHOOM 12'	50	10/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOOM 12'	50	10/17	S	612	L	S	220	58	4,0	5	6,5								
PIAGGIO	TYPHOOM 12'	50	18	S	-	L	S	220	-	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOOM BENETTON / MARTINI	50	97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOOM BENETTON / MARTINI	50	97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PIAGGIO	TYPHOOM EURO 3	50	10/12	S	1694	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOOM X	50	98/99	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOOM X	50	98/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PIAGGIO	TYPHOOM XR	50	00	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOOM XR	50	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PIAGGIO	ZIP 2T AIR	50	95→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP 2T AIR	50	95→	S	727	L	SO	*180	40,6	3,5	3	10,5								
PIAGGIO	ZIP 2000 MODEL 2T AIR	50	96→	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP 2000 MODEL 2T AIR	50	96→	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	ZIP 2000 MODEL 2T AIR	50	96→	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	ZIP 2T / SPECIAL EDITION / 4T	50	00/18	S	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP BASE FD / TT	50	95/96	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP BASE FD / TT	50	95/96	S	727	L	SO	*180	40,6	3,5	3	10,5								
PIAGGIO	ZIP CATALYZED	50	00/02	S	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP DISCO / ZIP RST	50	96/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP DISCO / ZIP RST	50	96/99	S	727	L	SO	*180	40,6	3,5	3	10,5								
PIAGGIO	ZIP FAST RIDER	50	93/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP FAST RIDER	50	93/00	S	727	L	SO	*180	40,6	3,5	3	10,5								
PEUGEOT	ZIP i - GET 4T	50	19	S	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP SP DAL 2T L.C.	50	01→	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP SP DAL 2T L.C.	50	01→	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	ZIP SP DAL 2T L.C.	50	01→	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	ZIP / SP L.C.	50	96/18	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP / SP L.C.	50	96/18	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	ZIP / SP L.C.	50	96/18	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	ZIP SPORT FAST RIDER	50	93	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP SPORT FAST RIDER	50	93	S	727	L	SO	*180	40,6	3,5	3	10,5								
75 c.c.													75 c.c.							
PIAGGIO	SFERA	75	96/99	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SFERA	75	96/99	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	SFERA	75	96/99	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
80 c.c.													80 c.c.							
PIAGGIO	SKIPPER	80	94/96	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOON	80	97/98	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOON	80	97/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
100 c.c.													100 c.c.							
PIAGGIO	DIESIS	100	01/03	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 4T	100	07/15	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 4T	100	07/15	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	FLY 4T	100	07/15	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	FREE 2T	100	02	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	FREE 2T	100	02	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	FREE 2T	100	02	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	FREE 4T	100	01/02	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	ZIP	100	06/10	S	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-
125 c.c.													125 c.c.							
PIAGGIO	BEVERLY	125	01/07	S	071	L	S	260	125	4,0	5	6,5	071	L	S	260	125	4,0	5	6,5
PIAGGIO	BEVERLY	125	12/13	S	1444	L	S	300	100,5	5,0	6	15,3	-	-	-	240	-	-	-	-
PIAGGIO	BEVERLY / E3	125	03/08	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
PIAGGIO	BEVERLY E3 MIC	125	07	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
PIAGGIO	BEVERLY E3 SPORT	125	07/08	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
PIAGGIO	BEVERLY E3 SPORT	125	08/10	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5



		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
PIAGGIO	BEVERLY GT i.e.	125	10→	S	-	-	-	-	-	-	-	-	1342	-	S	240	102	5,0	5	8,5
PIAGGIO	BEVERLY NEW i.e.	125	16	S	1071	L	S	240	125	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	BEVERLY RST	125	04/07	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
PIAGGIO	BEVERLY RST 4T	125	12/16	S	1444	L	S	300	100,5	5,0	6	15,3	-	R	S	240	-	-	-	-
PIAGGIO	BEVERLY RST 4T 4V i.e.	125	10/11	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
PIAGGIO	BEVERLY S	125	07	S	071	L	S	260	125	4,0	5	6,5	071	L	S	260	125	4,0	5	6,5
PIAGGIO	BEVERLY S	125	08/10	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
PIAGGIO	BEVERLY S	125	08/10	S	257	L	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5
PIAGGIO	BEVERLY S	125	15/16	S	1444	L	S	300	100,5	5,0	6	15,3	1342	R	S	240	102	5,0	5	8,5
PIAGGIO	BEVERLY TOURER	125	08/09	S	071	L	S	260	125	4,0	5	6,5	071	L	S	260	125	4,0	5	6,5
PIAGGIO	CARNABY	125	07/09	S	071	L	S	260	125	4,0	5	6,5	071	L	S	260	125	4,0	5	6,5
PIAGGIO	FLY 4T 2V	125	04/11	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	FLY 4T 2V	125	04/11	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	FLY 4T 2V	125	04/11	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	FLY 4T 3V EURO 3	125	12/17	S	1694	L	S	220	96	4,0	5	6,5	113 / 113X	R	S	220	105	4,0	6	6,5
PIAGGIO	HEXAGON	125	94/97	S	1237	L	S6,0	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	HEXAGON GTX 11'	125	00	S	610	L	S	200	96,5	4,0	5	6,5	610	L	S	200	96,5	4,0	5	6,5
PIAGGIO	HEXAGON GTX 11'	125	00	S	610F	L	F00,0	200	96,5	4,0	5	6,5	610F	L	F00,0	200	96,5	4,0	5	6,5
PIAGGIO	HEXAGON GTX 11"	125	00	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	HEXAGON LX / LX4	125	98/01	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	HEXAGON LX / LX4	125	98/01	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	HEXAGON LX / LX4	125	98/01	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
PIAGGIO	SFERA	125	95/97	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SFERA	125	95/97	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
PIAGGIO	SFERA	125	95/97	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
				LIBERTY MODELS																
PIAGGIO	LYBERTY 2T	125	97/13	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LYBERTY 4T	125	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T ABS / 4T S ABS	125	16/19	S	1831	L	S	240	105	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T RST ABS	125	16/18	S	1831	L	S	240	105	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LYBERTY 4T DELIVERY / 4T SPORT	125	06/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T i.e. 3V	125	16/17	S	1831	L	S	240	105	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LIBERTY 4T i-GET ABS	125	16/19	S	1831	L	S	240	105	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LYBERTY 4T / RST 4T	125	09/13	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LYBERTY 4T / RST 4T / i.e. 3v 4T	125	14/15	S	1773	L	S	240	125	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	LYBERTY 4T S	125	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	MEDLEY / S / S. EDITION / ABS	125	16/18	S	1592	L	S	260	60	4,0	5	8,5	1342	R	S	240	102	5,0	5	8,5
PIAGGIO	MEDLEY / S / S. EDITION / ABS	125	16/18	S									1609	R	S	240	102	4,0	5	8,5
PIAGGIO	MEDLEY i - GET / S ABS	125	19	S	1592	L	S	260	60	4,0	5	8,5	1342	R	S	240	102	5,0	5	8,5
PIAGGIO	MEDLEY i - GET / S ABS	125	19	S									1609	R	S	240	102	4,0	5	8,5
PIAGGIO	MEDLEY GT i.e. ABS	126	16	S	1592	L	S	260	60	4,0	5	8,5	1342	-	S	240	102	5,0	5	8,5
PIAGGIO	MP3 / i.e. / HYBRID	125	06/18	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / 638X	R	S	240	125	4,5	5	6,5
PIAGGIO	MP3 RL	125	06/07	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / 638X	R	S	240	125	4,5	5	6,5
PIAGGIO	SFERA 4T	125	95/97	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SKIPPER	125	93/97	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SKIPPER LX	125	98/02	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SKIPPER LX	125	98/02	S	612	L	S	220	58	4,0	5	6,5								
PIAGGIO	SKIPPER ST4T	125	00	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SKR / STEALTH	125	96	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
PIAGGIO	SKR / STEALTH	125	96	S	365	L	S	220	58	4,0	5	6,5								
PIAGGIO	SKR ST 4T	125	01/02	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	SKR ST 4T	125	01/02	S	612	L	S	220	58	4,0	5	6,5								
PIAGGIO	SUPER HEXAGON GTX	125	01/03	S	638 / 638X	L	S	240	125	4,5	5	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
PIAGGIO	SUPER HEXAGON GTX 11/12'	125	00	S	130	L	S	200	97,5	4,0	5	6,5	130	L	S	200	97,5	4,0	5	6,5
PIAGGIO	TYPHOON	125	95/09	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOON	125	95/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PIAGGIO	TYPHOON	125	10/11	S	1694	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOON 4T 12'	125	12/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOON 4T 12'	125	12/17	S	612	L	S	220	58	4,0	5	6,5								
PIAGGIO	TYPHOON X-R	125	00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PIAGGIO	TYPHOON X-R	125	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PIAGGIO	X7 / X7 EVO i.e.	125	08/14	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5
PIAGGIO	X8	125	04/16	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5
PIAGGIO	X8 STREET	125	06	S	1001	L	S	260	125	5,0	5	6,5	Drum	-	-	-	-	-	-	-
PIAGGIO	X9 / X9 EVOLUTION	125	00/07	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
PIAGGIO	X9 / X9 EVOLUTION	125	00/07	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5
PIAGGIO	X10 i.e. / EXECUTIVE	125	12/17	S	1344	L/R	S	278	60,5	5,0	5	14,1	1367	R	S	240	128	5,0	5	6,5
PIAGGIO	X EVO	125	04/17	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5
PIAGGIO	X EVO SPORT	125	15/17	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5
PIAGGIO	ZIP 4T	125	00/01	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
				150 c.c.																
PIAGGIO	FLY	150	04/10	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-



LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



POLINI	MINI MOTARD AIR / RACING	70	14/17	A-F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
110 c.c.					110 c.c.																								
XP MODELS																													
POLINI	XP 4 CROSS RACING	110	06/09	M	913	L	S	180	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
POLINI	XP 4S STREET MOTARD	110	06/07	F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
POLINI	XP 4T STREET OFF ROAD	110	07/15	E	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
125 c.c.					125 c.c.																								
POLINI	XP4 OFFROAD	125	16/17	E	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
POLINI	XP4 STREET E3	125	12/17	F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
POLINI	XP4T AIR MINICROSS	125	15/17	M	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
POLINI	XP4T MINIMOTARD AIR	125	14/17	F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5									
PUCH					PUCH																								
50 c.c.					50 c.c.																								
PUCH	CONDOR	50	93/96	A	003	L	S	220	108	4,0	6	6,5	Drum	-	-	-	-	-	-	-									
PUCH	CONDOR	50	93/96	A	026	L	S	220	108	4,0	6	6,5	Drum	-	-	-	-	-	-	-									
PUCH	TZX	50	95/98	A	003	L	S	220	108	4,0	6	6,5																	
PUCH	TZX	50	95/98	A	026	L	S	220	108	4,0	6	6,5																	
PULSAR					PULSAR																								
135 c.c.					135 c.c.																								
PULSAR	PULSAR R	135	12/13	R	1381X	R	S	240	112	4,0	5	10,5	Drum	-	-	-	-	-	-	-									
180 c.c.					180 c.c.																								
PULSAR	PULSAR UG R	180	12/13	R	1380X	R	S	260	130	4,5	6	10,5	Drum	-	-	-	-	-	-	-									
220 c.c.					220 c.c.																								
PULSAR	PULSAR F R	220	12/13	R	1380X	R	S	260	130	4,5	6	10,5	1382X	R	S	230	110	4,0	6	6,5									
PULSAR	PULSAR S R	220	12/13	R	1380X	R	S	260	130	4,5	6	10,5	1382X	R	S	230	110	4,0	6	6,5									
PURSANG					PURSANG																								
ELECTRIC					ELECTRIC																								
PURSANG	E-STREET	E	18/19	RV	-	L	Fxx,x	-	-	-	-	-	1057X	R	S	220	108	4,0	6	6,5									
PURSANG	E-STREET BIG BORE	E	18/19	RV	-	L	Fxx,x	-	-	-	-	-	1057X	R	S	220	108	4,0	6	6,5									
QINGQI					QINGQI																								
50 c.c.					50 c.c.																								
QINGQI	ONE 45	50	17	S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-									
125 c.c.					125 c.c.																								
QINGQI	QM T-10H SUM-UP	125	06/12	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-									
QINGQI	QM T-10R VARIANT	125	10/12	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-									
QINGQI	YY T / YY T-12A	125	10	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5									
QUADRO					QUADRO																								
300 c.c.					300 c.c.																								
QUADRO	NUVION	300	19	TS	--	L/R	S	-	-	-	-	-	--	R	S	-	-	-	-	-									
350 c.c.					350 c.c.																								
QUADRO	4	350	16/18	CS	--	L/R	S	240	-	-	-	-	--	L/R	S	240	-	-	-	-									
QUADRO	4 QUADRO EDELWEISS	350	18	CS	--	L/R	S	240	-	-	-	-	--	L/R	S	256	-	-	-	-									
QUADRO	4 QUADRO TEINBLOCK	350	18	CS	--	L/R	S	240	-	-	-	-	--	L/R	S	240	-	-	-	-									
QUADRO	QV3	350	16/19	TS	--	L/R	S	240	-	-	-	-	--	R	S	256	-	-	-	-									
400 c.c.					400 c.c.																								
QUADRO	QOODER	400	18/19	CS	--	L/R	S	240	-	-	-	-	--	L/R	S	240	-	-	-	-									
QUADRO	XQOODER	400	18/19	CS	--	L/R	S	240	-	-	-	-	--	L/R	S	240	-	-	-	-									
QUANTYA					QUANTYA																								
ELECTRIC					ELECTRIC																								
QUANTYA	STRADA / TRACK EVO 1	E	08/10	RV	640	L	S	260	108	3,0	6	6,5	781	R	S	200	45	3,0	5	6,5									
QUANTYA	VRONE	E	11	EV	1239	R	S	218	62	3,5	3	10,5	1239	L	S	218	62	3,5	3	10,5									
RAV					RAV																								
150 / 160 c.c.					150 / 160 c.c.																								
RAV	150	150	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5									
RAV	160	160	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5									
RENAULT					RENAULT																								
50 c.c.					50 c.c.																								
RENAULT	CAMPUS	50	03	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-									
125 c.c.					125 c.c.																								
RENAULT	FULLTIME / KOURANOS	125	03	S	291	L	S	220	60	4,0	5	6,5	-	-	-	-	-	-	-	-									
150 c.c.					150 c.c.																								
RENAULT	FULLTIME	150	03	S	291	L	S	220	60	4,0	5	6,5	-	-	-	-	-	-	-	-									
250 c.c.					250 c.c.																								
RENAULT	KOURANOS	250	03	S	290	L	S	220	102	4,0	5	8,5	717	-	S	220	89,6	4,0	6	6,5									
REBEL MASTER					REBEL MASTER																								
125 c.c.					125 c.c.																								
REBEL MASTER	RV	125	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5									
140 c.c.					140 c.c.																								
REBEL MASTER	RM	140	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5									
160 c.c.					160 c.c.																								
REBEL MASTER	POLE / RM / RX	160	-	R	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5									
RIDE					RIDE																								
50 c.c.					50 c.c.																								
RIDE	JUMP	50	15/17	S	-	-	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-									
RIEJU					RIEJU																								
ELECTRIC					ELECTRIC																								
RIEJU	MIUS 3.0	E	17	SV	-	R	S	220	-	-	3	-	-	L	S	220	-	-	-	-									
RIEJU	NUUK CARGO 4 Kw	E	18/19	SV	-	R	S	280	-	-	-	-	-	L	S	220	-	-	-	-									
RIEJU	NUUK URBAN 4 Kw	E	18/19	SV	-	R	S	280	-	-	-	-	-	L	S	220	-	-	-	-									
RIEJU	NUUK TRACKER 4 Kw	E	18/19	SV	-	R	S	280	-	-	-	-	-	L	S	220	-	-	-	-									

50 c.c.				C.C.	YEAR	MODEL TYPE	FRONT	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
RIEJU	BLAST URBAN	50	16/18	S				1022X / 1022	L	MD	190	58	3,7	3	MH		50 c.c.							
RIEJU	CROSSER CR 1	50	95/98	S				007	L	S	190	58	3,5	3	9,5		Drum	-	-	-	-	-	-	-
RIEJU	CROSSER CR 1	50	95/98	S				1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-
RIEJU	DRAC	50	92/96	A				336	L	S	220	108	3,5	6	6,5		Drum	-	-	-	-	-	-	-
RIEJU	DRAC AM / DRAC RR	50	94/99	A				336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	DRAC DL / DRAC TRAIL	50	93/94	A				336	L	S	220	108	3,5	6	6,5		-	-	-	-	-	-	-	-
RIEJU	DRAC RS	50	17/18	S				-	L	S	190	-	-	-	-		-	R	S	190	-	-	-	-
RIEJU	F10 JET LINE	50	95→	S				007	L	S	190	58	3,5	3	9,5		Drum	-	-	-	-	-	-	-
RIEJU	F10 JET LINE	50	95→	S				1022 / 1022X	L	MD	190	58	3,7	3	MH									
RIEJU	FIRST	50	96	S				074	L	S	180	34	4,0	3	10,5		Drum	-	-	-	-	-	-	-
RIEJU	FIRST H2o	50	97/99	S				007	L	S	190	58	3,5	3	9,5		Drum	-	-	-	-	-	-	-
RIEJU	FIRST H2o	50	97/99	S				1022 / 1022X	L	MD	190	58	3,7	3	MH									
MRT MODELS																								
RIEJU	MRT	50	09/11	A				1242	L	S	220	108	3,5	6	7,5		351	R	S	180	62	3,5	3	10,5
RIEJU	MRT	50	09/11	A													089X	R	S	180	62	3,8	3	10,5
RIEJU	MRT	50	12/14	A				013 / 013X	L	S	260	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT	50	12/14	A				828	L	T	260	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	MRT	50	15/18	A				013 / 013X	L	S	260	108	4,0	6	7,5		1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT PRO / PRO SUPERMOTARD	50	12/14	A				866 / 866X	L	T/S	300	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT PRO / PRO SUPERMOTARD	50	12/14	A				867	L	T	300	108	3,5	6	6,5		844	R	T	200	62	4,0	3	8,5
RIEJU	MRT PRO	50	15/19	A				866X	L	S	300	108	4,0	6	7,5		1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT PRO COMPETITION	50	12	A				866 / 866X	L	T/S	300	108	4,0	6	7,5		-	-	-	220	-	-	3	-
RIEJU	MRT PRO COMPETITION	50	12	A				867	L	T	300	108	3,5	6	6,5									
RIEJU	MRT PRO SUPERMOTARD	50	15/16	A				866 / 866X	L	T/S	300	108	4,0	6	7,5		1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT PRO SM REPLICA	50	19	A				866X / 866	L	S/T	300	108	4,0	6	7,5		1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT REPLICA / REPLICA SM	50	17/18	A				866X	L	S	300	108	4,0	6	7,5		1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT SM	50	15/19	A				013 / 013X	L	S	260	108	4,0	6	7,5		1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT SM PRO	50	17/19	A				866X	L	S	300	108	4,0	6	7,5		1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT SM RACING	50	12/13	A				013 / 013X	L	S	260	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT SM RACING	50	12/13	A				828	L	T	260	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	MRT SM TROPHY	50	17/19	A				866X	L	S	300	108	4,0	6	7,5		1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRT SUPERMOTARD	50	09/11	A				1242	L	S	220	108	3,5	6	7,5		-	R	S	180	62	3,5/8	3	10,5
RIEJU	MRT SUPERMOTARD	50	12/14	A				013 / 013X	L	S	260	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRT SUPERMOTARD	50	12/14	A				828	L	T	260	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	MRT SUPERMOTO	50	12/13	A				866 / 866X	L	T/S	300	108	4,0	6	7,5		303	R	S	190	58	4,0	3	8,5
RIEJU	MRT SUPERMOTO	50	12/13	A				867	L	T	300	108	3,5	6	6,5		1022 / 1022X	R	MD	190	58	3,7	3	MH
RIEJU	MRT TROPHY SM	50	15/16	A				866X	L	S	300	108	4,0	6	7,5		1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRX	50	03/06	A				013 / 013X	L	S	260	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX	50	03/06	A				828	L	T	260	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	MRX PRO	50	05/06	A				013 / 013X	L	S	260	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX PRO	50	05/06	A				828	L	T	260	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	MRX PRO	50	07/08	A				866 / 866X	L	T/S	300	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	NKD	50	04/05	H				837	L	T	240	108	3,5	6	6,5		-	-	-	-	-	-	-	-
RIEJU	NKD	50	07/08	H				865	R	T	280	90	4,0	6	6,5		829	R	T	220	57	4,0	5	6,5
RIEJU	PRO	50	06	A				-	-	-	-	-	-	-	-		916	R	T	200	58	4,0	6	6,5
RIEJU	RJ SUPERMOTARD	50	99/01	A				336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RJ SPIKE SUPERMOTARD	50	01	A				341	L	S	260	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RJ SPIKE RACING PRO	50	02/03	A				341	L	S	260	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RR AM 5	50	97	A				336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RR AM 6 AUTOMIX	50	97/01	A				336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RR AM 6 SUPERMOTARD	50	97/98	A				336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RR CASTROL SERIES	50	99/01	A				341	L	S	260	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RR SPORT EDITION	50	04	A				336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RR SPORT EDITION	50	05/08	A				336	L	S	220	108	3,5	6	6,5		368	R	S	200	80	3,5	3	8,5
RIEJU	RR THUNDERFIRE	50	99/00	A				336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5
RIEJU	RRX	50	07/08	A				013 / 013X	L	S	260	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	RRX	50	07/08	A				828	L	T	260	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	RRX SPIKE	50	07/09	A				915	L	T	260	90	4,0	6	6,5		916	R	T	200	58	4,0	6	6,5
RIEJU	RRX SPIKE	50	08/09	A				013 / 013X	L	S	260	108	4,0	6	7,5		014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	RRX SPIKE	50	08/09	A				828	L	T	260	108	4,0	6	7,5		844	R	T	200	62	4,0	3	8,5
RIEJU	RS BLAST URBAN	50	14/18	S				1022X / 1022	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-
RIEJU	RS SPORT	50	12/13	S				1011X / 1011	L	S	180	58	4,0	3	10,5		1011X / 1011	L	S	180	58	4,0	3	10,5
RIEJU	RS SPORT / NAKED	50	14/18	S				1022X / 1022	L	MD	190	58	3,7	3	MH		1022X / 1022	C	MD	190	58	3,7	3	MH
RIEJU	RS 1 AM	50	95/96	H				015	L	S	220	45	3,5	4	8,5		016	R	S	185	45	4,0	4	8,5
RIEJU	RS 1 CASTROL SERIES	50	99	H				318	L	S	260	105	3,5	6	6,5		368	R	S	200	80	3,5	3	8,5
RIEJU	RS 1 CASTROL SERIES	50	01	H				318	L	S	260	105	3,5	6	6,5		311	R	S	199	57	3,5	5	6,5
RIEJU	RS 1 EVOLUTION	50	97/98	H				310 / 310X	L	S	220	105	3,5	6	6,5		311	R	S	199	57	3,5	5	6,5
RIEJU	RS 1 EVOLUTION	50	99/01	H				318	L	S	260	105	3,5	6	6,5		311	R	S	199	57	3,5	5	6,5
RIEJU	RS 2 FR	50	07/08	H				865	R	T	280	90	4,0	6	6,5		829	R	T	220	57	4,0	5	6,5
RIEJU	RS 2 MATRIX	50	03	H				024	R	F00,0	280	108	4,0	7	6,5		042	R	S	220	57	4,0	5	6,5
RIEJU	RS 2 MATRIX	50	04	H				822	R	T	280	108	4,0	7	6,5		829	R	T	220	57	4,0	5	6,5

		C.C.		YEAR	MODEL TYPE	FRONT								REAR							
						REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
RIEJU	RS 2 MATRIX / PRO	50	05/09	H		865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5
RIEJU	RS 2 NKD	50	04/05	H		822	R	T	280	108	4,0	7	6,5	829	R	T	220	57	4,0	5	6,5
RIEJU	RS 2 NKD / PRO	50	06	H		865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5
RIEJU	RS 3	50	10	H		1428	R	S	280	108	4,0	6	7,5	1460	R	S	218	62	3,5	3	10,5
RIEJU	RS 3	50	11	H		-	-	-	-	-	-	-	-	1460	R	S	218	62	3,5	3	10,5
RIEJU	RS 3	50	12/17	H		1327 / 1327X	R	S	280	108	4,0	6	7,5	487 / 487X	R	S	220	62	3,5	3	8,5
RIEJU	RS 3	50	18/19	H		1327X / 1327	R	S	280	108	4,0	6	7,5	487X / 487	R	S	220	62	3,5	3	8,5
RIEJU	RS 3 NAKED	50	14/17	H		866X	R	S	300	108	4,0	6	7,5	1460X	R	S	218	62	3,5	3	10,5
RIEJU	RS 3 NKD	50	18/19	H		1327X / 1327	R	S	280	108	4,0	6	7,5	487X / 487	R	S	220	62	3,5	3	8,5
RIEJU	RS 3 PRO	50	14/17	H		1327 / 1327X	R	S	280	108	4,0	6	7,5	487 / 487X	R	S	220	62	3,5	3	8,5
RIEJU	SMX	50	06	A		915	L	T	260	90	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
RIEJU	SMX	50	10/15	A		013 / 013X	L	S	260	108	4,0	6	7,5	916	R	T	200	58	4,0	6	6,5
RIEJU	SMX	50	10/15	A		828	L	T	260	108	4,0	6	7,5								
RIEJU	SMX / SMX FR	50	01/09	A		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	SMX / SMX FR	50	01/09	A		828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	SMX PRO	50	07/08	A		866 / 866X	L	T/S	300	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	SMX PRO	50	07/08	A		867	L	T	300	108	3,5	6	6,5								
RIEJU	TANGO	50	12	A		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO	50	12	A		828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	TANGO	50	14/17	A		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO / RACING / MOTARD	50	07/10	A		1242	L	S	220	108	3,5	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO / RACING / MOTARD	50	07/10	A										844	R	T	200	62	4,0	3	8,5
RIEJU	TANGO / RACING / MOTARD	50	11	A		1242	L	S	220	108	3,5	6	7,5	1286	R	S	200	62	4,0	3	10,5
80 c.c.						80 c.c.															
RIEJU	MR PRO	80	95	A		-	-	S	-	-	-	-	-	010	R	S	185	80	3,5	3	8,5
RIEJU	RR	80	97	A		336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
125 c.c.						125 c.c.															
RIEJU	CENTURY	125	18/19	D		---X	L	S	280	-	-	-	-	---X	R	S	220	-	-	-	-
RIEJU	CITY LINE i / ABS	125	13/17	S		-	L	S	260	-	-	-	-	-	R	S	240	-	-	-	-
MARATHON MODELS																					
RIEJU	MARATHON AC	125	17/18	F		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON ENDURO AC / S. MOTARD	125	17/18	E-F		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON	125	08/12	E		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON	125	08/12	E		828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MARATHON	125	14	E		866 / 866X	L	T/S	300	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MARATHON	125	14	E		867	L	T	300	108	3,5	6	6,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON PRO	125	19	E		866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON PRO ENDURO SM LC	125	12/18	E		866X	L	S	300	108	4,0	6	7,5	014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON PRO COMPETICION	125	12	E		013 / 013X	L	S	260	108	4,0	6	7,5	-	-	-	220	-	-	3	-
RIEJU	MARATHON PRO COMPETICION	125	12	E		828	L	T	260	108	4,0	6	7,5								
RIEJU	MARATHON SM	125	08/10	F		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MARATHON SM	125	08/10	F		828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MARATHON SM	125	11	F		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MARATHON SM	125	11	F		828	L	T	260	108	4,0	6	7,5								
RIEJU	MARATHON SM PRO	125	17/19	F		866X	L	S	300	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT AC	125	19	E		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRT REPLICA / SM	125	19	E		866X	L	S	300	108	4,0	6	7,5	1286X / 1286	R	S	200	62	4,0	3	10,5
RIEJU	MRX 4T	125	03/10	E		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX 4T	125	03/10	E		828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	MRX 4T	125	11	E		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	MRX 4T	125	11	E		828	L	T	260	108	4,0	6	7,5								
RIEJU	MRX 4T	125	12/17	E		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	MRX 4T	125	12/17	E		828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5
RIEJU	NKD	125	08/09	R		865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5
RIEJU	RR	125	97	E		143	L	S	240	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU	RS 2 / RS 2 PRO	125	05/09	R		865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5
RIEJU	RS 3	125	14/18	R		1327X / 1327	R	S	280	108	4,0	6	7,5	487X / 487	R	S	220	62	3,5	3	8,5
RIEJU	RS3 NKD	125	14/18	N		866X	L	S	300	108	4,0	6	7,5	1460X	R	S	218	62	3,5	3	10,5
RIEJU	RS4 / RS4 REPLICA	125	15/16	R		866X	L	S	300	108	4,0	6	7,5	1460X	R	S	218	62	3,5	3	10,5
RIEJU	RSZ	125	05	R		865	R	T	280	90	4,0	6	6,5	-	-	-	-	-	-	-	-
RIEJU	SIXTEEN UX	125	08	S		1113	R	S	220	89	4,0	3	10,5	1113	R	S	220	89	4,0	3	10,5
RIEJU	SMX 4T	125	03/10	U		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	SMX 4T	125	11	U		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	SMX 4T	125	11	U		828	L	T	260	108	4,0	6	7,5								
RIEJU	STRADA	125	17/19	N		-X	L	Sxx,x	280	-	-	-	-	-	R	S	220	-	-	-	-
RIEJU	TANGO / TANGO PRO	125	06/14	U		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO / TANGO PRO	125	06/14	U		828	L	T	260	108	4,0	6	7,5								
RIEJU	TANGO	125	15/16	U		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO	125	17/19	U		013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
250 c.c.						250 c.c.															
RIEJU	TANGO	250	12/13	U		013 / 013X	L	S	260	108	4,0	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5
RIEJU	TANGO	250	12/13	U		828	L	T	260	108	4,0	6	7,5	844	R	T	200	62	4,0	3	8,5

		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
RIEJU	TANGO	250	14/17	U	013 / 013X	L	S	260	108	4,0	6	7,5	1286 / 1286X	R	S	200	62	4,0	3	10,5
RIEJU	TANGO MOTARD	250	08/11	U	915	L	T	260	90	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5
		300 c.c.											300 c.c.							
RIEJU	CITY LINE i / ABS	300	14/17	S	-	L	S	260	-	5,0	5	-	-	R	S	240	-	4,5	5	-
		50 c.c.											50 c.c.							
RIYA	LEGEND 4T	50	16/18	S	-	L	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-
RIYA	ROME 4T / RETRO S 4T	50	16/18	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
RIYA	XENO 4T RY50QT-21	50	16/18	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
		125 c.c.											125 c.c.							
RIYA	ADONIS	125	16/18	S	-	R	S	240	-	-	-	-	-	-	-	180	-	-	-	-
RIYA	KNIGHT	125	16/18	S	-	R	S	230	-	-	-	-	Drum	-	-	-	-	-	-	-
RIYA	MATRIX / MUSTANG	125	16/18	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-
RIYA	ROME 4T	125	16/18	S	-	L	S	180	-	-	-	-	Drum	-	-	-	-	-	-	-
RIYA	T9	125	16/18	S	-	R	S	258	-	-	-	-	-	R	S	220	-	-	-	-
RIYA	X-TRON	125	17/18	N	-	R	S	276	-	-	-	-	-	-	-	220	-	-	-	-
		411 c.c.											411 c.c.							
ROYAL ENFIELD	HIMALAYAN	411	16/19	U	XXXX	L	S	300	64	5,0	6	10,5	-	R	S	240	-	-	-	-
		499 c.c.											499 c.c.							
		BULLET MODELS																		
ROYAL ENFIELD	BULLET BATTLE GREEN	499	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	BULLET / CLASSIC	499	16/17	D	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
ROYAL ENFIELD	BULLET / CLASSIC	499	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	BULLET CHROME	499	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	BULLET DESERT STORM	499	12/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	BULLET Efi	499	17	D	-	L	-	-	-	-	-	-	-	L	S	240	-	-	-	-
ROYAL ENFIELD	BULLET ELECTRA X	499	05/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
		CLASSIC MODELS																		
ROYAL ENFIELD	CLASSIC BATTLE GREEN	499	17	D	-	L	-	-	-	-	-	-	-	L	S	240	-	-	-	-
ROYAL ENFIELD	CLASSIC DESERT STORM	499	15/18	D	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
ROYAL ENFIELD	CLASSIC DESERT STORM ABS	499	17/18	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	L	S	240	-	-	-	-
ROYAL ENFIELD	CLASSIC Efi	499	17	D	-	L	-	-	-	-	-	-	-	L	S	240	-	-	-	-
ROYAL ENFIELD	BULLET Efi	499	09	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	CLUBMAN Efi / TRIALS	499	09/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	Efi / Efi DE LUXE	499	09	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	ELECTRA Efi	499	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	FURY Efi	499	11/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
ROYAL ENFIELD	TRAILS Efi / WOODSMAN Efi	499	09/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
		535 c.c.											535 c.c.							
ROYAL ENFIELD	CONTINENTAL GT	535	13/18	D	-	L	F00,0	300	-	-	-	-	325	L	S	240	110	5,0	6	6,5
		648 c.c.											648 c.c.							
		CONTINENTAL MODELS																		
ROYAL ENFIELD	CONTINENTAL GT / GT CAFE RACER ABS	648	18/19	DVT	-	L	F00,0	320	-	-	-	-	-	R	S	240	-	-	-	-
ROYAL ENFIELD	INTERCEPTOR INT ABS	648	18/19	DVT	-	L	F00,0	320	-	-	-	-	-	R	S	240	-	-	-	-
		838 c.c.											838 c.c.							
ROYAL ENFIELD	CONCEPT KX	838	19	C	-	L/R	S	-	-	-	-	-	-	-	-	-	-	-	-	-
		150 c.c.											150 c.c.							
ROKETA	JAMAICA / VORTEX	150	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5
		250 c.c.											250 c.c.							
ROKETA	5 RY	250	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5
		50 c.c.											50 c.c.							
ROXON	DUEL R SM / S SM	50	04	A-F	219	L	S	290	108	3,5	6	6,5	014 / 014X	R	S	200	62	4,0	3	8,5
ROXON	DUEL TT	50	06	A-E	614	L	S	259	108	3,5	6	6,5	014 / 014X	R	S	200	62	4,0	3	8,5
ROXON	DUEL TT	50	06	A-E	828	L	T	260	108	4,0	6	7,5	-	-	-	-	-	-	-	-
ROXON	DUEL TT S	50	04	A-E	614	L	S	259	108	3,5	6	6,5	079	R	S	180	62	3,5	3	10,5
ROXON	DUEL TT S	50	04	A-E	828	L	T	260	108	4,0	6	7,5	-	-	-	-	-	-	-	-
		125 c.c.											125 c.c.							
SACHS BIKE	MADASS 2T	50	04/06	A	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
SACHS BIKE	MADASS 2T	50	04/06	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5
SACHS BIKE	MADASS 4T	50	06/09	A	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
SACHS BIKE	MADASS 4T	50	06/09	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5
SACHS BIKE	RC S	50	04	A	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
SACHS BIKE	RC S	50	04	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5
		125 c.c.											125 c.c.							
SACHS BIKE	MADASS	125	07/09	R	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5
SACHS BIKE	MADASS	125	07/09	R	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5
		125 c.c.											125 c.c.							
SANYA	SANYOU SY-8	125	15/17	C	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
		50 c.c.											50 c.c.							
SCARABEO	2T	50	18/19	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-
SCARABEO	2T / 4T STREET / 4T 4V	50	10/17	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-



SCARABEO NET 4T 4V / YOUR 4T 4V	50	10/11	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-
100 c.c.												100 c.c.							
SCARABEO 4T	100	10/16	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-
125 c.c.												125 c.c.							
SCARABEO 4T i.e.	125	15/17	S	-	L	S	260	-	-	-	-	-	L	-	220	-	-	-	-
SCARABEO i.e.	125	10/15	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-
SCARABEO NET	125	10/11	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-
200 c.c.												200 c.c.							
SCARABEO i.e.	200	10/15	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-
SCARABEO NET	200	10/11	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-
300 c.c.												200 c.c.							
SCARABEO S i.e.	300	09/12	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-
500 c.c.												500 c.c.							
SCARABEO i.e.	500	10/12	S	017	L/R	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-
SCOMADI				SCOMADI															
50 c.c.				50 c.c.															
SCOMADI 2T / 4T 4V	50	15/16	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-
SCOMADI TURISMO LEGGERA	50	16/17	S	-	L	S	180	-	-	-	-	Drum	-	-	-	-	-	-	-
SCOMADI TURISMO LEGGERA	50	18	S	-X	L	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-
125 c.c.												125 c.c.							
SCOMADI TURISMO LEGGERA	125	16/18	S	-X	L	S	220	-	-	-	-	-	-	S	220	-	-	-	-
SCOMADI TURISMO TL CHROME	125	16/17	S	-	L	S	220	-	-	-	-	-	-	S	220	-	-	-	-
200 c.c.												200 c.c.							
SCOMADI TURISMO LEGGERA	200	16/17	S	-	L	S	220	-	-	-	-	-	-	S	220	-	-	-	-
SCOMADI TURISMO TL CHROME	200	16/17	S	-	L	S	220	-	-	-	-	-	-	S	220	-	-	-	-
SCORPA				SCORPA															
50 c.c.				50 c.c.															
SCORPA SM	50	14/15	A-F	841X / 841	L	S	300	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
SCORPA SM	50	14/15	A-F									351	R	S	180	62	3,5	3	10,5
125 c.c.												125 c.c.							
SCORPA SC FACTORY	125	19	T	715X / 715	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA SC FACTORY	125	19	T	715SP	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SCORPA SC FACTORY	125	19	T									650SP	R	S	150	45	3,0	4	6,5
SCORPA SC-R	125	19	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA SC-R	125	19	T	715SP	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA SC-R	125	19	T									650SP	R	S	150	45	3,0	4	6,5
SCORPA SC FACTORY / RACING	125	17/18	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA SC FACTORY / RACING	125	17/18	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxX	R	FIM	145	45	3,0	4	6,5
SCORPA T-RIDE	125	14/18	U	193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
SCORPA T-RIDE	125	14/18	U									089X	R	S	180	62	3,8	3	10,5
SCORPA TWENTY	125	14/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA TWENTY	125	14/17	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxX	R	FIM	145	45	3,0	4	6,5
SCORPA TY	125	16	E	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA TY	125	16/17	E	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA TY	125	16/17	E									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA TY CLASSIC	125	18/19	E	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA TY CLASSIC	125	18/19	E	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA TY CLASSIC	125	18/19	E									1570X	R	FIM	150	45	3,0	4	6,5
250 c.c.												250 c.c.							
SCORPA SC FACTORY / RACING	250	17/18	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA SC FACTORY / RACING	250	17/18	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxX	R	FIM	145	45	3,0	4	6,5
SCORPA SC-R	250	19	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA SC-R	250	19	T	715SP	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA SC-R	250	19	T									650SP	R	S	150	45	3,0	4	6,5
SCORPA EASY	250	98	T	197	L	S	185	72	3,5	6	15,8	063	R	S	150	45	3,0	5	6,5
SCORPA T-RIDE F	250	06	E	840 / 840X	L	T/S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
SCORPA T-RIDE F	250	06	E	193 / 193X	L	S	260	108	3,5	6	6,5								
SCORPA TWENTY	250	14/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA TWENTY	250	14/17	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxX	R	FIM	145	45	3,0	4	6,5
280 c.c.												280 c.c.							
SCORPA EASY TCS TOP	280	97	T	197	L	S	185	72	3,5	6	15,8	063	R	S	150	45	3,0	5	6,5
SCORPA SR	280	14	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA SR	280	14	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCORPA SR	280	14	T									1570X	R	FIM	150	45	3,0	4	6,5
SCORPA T-RIDE	280	14/18	U	193X / 193	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
294 c.c.												294 c.c.							
SCORPA 294	294	95	T	197	L	S	185	72	3,5	6	15,8	063	R	S	150	45	3,0	5	6,5
300 c.c.												300 c.c.							
SCORPA SC FACTORY	300	19	T	715X / 715	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA SC FACTORY	300	19	T	715SP	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SCORPA SC FACTORY	300	19	T									650SP	R	S	150	45	3,0	4	6,5
SCORPA SC FACTORY / RACING	300	17/18	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SCORPA SC FACTORY / RACING	300	17/18	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxX	R	FIM	145	45	3,0	4	6,5
SCORPA SC-R	300	19	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SCORPA SC-R	300	19	T	715SP	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SCORPA SC-R	300	19	T									650SP	R	S	150	45	3,0	4	6,5

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
SCORPA	TWENTY	300	14/17	T	715 / 715X	L	S	185	-	3,0	4	15,5			1535	R	S	145	45	3,0	4	6,5		
SCORPA	TWENTY	300	14/17	T	715SP	L	S	185	-	3,0	4	15,5			1591 / xxxxX	R	FIM	145	45	3,0	4	6,5		
SCRAMBLER DUCATI					SCRAMBLER DUCATI										SCRAMBLER DUCATI									
399 c.c.					399 c.c.										399 c.c.									
SCRAMBLER DUCATI	SIXTY2 / SIXTY2 ABS	399	16/18	DVT	1536	L	F00,0	320	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	HASHTAG	399	19	DVT	1536	L	F00,0	320	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
803 c.c.					803 c.c.										803 c.c.									
SCRAMBLER DUCATI	CAFÉ RACER ABS	803	17/19	DVT	1517	L	F00,0	330	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	CLASSIC / ICON	803	15/16	DVT	1517	L	F00,0	330	78	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
SCRAMBLER DUCATI	CLASSIC ABS	803	17	DVT	1517	L	F00,0	330	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	DESERT SLED ABS	803	17/19	DVT	1517	L	F00,0	330	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	FLAT TRACK PRO	803	16/17	FT	1517	L	F00,0	330	78	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
SCRAMBLER DUCATI	FULL THROTTLE	803	13/16	DVT	1517	L	F00,0	330	78	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
SCRAMBLER DUCATI	FULL THROTTLE ABS	803	17/19	DVT	1517	L	F00,0	330	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	ICON ABS	803	17/19	DVT	1517	L	F00,0	330	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	ICON SILVER ICE ABS	803	18	DVT	1517	L	F00,0	330	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	ITALIA INDEPENDENT	803	15/16	NVT	1517	L	F00,0	330	78	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
SCRAMBLER DUCATI	MACH 2.0 ABS	803	18	DVT	1517	L	F00,0	330	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	SCRAMBLER CAFE RACER	803	17	DVT	1517	L	F00,0	330	78	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
SCRAMBLER DUCATI	URBAN ENDURO	803	15/17	DVT	1517	L	F00,0	330	78	5,0	5	8,5			636 / 636X	R	S	245	115	5,0	6	8,5		
1079 c.c.					1079 c.c.										1079 c.c.									
SCRAMBLER DUCATI	SCRAMBLER	1079	18/19	DVT	--	L/R	Fxx,x	320	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	SCRAMBLER SPECIAL	1079	18/19	DVT	--	L/R	Fxx,x	320	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCRAMBLER DUCATI	SCRAMBLER SPORT	1079	18/19	DVT	--	L/R	Fxx,x	320	78	5,0	5	8,5			1713	R	S	245	115	4,0	6	8,5		
SCUTUM					SCUTUM										SCUTUM									
ELECTRIC					ELECTRIC										ELECTRIC									
SCUTUM	S01	E	17/18	SV	1365	L	S	220	58	4,0	3	10,5			1366	L	S15,0	220	64	4,0	5	5,5		
SCUTUM	S01	E	19	SV	-	R	S	-	-	-	-	-			-	R	-	-	-	-	-	-		
SCUTUM	S02 ALL VERSIONS	E	14/19	SV	1365	L	S	220	58	4,0	3	10,5			1366	L	S15,0	220	64	4,0	5	5,5		
SCUTUM	S03 ALL VERSIONS 3 wheels	E	14/19	TSV	1365	L	S	220	58	4,0	3	10,5			1366	L/R	S15,0	220	64	4,0	5	5,5		
SHE-LUNG					SHE-LUNG										SHE-LUNG									
50 c.c.					50 c.c.										50 c.c.									
SHE-LUNG	ALUNIX	50	00/01	S	406	L	S	155	40,6	3,8	3	10,5			-	-	-	-	-	-	-	-		
SHE-LUNG	ALUNIX	50	00/01	S	727	L	SO	*180	40,6	3,5	3	10,5			-	-	-	-	-	-	-	-		
SHERCO					SHERCO										SHERCO									
ELECTRIC					ELECTRIC										ELECTRIC									
SHERCO	E-KID ENDURO	E	16/18	EV	-	L	S	-	-	-	-	-			-	-	-	-	-	-	-	-		
SHERCO	E-KID TRIAL	E	16/18	EV	-	L	S	-	-	-	-	-			-	-	-	-	-	-	-	-		
50 c.c.					50 c.c.										50 c.c.									
SHERCO	0,5 KID	50	05/06	A	670	L	S	173	-	2,8	4	15,7			-	-	-	-	-	-	-	-		
SHERCO	CUP REPLICA SM	50	07	A	841 / 841X	L	S	300	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	ENDURO	50	02	A	398	L	S	240	108	3,5	6	6,5			487 / 487X	R	S	220	62	3,5	3	8,5		
SHERCO	ENDURO	50	02	A											076	R	S	220	66	3,5	6	6,5		
SHERCO	ENDURO	50	06/08	A	840 / 840X	L	T/S	260	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	ENDURO	50	06/08	A	193 / 193X	L	S	260	108	3,5	6	6,5												
SHERCO	ENDURO CH. FRANCE	50	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	ENDURO CH. FRANCE	50	06	A	193 / 193X	L	S	260	108	3,5	6	6,5												
SHERCO	FRENCH CHAMPION	50	05	A	398	L	S	240	108	3,5	6	6,5			487 / 487X	R	S	220	62	3,5	3	8,5		
SHERCO	HRD ENDURO	50	02/06	A	-	L	S	240	-	-	-	-			-	R	S	220	-	-	-	-		
SHERCO	IPONE LIMITED SERIE SM	50	05	A	398	L	S	240	108	3,5	6	6,5			487 / 487X	R	S	220	62	3,5	3	8,5		
SHERCO	IPONE SUPER MOTARD	50	06	A	841 / 841X	L	S	300	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	IPONE REPLICA SM	50	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	IPONE REPLICA SM	50	06	A	193 / 193X	L	S	260	108	3,5	6	6,5												
SHERCO	S MOTARD	50	12/13	A	841 / 841X	L	S	300	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	SE 0,5	50	09	A	840 / 840X	L	T/S	260	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	SE 0,5	50	09	A	193 / 193X	L	S	260	108	3,5	6	6,5												
SHERCO	SE	50	12	A	840 / 840X	L	T/S	260	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	SE	50	12	A	193 / 193X	L	S	260	108	3,5	6	6,5												
SHERCO	SE / SE R / SE RS	50	15/18	A	840X	L	S	260	108	3,5	6	6,5			089X	R	S	180	62	3,8	3	10,5		
SHERCO	SE-R FACTORY	50	19	A	840X	L	S	260	108	3,5	6	6,5			089X	R	S	180	62	3,8	3	10,5		
SHERCO	SE-RS FACTORY	50	19	A	840X	L	S	260	108	3,5	6	6,5			089X	R	S	180	62	3,8	3	10,5		
SHERCO	SHARK ENDURO	50	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	SHARK ENDURO	50	06	A	193 / 193X	L	S	260	108	3,5	6	6,5												
SHERCO	SHARK ENDURO L. S.	50	05	A	398	L	S	240	108	3,5	6	6,5			487 / 487X	R	S	220	62	3,5	3	8,5		
SHERCO	SM	50	07/12	A	841 / 841X	L	S	300	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	SM	50	02	A	398	L	S	240	108	3,5	6	6,5			487 / 487X	R	S	220	62	3,5	3	8,5		
SHERCO	SM	50	02	A											076	R	S	220	66	3,5	6	6,5		
SHERCO	SM CHAMPIONE FRANCE	50	06	A	841 / 841X	L	S	300	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	SM CUP	50	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5			871	R	T	180	62	4,0	3	10,5		
SHERCO	SM CUP	50	06	A	193 / 193X	L	S	260	108	3,5	6	6,5												
SHERCO	SM / SM R	50	14/18	A	841X / 841	L	S	300	108	3,5	6	6,5			089X / 089	R	S	180	62	3,8	3	10,5		
SHERCO	SM-R FACTORY / AMERICA	50	19	A	841X / 841	L	S	300	108	3,5	6	6,5			089X / 089	R	S	180	62	3,8	3	10,5		
SHERCO	SM-R SILVER, w/o sensor hole	50	19	A	841X / 841	L	S	300	108	3,5	6	6,5			089X / 089	R	S	180	62	3,8	3	10,5		
SM-RS MODELS					SM-RS MODELS										SM-RS MODELS									

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
SHERCO	SM-RS AMERICA, w/o sensor hole	50	19	A	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	SM-RS FACTORY, w/o sensor hole	50	19	A	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	SM-RS SILVER, w/o sensor hole	50	19	A	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5
SHERCO	URBAN STREET VERSION	50	10/11	A	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
75 c.c.													75 c.c.							
SHERCO	ST	75	14/15	A-T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	ST	75	14/15	A-T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST	75	14/15	A-T									1570X	R	FIM	150	45	3,0	4	6,5
80 c.c.													80 c.c.							
SHERCO	TRIAL 0,8	80	07/09	A-T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL 0,8	80	07/09	A-T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL 0,8	80	07/09	A-T									1570X	R	FIM	150	45	3,0	4	6,5
125 c.c.													125 c.c.							
SHERCO	CITY CORP ENDURO	125	05/06	E	398	L	S	240	108	3,5	6	6,5	487 / 487X	R	S	220	62	3,5	3	8,5
SHERCO	CITYCORP ENDURO	125	07/08	E	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	CITYCORP ENDURO	125	07/08	E	193 / 193X	L	S	260	108	3,5	6	6,5								
SHERCO	CITYCORP SM	125	07/08	F	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	FST	125	19	T	715X / 715	L	S	185	-	3,0	4	15,5	xxxxX / 1591	R	FIM	145	45	3,0	4	6,5
SHERCO	FST	125	19	T	715SP	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	SC 2T	125	19	M	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE 2T FACTORY / RACING	125	19	M									1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE	125	09/11	E	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	SE	125	09/11	E	193 / 193X	L	S	260	108	3,5	6	6,5								
SHERCO	SE 2T FACTORY / RACING	125	19	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE 2T FACTORY / RACING	125	19	E									1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	125	17/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	125	17/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	125	17/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 2T SIX DAY	125	17/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE-SD 2T SIX DAY	125	17/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE-SD 2T SIX DAY	125	17/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SM	125	09	F	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5
SHERCO	ST FACTORY	125	19	T	715X / 715	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	ST FACTORY	125	19	T	715SP	L	S	185	-	3,0	4	15,5								
SHERCO	ST / FACTORY / RACING	125	09/18	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	ST / FACTORY / RACING	125	09/18	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxxX	R	FIM	145	45	3,0	4	6,5
SHERCO	ST-R	125	19	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	ST-R	125	19	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxxX	R	FIM	145	45	3,0	4	6,5
SHERCO	TRIAL	125	99	T	258	L	S	185	72	3,0	6	15,8	259	R	S	150	45	3,0	5	6,5
SHERCO	TRIAL	125	00/01	T	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5
SHERCO	TRIAL	125	02/08	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	125	02/08	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	125	02/08	T									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	TY CLASSIC	125	19	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TY CLASSIC	125	19	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	X-RIDE	125	16/19	E	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
SHERCO	XY	125	14	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	XY	125	14	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	XY	125	14	T									1570X	R	FIM	150	45	3,0	4	6,5
200 c.c.													200 c.c.							
SHERCO	ENDURO	200	00/01	E	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5
SHERCO	TRIAL	200	02	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	200	02	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	TRIAL	200	02	T									1570X	R	FIM	150	45	3,0	4	6,5
250 c.c.													250 c.c.							
SHERCO	ENDURO i	250	06/08	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	FST	250	19	T	715X / 715	L	S	185	-	3,0	4	15,5	xxxxX / 1591	R	FIM	145	45	3,0	4	6,5
SHERCO	FST	250	19	T	715SP	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
SHERCO	SC 2T / SCF 4T	250	19	M	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SC 2T / SCF 4T	250	19	M									1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE i / SE F - FR / SX i - F R	250	09/10	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SE i / SE i R	250	12/13	E	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4	9,5
SHERCO	SE i / SE i R	250	12/13	E	1326XK17	L	KF	*270	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4	9,5
SHERCO	SE i / SE i R	250	12/13	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE 2T / SEF 4T	250	14/15	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE 2T / SEF 4T	250	14/15	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE 2T FACTORY / RACING	250	19	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE 2T FACTORY / RACING	250	19	E									1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	250	14/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	250	14/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE-R 2T FACTORY / RACING	250	14/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 2T / 4T SIX DAYS	250	17/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE-SD 2T / 4T SIX DAYS	250	17/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5



SHERCO	SE-SD 2T / 4T SIX DAYS	250	17/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5										
SHERCO	SEF 4T FACTORY / RACING	250	19	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SEF 4T FACTORY / RACING	250	19	E									1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SEF-R 4T / RACING / FACTORY	250	14/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SEF-R 4T / RACING / FACTORY	250	14/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SEF-R 4T / RACING / FACTORY	250	14/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5										
SHERCO	ST / ST FACTORY / RACING	250	12/18	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5		
SHERCO	ST / ST FACTORY / RACING	250	12/18	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxX	R	FIM	145	45	3,0	4	6,5		
SHERCO	ST-RACING	250	19	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5		
SHERCO	ST-RACING	250	19	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5		
SHERCO	TRIAL	250	98/99	T	258	L	S	185	72	3,0	6	15,8	259	R	S	150	45	3,0	5	6,5		
SHERCO	TRIAL	250	00/01	T	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5		
SHERCO	TRIAL	250	02/09	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5		
SHERCO	TRIAL	250	02/09	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5		
SHERCO	TRIAL	250	02/09	T									1570X	R	FIM	150	45	3,0	4	6,5		
272 c.c.					272 c.c.																	
SHERCO	ST	272	09/15	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5		
SHERCO	ST	272	09/15	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5		
SHERCO	ST	272	09/15	T									1570X	R	FIM	150	45	3,0	4	6,5		
290 c.c.					290 c.c.																	
SHERCO	TECHNISCHE X-RIDE	290	12/13	U	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5		
SHERCO	TECHNISCHE X-RIDE	290	12/13	U	193 / 193X	L	S	260	108	3,5	6	6,5										
SHERCO	TRIAL	290	99	T	258	L	S	185	72	3,0	6	15,8	259	R	S	150	45	3,0	5	6,5		
SHERCO	TRIAL	290	00/01	T	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5		
SHERCO	TRIAL	290	02/08	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5		
SHERCO	TRIAL	290	02/08	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5		
SHERCO	TRIAL	290	02/08	T									1570X	R	FIM	150	45	3,0	4	6,5		
SHERCO	X-RIDE	290	11/13	E	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5		
SHERCO	X-RIDE	290	14/19	E	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5		
294 c.c.					294 c.c.																	
SHERCO	ST	294	09/12	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5		
SHERCO	ST	294	09/12	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5		
SHERCO	ST	294	13/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5		
SHERCO	ST	294	13/17	T	715SP	L	S	185	-	3,0	4	15,5	1591 / xxxxX	R	FIM	145	45	3,0	4	6,5		
300 c.c.					300 c.c.																	
SHERCO	FST	300	19	T	715X / 715	L	S	185	-	3,0	4	15,5	xxxxX / 1591	R	FIM	145	45	3,0	4	6,5		
SHERCO	FST	300	19	T	715SP	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5		
SHERCO	SC 2T / SCF 4T	300	19	M	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SC 2T / SCF 4T	300	19	M									1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SCF-R 4T	300	16	M	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SCF-R 4T	300	16	M	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SCF-R 4T	300	16	M	1326XBHK17	L	KF	*270	120	3,0	4	10,5										
SHERCO	SE 2T	300	14/15	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SE 2T	300	14/15	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SE 2T FACTORY / RACING	300	19	E	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SE 2T FACTORY / RACING	300	19	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SE i F / SE i R	300	09/11	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5		
SHERCO	SE i R	300	12/16	E	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4	9,5		
SHERCO	SE i R	300	12/16	E	1326XK17	L	KF	*270	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4	9,5		
SHERCO	SE i R	300	12/16	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5										
SHERCO	SE-R 2T / RACING / FACTORY	300	14/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SE-R 2T / RACING / FACTORY	300	14/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SE-R 2T / RACING / FACTORY	300	14/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5										
SHERCO	SE-SD 2T / 4T SIX DAYS	300	17/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SE-SD 2T / 4T SIX DAYS	300	17/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SE-SD 2T / 4T SIX DAYS	300	17/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5										
SHERCO	SEF 4T	300	14/17	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SEF 4T	300	14/17	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SEF 4T FACTORY / RACING	300	19	E	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5		
SHERCO	SEF 4T FACTORY / RACING	300	19	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5		
SHERCO	SEF R	300	12/13	E	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4	9,5		
SHERCO	SEF R	300	12/13	E	1326XK17	L	KF	*270	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4	9,5		
SHERCO	SEF R	300	12/13	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5										
SHERCO	SEF-R 4T / RACING / FACTORY	300	14/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4				



SHERCO	CABESTANY REPLICA	305	12/13	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	CABESTANY REPLICA	305	12/13	T									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO	ST 3,5	305	14	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	ST 3,5	305	14	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	ST 3,5	305	14	T									1570X	R	FIM	150	45	3,0	4	6,5
320 c.c.													320 c.c.							
SHERCO	3.2 TRIAL 4T	320	05/08	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SHERCO	3.2 TRIAL 4T	320	05/08	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SHERCO	3.2 TRIAL 4T	320	05/08	T									1570X	R	FIM	150	45	3,0	4	6,5
450 c.c.													450 c.c.							
SHERCO	4,5 i 4T	450	03/05	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	4,5 i 4T / SE i-F SM	450	05/10	E	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	683	R	S	240	112	4,0	4	10,5
SHERCO	4,5 i 4T / SE i-F SM	450	05/10	E	722X	L	F00,0	318	120	5,0	4	8,5								
SHERCO	SE 4,5 i F / SE F / SE i R	450	09/12	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SCF 4T	450	19	M	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SCF 4T	450	19	M									1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SEF 4T	450	14/15	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SEF 4T	450	14/15	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SEF 4T FACTORY	450	19	E	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SEF 4T FACTORY	450	19	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SEF-R 4T FACTORY / RACING	450	14/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SEF-R 4T FACTORY / RACING	450	14/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SEF-R 4T FACTORY / RACING	450	14/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	SE-SD 4T SIX DAYS	450	17/18	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SE-SD 4T SIX DAYS	450	17/18	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SE-SD 4T SIX DAYS	450	17/18	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SHERCO	RALLY LITE	450	19	U	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	RALLY LITE	450	19	U	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	RTR 4T	450	19	U	1733X	L	F00,0	300	127	5,0	6	6,5	683	R	S	240	112	4,0	4	10,5
500 c.c.													500 c.c.							
SHERCO	SCF 4T	500	19	M	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SCF 4T	500	19	M									1497XSP	R	S	220	112	4,0	4	10,5
SHERCO	SEF 4T FACTORY	500	19	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SHERCO	SEF 4T FACTORY	500	19	E									1497XSP	R	S	220	112	4,0	4	10,5
510 c.c.													510 c.c.							
SHERCO	5,1 i 4T	510	03/05	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SE 5,1 i-F SUPER MOTARD	510	06/10	E	722 / 722SP	L	F00,0	320	120	5,0	4	8,5	683	R	S	240	112	4,0	4	10,5
SHERCO	SE 5,1 i-F SUPER MOTARD	510	06/10	E	722X	L	F00,0	318	120	5,0	4	8,5								
SHERCO	SE F / SE i / SE R	510	09/12	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SIAMOTO					SIAMOTO								SIAMOTO							
50 c.c.													50 c.c.							
SIAMOTO	BINGO / MAT / BIRDIE	50	99→	S	452	L	S	155	40,6	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SIAMOTO	FALKON	50	98/00	S	424	R	S	220	42	3,5	4	8,5	376	R	S	185	45	4,0	4	8,5
SIAMOTO	TOP RACING	50	99/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SIAMOTO	TOP RACING	50	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
100 c.c.													100 c.c.							
SIAMOTO	MAT / TOP RACING	100	99	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SIAMOTO	MAT / TOP RACING	100	99→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
125 c.c.													125 c.c.							
SIAMOTO	BINGO	125	99	S	452	L	S	155	40,6	4,0	3	8,5	-	-	-	-	-	-	-	-
SIAMOTO	CAPRI	125	98/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5
SIAMOTO	FALKON	125	98/00	S	424	R	S	220	42	3,5	4	8,5	376	R	S	185	45	4,0	4	8,5
150 c.c.													150 c.c.							
SIAMOTO	CAPRI 4T	150	00/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5
180 c.c.													180 c.c.							
SIAMOTO	CAPRI	180	00/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5
SIDE BIKE					SIDE BIKE								SIDE BIKE							
180 c.c.													180 c.c.							
SIDE BIKE	SIDE-BIKE	180	95/00	L	-	-	-	-	-	-	-	-	480	-	S	210	30	4,0	6	6,5
SINNIS					SINNIS								SINNIS							
50 c.c.													50 c.c.							
SINNIS	LJ QT-H	50	12/14	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
SINNIS	LJ QT-H	50	12/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SINNIS	LJ QT-H	50	12/14	S	1300X	L	FO	*220	58	3,5	3	10,5								
SINNIS	LJ QT-H.	50	12/14	S	107	L	S	190	58	4,0	3	10,5	107	L	S	190	58	4,0	3	10,5
SINNIS	LJ QT-H.	50	12/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SINNIS	LJ QT-H.	50	12/14	S	1300X	L	FO	*220	58	3,5	3	10,5								
SINNIS	QM QT-2T FALCON	50	08/14	S	406	L	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
SINNIS	QM QT-2T FALCON	50	08/14	S	727	L	SO	*180	40,6	3,5	3	10,5								
SINNIS	QM QT-6A JET	50	08/10	S	406	L	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-
SINNIS	QM QT-6A JET	50	08/10	S	727	L	SO	*180	40,6	3,5	3	10,5								
SINNIS	NITRO 2T / STRIKE 2T	50	09	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	-
SINNIS	WY QT-39A GHOST	50	06/10	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
SINNIS	WY QT-39A GHOST	50	06/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SINNIS	WY QT-39A GHOST	50	06/10	S	1300X	L	FO	*220	58	3,5	3	10,5								



125 c.c.										125 c.c.										
SINNIS	NITRO 125 WY 125T-56A	125	09/11	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	
SPIRIT 750 c.c.										SPIRIT 750 c.c.										
SPIRIT	SPORT R / STREET R	750	17	R	-	L/R	Fxx,x	320	-	-	-	-	-	R	S	220	-	-	-	
SUMCO 50 c.c.										SUMCO 50 c.c.										
SUMCO	S-FORCE 2T	50	17/18	D	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	
SUMCO	WY QT-39A GHOST	50	06/10	D	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	
125 c.c.										125 c.c.										
SUMCO	ACE	125	16/17	R	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	
SUMCO	DYANGO	125	14	R	1392	L	S	200	58	3,5	3	8,5	-	-	-	-	-	-	-	
SUMCO	LUNA / ROMMI	125	17/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	
SUMCO	MANGA	125	09/10	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5
SUMCO	MOHICANO	125	16/17	C	-	L	S	275	-	-	-	-	Drum	-	-	-	-	-	-	
SUMCO	SAIGA	125	17/18	S	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	
SUMCO	STREETER	125	16/17	N	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	
SUNL 150 c.c.										SUNL 150 c.c.										
SUNL	MOPED SCOOTER	150	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5
SUNRA ELECTRIC										SUNRA ELECTRIC										
SUNRA	LMJR-LI	E	17/18	SV	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	
SUNRA	SD/3 KW	E	17/18	SV	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	
SUNRIGHT 250 c.c.										SUNRIGHT 250 c.c.										
SUNRIGHT	AEOLUS CLASSIC	250	-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	
300 c.c.										300 c.c.										
SUNRIGHT	AEOLUS	300	-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	
SUZUKI ELECTRIC										SUZUKI ELECTRIC										
SUZUKI	BURGMAN FULL CELL	E	12/15	SV	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5
50 c.c.										50 c.c.										
SUZUKI	ADDRESS / ADRESS R	50	91/92	S	ND / NA	L	-	156	34	3,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	ADDRESS R	50	95/02	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	ADDRESS R7 / RF	50	96/99	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	DR BIG	50	92/02	A	336	L	S	220	108	3,5	6	6,5	Drum	-	-	-	-	-	-	
SUZUKI	ESTILETE	50	00/02	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	KATANA	50	97/03	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	KATANA RACING	50	98	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	KATANA RACING	50	99/02	S	074	L	S	180	34	4,0	3	10,5	181	L	S	190	64	4,0	4	10,5
SUZUKI	KATANA R MOVISTAR	50	01/02	S	074	L	S	180	34	4,0	3	10,5	181	L	S	190	64	4,0	4	10,5
SUZUKI	KATANA W	50	99/03	S	074	L	S	180	34	4,0	3	10,5	181	L	S	190	64	4,0	4	10,5
SUZUKI	RMX / SMX	50	97/02	A	116	L	S	220	-	3,5	6	15,5	117	R	S	185	-	3,5	6	15,5
SUZUKI	TR S STREET MAGIC	50	98/00	A	280	L	S	180	38	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	ZILLION UX	50	99/03	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
65 c.c.										65 c.c.										
SUZUKI	RM	65	03/05	A-M	1143 / 1143X	L	S	180	79	3,0	4	9,5	1143 / 1143X	R	S	180	79	3,0	4	9,5
80 c.c.										80 c.c.										
SUZUKI	RM	80	86/01	A-M	754	L	S	200	100,5	3,5	3	6,5	760	R	S	184	85	3,5	4	6,5
85 c.c.										85 c.c.										
SUZUKI	RM	85	02/04	A-M	754	L	S	200	100,5	3,5	3	6,5	760	R	S	184	85	3,5	4	6,5
SUZUKI	RM 17 / 14'	85	05/14	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	909 / 909X	R	S	200	85	3,5	4	6,5
SUZUKI	RM L 19 / 16'	85	05/14	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	909 / 909X	R	S	200	85	3,5	4	6,5
100 c.c.										100 c.c.										
SUZUKI	ADDRESS AH V	100	91/94	S	703	L	S	162	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	ADDRESS AH	100	-	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	SEPIA ADRESS AH V	100	92	S	703	L	S	162	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
110 c.c.										110 c.c.										
SUZUKI	ADRESS	110	18/19	S	1590	L	S	190	45,3	3,5	4	10,5	Drum	-	-	-	-	-	-	
SUZUKI	ADRESS MOTO GP / NE UK	110	15/17	S	1590	L	S	190	45,3	3,5	4	10,5	Drum	-	-	-	-	-	-	
SUZUKI	HOCUTO	110	00/03	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	
125 c.c.										125 c.c.										
SUZUKI	AN	125	95/00	S	280	L	S	180	38	4,0	3	10,5	Drum	-	-	-	-	-	-	
SUZUKI	BURGMAN UH ABS	125	02/05	S	453	L	S	220	100	4,0	3	10,5	064	R	S	220	64	4,0	4	10,5
SUZUKI	BURGMAN UH ABS	125	14/19	S	1529	R	S	240	115	4,5	3	10,5	1529	R	S	240	115	4,5	3	10,5
SUZUKI	BURGMAN UH / UH R	125	06/13	S	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5
SUZUKI	BURGMAN UH EXECUTIVE	125	06/13	S	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5
SUZUKI	BURGMAN UH RACING	125	13	S	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5
SUZUKI	DR SUPERMOTO / SM	125	08	F	1761X	L	MD	250	100	3,0	4	MH	676 / 676X	R	S	220	118	4,5	6	6,5
SUZUKI	DR SUPERMOTO / SM	125	08	F	137 / 137X	L	MDF	250	100	3,0	4	MH								
SUZUKI	DR SUPERMOTO / SM	125	09/12	F	1280X	L	S	260	118	3,5	6	6,5	676X / 676	R	S	220	118	4,5	6	6,5
SUZUKI	DR SUPERMOTO / SM	125	09/12	F	1659X	L	F00,0	260	118	3,0	6	6,5								
SUZUKI	DR Z	125	99/05	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5
SUZUKI	DR Z	125	99/05	M	675 / 675X	L	S	250	118	3,0	6	6,5								
SUZUKI	DR Z L	125	03/19	M	675 / 675X	L	S	250	118	3,0	6	6,5	Drum	-	-	-	-	-	-	
SUZUKI	DR Z L	125	03/19	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5								



SUZUKI	EPICURO	125	00/02	S	443	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-	-	-	-	
SUZUKI	GAMMA / RG F	125	92	R	1159 / 1159X	L	F19,5	300	64	5,0	5	10,5	-	-	-	-	-	-	-	-	-	-	-	
SUZUKI	GSX-R ABS / GSX- R Z ABS	125	17/19	R	1740X	R	S	290	190	4,0	5	10,5	1741X	R	S	187	57,7	4,0	3	10,5				
SUZUKI	GSX-S ABS / GSX-S Z ABS	125	17/19	N	1740X	R	S	290	190	4,0	5	10,5	1741X	R	S	187	57,7	4,0	3	10,5				
SUZUKI	INTRUDER L.C.	125	04/09	C	1142	R	F21,7	275	56	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	
SUZUKI	MARAUDER	125	04/10	C	1142	R	F21,7	275	56	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	
SUZUKI	RG F	125	92	R	1159 / 1159X	L	F19,5	300	64	5,0	5	10,5	-	-	-	-	-	-	-	-	-	-	-	
SUZUKI	RM	125	96/98	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	676 / 676X	R	S	220	118	4,5	6	6,5				
SUZUKI	RM	125	96/98	M	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI	RM	125	96/98	M	719	L	SO	*270	118	3,0	6	6,5												
SUZUKI	RM	125	96/98	M	1153XK01	L	KF	*270	118	3,0	6	6,5												
SUZUKI	RM	125	96/98	M	1153XBHK01	L	KF	*270	118	3,0	6	6,5												
SUZUKI	RM	125	96/98	M	723K13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	RM	125	96/98	M	723XK13	L	KF	*318	118	5,0	6	6,5												
SUZUKI	RM	125	96/98	M	723SPK13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	RM	125	99/10	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5				
SUZUKI	RM	125	99/10	M	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI	RM	125	99/09	M	719	L	SO	*270	118	3,0	6	6,5												
SUZUKI	RM	125	99/09	M	1153XK01	L	KF	*270	118	3,0	6	6,5												
SUZUKI	RM	125	99/09	M	1153XBHK01	L	KF	*270	118	3,0	6	6,5												
SUZUKI	RM	125	99/09	M	723K13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	RM	125	99/09	M	723XK13	L	KF	*318	118	5,0	6	6,5												
SUZUKI	RM	125	99/09	M	723SPK13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	SIXTEEN UX i	125	08/14	S	1113	R	S	220	89	4,0	3	10,5	1113	R	S	220	89	4,0	3	10,5				
SUZUKI	SWISH	125	18	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUZUKI	TS	125	89/94	E	-	-	-	-	-	-	-	-	044	R	S	220	118	4,0	4	10,5				
SUZUKI	UE	125	01/02	S	280	L	S	180	38	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	
SUZUKI	VAN VAN RV	125	05/17	D	1295	R	S	220	81	4,0	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-	
150 c.c.															150 c.c.									
MALAYSIA MODELS																								
SUZUKI	MALAYSIA MODEL BELANG R / RAIDER R	150	11/15	S	1737	R	S	290	190	4,5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	
SUZUKI	MALAYSIA MODEL SATRIA FU	150	11/15	S	1737	R	S	290	190	4,5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	
INDONESIA MODELS																								
SUZUKI	INDONESIA MODEL GSX-R ABS	150	17/18	R	1740X	R	S	290	190	4,0	5	10,5	1741X	R	S	187	57,7	4,0	3	10,5				
SUZUKI	AN	150	96/00	S	280	L	S	180	38	4,0	3	10,5	-	-	-	-	-	-	-	-	-	-	-	
SUZUKI	BURGMAN	150	02/05	S	453	L	S	220	100	4,0	3	10,5	064	R	S	220	64	4,0	4	10,5				
SUZUKI	EPICURO	150	00/02	S	443	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-	-	-	-	
SUZUKI	SIXTEEN UX	150	08/14	S	1113	R	S	220	89	4,0	3	10,5	1113	R	S	220	89	4,0	3	10,5				
SUZUKI	UE / VECSTAR AN	150	98/03	S	280	L	S	180	38	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	
200 c.c.															200 c.c.									
SUZUKI	BURGMAN UH / ABS	200	06/13	S	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5				
SUZUKI	BURGMAN UH ABS	200	14/19	S	1529	R	S	240	115	4,5	3	10,5	1529	R	S	240	115	4,5	3	10,5				
SUZUKI	VAN VAN	200	05/17	D	1295	R	S	220	81	4,0	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-	
250 c.c.															250 c.c.									
SUZUKI	BURGMAN AN	250	98/02	S	196	L	S	260	121	4,5	6	10,5	691	R	S	210	109	5,0	5	10,5				
SUZUKI	BURGMAN AN	250	03/06	S	1040	L	S	260	121	4,5	5	10,5	1055	L	F28,0	210	60,2	5,0	3	10,5				
SUZUKI	BURGMAN AN	250	03/06	S	1357	L	F00,0	260	121	4,5	5	10,5												
SUZUKI	BURGMAN AN K7	250	07/08	S	1040	R	S	260	121	4,5	5	10,5	1118	R	S	210	89	5,0	5	10,5				
SUZUKI	BURGMAN AN K7	250	07/08	S	1357	R	F00,0	260	121	4,5	5	10,5												
SUZUKI	DR R	250	97/00	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	044	R	S	220	118	4,0	4	10,5				
SUZUKI	DR R	250	97/00	E	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI	DR RX	250	-	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	044	R	S	220	118	4,0	4	10,5				
SUZUKI	DR RX	250	-	E	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI	DR Z	250	01/02	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	044	R	S	220	118	4,0	4	10,5				
SUZUKI	DR Z	250	01/02	E	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI	GSF BANDIT	250	90/96	R	120 / 120X	L	F19,5	310	64	5,0	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSX	250	91	R	120 / 120X	R	F19,5	310	64	5,0	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSX R	250	89	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	793	L	S	210	81	4,0	4	10,5				
SUZUKI	GSX R ABS	250	17/19	R	1682X	L	S	290	120	5,0	5	10,5	1670X	R	S	240	120	4,5	5	10,5				
SUZUKI	GSX RZA ABS	250	19	R	1682X	L	S	290	120	5,0	5	10,5	1670X	R	S	240	120	4,5	5	10,5				
SUZUKI	GW YOSHIMURA	250	12/13	R	674	L	F00,0	290	121	4,5	6	10,5	1174	R	S	240	120	5,0	5	10,5				
SUZUKI	GW INAZUMA / F / S	250	12/17	N	1552	L	S	290	120,7	5,0	6	8,5	1174	R	S	240	120	5,0	5	10,5				
SUZUKI	INTRUDER / MARAUDER GZ	250	01/10	C	1142	L	F21,7	275	56	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	
SUZUKI	RGV / RGV K / RGV L	250	89/90	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	
SUZUKI	RGV GAMMA M	250	91	R	1159 / 1159X	L/R	F19,5	300	64	5,0	5	10,5	-	-	-	-	-	-	-	-	-	-	-	
SUZUKI	RM	250	88/98	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	676 / 676X	R	S	220	118	4,5	6	6,5				
SUZUKI	RM	250	88/98	M	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI																								

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
SUZUKI	RM	250	99/10	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5				
SUZUKI	RM	250	99/10	M	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI	RM	250	99/09	M	719	L	SO	*270	118	3,0	6	6,5												
SUZUKI	RM	250	99/09	M	1153XK01	L	KF	*270	118	3,0	6	6,5												
SUZUKI	RM	250	99/09	M	1153XBHK01	L	KF	*270	118	3,0	6	6,5												
SUZUKI	RM	250	99/09	M	723K13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	RM	250	99/09	M	723XK13	L	KF	*318	118	5,0	6	6,5												
SUZUKI	RM	250	99/09	M	723SPK13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	RMX	250	88/98	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	676 / 676X	R	S	220	118	4,5	6	6,5				
SUZUKI	RMX	250	88/98	E	675 / 675X	L	S	250	118	3,0	6	6,5												
SUZUKI	RMZ 4T	250	90/98	E	255	R	S	250	121	3,5	4	10,5	044	R	S	220	118	4,0	4	10,5				
SUZUKI	RM-Z	250	04/06	M	137 / 137X	L	MDF	250	100	3,0	4	MH	799 / 799X	R	S	240	116	4,0	4	10,5				
SUZUKI	RM-Z	250	04/06	M	1761X	L	MD	250	100	3,0	4	MH												
SUZUKI	RM-Z	250	04/06	M	1150XK01	L	KF	*270	100	3,0	4	MH												
SUZUKI	RM-Z	250	04/06	M	1150XBHK01	L	KF	*270	100	3,0	4	MH												
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	M-E	1732X	L	S	250	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5				
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	M-E	1048X / 1048	L	F00,0	250	118	3,0	4	9,5												
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	M-E	1160XK01	L	KF	*270	118	3,0	4	9,5												
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	M-E	1160XBHK01	L	KF	*270	118	3,0	4	9,5												
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	M-E	749K13	L	KF	*320	118	5,0	4	9,5												
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	M-E	749XK13	L	KF	*318	118	5,0	4	9,5												
SUZUKI	RM-Z 4T CROSS - ENDURO	250	07/18	M-E	749SPK13	L	KF	*320	118	5,0	4	9,5												
SUZUKI	RM-Z 4T	250	19	M	1678X	L	S	270	118	3,0	4	9,5	1049X / 1049	R	S	240	122	4,0	4	10,5				
SUZUKI	RM-Z 4T	250	19	M	1160X	L	F00,0	270	118	3,0	4	9,5												
SUZUKI	RM-Z 4T	250	19	M	1160XBH	L	F00,0	270	118	3,0	4	9,5												
SUZUKI	TS	250	85/89	U	051	R	S	242	121	4,0	4	10,5	Drum	-	-	-	-	-	-	-	-	-		
SUZUKI	TU / TU X	250	96/11	R	1142	L	F21,7	275	56	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-		
SUZUKI	TV WOLF	250	88/90	R	-	-	-	-	-	-	-	-	793	L	S	210	81	4,0	4	10,5				
SUZUKI	VL INTRUDER	250	07/08	C	1142	R	F21,7	275	56	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-		
SUZUKI	V-STROM ABS	250	17/19	U	1682X	L	S	290	120	5,0	5	10,5	1670X	R	S	240	120	4,5	5	10,5				
350 c.c.					350 c.c.																			
SUZUKI	DR	350	99	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	044	R	S	220	118	4,0	4	10,5				
SUZUKI	DR	350	99	E	675 / 675X	L	S	250	118	3,0	6	6,5												
400 c.c.					400 c.c.																			
SUZUKI	BURGMAN AN	400	98/02	S	196	L	S	260	121	4,5	6	10,5	691	R	S	210	109	5,0	5	10,5				
SUZUKI	BURGMAN AN	400	03/04	S	1040	L	S	260	121	4,5	5	10,5	1055	L	F28,0	210	60,2	5,0	3	10,5				
SUZUKI	BURGMAN AN	400	03/04	S	1357	L	F00,0	260	121	4,5	5	10,5												
SUZUKI	BURGMAN AN ABS	400	05/19	S	1040	L/R	S	260	121	4,5	5	10,5	1118	R	S	210	89	5,0	5	10,5				
SUZUKI	BURGMAN AN ABS	400	05/19	S	1357	L/R	F00,0	260	121	4,5	5	10,5												
SUZUKI	BURGMAN CITY AN ABS	400	19	S	1040	L/R	S	260	121	4,5	5	10,5	1118	R	S	210	89	5,0	5	10,5				
SUZUKI	BURGMAN CITY AN ABS	400	19	S	1357	L/R	F00,0	260	121	4,5	5	10,5												
SUZUKI	DR Z E / DR Z S	400	00/09	E-U	1466	L	S	250	118	3,0	6	6,5	676 / 676X	R	S	220	118	4,5	6	6,5				
SUZUKI	DR Z E / DR Z S	400	00/09	E-U	719	L	SO	*270	118	3,0	6	6,5												
SUZUKI	DR Z E / DR Z S	400	00/08	E-U	723K13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	DR Z E / DR Z S	400	00/08	E-U	723XK13	L	KF	*318	118	5,0	6	6,5												
SUZUKI	DR Z E / DR Z S	400	00/08	E-U	723SPK13	L	KF	*320	118	5,0	6	6,5												
SUZUKI	DR Z SM	400	05/10	F	1211 / 1211X	L	F00,0	310	118	5,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5				
SUZUKI	GS F	400	89	R	120 / 120X	L	F19,5	310	64	5,0	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSF BANDIT	400	89/92	R	120 / 120X	L	F19,5	310	64	5,0	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSF BANDIT	400	93/96	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSF BANDIT	400	97	R	239 / 239X	L/R	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSX / GSX F BANDIT	400	88/90	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSR	400	06/08	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5				
SUZUKI	GSR	400	06/08	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5												
SUZUKI	GSX INAZUMA	400	00	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5				
SUZUKI	GSX KATANA	400	92	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSX R	400	88/90	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	793	R	S	210	81	4,0	4	10,5				
SUZUKI	GSX R IMPULSE S TYPE	400	94→	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	GSX X IMPULSE	400	94→	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5				
SUZUKI	RF R	400	93/97	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5				
SUZUKI	RM	400	01/02	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	-	-	-	-	-	-	-	-	-	-		
SUZUKI	RM	400	01/02	M	675 / 675X	L	S	250	118	3,0	6	6,5												
450 c.c.					45																			

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
SUZUKI	SV S	650	03/15	NVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	SV S ABS	650	07/17	NVT	1278	L/R	F00,0	290	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	XF FREEWIND	650	97/02	R	673	L	F00,0	300	121	4,5	6	10,5	029	R	S	240	118	4,5	4	10,5
SUZUKI	XF FREEWIND	650	97/02	R	122 / 122X	L	S	300	121	5,0	6	10,5								
V-STROM MODELS																				
SUZUKI	V-STROM	650	04/07	UVT	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM ABS	650	08/19	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM ABS	650	08/19	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	V-STROM X / X ABS	650	07/17	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM X / X ABS	650	07/17	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	V-STROM XT / XT ABS	650	12/19	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM XT / XT ABS	650	12/19	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	S.ADVENTURE TOURER ABS	650	18	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	S. ADVENTURE TOURER ABS	650	18	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	TRAVELLER / ABS	650	07/11	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	TRAVELLER / ABS	650	07/11	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	XPEDITION	650	11	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	XPEDITION	650	11	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
750 c.c.											750 c.c.									
SUZUKI	DR BIG / DR BIG S	750	88/90	U	052 / 052X	L	S	280	121	4,0	4	10,5	065 / 065X	R	S	250	134,5	4,0	6	10,5
SUZUKI	GSR / GSR ABS	750	11/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSR / GSR ABS	750	11/16	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSR Z / GSR Z ABS	750	15/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSR Z / GSR Z ABS	750	15/16	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSX	750	89/92	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-
SUZUKI	GSX	750	97/08	R	1159 / 1159X	L/R	F19,5	300	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX-F	750	85/88	R	1138	L/R	F21,5	300	61	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX-F / FL / GSX F SLINGSHOT	750	89/92	R	239 / 239X	L/R	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5
SUZUKI	GSX-F	750	89/95	R	124	L/R	F22,0	310	64	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX-F	750	89/97	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5
SUZUKI	GSX-F	750	98/03	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX-F	750	04/06	R	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX-F	750	07	R	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-F	750	07	R	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5								
SUZUKI	GSX-R	750	85/87	R	1138	L/R	F21,5	300	61	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R	750	88/95	R	124	L/R	F22,0	310	64	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX-R	750	96/03	R	458 / 458X	L/R	F00,0	320	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R	750	04/05	R	790 / 790X	L/R	F00,0	300	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R	750	04/05	R	790G / 790XG	L/R	F00,0	300	69	5,0	5	10,5								
SUZUKI	GSX-R	750	06/07	R	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R	750	06/07	R	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5								
SUZUKI	GSX-R	750	08/18	R	1214 / 1214X	L/R	F00,0	310	102	5,0	6	8,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R	750	08/18	R	1214G / 1214XG	L/R	F00,0	310	102	5,0	6	8,5								
SUZUKI	GSX-R LIMITED EDITION	750	89/90	R	124	L/R	F22,0	310	64	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX-S ABS / GSX-S Y ABS	750	15/19	N	1104X / 1104	L/R	F00,0	310	121,5	5,0	5	10,5	1540X	R	S	250	121	5,0	5	10,5
SUZUKI	GSX-S ABS / GSX-S Y ABS	750	15/19	N	1104XG / 1104G	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSX-S Z ABS	750	17/19	N	1104X / 1104	L/R	F00,0	310	121,5	5,0	5	10,5	1540X	R	S	250	121	5,0	5	10,5
SUZUKI	GSX-S Z ABS	750	17/19	N	1104XG / 1104G	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSX Z	750	08/14	R	1214 / 1214X	L/R	F00,0	310	102	5,0	6	8,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX Z	750	08/14	R	1214G / 1214XG	L/R	F00,0	310	102	5,0	6	8,5								
SUZUKI	R	750	04	R	790 / 790X	L/R	F00,0	300	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	R	750	04	R	790G / 790XG	L/R	F00,0	300	69	5,0	5	10,5								
SUZUKI	VS GL INTRUDER	750	85/91	C	1318	L	F00,0	296	57	5,0	6	10,5	Drum	-	-	-	-	-	-	-
SUZUKI	VS GLF INTRUDER	750	86/89	C	1318	L	F00,0	296	57	5,0	6	10,5	-	-	-	-	-	-	-	-
SUZUKI	VS GLP INTRUDER	750	86/91	C	1318	L	F00,0	296	57	5,0	6	10,5	-	-	-	-	-	-	-	-
800 c.c.											800 c.c.									
SUZUKI	DR BIG	800	88/90	U	-	-	-	-	-	-	-	-	065 / 065X	R	S	250	134,5	4,0	6	10,5
SUZUKI	DR BIG	800	91/96	U	673	L	F00,0	300	121	4,5	6	10,5	065 / 065X	R	S	250	134,5	4,0	6	10,5
SUZUKI	DR BIG	800	91/96	U	122 / 122X	L	S	300	121	5,0	6	10,5								
SUZUKI	DR BIG	800	96/97	U	-	-	-	-	-	-	-	-	065 / 065X	R	S	250	134,5	4,0	6	10,5
SUZUKI	DR SM-P	800	91/93	F	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	-	-						



SUZUKI	VL INTRUDER M / T	800	14/15	C	790G / 790XG	R	F00,0	300	69	5,0	5	10,5								
SUZUKI	VL INTRUDER VOLUSIA	800	01/06	C	122 / 122X	R	S	300	121	5,0	6	10,5	Drum	-	-	-	-	-	-	-
SUZUKI	VL INTRUDER VOLUSIA	800	01/06	C	673	R	F00,0	300	121	4,5	6	10,5								
SUZUKI	VS GL INTRUDER	800	91/03	C	1318	L	F00,0	296	57	5,0	6	10,5	Drum	-	-	-	-	-	-	-
SUZUKI	VZ MARAUDER	800	96/04	C	1159 / 1159X	R	F19,5	300	64	5,0	5	10,5	-	-	-	-	-	-	-	-
SUZUKI	VZ ZK9 M INTRUDER	800	09→	C	xxxx	R	S	300	69	5,0	5	10,5	Drum	-	-	-	-	-	-	-
SUZUKI	VZ ZK9 M INTRUDER	800	09→	C	790 / 790G	R	F00,0	300	69	5,0	5	10,5								
SUZUKI	VZ ZK9 M INTRUDER	800	09→	C	790X / 790XG	R	F00,0	300	69	5,0	5	10,5								
900 c.c.					900 c.c.															
SUZUKI	R / RF / RR / RS / RS2 / T / V	900	94/97	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	RF T / RF V	900	94/97	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
1000 c.c.					1000 c.c.															
SUZUKI	GSX-R K1 / K2	1000	01/02	R	458 / 458X	L/R	F00,0	320	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R K1 / K2	1000	01/02	R	458G / 458XG	L/R	F00,0	320	69	5,0	5	10,5								
SUZUKI	GSX-R K3 / K4	1000	03/04	R	790 / 790X	L/R	F00,0	300	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R K3 / K4	1000	03/04	R	790G / 790XG	L/R	F00,0	300	69	5,0	5	10,5								
SUZUKI	GSX-R K5 / K6 / K7 / K8	1000	05/08	R	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R K5 / K6 / K7 / K8	1000	05/08	R	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5								
SUZUKI	GSX-R / GSX-R ABS	1000	09/16	SB	1214 / 1214X	L/R	F00,0	310	102	5,0	6	8,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R / GSX-R ABS	1000	09/16	SB	1214G / 1214XG	L/R	F00,0	310	102	5,0	6	8,5								
SUZUKI	GSX-R ABS / GSX- R R ABS	1000	17/19	SB	1639G	L/R	F00,0	320	102	5,0	6	8,5	1649	R	S	220	110	5,0	5	10,5
SUZUKI	GSX-R Z PREMIUM	1000	14	R	1214 / 1214X	L/R	F00,0	310	102	5,0	6	8,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX-R Z PREMIUM	1000	14	R	1214G / 1214XG	L/R	F00,0	310	102	5,0	6	8,5								
SUZUKI	GSX-S / GSX-S Z / ZA ABS	1000	15/19	N	1541G / 1541XG	L/R	F00,0	310	110	5,0	6	8,5	1540 / 1540X	R	S	250	121	5,0	5	10,5
SUZUKI	GSX-S F / ABS	1000	15/18	N	1541G / 1541XG	L/R	F00,0	310	110	5,0	6	8,5	1540 / 1540X	R	S	250	121	5,0	5	10,5
SUZUKI	GSX-S FA / ABS	1000	19	R	1541G / 1541XG	L/R	F00,0	310	110	5,0	6	8,5	1540 / 1540X	R	S	250	121	5,0	5	10,5
SUZUKI	GSX-S KATANA ABS	1000	19	R	1541G / 1541XG	L/R	F00,0	310	110	5,0	6	8,5	1540 / 1540X	R	S	250	121	5,0	5	10,5
SUZUKI	GSX-S Z / ABS	1000	17/18	N	1541G / 1541XG	L/R	F00,0	310	110	5,0	6	8,5	1540 / 1540X	R	S	250	121	5,0	5	10,5
SUZUKI	SV / SV S	1000	03/08	R	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	TL R / TL S	1000	97/03	R	458 / 458X	L/R	F00,0	320	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	TL R / TL S	1000	97/03	R	458G / 458XG	L/R	F00,0	320	69	5,0	5	10,5								
SUZUKI	V-STROM	1000	02/11	U	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM	1000	02/11	U									1604	R	S	260	141	5,5	4	10,5
SUZUKI	V-STROM / ABS	1000	12/19	U	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM / ABS	1000	12/19	U	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5	1604	R	S	260	141	5,5	4	10,5
SUZUKI	V-STROM XT ABS	1000	17/19	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM XT ABS	1000	17/19	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1604	R	S	260	141	5,5	4	10,5
V-STROM ADVENTURE																				
SUZUKI	V-STROM ADVENTURE TOURER / XT / ABS	1000	18/19	UVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
SUZUKI	V-STROM ADVENTURE TOURER / XT / AB	1000	18/19	UVT									1604	R	S	260	141	5,5	4	10,5
1100 c.c.					1100 c.c.															
SUZUKI	GSX	1100	91/96	R	-	-	-	-	-	-	-	-	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX R	1100	86/88	R	-	-	-	-	-	-	-	-	791 / 791X	R	S	220	89	5,0	5	10,5
SUZUKI	GSX R	1100	89/00	R	124	L/R	F22,0	310	64	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
1200 c.c.					1200 c.c.															
SUZUKI	GS SS	1200	01→	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSF BANDIT	1200	95/05	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSF BANDIT / S	1200	01/05	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSF BANDIT / S / ABS	1200	06	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSF BANDIT / S / ABS	1200	06	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSX	1200	99/03	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX INAZUMA	1200	98/02	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
SUZUKI	GSX X / GSX X1	1200	99/01	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
1250 c.c.					1250 c.c.															
SUZUKI	GSF BANDIT / S / N ABS	1250	06/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSF BANDIT / S / N ABS	1250	06/16	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSF BANDIT SA / ABS	1250	07/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSF BANDIT SA / ABS	1250	12/16	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSX F / GSX FA / ABS	1250	10/18	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSX F / GSX FA / ABS	1250	10/18	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSX FA TRAVELLER	1250	14/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSX FA TRAVELLER	1250	14/16	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	GSX SPORTS TOURING ABS	1250	10/14	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5	10,5
SUZUKI	GSX SPORTS TOURING ABS	1250	10/14	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
1300 c.c.					1300 c.c.															
SUZUKI	B-KING / B-KING ABS	1300	08/11	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1370 / 1370X	R	S	260	140	5,5	6	10,5
SUZUKI	B-KING / B-KING ABS	1300	08/11	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5								
SUZUKI	B-KING KONZEPT	1300	12/13	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1370 / 1370X	R	S	260	140	5		

		C.C.	YEAR	MODEL TYPE	FRONT								REAR								
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
SUZUKI	GSX-R HAYABUSA KONZEPT	1300	12/13	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1673	R	S	260	140	6,0	6	10,5	
SUZUKI	GSX-R HAYABUSA KONZEPT	1300	12/13	R	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5	1400 c.c.								
SUZUKI	GSX	1400	02/07	R	458 / 458X	L/R	F00,0	320	69	5,0	5	10,5	1223	R	S	260	105	5,0	5	10,5	
SUZUKI	GSX	1400	02/07	R	458G / 458XG	L/R	F00,0	320	69	5,0	5	10,5									
SUZUKI	VS / VS GL / GLF INTRUDER	1400	87/04	CVT	1318	R	F00,0	296	57	5,0	6	10,5	210	R	S	275	57	5,0	6	MH	
SUZUKI	VS GLP / GLPH INTRUDER	1400	87/10	CVT	1318	R	F00,0	296	57	5,0	6	10,5	210	R	S	275	57	5,0	6	MH	
1500 c.c.				1500 c.c.																	
SUZUKI	INTRUDER M	1500	08/10	CVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	-	-	-	-	-	-	-	-	
SUZUKI	VL INTRUDER L.C.	1500	98/01	CVT	348	R	S	299	100	6,0	5	8,5	-	-	-	-	-	-	-	-	
1800 c.c.				1800 c.c.																	
SUZUKI	C R	1800	08→	CVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	-	-	-	-	-	-	-	-	
SUZUKI	M 109 R BOULEVARD	1800	06→	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	ND / NA	-	F6,6	275	89	5,5	5	10,5	
SUZUKI	M 109 R BOULEVARD	1800	06→	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SUZUKI	VLR INTRUDER C R	1800	08/11	CVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	1657	R	F00,0	276	89,2	7,0	6	10,5	
SUZUKI	VLR INTRUDER C RT	1800	08/09	CVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	1657	R	F00,0	276	89,2	7,0	6	10,5	
SUZUKI	VLZ INTRUDER M	1800	08/12	CVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	-	-	-	-	-	-	-	-	
SUZUKI	VLZ INTRUDER M	1800	08/12	CVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5									
SUZUKI	VLZ INTRUDER M R / M R2	1800	08/09	CVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	-	-	-	-	-	-	-	-	
SUZUKI	VLZ INTRUDER M R / M R2	1800	08/09	CVT	1104G / 1104XG	L/R	F00,0	310	121,5	5,0	5	10,5									
SUZUKI	VLZ INTRUDER M RB	1800	14/15	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	1657	R	F00,0	276	89,2	7,0	6	10,5	
SUZUKI	VLZ INTRUDER M RB	1800	14/15	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SUZUKI	VLZ INTRUDER M RBZ	1800	17	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	-	R	F00,0	-	-	7,0	5	-	
SUZUKI	VLZ INTRUDER M RBZ	1800	17	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SUZUKI	VZR INTRUDER	1800	06/08	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	ND / NA	-	F6,6	275	89	5,5	5	10,5	
SUZUKI	VZR INTRUDER	1800	06/08	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SUZUKI	VZR INTRUDER M R	1800	06/09	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	1657	R	F00,0	276	89,2	7,0	6	10,5	
SUZUKI	VZR INTRUDER M R	1800	06/09	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SUZUKI	VZR INTRUDER M R2	1800	08/09	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	1657	R	F00,0	276	89,2	7,0	6	10,5	
SUZUKI	VZR INTRUDER M R2	1800	08/09	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SUZUKI	VZR INTRUDER M RZ	1800	07/11	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	1657	R	F00,0	276	89,2	7,0	6	10,5	
SUZUKI	VZR INTRUDER M RZ	1800	07/11	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SWM 125 c.c.					SWM 125 c.c.																
SWM	OUYLAW GRAN MILANO	125	19	D	-X	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-	
SWM	RS R	125	16/17	E	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0	
SWM	RS R	125	16/17	E	910SP	L	S	260	120	3,0	4	6,5									
SWM	RS R	125	16/17	E	392	L	S	260	120	3,5	4	6,5									
SWM	RS R	125	16/17	E	1164X	L	F00,0	260	120	3,0	4	6,5									
SWM	RS R	125	15/17	E	1325XK16	L	KF	*270	120	3,0	4	6,5									
SWM	RS R	125	15/17	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5									
SWM	RS R / RS R FACTORY	125	16/19	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5	
SWM	SM R	125	16/17	F	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5	
SWM	SM R	125	16/17	F	910SP	L	S	260	120	3,0	4	6,5									
SWM	SM R	125	16/17	F	392	L	S	260	120	3,5	4	6,5									
SWM	SM R	125	16/17	F	1164X	L	F00,0	260	120	3,0	4	6,5									
SWM	SM R / SM R FACTORY	125	18/19	F	-	L	F00,0	300	-	-	-	-	-	R	S	220	-	-	-	-	
SWM	VAREZ	125	18/19	N	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
250 c.c.				250 c.c.																	
SWM	MC S	250	16→	M	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5	
SWM	MC S	250	16→	M	910SP	L	S	260	120	3,0	4	6,5									
SWM	MC S	250	16→	M	392	L	S	260	120	3,5	4	6,5									
SWM	MC S	250	16→	M	1164X	L	F00,0	260	120	3,0	4	6,5									
SWM	MC S	250	16→	M	1325XK17	L	KF	*270	120	3,0	4	6,5									
SWM	MC S	250	16→	M	1325XBHK17	L	KF	*270	120	3,0	4	6,5									
SWM	MC S	250	16→	M	722K11	L	KF	*320	120	5,0	4	6,5									
SWM	MC S	250	16→	M	722XK11	L	KF	*318	120	5,0	4	6,5									
SWM	MC S	250	16→	M	722SPK11	L	KF	*320	120	5,0	4	6,5									
300 c.c.				300 c.c.																	
SWM	FT R SUPERMOTARD	300	17	F	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0	
SWM	FT R SUPERMOTARD	300	17	F	910SP	L	S	260	120	3,0	4	6,5									
SWM	RS R	300	15/18	E	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0	
SWM	RS R	300	15/18	E	910SP	L	S	260	120	3,0	4	6,5									
SWM	RS R	300	15/18	E	392	L	S	260	120	3,5	4	6,5									
SWM	RS R	300	15/18	E	1164X	L	F00,0	260	120	3,0	4	6,5									
SWM	RS R	300	15/17	E	1325XK16	L	KF	*270	120	3,0	4	6,5									
SWM	RS R	300	15/17	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5									
SWM	RS R	300	15/17	E	722K27	L	KF	*320	120	5,0	4	6,5									
SWM	RS R	300	15/17	E	722XK27	L	KF	*318	120	5,0	4	6,5									
SWM	RS R	300	15/17	E	722SPK27	L	KF	*320	120	5,0	4	6,5									
SWM	RS R	300	19	E	910 / 910X	L	S	260	120	3,0	4	6,5	1193 / 1193X	R	S	240	126	4,0	4	19,0	
SWM	RS R	300	19	E	910SP	L	S	260	120	3,0	4	6,5									
SWM	RS R	300	19	E	392	L	S	260	120	3,5	4	6,5									



SWM	RS R		300	19	E	1164X	L	F00,0	260	120	3,0	4	6,5											
340 c.c.						340 c.c.																		
SWM	RS S		340	16→	E	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5			
SWM	RS S		340	16→	E	910SP	L	S	260	120	3,0	4	6,5											
SWM	RS S		340	16→	E	392	L	S	260	120	3,5	4	6,5											
SWM	RS S		340	16→	E	1164X	L	F00,0	260	120	3,0	4	6,5											
SWM	RS S		340	16→	E	1325XK17	L	KF	*270	120	3,0	4	6,5											
SWM	RS S		340	16→	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5											
SWM	RS S		340	16→	E	722K11	L	KF	*320	120	5,0	4	6,5											
SWM	RS S		340	16→	E	722XK11	L	KF	*318	120	5,0	4	6,5											
SWM	RS S		340	16→	E	722SPK11	L	KF	*320	120	5,0	4	6,5											
445 c.c.						445 c.c.																		
SWM	ACE OF SPADES		445	19	D	-X	L	F00,0	320	-	-	-	-	-	R	S	220	-	-	-	-			
SWM	GRAN MILANO		445	16/17	D	-X	L	F00,0	320	-	-	-	-	-	263X / 263	R	S	220	112	4,0	4	9,5		
SWM	GRAN MILANO		445	16/17	D										263SP / 263XSP	R	S	220	112	4,0	4	9,5		
SWM	GRAN MILANO OUTLAW		445	18/19	D	-X	L	F00,0	320	-	-	-	-	-	-	R	S	220	-	-	-	-		
SWM	GRAN TURISMO		445	19	D	-	L	S	260	-	-	-	-	-	-	R	S	220	-	-	-	-		
SWM	SILVER VASE		445	16/17	D	-	L	F00,0	320	-	-	-	-	-	263X / 263	R	S	220	112	4,0	4	9,5		
SWM	SILVER VASE		445	16/17	D										263SP / 263XSP	R	S	220	112	4,0	4	9,5		
SWM	SIX DAYS 440		445	19	D	-X	L	S	260	-	-	-	-	-	-	R	S	220	-	-	-	-		
SWM	SM R		445	18/19	F	-	L	F00,0	320	-	-	-	-	-	1264X	R	S	240	112	4,0	4	9,5		
SWM	VAREZ 400		445	18/19	N	-X	L	F00,0	-	-	-	-	-	-	-	R	S	-	-	-	-	-		
500 c.c.						500 c.c.																		
SWM	RS R		500	15/19	E	910X / 910	L	S	260	120	3,0	4	6,5	1193X / 1193	R	S	240	126	4,0	4	19,0			
SWM	RS R		500	15/19	E	910SP	L	S	260	120	3,0	4	6,5											
SWM	RS R		500	15/19	E	392	L	S	260	120	3,5	4	6,5											
SWM	RS R		500	15/19	E	1164X	L	F00,0	260	120	3,0	4	6,5											
SWM	RS R		500	15/17	E	1325XK16	L	KF	*270	120	3,0	4	6,5											
SWM	RS R		500	15/17	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5											
SWM	RS R		500	15/17	E	722K27	L	KF	*320	120	5,0	4	6,5											
SWM	RS R		500	15/17	E	722XK27	L	KF	*318	120	5,0	4	6,5											
SWM	RS R		500	15/17	E	722SPK27	L	KF	*320	120	5,0	4	6,5											
SWM	SM-R		500	15/16	F	1561X / 1561	L	F9,0	320	120	5,0	4	8,5	1193X / 1193	R	S	240	126	4,0	4	19,0			
SWM	SM R		500	18/19	F	-	L	F00,0	320	-	-	-	-	-	1264X	R	S	240	112	4,0	4	9,5		
600 c.c.						600 c.c.																		
SWM	SUPERDUAL T		600	16/19	F	1561X / 1561	L	F9,0	320	120	5,0	4	8,5	263X / 263	R	S	220	112	4,0	4	9,5			
SWM	SUPERDUAL T		600	16/19	F									263SP	R	S	220	112	4,0	4	9,5			
SWM	SUPERDUAL X		600	17/19	F	-X	L	S	300	-	-	-	-	-	-	R	S	240	-	-	-	-		
650 c.c.						650 c.c.																		
SWM	RS R		650	15/16	E	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5			
SWM	RS R		650	15/16	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5			
SWM	RS R		650	15/17	E	1325XK16	L	KF	*270	120	3,0	4	6,5											
SWM	RS R		650	15/17	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5											
SWM	RS R		650	17	E	-	-	-	-	-	-	-	-	263X / 263	R	S	220	112	4,0	4	9,5			
SWM	RS R		650	17	E									263SP	R	S	220	112	4,0	4	9,5			
SWM	SM-R		650	15/16	F	1561X / 1561	L	F9,0	320	120	5,0	4	8,5	1193X / 1193	R	S	240	126	4,0	4	19,0			
SYM ELECTRIC						SYM ELECTRIC																		
SYM	EF1	E	19	SV		1011X	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-			
SYM	E-M10	E	19	SV		-	L	S	160	-	3,5	3	10,5	-	-	-	-	-	-	-	-			
SYM	E-SYMETRY	E	12/13	SV		108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-			
SYM	E-VIRID DE LUXE	E	12/15	SV		108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-			
SYM	E-WOO	E	11	SV		108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-			
50 c.c.						50 c.c.																		
SYM	ALLO	50	12/13	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-			
SYM	ALLO	50	12/13	S		1022 / 1022X	L	MD	190	58	3,7	3	MH											
SYM	CHA-CHA / CITY HOPPER	50	99→	S		108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-			
SYM	CINDARELLA	50	99/02	S		108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-			
SYM	CROX	50	19	S		-	L	S	226	-	-	-	-	Drum	-	-	-	-	-	-	-			
SYM	DD	50	04/07	S		108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-			
SYM	FANCY	50	98/06	S		023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
SYM	FANCY	50	98/06	S		1022 / 1022X	L	MD	190	58	3,7	3	MH											
SYM	FIDDLE / S / II / III 12' wheels	50	08/18	S		1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-			
SYM	FIDDLE III	50	19	S		-	L	-	226	-	-	-	-	Drum	-	-	-	-	-	-	-			
SYM	JET	50	95/17	S		023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
SYM	JET	50	95/17	S		1022 / 1022X	L	MD	190	58	3,7	3	MH											
SYM	JET 4	50	09/11	S		1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-			
SYM	JET 4 / R / NAKED	50	12/19	S		1206X	L	S	226	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-			
SYM	JET 14 i L.C. 14"	50	17/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	-	-	-	220	-	-	-	-			
SYM	JET EURO X	50	06/09	S		1070	L	S	190	80	4,0	5	10,5	Drum	-	-	-	-	-	-	-			
SYM	JET SPORT X SR	50	07/02	S		1354X	L	S	190	58	4,0	3	10,5	1355	L	S	160	60	4,0	4	6,5			
SYM	JUNGLE	50	99/02	S		023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
SYM	JUNGLE	50	99/02	S		1022 / 1022X	L	MD	190	58	3,7	3	MH											



SYM	MIO i	50	06/19	S		108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYM	ORBIT	50	08/09	S		1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-
SYM	ORBIT 2T / ORBIT II / TS	50	14/18	S		303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
SYM	ORBIT 2T / ORBIT II / TS	50	14/18	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	PURE	50	98	S		023	L	S	190	58	3,5	3	8,5		Drum	-	-	-	-	-	-	-
SYM	PURE	50	98	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	RED DEVIL	50	07	S		1070	L	S	190	80	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYM	SR	50	99	S		162	L	F18,0	267	64	5,0	6	8,5		Drum	-	-	-	-	-	-	-
SYM	SUPER FANCY	50	99/00	S		108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYM	SUPER FANCY	50	01/17	S		107	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYM	SUPER FANCY	50	01/17	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	SUPER FANCY	50	01/17	S		1300X	L	FO	*220	58	3,5	3	10,5			-	-	-	-	-	-	-
SYM	SYMPLY	50	09/13	S		303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
SYM	SYMPLY	50	09/13	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	SYMPLY	50	09/13	S		1300X	L	FO	*220	58	3,5	3	10,5			-	-	-	-	-	-	-
SYM	SYMPLY II	50	14/15	S		303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
SYM	SYMPLY II	50	14/15	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	SYMPHONY	50	09/17	S		1313 / 1313X	L	S	226	59	4,0	5	10,5		1313 / 1313X	C	S	226	59	4,0	5	10,5
SYM	SYMPHONY CARGO	50	19	S		-	L	S	260	-	-	-	-		-	-	-	240	-	-	-	-
SYM	SYMPHONY LX	50	19	S		-	L	S	-	-	-	-	-		-	-	-	-	-	-	-	-
SYM	SYMPHONY S 4T / LX 4T	50	10/18	S		1313 / 1313X	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYM	SYMPHONY S 4T	50	19	S		1313 / 1313X	L	S	226	59	4,0	5	10,5		-	-	-	226	-	-	-	-
SYM	SYMPHONY SR 4T	50	10/19	S		1313X / 1313	L	S	226	59	4,0	5	10,5		1313X / 1313	C	S	226	59	4,0	5	10,5
SYM	SYMPHONY ST	50	15/17	S		1572X	L	S	260	106,2	4,0	5	10,5		1573X	C	S	240	102,3	4,0	5	10,5
SYM	SYMPHONY ST	50	18/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5		1573X	C	S	240	102,3	4,0	5	10,5
SYM	X-PRO	50	12/17	S		107	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYM	X-PRO	50	12/17	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	X-PRO	50	12/17	S		1300X	L	FO	*220	58	3,5	3	10,5			-	-	-	-	-	-	-
100 c.c.						100 c.c.																
SYM	CINDARELLA	100	99/02	S		108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYM	JET	100	95/17	S		023	L	S	190	58	3,5	3	8,5		Drum	-	-	-	-	-	-	-
SYM	JET	100	95/17	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	JET EURO	100	07/08	S		1070	L	S	190	80	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYM	SUPER FANCY	100	95→	S		108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYM	MIO	100	05/15	S		108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
115 c.c.						115 c.c.																
SYM	MIO i CBS	115	18/19	S		108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
125 c.c.						125 c.c.																
SYM	ALLO 4T	125	12/17	S		303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
SYM	ALLO 4T	125	12/17	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	ATTILA	125	95/00	S		108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYM	CROX i CBS	125	19	S		-	L	S	226	-	-	-	-		Drum	-	-	-	-	-	-	-
SYM	CRUI SYM i ABS	125	18/19	S		1779X	L	S	260	128	4,0	5	10,5		1512X	R	S	240	100	5,0	5	10,5
SYM	FNX CBS	125	19	S		1313X / 1313	L	S	226	59	4,0	5	10,5		-	-	S	190	-	-	-	-
SYM	FIDDLE / II / II S	125	08/16	S		1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-
SYM	FIDDLE III 4T CBS 12' wheels	125	14/17	S		303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
SYM	FIDDLE III 4T CBS 12' wheels	125	14/17	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	FIDDLE III 4T CBS 12" wheels	125	18	S		303	L	S	190	58	4,0	3	8,5		1788	L	S	220	59	4,0	5	10,5
SYM	FIDDLE III 4T CBS 12' wheels	125	18	S		1022 / 1022X	L	MD	190	58	3,7	3	MH			-	-	-	-	-	-	-
SYM	FIDDLE III 4T E4 CBS	125	19	S		-	L	Sxxx	226	-	-	-	-		-	C	S	220	-	-	-	-
SYM	GTS / GTS Efi	125	06/07	S		-	-	-	-	-	-	-	-		1156 / 1156X	R	S	200	73	4,5	3	10,5
SYM	GTS i EVO / E3	125	08/16	S		1158	L	S	240	98	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
SYM	HD 2	125	10→	S		1126	L	S	220	96,5	4,0	5	10,5		1126	L	S	220	96,5	4,0	5	10,5
SYM	HD 2 i / CBS / EVO	125	10/18	S		1516X	L	S	226	96,5	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
SYM	HD E3	125	07/08	S		1126	L	S	220	96,5	4,0	5	10,5		-	-	-	-	-	-	-	-
SYM	HD EURO / HD E3	125	03/04	S		1126	L	S	220	96,5	4,0	5	10,5		-	-	-	-	-	-	-	-
SYM	HD EVO / HD EVO CBS	125	07/17	S		1126	L	S	220	96,5	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
SYM	JET 4	125	09/18	S		1313X / 1313	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYM	JET 14 i A.C. 14' CBS	125	17/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYM	JET 14 i L.C. CBS 14" wheels	125	17/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5		1788	L	S	220	59	4,0	5	10,5
JOYMAX MODELS																						
SYM	JOYMAX ABS / i GTS	125	15/18	S		1779X	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
SYM	JOYMAX i / Xi	125	12/14	S		1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
SYM	JOYMAX i / Xi / i ABS START/STOP	125	15/16	S		1779X	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
SYM	JOYMAX i COMFORT / ABS	125	16/17	S		1779X	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
SYM	JOYMAX i S & S / ABS - i SPORT ABS	125	15/17	S		1779X	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
SYM	JOYRIDE	125	01/04	S		1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
SYM	JOYRIDE EVO / E2	125	09/14	S		1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
SYM	JOYRIDE EVO	125	10/14	S		1157	L	S	224	173	4,0	5	10,5		-	R	S	220	-	-	-	-
SYM	JOYRIDE EVO	125	15/17	S		-	L	S	273	-	-	-	-		-	R	S	220	-	-	-	-
SYM	JOYRIDE i S CBS	125	19	S		-	L	S	273	-	-	-	-		-	R	S	200	-	-	-	-
SYM	MASK CBS	125	19	S		-X	L															



SYM	MEGALO	125	00/07	S		108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-		
SYM	NEW DUKE	125	00/01	S		108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-		
SYM	MX EURO / E2	125	02/04	S		1157	L	S	224	173	4,0	5	10,5	1156 / 1156X	R	S	200	73	4,5	3	10,5	
SYM	SHARK / E2	125	99/02	S		1157	L	S	224	173	4,0	5	10,5	1156 / 1156X	R	S	200	73	4,5	3	10,5	
SYM	SR	125	98	S		108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-		
SYM	SUPER DUKE	125	96/02	S		108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-		
SYM	SYMNH T	125	19	R		-	R	S	260	-	-	-	-	-	-	S	222	-	4,0	5	10,5	
SYM	SYMNH X	125	19	R		-	R	S	288	-	-	5	-	-	-	S	222	-	4,0	5	10,5	
SYM	SYMPLY 4T / ORBIT 11	125	09/15	S		1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-	
SYM	SYMPHONY	125	09/18	S		1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SYM	SYMPHONY CARGO E4 / CBS	125	17/18	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	-	-	-	-	-	-	-	-	
SYM	SYMPHONY DD	125	09	S		1313 / 1313X	L	S	226	59	4,0	5	10,5	-	-	-	-	-	-	-	-	
SYM	SYMPHONY LX CBS	125	19	S		-	L	S	260	-	-	5	10,5	-	-	L	S	240	-	-	-	-
SYM	SYMPHONY S i CBS	125	10/19	S		1313 / 1313X	L	S	226	59	4,0	5	10,5	1313 / 1313X	C	S	226	59	4,0	5	10,5	
SYM	SYMPHONY S CARGO CBS	125	17/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	-	-	C	S	240	-	-	-	-
SYM	SYMPHONY SR	125	10/17	S		1313X / 1313	L	S	226	59	4,0	5	10,5	1313 / 1313X	C	S	226	59	4,0	5	10,5	
SYM	SYMPHONY SR E4 / SR CBS	125	18/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	-X	-	C	S	240	-	-	-	-
SYM	SYMPHONY ST	125	15/17	S		1572X	L	S	260	106,2	4,0	5	10,5	1573X	C	S	240	102,3	4,0	5	10,5	
SYM	SYMPHONY ST E4 CBS	125	18/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	-	-	-	-	240	-	-	-	-
SYM	SYMPHONY ST L.C. E4 ABS	125	18/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	1788	L	S	220	59	4,0	5	10,5	
SYM	VS / VS E3	125	06/16	S		1157	L	S	224	173	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SYM	WOLF	125	14/16	D		-	R	S	260	-	-	-	-	-	-	R	S	220	-	-	-	-
SYM	X-PRO / X-PRO i CBS	125	12/17	S		107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
SYM	X-PRO / X-PRO i CBS	125	12/17	S		1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
SYM	X-PRO / X-PRO i CBS	125	12/17	S		1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
SYM	XS	125	16/17	S		-	R	S	240	-	-	-	-	Drum	-	-	-	-	-	-	-	
150 c.c.						150 c.c.																
SYM	ALLO / FIDDLE II	150	12/13	S		1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
SYM	ATTILA	150	00/01	S		108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
SYM	DRG	150	19	S		-	L	S	260	-	-	5	-	-	-	S	230	-	-	-	-	
SYM	DURO MX	150	02/04	S		1157	L	S	224	173	4,0	5	10,5	-	-	-	-	-	-	-	-	
SYM	JET 4	150	12/16	S		1313X / 1313	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SYM	JOYRIDE / EVO	150	01/10	S		1157	L	S	224	173	4,0	5	10,5	1156 / 1156X	R	S	200	73	4,5	3	10,5	
SYM	MX EURO / MX E2	150	02/04	S		1157	L	S	224	173	4,0	5	10,5	1156 / 1156X	R	S	200	73	4,5	3	10,5	
SYM	SHARK	150	00/01	S		1157	L	S	224	173	4,0	5	10,5	-	-	-	-	-	-	-	-	
SYM	SUPER DUKE	150	99/02	S		108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
SYM	SYMPHONY	150	09	S		1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SYM	SYMPHONY	150	12→	S		1313 / 1313X	L	S	226	59	4,0	5	10,5	1313X / 1313	C	S	226	59	4,0	5	10,5	
SYM	SYMPHONY S	150	10/14	S		1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SYM	SYMPHONY SR	150	10/14	S		1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	C	S	226	59	4,0	5	10,5	
SYM	VS / VS E3	150	07/08	S		1157	L	S	224	173	4,0	5	10,5	-	-	-	-	-	-	-	-	
170 c.c.						170 c.c.																
SYM	FIDDLE III ABS	170	19	S		-	L	Sxxx	226	-	-	-	-	-	-	-	220	-	-	-	-	
SYM	JET 14 i A.C. 14'	170	18/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SYM	JET 14 i L.C. 14" wheels	170	18/19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	1788	L	S	220	59	4,0	5	10,5	
SYM	SYMPHONY ST E4 ABS	170	19	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	-	-	C	S	240	-	-	-	-
175 c.c.						175 c.c.																
SYM	JOYRIDE S	175	19	S		-	L	S	240	-	-	-	-	-	-	R	S	200	-	-	-	-
183 c.c.						183 c.c.																
SYM	VF 185	183	19	S		-	R	S	250	-	-	-	-	-	-	R	S	200	-	-	-	-
200 c.c.						200 c.c.																
SYM	FIDDLE III	200	14/15	S		107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
SYM	FIDDLE III	200	14/15	S		1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
SYM	FIDDLE III	200	14/15	S		1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
SYM	FIDDLE III i ABS	200	16/19	S		107	L	S	190	58	4,0	3	10,5	-	-	S	220	-	-	-	-	
SYM	FIDDLE III i ABS	200	16/19	S		1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
SYM	FIDDLE III i ABS	200	16/19	S		1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
SYM	GTS	200	07/08	S		1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	GTS	200	12	S		1158	L	S	240	98	4,0	5	10,5	1156 / 1156X	L	S	200	73	4,5	3	10,5	
SYM	HD 2	200	03/04	S		1126	L	S	220	96,5	4,0	5	10,5	-	-	-	-	-	-	-	-	
SYM	HD 2 EVO	200	05/12	S		1126	L	S	220	96,5	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	HD 2 EVO	200	13	S		1516X	L	S	226	96,5	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	HD 2 i / HD2 i CBS	200	10/18	S		1516X	L	S	226	96,5	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	HD 3 EVO i	200	07/10	S		1126	L	S	220	96,5	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	HD EVO	200	07/10	S		1126	L	S	220	96,5	4,0	5	10,5	-	-	-	-	-	-	-	-	
SYM	HD EVO	200	11	S		1126	L	S	220	96,5	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	JET 14 i E4 ABS 14" wheels	200	17/18	S		1697XG	L	F15,0	260	106,2	4,0	5	10,5	1788	L	S	220	59	4,0	5	10,5	
SYM	JOYRIDE	200	01/09	S		1157	L	S	224	173	4,0	5	10,5	1156 / 1156X	R	S	200	73	4,5	3	10,5	
SYM	JOYRIDE i S ABS	200	18/19	S		-	L	S	273	-	-	-	-	-	-	R	S	200	-	-	-	-
SYM	JOYRIDE EVO i	200	09/14	S		1157	L	S	224	173	4,0	5	10,5	1156 / 1156X	R	S	200	73	4,5	3	10,5	
SYM	JOYRIDE EVO i	200	15/17	S		-	L	S	273	-	-	-	-	-	-	R	S	220	-	-	-	-
SYM	JOYMAX / i E3	200	05/08	S		1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	JOYMAX EVO	200	09→	S		1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	



SYM	JOYMAX ABS	200	15/16	S	1779X	L	S	260	128	4,0	5	10,5	1512X	R	S	240	100	5,0	5	10,5	
SYM	JOYMAX i / EVO	200	10/12	S	1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	SYMPHONY ST	200	15	S	1572X	L	S	260	106,2	4,0	5	10,5	1573X	C	S	240	102,3	4,0	5	10,5	
SYM	SYMPHONY ST i CBS	200	16/17	S	1572X	L	S	260	106,2	4,0	5	10,5	1788	C	S	220	59	4,0	5	10,5	
SYM	SYMPHONY ST i L.C. E4 ABS	200	18	S	1697XG	L	F15,0	260	106,2	4,0	5	10,5	1573X	C	S	240	102,3	4,0	5	10,5	
250 c.c.					250 c.c.																
SYM	CRUiSYM i	250	18/19	S	1779X	L	S	260	128	4,0	5	10,5	1512X	R	S	240	100	5,0	5	10,5	
SYM	GTS	250	07/08	S	1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	JOYMAX / JOYMAX i E3	250	05/08	S	1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	JOYMAX i	250	03/09	S	1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	JOYMAX / I SPORT / ABS	250	15/16	S	1779X	L	S	260	128	4,0	5	10,5	1512X	R	S	240	100	5,0	5	10,5	
SYM	JOYMAX Xi	250	10/12	S	1158	L	S	240	98	4,0	5	10,5	1589X	R	S	240	98	5,0	5	10,5	
SYM	WOLF SB Ni	250	12/13	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
300 c.c.					300 c.c.																
SYM	CITYCOM i	300	08/10	S	1522	L	S	260	121	4,0	5	10,5	1470	L	S	260	98	4,0	5	10,5	
SYM	CITYCOM i	300	16/18	S	1522	L	S	260	121	4,0	5	10,5	1849	R	S	260	-	5,5	5	10,5	
SYM	CITYCOM S	300	15	S	1522	L	S	260	121	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SYM	CITYCOM i S CBS	300	16/19	S	1522	L	S	260	121	4,0	5	10,5	-	L	S	260	-	-	-	-	
SYM	CRUiSYM i ABS	300	17/19	S	1779X	L	S	260	128	4,0	5	10,5	1512X	R	S	240	100	5,0	5	10,5	
SYM	GTS EVO	300	09/10	S	1158	L	S	240	98	4,0	5	10,5	-	-	-	-	-	-	-	-	
SYM	HD ABS	300	19	S	xxxxX	L	S	288	68,8	4,5	5	10,0	----X	R	S	260	-	-	-	-	
JOYMAX MODELS																					
SYM	JOYMAX i - Xi	300	12/13	S	1158	L	S	240	98	4,0	5	10,5	1589X	R	S	240	98	5,0	5	10,5	
SYM	JOYMAX i COMFORT / ABS	300	09/13	S	1779X	L	S	260	128	4,0	5	10,5	1512X	R	S	240	100	5,0	5	10,5	
SYM	JOYMAX i COMFORT / ABS	300	14/18	S	1779X	L	S	260	128	4,0	5	10,5	-	R	S	260	-	-	-	-	
SYM	JOYMAX i EVO	300	09/12	S	1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
SYM	JOYMAX i GTS	300	12/16	S	1448X	L	S	260	128	3,5	5	10,5	1589X	R	S	240	98	5,0	5	10,5	
SYM	JOYMAX i S & S / ABS	300	15/17	S	1779X	L	S	260	128	4,0	5	10,5	-	R	S	260	-	-	-	-	
SYM	JOYMAX i SPORT / ABS	300	14/19	S	1779X	L	S	260	128	4,0	5	10,5	-	R	S	240	-	-	-	-	
SYM	WOLF CAFÉ RACER	300	15/17	D	-	R	S	260	-	-	-	-	-	R	S	220	-	-	-	-	
SYM	WOLF CLASSIC	300	15/17	D	-	R	S	260	-	-	-	-	-	R	S	220	-	-	-	-	
SYM	WOLF CR i ABS	300	19	D	-	R	Fxx,x	288	-	-	5	-	-	R	S	220	-	4,0	-	10,5	
400 c.c.					400 c.c.																
SYM	MAXSYM i / ABS	400	11/19	S	1449X	L/R	S	275	127,5	5,0	5	10,5	1449X	R	S	275	127,5	5,0	5	10,5	
465 c.c.					465 c.c.																
SYM	MAXSYM TL 1 ABS	465	18/19	S	-	L/R	S	275	-	-	-	-	-	R	S	275	-	-	-	-	
500 c.c.					500 c.c.																
SYM	MAXSYM	500	15/16	S	1449X	L/R	S	275	127,5	5,0	5	10,5	1449X	R	S	275	127,5	5,0	5	10,5	
600 c.c.					600 c.c.																
SYM	MAXSYM i ABS / SPORT	600	14/19	S	1449X	L/R	S	275	127,5	5,0	5	10,5	1449X	R	S	275	127,5	5,0	5	10,5	
TAMORETTI					TAMORETTI																
50 c.c.					50 c.c.																
TAMORETTI	RETRO	50	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-	
125 c.c.					125 c.c.																
TAMORETTI	RETRO / STEALTH	125	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TANK					TANK																
150 c.c.					150 c.c.																
TANK	RACER DS	150	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5	
TGB					TGB																
50 c.c.					50 c.c.																
TGB	101 R	50	04/09	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
TGB	101 R	50	04/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	101 R	50	04/09	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	202 CLASSIC	50	03/14	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
TGB	202 CLASSIC	50	03/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	202 CLASSIC	50	03/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	303 R LASER / R HAWK	50	04/14	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
TGB	303 R LASER / R HAWK	50	04/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	303 R LASER / R HAWK	50	04/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	303 REVOLUTION / RS	50	02/03	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
TGB	303 REVOLUTION / RS	50	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	303 REVOLUTION / RS	50	02/03	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	AKROS TEC	50	94/04	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
TGB	AKROS TEC	50	94/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	AKROS TEC	50	94/04	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	BULLET R X	50	17/18	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
TGB	BULLET R X	50	17/18	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	BULLET R X	50	17/18	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	CITY 2T / 4T	50	07→	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
TGB	CITY 2T / 4T	50	07→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	CITY 2T / 4T	50	07→	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	DELIVERY / EXPRESS	50	04/12	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
TGB	DELIVERY / EXPRESS	50	04/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TGB	DELIVERY / EXPRESS	50	04/12	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
TGB	ERGON	50	93→	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC-TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR	REFERENCE	SIDE	DISC-TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
TGB	EXPRESS	50	17/18	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-
TGB	EXPRESS	50	17/18	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	EXPRESS	50	17/18	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	F409 CRUISE	50	02/05	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	F409 CRUISE	50	02/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	F409 CRUISE	50	02/05	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	HIGH WHEEL / TRIGGER	50	02/03	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	HIGH WHEEL / TRIGGER	50	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	HIGH WHEEL / TRIGGER	50	02/03	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	HIW'S	50	99	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	HIW'S	50	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	HIW'S	50	99	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	KEY WEST 2T	50	06/15	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-
TGB	KEY WEST 2T	50	06/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	KEY WEST 2T	50	06/15	S	1300X	L	FO	*220	58	3,5	3	10,5									
90 c.c.					90 c.c.																
TGB	AKROS / HIW'S	90	99	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	AKROS / HIW'S	90	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	AKROS / HIW'S	90	99	S	1300X	L	FO	*220	58	3,5	3	10,5									
125 c.c.					125 c.c.																
TGB	202 T / 303 R	125	99	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	202 T / 303 R	125	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	202 T / 303 R	125	99	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	303 REVOLUTION	125	02/03	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	303 REVOLUTION	125	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	303 REVOLUTION	125	02/03	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	309 RS	125	00	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	309 RS	125	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	309 RS	125	00	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	BELLAVITA i	125	18	S	-	L	S	220	-	-	-	-	-	R	S	220	-	-	-	-	-
TGB	EXPRESS	125	17/18	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-
TGB	EXPRESS	125	17/18	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	EXPRESS	125	17/18	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	F409 CRUISE	125	02/05	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	F409 CRUISE	125	02/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	F409 CRUISE	125	02/05	S	1300X	L	FO	*220	58	3,5	3	10,5									
TGB	X-MOTION Efi / R	125	08/18	S	1132	L	S	260	130	5,0	5	10,5	1133	R	S	220	104	5,0	5	10,5	
150 c.c.					150 c.c.																
TGB	303 R / 309 RS	150	00	S	107	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-
TGB	303 R / 309 RS	150	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TGB	303 R / 309 RS	150	00	S	1300X	L	FO	*220	58	3,5	3	10,5									
250 c.c.					250 c.c.																
TGB	X-MOTION Efi / R	250	08/18	S	1132	L	S	260	130	5,0	5	10,5	1133	R	S	220	104	5,0	5	10,5	
300 c.c.					300 c.c.																
TGB	BELLAVITA i	300	18	S	-	L	S	220	-	-	-	-	-	R	S	220	-	-	-	-	-
TGB	X-MOTION Efi / R	300	10/18	S	1132	L	S	260	130	5,0	5	10,5	1133	R	S	220	104	5,0	5	10,5	
TM					TM																
80 c.c.					80 c.c.																
TM	EN	80	98/03	A-E	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-	-
85 c.c.					85 c.c.																
TM	MX	85	05/12	A-M	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-	-
TM	MX	85	05/12	A-M	1405X	L	F00,0	270	-	3,0	6	6,5									
TM	MX	85	05/12	A-M	1405XBH	L	F00,0	270	-	3,0	6	6,5									
TM	MX	85	13	A-M	1703X	L	S	240	64,5	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5	
TM	MX 19 / 16"	85	18/19	M	1776X	L	S	220	-	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5	
TM	MX JUNIOR 17 / 14"	85	18/19	M	1776X	L	S	220	-	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5	
TM	SMX JUNIOR 19 / 16"	85	18/19	F	1776X	L	S	220	-	3,0	7	6,5	1744X	R	S	190	95,5	3,5	4	6,5	
TM	SMX JUNIOR 19 / 16"	85	18/19	F	1703X	L	S	*240	64,5	3,0	7	6,5									
125 c.c.					125 c.c.																
TM	CROSS / ENDURO / MX	125	00	M-E	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-	-
TM	CROSS / ENDURO / MX	125	00	M-E	1405X	L	F00,0	270	-	3,0	6	6,5									
TM	CROSS / ENDURO / MX	125	00	M-E	1405XBH	L	F00,0	270	-	3,0	6	6,5									
TM	E / GS / MC / MX / XC	125	90/92	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5	
TM	EN	125	02/03	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-	-
TM	EN / MX	125	04/14	E	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5	
TM	EN / MX	125	04/14	E	1405X	L	F00,0	270	-	3,0	6	6,5									
TM	EN / MX	125	04/14	E	1405XBH	L	F00,0	270	-	3,0	6	6,5									
TM	EN 2T / MX 2T	125	15/19	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5	
TM	EN 2T / MX 2T	125	15/19	E-M	1405X	L	F00,0	270	-	3,0	6	6,5									
TM	EN 2T / MX 2T	125	15/19	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5									
TM	M	125	05/09	M	ND / NA	L	F9,0	270	-	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0	
TM	MC	125	90/92	M	-	-	-	-	-	-	-	-	322	R	S	220	115	5,0	6	6,5	
TM	MX	125	02/04	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-	-
TM	MX - EN	125	98/01	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-	-



C.C.	YEAR	MODEL TYPE	FRONT	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
TM	SM	125	14	F	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM	SMM	125	14	F	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM	SMM 2T	125	18/19	F	1426X	L	F00,0	318	-	5,0	6	6,5	-	C	S	-	-	-	-	-
TM	SMR	125	05/10	F	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM	SMR	125	14	F	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM	SMR 2T	125	18/19	F	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
144 c.c.					144 c.c.															
TM	EN	144	08/09	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
TM	EN / MX	144	10/14	E-M	1299X	L	F00,0	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM	EN / MX	144	15/19	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	EN / MX	144	15/19	E-M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN / MX	144	15/19	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	MX	144	08/09	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
250 c.c.					250 c.c.															
TM	CC Fi ES 2T / EN 2T	250	18/19	E	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	CC Fi ES 2T / EN 2T	250	18/19	E	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	CC Fi ES 2T / EN 2T	250	18/19	E	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	EN 4T	250	00	E	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM	EN 4T	250	00	E	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN 4T	250	00	E	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	EN / MX	250	98/01	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM	EN / MX / MX F	250	02/04	E-M	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM	EN / EN F / MX / MX F	250	04/14	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM	EN / EN F / MX / MX F	250	04/14	E-M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN / EN F / MX / MX F	250	04/14	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	MX 2T / MX Fi 4T	250	18/19	M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	MX 2T / MX Fi 4T	250	18/19	M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	MX 2T / MX Fi 4T	250	18/19	M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	SMM 2T / SMM Fi	250	17/19	F	1426X	L	F00,0	318	-	5,0	6	6,5	-	R	S	220	-	-	-	-
TM	SMR 2T / SMR Fi	250	17/19	F	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	SMX Fi 4T	250	17/18	F	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM	SMX Fi 4T	250	19	F	-X	L	F00,0	305	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
300 c.c.					300 c.c.															
TM	CC F ES 2T	300	19	E	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	CC F ES 2T	300	19	E	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	CC F ES 2T	300	19	E	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	EN	300	10/13	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM	EN / MX	300	06/09	M-E	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
TM	EN / MX	300	14	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM	EN / MX	300	14	E-M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN / MX	300	14	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	EN ES 2T / EN Fi 4T	300	19	E	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	EN ES 2T / EN Fi 4T	300	19	E	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN ES 2T / EN Fi 4T	300	19	E	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	EN Fi / MX Fi	300	15/18	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	EN Fi / MX Fi	300	15/18	E-M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN Fi / MX Fi	300	15/18	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	FLAT TRACK FT ES 2T	300	17/19	FT	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	FLAT TRACK FT ES 2T	300	17/19	FT	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	FLAT TRACK FT ES 2T	300	17/19	FT	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	MX ES 2T	300	19	M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	MX ES 2T	300	19	M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	MX ES 2T	300	19	M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	MX 2T / MX Fi 4T	250	19	M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	MX 2T / MX Fi 4T	250	19	M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	MX 2T / MX Fi 4T	250	19	M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	SMM 2T	300	17/19	F	1426X	L	F00,0	318	-	5,0	6	6,5	-	R	S	-	-	-	-	-
TM	SMR 2T	300	17/19	F	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	SMX	300	14	F	-	L	F00,0	305	-	5,5	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM	SMX ES 2T	300	18/19	F	-X	L	F00,0	305	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
400 c.c.					400 c.c.															
TM	EN / CROSS 4T	400	00/03	M-E	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
TM	EN / CROSS 4T	400	00/03	M-E	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN / CROSS 4T	400	00/03	M-E	1405XBH	L	F00,0	270	-	3,0	6	6,5								
450 c.c.					450 c.c.															
TM	EN	450	14/15	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
TM	EN F / MX F	450	05/14	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5
TM	EN F / MX F	450	05/14	E-M	1405X	L	F00,0	270	-	3,0	6	6,5			S					
TM	EN F / MX F	450	05/14	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5			S					
TM	EN ES Fi 4T	450	19	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5
TM	EN ES Fi 4T	450	19	E-M	1405X	L	F00,0	270	-	3,0	6	6,5								
TM	EN ES Fi 4T	450	19	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5								
TM	EN Fi / MX Fi 4T	450	15/19	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5



		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
TM	EN Fi / MX Fi 4T	450	15/19	E-M	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	EN Fi / MX Fi 4T	450	15/19	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TM	FLAT TRACK Fi	450	16	FT	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5				
TM	FLAT TRACK FT ES 2T	450	17/19	FT	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
TM	FLAT TRACK FT ES 2T	450	17/19	FT	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	FLAT TRACK FT ES 2T	450	17/19	FT	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TM	SMM Fi	450	17/18	F	1426X	L	F00,0	318	-	5,0	6	6,5	-	R	S	-	-	-	-	-				
TM	SMR F	450	14	F	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5				
TM	SMR Fi	450	15/18	E	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
TM	SMR ES 4T	450	19	E	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
TM	SMX Fi	450	14	F	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5				
TM	SMX Fi	450	14	F	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	SMX Fi	450	14	F	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TM	SMX ES Fi 4T	450	18/19	F	-X	L	F00,0	305	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
530 c.c.					530 c.c.																			
TM	EN / CROSS 4T	530	03	M-E	1763X	L	S	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-				
TM	EN / CROSS 4T	530	03	M-E	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	EN / CROSS 4T	530	03	M-E	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TM	EN F / MX F	530	04/14	M-E	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5				
TM	EN F / MX F	530	04/14	M-E	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	EN Fi / MX Fi 4T	530	15/19	E-M	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
TM	EN Fi / MX Fi 4T	530	15/19	E-M	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	EN Fi / MX Fi 4T	530	15/19	E-M	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TM	FLAT TRACK FT ES 2T	530	17/19	FT	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
TM	FLAT TRACK FT ES 2T	530	17/19	FT	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	FLAT TRACK FT ES 2T	530	17/19	FT	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TM	SM	530	14	F	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5				
TM	SMM Fi 4T	530	14	F	1426X	L	F00,0	318	-	5,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5				
TM	SMR Fi 4T	530	16	F	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5				
TM	SMR Fi 4T	530	17/19	F	1426X	L	F00,0	318	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
TM	SMX Fi 4T	530	10/14	F	-	-	-	-	-	-	-	-	1765X	R	S	243	114	4,0	4	6,5				
TM	SMX Fi 4T	530	17	F	ND / NA	L	F00,0	305	-	5,5	6	6,5	1425X	R	S	245	-	4,0	4	6,5				
TM	SMX Fi 4T	530	18/19	F	-X	L	F00,0	305	-	5,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
660 c.c.					660 c.c.																			
TM	SMX Fi	660	04/14	E	1763X	L	S	270	70,5	3,0	6	6,5	1765X	R	S	243	114	4,0	4	6,5				
TM	SMX Fi	660	04/14	E	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	SMX Fi	660	04/14	E	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TM	SMX Fi	660	15	E	1763X	L	S	270	70,5	3,0	6	6,5	1764X	R	S	240	114	4,0	4	6,5				
TM	SMX Fi	660	15	E	1405X	L	F00,0	270	-	3,0	6	6,5												
TM	SMX Fi	660	15	E	1405XBH	L	F00,0	270	-	3,0	6	6,5												
TNG					TNG																			
50 c.c.					50 c.c.																			
TNG	LS / SS	50	-	S	1265X	L	S	185	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-				
150 c.c.					150 c.c.																			
TNG	LOW BOY / MILANO	150	-	S	1265X	L	S	185	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-				
TNG	LOW BOY VOLARE	150	-	S	1265X	L	S	185	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-				
TNG	VOLARE GS LOW BOY	150	-	S	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5				
TNG	VOLARE ZNEN GS	150	-	S	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5				
TNG	VL	150	-	S	-	-	-	-	-	-	-	-	1022 / 1022X	-	MD	190	58	3,7	3	MH				
250 c.c.					250 c.c.																			
TNG	TS	250	-	S	-	-	-	-	-	-	-	-	1265X	-	S	185	58	3,5	3	10,5				
TOMOS					TOMOS																			
50 c.c.					50 c.c.																			
TOMOS	SE	50	05	A	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5				
125 c.c.					125 c.c.																			
TOMOS	SE 4T	125	05/06	E	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5				
TOMOS	SM 4T	125	05/06	F	801	L	T	300	90	4,0	6	6,5	836	R	T	218	62	3,5	3	8,5				
TOMOS	SM 4T	125	05/06	F	1103	L	F00,0	300	90	4,0	6	6,5												
TOMOS	SM 4T	125	05/06	F	1068	L	F00,0	300	90	4,0	6	6,5												
TORROT					TORROT																			
ELECTRIC					ELECTRIC																			
TORROT	CONTACT TX	E	17	TV	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5				
TORROT	CONTACT TX	E	17	TV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5				
TORROT	CONTACT TX	E	17	TV									1570X	R	FIM	150	45	3,0	4	6,5				
TORROT	MOVAK	E	18	UV	-	-	-	-	-	-	-	-	xxxx	R	S	185	45	3,0	4	6,5				
MUVI MODELS																								
TORROT	MUVI BUSINESS	E	19	SV	1653	L	S	220	58	4,0	3	10,5	1086	R	S	190	58	4,0	3	10,5				
TORROT	MUVI BUSINESS	E	19	SV									1022	R	MD	190	58	3,7	3	MH				
TORROT	MUVI CITY EDITION / EXECUTIVE	E	16/17	SV	1653	L	S	220	58	4,0	3	10,5	1086	R	S	190	58	4,0	3	10,5				
TORROT	MUVI CITY EDITION / EXECUTIVE	E	16/17	SV									1022	R	MD	190	58	3,7	3	MH				
TORROT	MUVI CITY EDITION / EXECUTIVE	E	18/19	SV	1653	L	S	220	58	4,0	3	10,5	1652	R	S	200	58	4,0	3	10,5				
TORROT	MUVI REBEL	E	19	SV	1653	L	S	220	58	4,0	3	10,5	1652	R	S	200	58	4,0	3	10,5				
TORROT	KIDS ONE ENDURO	E	19	EV	-	-	S	160	46	1,8	5	6,5	-	-	S	160	46	1,8	5	6,5				
TORROT	KIDS TWO ENDURO	E	19	TV	-	-	S	160	46	1,8	5	6,5	-	-	S	160	46	1,8	5	6,5				

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
TORROT	KIDS TWO SUPERMOTARD	E	19	TV	-	-	S	160	46	1,8	5	6,5			-	-	S	160	46	1,8	5	6,5		
TORROT	KIDS TWO TRIAL	E	19	TV	-	-	S	160	46	1,8	5	6,5			-	-	S	160	46	1,8	5	6,5		
TORROT	T10 / T12 KIDS	E	17	TV	-	L	S	160	-	-	-	-			-	R	S	160	-	-	-	-	-	
TORROT	S10 / S12 KIDS	E	17	FV	-	L	S	160	-	-	-	-			-	R	S	160	-	-	-	-	-	
TORROT	E10 / 12 KIDS	E	17	EV	-	L	S	160	-	-	-	-			-	R	S	160	-	-	-	-	-	
TORROT	S12 59 M. SIMONCELLI	E	17	FV	-	L	S	160	-	-	-	-			-	R	S	160	-	-	-	-	-	
TORROT	VELOCIPEDO	E	19	TSV	-	-	S	240	-	-	3	-			-	L/R	S	195						
TORROT	VELOCIPEDO CARGO	E	19	TSV	-	-	S	240	-	-	3	-			-	L/R	S	195						

TRIUMPH					TRIUMPH																
600 c.c.					600 c.c.																
TRIUMPH	BABY SPEED	600	01/03	R	1755G / 1755XG	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	BABY SPEED	600	01/03	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5									
TRIUMPH	DAYTONA	600	03/07	R	1755G / 1755XG	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	DAYTONA	600	03/07	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5									
TRIUMPH	SPEED FOUR	600	02/06	R	1755G / 1755XG	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	SPEED FOUR	600	02/06	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5									
TRIUMPH	TT	600	00/04	E	1755G / 1755XG	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	TT	600	00/04	E	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5									
650 c.c.					650 c.c.																
TRIUMPH	DAYTONA	650	05/06	R	1755G / 1755XG	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	DAYTONA	650	05/06	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5									
660 c.c.					660 c.c.																
TRIUMPH	STREET TRIPLE S / ABS	660	16/18	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
675 c.c.					675 c.c.																
TRIUMPH	DAYTONA / R / ABS	675	06/12	S6	1728G / 1728XG	L/R	F14,0	310	84,5	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	DAYTONA / R / ABS	675	13/17	S6	1508 / 1508X	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
TRIUMPH	DAYTONA / R / ABS	675	13/17	S6	1675G	L/R	F00,0	310	82,5	5,0	5	10,5									
TRIUMPH	STREET TRIPLE / ABS	675	08/12	N	1728G / 1728XG	L/R	F14,0	310	84,5	5,0	5	10,5		1509	R	S	220	85	4,0	4	10,5
TRIUMPH	STREET TRIPLE / ABS	675	13/16	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
TRIUMPH	STREET TRIPLE R	675	07/12	N	1728G / 1728XG	L/R	F14,0	310	84,5	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH	STREET TRIPLE R / Rx ABS	675	13/15	N	1508 / 1508X	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
TRIUMPH	STREET TRIPLE R / Rx ABS	675	13/15	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5									
TRIUMPH	STREET TRIPLE Rx ABS	675	16/17	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
750 c.c.					750 c.c.																
TRIUMPH	BONNEVILLE	750	01/06	C	1163	L	S	310	144	5,0	6	10,5		1259 / 1259X	R	S	255	105	5,0	4	10,5
TRIUMPH	BONEVILLE AMERICA	750	02	C	1267	L	S	310	144	5,0	6	8,5		-	L	S	255	-	-	-	-
TRIUMPH	BONNEVILLE AMERICA	750	02	C	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5									
TRIUMPH	BONEVILLE T100	750	01/04	C	-	-	-	-	-	-	-	-		1259 / 1259X	R	S	255	105	5,0	4	10,5
TRIUMPH	DAYTONA	750	91/92	N	-	-	-	-	-	-	-	-		1824	R	S	256	115	5,5	6	10,5
TRIUMPH	TRIDENT	750	91/98	N	-	-	-	-	-	-	-	-		1824	R	S	256	115	5,5	6	10,5
765 c.c.					765 c.c.																
TRIUMPH	STREET TRIPLE S / ABS	765	17	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
TRIUMPH	STREET TRIPLE R / RS / ABS	765	17/18	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
TRIUMPH	STREET TRIPLE R / RS / ABS	765	19	N	xxxxG	L/R	F00,0	310	82,5	4,5	5	10,5		1667	R	S	220	82	5,0	4	10,5
800 c.c.					800 c.c.																
TRIUMPH	BONNEVILLE / AMERICA	800	01/06	R	1163	L	S	310	144	5,0	6	10,5		1471	-	S	285	144	6,0	5	10,5
TRIUMPH	BONNEVILLE	800	07/13	R	-	-	-	-	-	-	-	-		1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE / T100	800	01/07	R	1267	L	S	310	144	5,0	6	8,5		1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE / T100	800	01/07	R	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5									
TRIUMPH	BONNEVILLE Efi / T100	800	08	R	1267	L	S	310	144	5,0	6	8,5		1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE Efi / T100	800	08	R	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5									
TRIUMPH	SPEEDMASTER	800	03/04	C	1163	L	S	310	144	5,0	6	10,5		1471	-	S	285	144	6,0	5	10,5
TRIUMPH	TIGER	800	10/14	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	TIGER	800	10/14	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5									
TRIUMPH	TIGER ABS	800	11/15	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER ABS	800	11/15	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5									
TRIUMPH	TIGER SE	800	14	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER SE	800	14	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5		1259E	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XC	800	10/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1259 / 1259X	R	S	255	105	5,0	4	10,5
TRIUMPH	TIGER XC	800	10/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5									
TRIUMPH	TIGER XC ABS	800	11/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XC ABS	800	11/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5									
TRIUMPH	TIGER XC ABS	800	18	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5		1704 / 1704X	R	S	255	105	5,5	4	10,5
TRIUMPH	TIGER XCa	800	15/19	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5		1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCa	800	15/19	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1259E	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCa ABS	800	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCa ABS	800	17/19	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5		1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCR / XR	800	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCR / XR	800	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5		1259E	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCR ABS	800	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCR ABS	800	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5									
TRIUMPH	TIGER XCx	800	14/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5		1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCx	800	14/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5		1259E	R	S	255	105	6,0	4	10,5



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
TRIUMPH	TIGER XCx ABS	800	14/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCx ABS	800	14/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XCx LOW ABS	800	16	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XCx LOW ABS	800	17/18	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XR ABS	800	15/18	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XR ABS	800	15/18	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XR ABS	800	19	U	xxxxG / xxxxXG	L/R	F00,0	305	82,5	4,5	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XR LOW ABS	800	16	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XR LOW ABS	800	16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XRt	800	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRt	800	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRt ABS	800	15/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1707 / 1707X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRt ABS	800	18/19	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1745 / 1745X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRx	800	15/17	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRx	800	15/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRx ABS	800	15/17	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1707X / 1707	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRx ABS	800	15/17	U	1695XG / 1695G	L/R	F00,0	305	82,5	5,0	5	10,5								
TRIUMPH	TIGER XRx ABS	800	18/19	U	1695XG / 1695G	L/R	F00,0	305	82,5	5,0	5	10,5	1707X / 1707	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER XRx LOW / ABS	800	18	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1745 / 1745X	R	S	255	105	6,0	4	10,5
865 c.c.					865 c.c.															
TRIUMPH	AMERICA	865	06/16	C	1267	L	S	310	144	5,0	6	8,5	1331 / 1331X	-	S	255	105	6,0	4	10,5
TRIUMPH	AMERICA	865	06/16	C	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5	1259E	-	S	255	105	6,0	4	10,5
BONNEVILLE MODELS																				
TRIUMPH	BONNEVILLE 850 SE	865	09/13	D	1508 / 1508X	L	F00,0	310	82,5	5,0	5	10,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE 850 SE	865	09/13	D	1675G	L	F00,0	310	82,5	5,0	5	10,5								
TRIUMPH	BONNEVILLE ACE	865	15	D	1680	L	F00,0	310	78	5,0	5	10,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE	865	05/09	R	1163	L	S	310	144	5,0	6	10,5	1259	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE	865	10→	R	1809G	L	F00,0	310	82,5	5,5	5	10,5	1259E	L	S	255	105	6,0	4	10,5
TRIUMPH	BONNEVILLE	865	10→	R	1675G	L	F00,0	310	82,5	5,0	5	10,5	1331 / 1331X	L	S	255	105	6,0	4	10,5
TRIUMPH	BONNEVILLE NEW CHURCH / SPIRIT	865	15/16	R	1492	L	S	310	78	5,0	5	10,5	1259E	L	S	255	105	6,0	4	10,5
TRIUMPH	BONNEVILLE NEW CHURCH / SPIRIT	865	15/16	R	1680	L	F00,0	310	78	5,0	5	10,5	1331 / 1331X	L	S	255	105	6,0	4	10,5
TRIUMPH	BONNEVILLE T100	865	05/13	D	1267	L	S	310	144	5,0	6	8,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE T100	865	05/13	D	1163	L	S	310	144	5,0	6	10,5	1259	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE T100 / T100 35kW	865	17/18	D	1508 / 1508X	L	F00,0	310	82,5	5,0	5	10,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	BONNEVILLE T100 / T100 35kW	865	17/18	D	1675G	L	F00,0	310	82,5	5,0	5	10,5								
TRIUMPH	BONNEVILLE T100 / T214	865	14/16	R	1267	L	S	310	144	5,0	6	8,5	1259E	L	S	255	105	6,0	4	10,5
TRIUMPH	BONNEVILLE T100 / T214	865	14/16	R	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5	1331 / 1331X	L	S	255	105	6,0	4	10,5
TRIUMPH	Q-BIKE	865	12/13	R	1267	L	S	310	144	5,0	6	8,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	Q-BIKE	865	12/13	R	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5								
TRIUMPH	MR. BROWN By SBF	865	12/13	R	1267	L	S	310	144	5,0	6	8,5	-	-	-	-	-	-	-	-
TRIUMPH	MR. BROWN By SBF	865	12/13	R	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5								
TRIUMPH	SCRAMBLER	865	06/16	D	1267	L	S	310	144	5,0	6	8,5	1259 / 1259X	R	S	255	105	5,0	4	10,5
TRIUMPH	SCRAMBLER	865	06/16	D	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5								
TRIUMPH	SPEEDMASTER	865	03/04	C	1267	L	S	310	144	5,0	6	8,5	-	-	-	-	-	-	-	-
TRIUMPH	SPEEDMASTER	865	03/04	C	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5								
TRIUMPH	SPEEDMASTER	865	05/09	C	1163	L/R	S	310	144	5,0	6	10,5	1471	-	S	285	144	6,0	5	10,5
TRIUMPH	SPEEDMASTER	865	10/15	C	1492	L	S	310	78	5,0	5	10,5	1471	-	S	285	144	6,0	5	10,5
TRIUMPH	SPEEDMASTER	865	10/15	C	1680	L	F00,0	310	78	5,0	5	10,5								
TRIUMPH	STEVE MC QUEN SE	865	12	R	1680	L	F00,0	310	78	5,0	5	10,5	1259	L	S	255	105	5,0	4	10,5
TRIUMPH	THRUXTON T914 / ACE	865	04/15	R	1429	L	F00,0	318	144	5,0	6	10,5	1259	L	S	255	105	5,0	4	10,5
TRIUMPH	THE RUNNER	865	12/13	R	1267	L	S	310	144	5,0	6	8,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH	THE RUNNER	865	12/13	R	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5								
885 c.c.					885 c.c.															
TRIUMPH	ADVENTURER	885	96/01	R	125	L	S	317	144	6,0	6	10,5	1471	-	S	285	144	6,0	5	10,5
TRIUMPH	ADVENTURER	885	96/01	R	1073	L	S	316	144	5,0	6	10,5								
TRIUMPH	ADVENTURER	885	96/01	R	1429	L	F00,0	318	144	5,0	6	10,5								
TRIUMPH	LEGEND TT	885	99/01	R	1471	L	S	285	144	6,0	5	10,5	1471	-	S	285	144	6,0	5	10,5
TRIUMPH	SPEED TRIPLE CARBONO	885	94/96	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
TRIUMPH	THUNDERBIRD	885	95/03	C	125	L	S	317	144	6,0	6	10,5	1471	-	S	285	144	6,0	5	10,5
TRIUMPH	THUNDERBIRD	885	95/03	C	1073	L	S	316	144	5,0	6	10,5								
TRIUMPH	THUNDERBIRD	885	95/03	C	1429	L	F00,0	318	144	5,0	6	10,5								
TRIUMPH	THUNDERBIRD 900 / 900S	885	96/04	R	1267	L	S	310	144	5,0	6	8,5	1471	-	S	285	144	6,0	5	10,5
TRIUMPH	THUNDERBIRD 900 / 900S	885	96/04	R	1739 / 1739X	L	F00,0	310	144	5,0	6	8,5								
TRIUMPH	TIGER i	885	98/99	R	1163	L	S	310	144	5,0	6	10,5	1331	R	S	255	105	6,0	4	10,5
TRIUMPH	TIGER i	885	98/99	R									1259E	R	S	255	105	6,0	4	10,5
900 c.c.					900 c.c.															
TRIUMPH	ADVENTURER	900	96/01	D	125	L	S	317	144	6,0	6	10,5	-	R	S	-	-	-	-	-
TRIUMPH	AMERICA	900	07	D	1163	L	S	310	144	5,0	6	10,5	-	-	-	-	-	-	-	-
BONNEVILLE MODELS																				
TRIUMPH	BONNEVILLE MODELS	900	89/90	R	1472 / 1472X	L/R	F12,8	310	118	5,0	6	10,5	1474	R	S	260	115	5,5	6	10,5
TRIUMPH	BONNEVILLE T100 ABS / T100 35 Kw ABS	900	17/19	D	1809G	L	F00,0	310	82,5	5,5	5	10,5	1704	L	S	255	105	5,5	4	10,5
TRIUMPH	BONNEVILLE T100 BLACK ABS	900	17/19	D	1809G	L	F00,0	310	82,5	5,5	5	10,5	1704	L	S	255	105	5,5	4	10,5
TRIUMPH	DAYTONA	900	94/96	R	-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5



TRIUMPH DAYTONA 885	900	93/96	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
TRIUMPH DAYTONA 900 SUPER 3 750	900	94/96	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
TRIUMPH LEGEND	900	99/01	D	125	L	S	317	144	6,0	6	10,5	-	R	S	-	-	-	-	-
TRIUMPH SCRAMBLER / Efi	900	06/15	D	1163	L	S	310	144	5,0	6	10,5	1259	L	S	255	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE T509	900	97/98	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	101 / 101X	L	S	220	105	5,0	4	10,5
TRIUMPH SPRINT 885	900	94/97	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
TRIUMPH SPRINT SPORT 885	900	97/98	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
TRIUMPH SPRINT EXECUTIVE 885	900	98	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
STREET MODELS																			
TRIUMPH STREET CUP ABS / 35 Kw ABS	900	17/18	D	1809G	L	F00,0	310	82,5	5,5	5	10,5	1704	L	S	255	105	5,5	4	10,5
TRIUMPH STREET SCRAMBLER ABS / 35 Kw ABS	900	17/18	D	xxxx	L	S	310	82,5	5,5	5	10,5	1707	L	S	255	105	6,0	4	10,5
TRIUMPH STREET SCRAMBLER ABS / 35 Kw ABS	900	17/18	D	1809G	L	F00,0	310	82,5	5,5	5	10,5	1704	L	S	255	105	5,5	4	10,5
TRIUMPH STREET SCRAMBLER ABS / 35 Kw ABS	900	19	D	1675G	L	F00,0	310	82,5	5,0	5	10,5	1704	L	S	255	105	5,5	4	10,5
TRIUMPH STREET TWIN ABS / 35 Kw ABS	900	16/18	D	xxxx	L	S	310	82,5	5,5	5	10,5	1704	L	S	255	105	5,5	4	10,5
TRIUMPH STREET TWIN ABS / 35 Kw ABS	900	16/18	D	1809G	L	F00,0	310	82,5	5,5	5	10,5	-	-	-	-	-	-	-	-
TRIUMPH STREET TWIN ABS / 35 Kw ABS	900	19	D	1675G	L	F00,0	310	82,5	5,0	5	10,5	1704	L	S	255	105	5,5	4	10,5
TRIUMPH mR. BROWN By SBF	900	16/17	D	1675G	L	F00,0	310	82,5	5,0	5	10,5	1707	L	S	255	105	6,0	4	10,5
TRIUMPH TIGER	900	93/98	R	204	L/R	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-
TRIUMPH THUNDERBIRD	900	95/03	D	125	L	S	317	144	6,0	6	10,5	-	R	S	-	-	-	-	-
TRIUMPH THUNDERBIRD SPORT	900	03/04	D	125	L	S	317	144	6,0	6	10,5	-	R	S	-	-	-	-	-
TRIUMPH TROPHY 3 CYLINDERS	900	94/01	R	1362 / 1362X	L/R	F13,0	310	115	5,0	6	10,5	--	-	-	-	-	-	-	-
TRIUMPH TRIDENT 885	900	91/98	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
TRIUMPH TROPHY 885	900	91/01	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
950 c.c.												950 c.c.							
TRIUMPH DAYTONA T	950	96/98	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
955 c.c.												955 c.c.							
TRIUMPH DAYTONA / T i	955	97/01	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH DAYTONA i.e.	955	02/06	R	1753G / 1753XG	L/R	F14,5	320	78	4,5	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH DAYTONA ie	955	02/06	R	1255 / 1255X	L/R	F14,5	320	78	5,0	5	10,5	-	-	-	-	-	-	-	-
TRIUMPH DAYTONA / T i / SPEED TRIPLE	955	02/06	R	1753G / 1753XG	L/R	F14,5	320	78	4,5	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH DAYTONA / T i / SPEED TRIPLE	955	02/06	R	1255 / 1255X	L/R	F14,5	320	78	5,0	5	10,5	-	-	-	-	-	-	-	-
TRIUMPH SPRINT RS i.E T625	955	99/04	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
TRIUMPH SPRINT ST / ABS	955	98/04	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	1707 / 1707X	L	S	255	105	6,0	4	10,5
TRIUMPH TIGER i SPOKED WHEELS	955	00/04	R	1471	L/R	S	285	144	6,0	5	10,5	1331	R	S	255	105	6,0	4	10,5
TRIUMPH TIGER i SPOKED WHEELS	955	00/04	R	-	-	-	-	-	-	-	-	1259E	R	S	255	105	6,0	4	10,5
TRIUMPH TIGER i CAST WHEELS	955	04/06	R	-	L/R	S	-	-	-	5	10,5	-	R	S	-	-	-	-	-
1000 c.c.												1000 c.c.							
TRIUMPH DAYTONA 998	1000	91/92	N	-	-	-	-	-	-	-	-	1824	R	S	256	115	5,5	6	10,5
1050 c.c.												1050 c.c.							
SPEED TRIPLE MODELS																			
TRIUMPH SPEED TRIPLE 94 / 94R	1050	15/16	N	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE 94 / 94R	1050	15/16	N	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	-	-	-	-	-	-	-	-
TRIUMPH SPEED TRIPLE R	1050	11/13	N	1260G / 1260XG	L/R	F17,5	320	78	5,0	5	10,5	1259 / 1259X	C	S	255	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE R	1050	14/17	N	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	C	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE R	1050	14/17	N	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1259E	C	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE R ABS	1050	11/15	N	1260G / 1260XG	L/R	F17,5	320	78	5,0	5	10,5	1707	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE R ABS	1050	16/17	N	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1707	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE R ABS	1050	16/17	N	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1707X	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE RS ABS	1050	17/18	N	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1704 / 1704X	R	S	255	105	5,5	4	10,5
TRIUMPH SPEED TRIPLE RS ABS	1050	19	N	-G / -XG	L/R	F00,0	320	-	4,5	5	10,5	1704 / 1704X	R	S	255	105	5,5	4	10,5
TRIUMPH SPEED TRIPLE S	1050	05/07	R	1260G / 1260XG	L/R	F17,5	320	78	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE S	1050	11/16	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE S	1050	11/16	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1259E	C	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE S ABS	1050	11/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1707	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE S ABS	1050	11/17	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1707X	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE S ABS	1050	18	N	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1704 / 1704X	R	S	255	105	5,5	4	10,5
TRIUMPH SPEED TRIPLE S ABS	1050	19	N	-G / -XG	L/R	F00,0	320	-	4,5	5	10,5	1704 / 1704X	R	S	255	105	5,5	4	10,5
TRIUMPH SPEED TRIPLE	1050	05/07	R	1260G / 1260XG	L/R	F17,5	320	78	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE	1050	16/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259 / 1259X	C	S	255	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE	1050	16/17	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	-	-	-	-	-	-	-	-
TRIUMPH SPEED TRIPLE / ABS	1050	08/10	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE / ABS	1050	08/10	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	-	-	-	-	-	-	-	-
TRIUMPH SPEED TRIPLE ABS	1050	11/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259 / 1259X	C	S	255	105	5,0	4	10,5
TRIUMPH SPEED TRIPLE ABS	1050	11/17	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	-	-	-	-	-	-	-	-
TRIUMPH SPEED TRIPLE T	1050	11/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T	1050	11/17	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1259E	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T ABS	1050	11/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1707	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T ABS	1050	11/17	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1707X	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T R	1050	11/15	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T R	1050	11/15	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1259E	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T R ABS	1050	11/15	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1707	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T R ABS	1050	11/15	R	1708G / 1708XG	L/R	F00,0	320	150	5,0	5	10,5	1707X	R	S	255	105	6,0	4	10,5
TRIUMPH SPEED TRIPLE T SE	1050	11/12	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5



LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



TRIUMPH ROCKET X L. EDITION ABS				2300	17	C	1255 / 1255X L/R F14,5 320 78 5,0 5 10,5																	
TRRS							TTS																	
125 c.c.							125 c.c.																	
TRRS	ONE 2T	125	17/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T	125	17/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	ONE 2T RAGA RACING	125	18/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T RAGA RACING	125	18/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	125	17/19	U	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	125	17/19	U	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
247.7 c.c.							247.7 c.c.																	
TRRS	ONE 2T / RAGA RACING	248	15/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T / RAGA RACING	248	15/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	ONE 2T GOLD SERIES	248	18/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T GOLD SERIES	248	18/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	248	17/19	U	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	248	17/19	U	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
272 c.c.							272 c.c.																	
TRRS	ONE 2T / RAGA RACING	272	15/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T / RAGA RACING	272	15/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	ONE 2T GOLD SERIES	272	18/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T GOLD SERIES	272	18/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	272	17/19	U	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	272	17/19	U	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
294.1 c.c.							294.1 c.c.																	
TRRS	ONE 2T / RAGA RACING	294	15/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T / RAGA RACING	294	15/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	ONE 2T GOLD SERIES	294	18/19	T	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	ONE 2T GOLD SERIES	294	18/19	T	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	294	17/19	U	715X	L S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5					
TRRS	X-TRACK 2T	294	17/19	U	715SP	L S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5					
TVS							TVS																	
310 c.c.							310 c.c.																	
TRRS	APACHE RR	310	18	T	-	L S	-	-	-	-	-	-	R	S	-	-	-	-	-	-	-	-	-	
UM							UM																	
125 c.c.							125 c.c.																	
RENEGADE MODELS																								
UM	RENEGADE COMMANDO	125	16/18	C	-	L S	280	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-	-	
UM	RENEGADE DSR ADVENTURE / TT	125	16/19	U	-	L S	300	-	-	-	-	-	R	S	220	-	-	-	-	-	-	-	-	
UM	RENEGADE DSR Ex	125	16/18	E	-	L S	260	-	-	-	-	-	R	S	220	-	-	-	-	-	-	-	-	
UM	RENEGADE DSR SUPERMOTARD	125	16/19	F	-	L S	300	-	-	-	-	-	R	S	220	-	-	-	-	-	-	-	-	
UM	RENEGADE SCRAMBLER CLASSIC / S	125	16/18	N	-	L S	300	-	-	-	-	-	R	S	220	-	-	-	-	-	-	-	-	
UM	RENEGADE SPORT	125	16/19	N	-	L S	220	-	-	-	-	-	R	S	240	-	-	-	-	-	-	-	-	
UM	RENEGADE SPORT S	125	16/18	C	-	L S	280	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-	-	
UM	RENEGADE VEGAS	125	18/19	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
UM	RENEGADE XTREET	125	18/19	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
UM	RENEGADE XTREET SS	125	16/17	R	-	L S	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
UM	RENEGADE XTREET RC	125	16/18	N	-	L S	250	-	-	-	-	-	R	S	240	-	-	-	-	-	-	-	-	
280 c.c.							280 c.c.																	
RENEGADE MODELS																								
UM	RENEGADE COM. CLASSIC ABS	280	18	C	-	L S	280	-	-	-	-	-	R	S	-	-	-	-	-	-	-	-	-	
UM	RENEGADE CLASSIC / COMMANDO	280	18	C	-	L S	280	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-	-	
UM	RENEGADE MOJAVE ABS / SPORT S	280	18	C	-	L S	280	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-	-	
URAL							URAL																	
750 c.c.							750 c.c.																	
URAL	CLASSIC W / SIDECAR	750	19	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	CLASSIC W / SIDECAR	750	19	D									1306	L	F00,0	245	90	5,0	5	8,5				
URAL	cT W / SIDECAR	750	19	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	cT W / SIDECAR	750	19	D									1306	L	F00,0	245	90	5,0	5	8,5				
URAL	M70 W / SIDECAR	750	14/18	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	M70 W / SIDECAR	750	14/18	D									1306	L	F00,0	245	90	5,0	5	8,5				
URAL	RANGER	750	13	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	
URAL	RANGER W / SIDECAR	750	11/19	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	RANGER W / SIDECAR	750	11/19	D									1306	L	F00,0	245	90	5,0	5	8,5				
URAL	RETRO W / SIDECAR	750	11/18	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	RETRO W / SIDECAR	750	11/18	D									1306	L	F00,0	245	90	5,0	5	8,5				
URAL	RETRO SOLO / SOLO	750	15/18	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	SCRAMBLER	750	15/16	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	SOLO ST	750	15/18	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
SPORTSMAN MODELS																								
URAL	SPORTSMAN W / SIDECAR	750	11/19	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	SPORTSMAN W / SIDECAR	750	11/19	D									1306	L	F00,0	245	90	5,0	5	8,5				
URAL	CROSS W / SIDECAR	750	11/19	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				
URAL	CROSS W / SIDECAR	750	11/19	D									1306	L	F00,0	245	90	5,0	5	8,5				
URAL	PATROL 2WD	750	06/11	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	
URAL	TOURIST W / SIDECAR	750	11/19	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5				

		C.C.	YEAR	MODEL TYPE	FRONT								REAR							
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
URAL	TOURIST W / SIDECAR	750	11/19	D									1306	L	F00,0	245	90	5,0	5	8,5
PUSTINJA MODELS																				
URAL	PUSTINJA II W / SIDECAR	750	14/18	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
URAL	PUSTINJA II W / SIDECAR	750	14/18	D									1306	L	F00,0	245	90	5,0	5	8,5
URAL	T TWD W / SIDECAR	750	11/19	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
URAL	T TWD W / SIDECAR	750	11/19	D									1306	L	F00,0	245	90	5,0	5	8,5
UVM					UVM															
50 c.c.					50 c.c.															
VENTO	BINGO	50	99→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
125 c.c.					125 c.c.															
VENTO	BINGO	125	99→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
VAN.EKO					VAN.EKO															
ELECTRIC					ELECTRIC															
VAN..EKO	THE BE.E	E	17	SV	303	L	S	190	58	4,0	3	8,5	1622	R	S17,0	190	58	4,0	5	5,0
VENTO					VENTO															
50 c.c.					50 c.c.															
VENTO	DYNAMITE	50	17	S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-
VENTO	RUNNER	50	17	S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-
150 c.c.					150 c.c.															
VENTO	PHANTERA	150	08/10	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
VENTO	PHANTOM R4	150	05	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
VENTO	PHANTOM R4i / R5	150	09/10	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
VERTEMATI					VERTEMATI															
500 c.c.					500 c.c.															
VERTEMATI	CROSS C	500	01/04	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
VERTEMATI	CROSS C	500	01/04	M	724K27	L	KF	*320	101	5,0	6	6,5								
VERTEMATI	CROSS C	500	01/04	M	724XK27	L	KF	*318	101	5,0	6	6,5								
VERTEMATI	CROSS C	500	01/04	M	724SPK27	L	KF	*320	101	5,0	6	6,5								
VERTIGO					VERTIGO															
50 c.c.					50 c.c.															
VERTIGO	MINI VANDAL 16" & 20"	50	17/19	T	1447X	L	S	160	-	1,8	6	5,0	1447X	R	S	160	-	1,8	6	5,0
250 c.c.					250 c.c.															
VERTIGO	VANDAL R / VANDAL S	250	17	T	715X / 715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	VANDAL R / VANDAL S	250	17	T									1570X	R	FIM	150	45	3,0	4	6,5
COMBAT MODELS																				
VERTIGO	COMBAT TITANIUM R	250	18/19	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT TITANIUM R	250	18/19	T	715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT VERTICAL LAMPKIN REPLICA	250	18/19	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT VERTICAL LAMPKIN REPLICA	250	18/19	T	715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
299 c.c.					299 c.c.															
COMBAT MODELS																				
VERTIGO	COMBAT CAMO WORKS	299	14/16	T	715X / 715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT CAMO WORKS	299	14/16	T									1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT EVO 2 / VANDAL S / R	299	17	T	715X / 715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT EVO 2 / VANDAL S / R	299	17	T									1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT ICE HELL / TITANIUM R	299	14/17	T	715X / 715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT ICE HELL / TITANIUM R	299	14/17	T									1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT TITANIUM R	299	18/19	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT TITANIUM R	299	18/19	T	715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT VERTICAL	299	16/19	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT VERTICAL	299	16/19	T	715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VERTIGO	COMBAT VERTICAL LAMPKIN REPLICA	299	18/19	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTIGO	COMBAT VERTICAL LAMPKIN REPLICA	299	18/19	T	715SP	L	S	185	-	3,0	4	15,5	650X / 650SP	R	S	150	45	3,0	4	6,5
VESPA					VESPA															
ELECTRIC					ELECTRIC															
VESPA	ELECTRIC 3,5 kW	E	18/19	SV	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VESPA	ELECTRIC 3,5 kW	E	18/19	SV	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	ELECTRIC 3,5 kW	E	18/19	SV	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	ELECTRIC X 4,2 Kw	E	18/19	SV	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VESPA	ELECTRIC X 4,2 Kw	E	18/19	SV	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	ELECTRIC X 4,2 Kw	E	18/19	SV	1815X	L	SO	*220	96,5	4,0	5	6,5								
50 c.c.					50 c.c.															
VESPA	ET2 LX 2T AIR	50	97→	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VESPA	ET2 LX 2T AIR	50	97→	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	ET2 LX 2T AIR	50	97→	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	ET2 / ET2 i.e. / ET4	50	96/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VESPA	ET2 / ET2 i.e. / ET4	50	96/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	ET2 / ET2 i.e. / ET4	50	96/05	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	ET2 4T	50	00/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VESPA	ET2 4T	50	00/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	ET2 4T	50	00/05	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	LX 2T / LX 4T 4V	50	05/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VESPA	LX 2T / LX 4T 4V	50	05/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	LX 2T / LX 4T 4V	50	05/13	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	LX 4T TOURING	50	12/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VESPA	LX 4T TOURING	50	12/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5								



VESPA	LX 4T TOURING	50	12/13	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	LXV 2T	50	07/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-		
VESPA	LXV 2T NAVY	50	08	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	LXV 2T NAVY	50	08	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	LXV 2T NAVY	50	08	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	LXV 4T	50	12→	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-		
VESPA	VEGAS / VEGAS 8-BALL	50	12→	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-		
PRIMAVERA MODELS																				
VESPA	PRIMAVERA 2T / 4T 4V	50	13/18	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	PRIMAVERA 2T / 4T 4V	50	13/18	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 2T / 4T 4V	50	13/18	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T 3V	50	19	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	PRIMAVERA 4T 3V	50	19	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T 3V	50	19	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T TOURING	50	13/18	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	PRIMAVERA 4T TOURING	50	13/18	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T TOURING	50	13/18	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	S 2T / SPORT / S 4T	50	07/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	S 2T / SPORT / S 4T	50	07/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	S 2T / SPORT / S 4T	50	07/13	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	S 4T 4V	50	08/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	S 4T 4V	50	08/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	S 4T 4V	50	08/13	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	S 4T 4V SPORT	50	11/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	S 4T 4V SPORT	50	11/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	S 4T 4V SPORT	50	11/13	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	SPRINT 2T / S 2T / 4T 3V	50	13/18	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-		
VESPA	SPRINT 2T / S 2T / 4T 3V	50	13/18	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	SPRINT 2T / S 2T / 4T 3V	50	13/18	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
125 c.c.													125 c.c.							
VESPA	946 4T 3V ABS	125	13/19	S	1830	L	S	220	105	4,0	6	6,5	1842	L	S	220	105	4,0	6	6,5
VESPA	946 RED 4T 3V ABS	125	13/19	S	1830	L	S	220	105	4,0	6	6,5	1842	L	S	220	105	4,0	6	6,5
VESPA	946 4T 3V ARMANI ABS	125	14/17	S	1830	L	S	220	105	4,0	6	6,5	1842	L	S	220	105	4,0	6	6,5
VESPA	ET 4	125	96/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	ET 4	125	96/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	ET 4	125	96/05	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	GRANTURISMO 4T	125	03/07	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	R	S	220	105	4,0	6	6,5
VESPA	GRANTURISMO L	125	01/03	S	612	L	S	220	58	4,0	5	6,5	366	L	S	175	73	4,0	5	6,5
VESPA	GRANTURISMO L	125	01/03	S	365	L	S	220	58	4,0	5	6,5								
VESPA	GT GRANTURISMO	125	03/06	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
VESPA	GT L	125	98→	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
VESPA	GTS / GTS 4T SUPER i.e.	125	07/17	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	R	S	220	105	4,0	6	6,5
VESPA	GTS 4T i-GET RISS	125	11/17	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
VESPA	GTS 4T I ABS - ASR	125	11/19	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
VESPA	GTS SUPERSPORT i.e.	125	13/16	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
VESPA	GTS TOURING ABS	125	18/19	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
VESPA	GTV 4T NAVY	125	07/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
VESPA	LX / LX E3	125	05/07	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	LX / LX E3	125	05/07	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	LX / LX E3	125	05/07	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	LX i.e. 4T 3V	125	05/15	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	LX i.e. 4T 3V	125	05/15	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	LX i.e. 4T 3V	125	05/15	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	LXV 4T	125	07/15	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	
VESPA	LXV 4T NAVY	125	08	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	LXV 4T NAVY	125	08	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	LXV 4T NAVY	125	08	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T i.e. 3V	125	15/18	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	PRIMAVERA 4T i.e. 3V	125	15/18	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T i.e. 3V	125	15/18	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T i.e. 3V ABS	125	19	S	xxxx	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	PRIMAVERA 4T i.e. 3V ABS	125	19	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 4T i.e. 3V ABS	125	19	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	PRIMAVERA S 4T i.e. 3V ABS	125	15/18	S	xxxx	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	PRIMAVERA S 4T i.e. 3V ABS	125	15/18	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	PRIMAVERA S 4T i.e. 3V ABS	125	15/18	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 70º	125	15/16	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	PRIMAVERA 70º	125	15/16	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VESPA	PRIMAVERA 70º	125	15/16	S	1815X	L	SO	*220	96,5	4,0	5	6,5								
VESPA	PX 2T / 70º / TOURING	125	96/17	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	
VESPA	PX 2T / 70º / TOURING	125	96/17	S	610F	R	F00,0	200	96,5	4,0	5	6,5								
VESPA	PX 2T / 70º / TOURING	125	96/17	S	1815X	L	SO	*220	96,5	4,0	5	6,5								

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



VESPA	GTS SUPER Hpe ABS-ASR	300	08/19	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	GTS SUPER i.e.	300	08	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	GTS SUPER i.e. ABS	300	10→	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	GTS SUPERSPORT Hpe ABS - ASR	300	10/19	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	GTS SUPER TECH Hpe ABS - ASR	300	19	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	GTS TOURING i.e. / ABS	300	11/17	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	GTV 4T 4V	300	07/14	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	GTV VIA MONTENAPOLEONE	300	10	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	L	S	220	105	4,0	6	6,5		
VESPA	SEI GIORNI ABS	300	17/19	S	113 / 113X	L	S	220	105	4,0	6	6,5			113 / 113X	C	S	220	105	4,0	6	6,5		
VICTORY					VICTORY										VICTORY									
1179 c.c.					1179 c.c.										1179 c.c.									
CRUISERS MODELS																								
VICTORY	CRUISER OCTANTE	1179	16/17	CVT	-	L	S	298	-	-	-	-			-	R	S	298	-	-	-	-		
1500 c.c.					1500 c.c.										1500 c.c.									
VICTORY	CRUISER CROSS ROADS	1500	10	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER CRUISER / DE LUXE	1500	01	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER HAMMER / S	1500	01/07	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER JACKPOT	1500	10	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER KING PIN	1500	08	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER SPORTCRUISER - V92C	1500	01	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER TOURING CRUISER	1500	03	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER VEGAS	1500	08	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER VEGAS 8 BALL	1500	05/07	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
1634 c.c.					1634 c.c.										1634 c.c.									
VICTORY	CRUISER KINGPIN	1634	04/12	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER KINGPIN TOUR	1634	08/09	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER KINGPIN 8-BALL	1634	08/11	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER KINGPIN LOW	1634	09	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER VEGAS	1634	03/10	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER VEGAS 8 BALL	1634	05/10	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER VEGAS JACKPOT / LOW	1634	08/09	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
1731 c.c.					1731 c.c.										1731 c.c.									
VICTORY	CRUISER ARLEN NESS VISION	1731	10/12	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER BOARDWALK ABS	1731	13/16	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER GUNNER ABS	1731	14/17	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER HAMMER 8-BALL	1731	14/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER HAMMER'S	1731	10/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER HIGH-BALL ABS	1731	12/17	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER JUDGE / JUDGE ABS	1731	13/17	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER VEGAS / VEGAS 8-BALL	1731	11/17	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	CRUISER ZACH NESS VEGAS	1731	08/12	CVT	1487	L	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
BAGGERS CROSS MODELS																								
VICTORY	BAGGER CROSS CORY NESS COUNTRY	1731	11/12	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	BAGGER CROSS COUNTRY ABS	1731	10/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	BAGGER CROSS ROADS	1731	10/12	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	MAGNUM / X-1 / ABS	1731	14/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	MAGNUM NESS ABS	1731	14/15	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
TOURING MODELS																								
VICTORY	TOURING CROSS COUNTRY TOUR ABS	1731	14/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	TOURING VISION / VISION TOURING	1731	10/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	TOURING VISION 8 BALL	1731	10/11	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	TOURING VISION STREET	1731	08/09	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VICTORY	TOURING VISION TOUR, All models	1731	08/16	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5			1487	L	F9,7	300	64	5,0	6	8,5		
VILLA					VILLA										VILLA									
50 c.c.					50 c.c.										50 c.c.									
VILLA	AX / GZ / ZX	50	93	S	406	L	S	155	40,6	3,8	3	10,5			Drum	-	-	-	-	-	-	-		
VILLA	AX / GZ / ZX	50	93	S	727	L	SO	*180	40,6	3,5	3	10,5												
VMOTO					VMOTO										VMOTO									
ELECTRIC					ELECTRIC										ELECTRIC									
VMOTO	120 S	E	16/17	SV	-	L	S	-	-	-	-	-			-	-	-	-	-	-	-	-		
VOR					VOR										VOR									
400 c.c.					400 c.c.										400 c.c.									
VOR	EN / SMR C	400	00/02	E	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		
450 c.c.					450 c.c.										450 c.c.									
VOR	EN / SMC / SMR C	450	02	E	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		
VMOTO					VMOTO										VMOTO									
492 / 495 c.c.					492 / 495 c.c.										492 / 495 c.c.									
VOR	EN	492	98/01	E	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		
VOR	EN / MSM	495	98/01	E	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		
500 / 503 c.c.					500 / 503 c.c.										500 / 503 c.c.									
VOR	CROSS / ENDURO	500	98/02	M-E	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		
VOR	MX EX	503	00/01	M	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		
VOR	MX EN	503	00/02	E	-	-	-	-	-	-	-	-			422 / 422X	L	S	220	115	4,0	6	6,5		
VOR	SM	500	99	F	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		
530 c.c.					530 c.c.										530 c.c.									
VOR	EN / MSME / SMR C	530	02	E	-	-	-	-	-	-	-	-			288	L	S	220	110	4,0	6	6,5		

VOXAN										VOXAN										
1000 c.c.										1000 c.c.										
VOXAN	BLACK MAGIC	1000	04/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5
VOXAN	BLACK MAGIC	1000	04/08	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
VOXAN	BOXER	1000	00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5
VOXAN	BOXER	1000	00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
VOXAN	CAFÉ RACER - ROADSTER	1000	99/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5
VOXAN	CAFÉ RACER - ROADSTER	1000	99/08	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
VOXAN	CYCLOPE	1000	02	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5
VOXAN	CYCLOPE	1000	02	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
VOXAN	SCRAMBLER	1000	06	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5
VOXAN	SCRAMBLER	1000	06	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
VOXAN	STREET SCRAMBLER	1000	00/08	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5
VOXAN	STREET SCRAMBLER	1000	00/08	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
VOXAN	VB1 EVO	1000	03/04	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5
VOXAN	VB1 EVO	1000	03/04	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
VRBIKES										VRBIKES										
ELECTRIC										ELECTRIC										
VRBIKES	vr3	E	18/19	TSV	1792	L	S	218	62	3,5	3	10,5	1792	L/R	S	218	62	3,5	3	10,5
WAKAN										WAKAN										
1640 c.c.										1640 c.c.										
WAKAN	ROAD / RACING	1640	07	R	-	-	-	-	-	-	-	-	1064	L	S	229	67	5,0	5	8,5
WK TRIKES										WK TRIKES										
- c.c.										- c.c.										
WK TRIKES	WK TRIKES	-	02/03	G	662	L/R	S	240	80	4,0	6	8,5	-	-	-	-	-	-	-	-
WK TRIKES	WK TRIKES	-	02/03	G	847	L/R	T	240	80	4,5	6	8,5								
WOTTAN										WOTTAN										
125 c.c.										125 c.c.										
WOTTAN	STORM Efi	125	15/18	S	-	R	S	-	-	-	-	-	-	S	-	-	-	-	-	-
XISPA										XISPA										
125 c.c.										125 c.c.										
XISPA	X R	125	08/09	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA	X R	125	08/09	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA	X R	125	08/09	T									1570X	R	FIM	150	45	3,0	4	6,5
250 c.c.										250 c.c.										
XISPA	XISPA	250	08/12	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA	XISPA	250	08/12	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA	XISPA	250	08/12	T									1570X	R	FIM	150	45	3,0	4	6,5
280 c.c.										280 c.c.										
XISPA	XPA R	280	08/12	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA	XPA R	280	08/12	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA	XPA R	280	08/12	T									1570X	R	FIM	150	45	3,0	4	6,5
300 c.c.										300 c.c.										
XISPA	XPA	300	10/11	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
XISPA	XPA	300	10/11	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
XISPA	XPA	300	10/11	T									1570X	R	FIM	150	45	3,0	4	6,5
X-TREME										X-TREME										
160 c.c.										160 c.c.										
X-TREME	XM	160	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
YAMAHA										YAMAHA										
50 c.c.										50 c.c.										
YAMAHA	AEROX / NAKED / R 2T	50	97/17	S	107	L	S	190	58	4,0	3	10,5	107	C	S	190	58	4,0	3	10,5
YAMAHA	AEROX / NAKED / R 2T	50	97/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	C	MD	190	58	3,7	3	MH
YAMAHA	AEROX / NAKED / R 2T	50	97/17	S	1300X	L	FO	*220	58	3,5	3	10,5								
YAMAHA	AEROX 4 4T	50	18/19	S	107	L	S	190	58	4,0	3	10,5	107	C	S	190	58	4,0	3	10,5
YAMAHA	AEROX 4 4T	50	18/19	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	C	MD	190	58	3,7	3	MH
YAMAHA	AEROX 4 4T	50	18/19	S	1300X	L	FO	*220	58	3,5	3	10,5								
YAMAHA	AEROX R 2T	50	18	S	1791X	L	S	190	58	4,0	3	10,5	107	C	S	190	58	4,0	3	10,5
YAMAHA	AEROX R 2T	50	18	S	1022X / 1022	L	MD	190	58	3,7	3	MH	1022 / 1022X	C	MD	190	58	3,7	3	MH
YAMAHA	AEROX R 2T	50	18	S	1300X	L	FO	*220	58	3,5	3	10,5								
YAMAHA	AEROX R 4T ST	50	19	S	1791X	L	S	190	58	4,0	3	10,5	107	C	S	190	58	4,0	3	10,5
YAMAHA	AEROX R 4T ST	50	19	S	1022X / 1022	L	MD	190	58	3,7	3	MH	1022 / 1022X	C	MD	190	58	3,7	3	MH
YAMAHA	AEROX R 4T ST	50	19	S	1300X	L	FO	*220	58	3,5	3	10,5								
YAMAHA	AXIS YA / BREEZE YM	50	93/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	AXIS YA / BREEZE YM	50	93/98	S	727	L	SO	*180	40,6	3,5	3	10,5								
YAMAHA	BW'S	50	91/97	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S	50	00	S	1148	-	S10,0	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S 12'	50	04/16	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S / BW'S BUMP	50	93/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S / BW'S BUMP	50	93/95	S	727	L	SO	*180	40,6	3,5	3	10,5								
YAMAHA	BW'S / BW'S NG	50	96/99	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S / S / NAKED / ORIGINAL	50	01/17	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S SPY	50	96	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S MOTO GP	50	99	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S NEXT GENERATION	50	97/07	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-



YAMAHA	BW'S NEXT GENERATION	50	97/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	BW'S NEXT GENERATION	50	97/07	S	1300X	L	FO	*220	58	3,5	3	10,5									
YAMAHA	BW'S R	50	95/96	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	BW'S R	50	95/96	S	727	L	SO	*180	40,6	3,5	3	10,5									
YAMAHA	CR Z	50	91/95	A	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	CR Z	50	91/95	A	727	L	SO	*180	40,6	3,5	3	10,5									
YAMAHA	CW	50	02/07	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	CW	50	02/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	CW	50	02/07	S	1300X	L	FO	*220	58	3,5	3	10,5									
YAMAHA	CW RS	50	99/05	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	CW RS	50	99/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	CW RS	50	99/05	S	1300X	L	FO	*220	58	3,5	3	10,5									
YAMAHA	CW RSP	50	97/98	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	CW RSP	50	97/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	CW RSP	50	97/98	S	1300X	L	FO	*220	58	3,5	3	10,5									
YAMAHA	DT L.C.	50	98	A	399	L	S	220	92	3,0	4	8,5	Drum	-	-	-	-	-	-	-	
YAMAHA	DT L.C.	50	06	A	614	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5	
YAMAHA	DT L.C.	50	08	A	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5	
YAMAHA	DT R	50	97	A	274	L	S	230	112	4,5	6	6,5	Drum	-	-	-	-	-	-	-	
YAMAHA	DT R	50	00/02	A	163	L	S	230	112	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
YAMAHA	DT R	50	03/08	A	350	L	S	240	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5	
YAMAHA	DT R	50	03/08	A	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5	
YAMAHA	DT X / DT SM	50	07/11	A	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5	
YAMAHA	DT X / DT SM	50	07/11	A									836	R	T	218	62	3,5	3	8,5	
YAMAHA	JOG	50	90→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	JOG	50	90→	S	727	L	SO	*180	40,6	3,5	3	10,5									
YAMAHA	JOG R	50	91/01	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	JOG R	50	91/01	S	727	L	SO	*180	40,6	3,5	3	10,5									
YAMAHA	JOG R / JOG RR	50	03/18	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	
YAMAHA	JOG R / JOG RR	50	03/18	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	NEO'S 2T / 4T / 4T UBS	50	97/18	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	
YAMAHA	NEO'S 2T / 4T / 4T UBS	50	97/18	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	NEO'S 4T	50	19	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	
YAMAHA	NEO'S 4T	50	19	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	SLIDER EW	50	99/06	S	107	L	S	190	58	4,0	3	10,5	107	L	S	190	58	4,0	3	10,5	
YAMAHA	SLIDER EW	50	99/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH	
YAMAHA	SLIDER EW	50	99/06	S	1300X	L	FO	*220	58	3,5	3	10,5									
YAMAHA	SLIDER NAKED EW	50	08→	S	107	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	SLIDER NAKED EW	50	08→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
YAMAHA	SLIDER NAKED EW	50	08→	S	1300X	L	FO	*220	58	3,5	3	10,5									
YAMAHA	SPY	50	96/00	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	RS SPY	50	96/00	A	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	TZR	50	97/00	H	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	
YAMAHA	TZR R	50	93/96	H	057	R	S	245	115	4,0	6	6,5	092	R	S	203	48	4,0	4	8,5	
YAMAHA	TZR R	50	97/02	H	057	R	S	245	115	4,0	6	6,5	388	R	S	203	84	4,5	4	8,5	
YAMAHA	SLIDER NAKED EW	50	03/12	H	289	L	S	280	155	4,0	5	6,5	609	R	S	220	102	4,0	5	6,5	
YAMAHA	TZR ROSSI REPLICA	50	08	H	289	L	S	280	155	4,0	5	6,5	609	R	S	220	102	4,0	5	6,5	
YAMAHA	TZR / TZR RR	50	14/15	H	289	L	S	280	155	4,0	5	6,5	609	R	S	220	102	4,0	5	6,5	
YAMAHA	TZR X POWER	50	00/05	H	401	R	S	282	132	4,0	6	8,5	388	R	S	203	84	4,5	4	8,5	
YAMAHA	TZR R CHECA	50	01	H	401	R	S	282	132	4,0	6	8,5	388	R	S	203	84	4,5	4	8,5	
YAMAHA	WHY	50	98/09	S	084	L	S	220	88	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
YAMAHA	YM BREEZE	50	94	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	YM BREEZE	50	94	S	727	L	SO	*180	40,6	3,5	3	10,5									
65 c.c.					65 c.c.																
YAMAHA	YZ 14' / 12'	65	18/19	A-M	1787X	L	S	198	100,2	3,0	3	6,5	757X	R	S	190	84	3,0	4	6,5	
80 c.c.					80 c.c.																
YAMAHA	TZR RR	80	96/98	H-R	401	R	S	282	132	4,0	6	8,5	388	R	S	203	84	4,5	4	8,5	
YAMAHA	YZ	80	86/92	A-M	797 / 797X	L	S	184	84	3,0	4	9,5	797 / 797X	R	S	184	84	3,0	4	9,5	
YAMAHA	YZ / YZ LW	80	93/01	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	757 / 757X	R	S	190	84	3,0	4	6,5	
YAMAHA	YZ LW	80	02/05	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	-	-	-	-	-	-	-	-	
YAMAHA	ZEST YE	80	97/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	ZEST YE	80	97/98	S	727	L	SO	*180	40,6	3,5	3	10,5									
85 c.c.					85 c.c.																
YAMAHA	YZ 17 / 14'	85	93/19	A-M	1599	L	S	220	100,5	3,0	3	6,5	757 / 757X	R	S	190	84	3,0	4	6,5	
YAMAHA	YZ LW 19 / 16'	85	93/19	A-M	1599	L	S	220	100,5	3,0	3	6,5	757 / 757X	R	S	190	84	3,0	4	6,5	
100 c.c.					100 c.c.																
YAMAHA	AEROX	100	00/05	S	107	L	S	190	58	4,0	3	10,5	107	L	S	190	58	4,0	3	10,5	
YAMAHA	AEROX	100	00/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH	
YAMAHA	AEROX	100	00/05	S	1300X	L	FO	*220	58	3,5	3	10,5									
YAMAHA	BW'S	100	00	S	1148	L	S10,0	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
YAMAHA	BW'S 2T	100	01/02	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
YAMAHA	NEO'S	100	00/02	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	

		C.C.	YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
YAMAHA	NEO'S	100	00/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	114 c.c.							
					114 c.c.								114 c.c.							
YAMAHA	D'ELIGHT	114	15/17	S	1548	R	S	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	-
					125 c.c.								125 c.c.							
BRAZIL MODELS																				
YAMAHA	BRAZIL MODEL XTZ LANDER	125	03/10	E	039	L	S	245	86	4,0	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	BRAZIL MODEL XTZ Z	125	11	E	039	L	S	245	86	4,0	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	BRAZIL MODEL XTZ X	125	08/14	E	059	L	S	220	86	4,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	BW'S	125	09/13	S	1036 / 1036X	L	S	220	82	4,0	5	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	CYGNUS X	125	08/17	S	1179	R	S	245	82	4,0	5	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	CYGNUS XC	125	00/03	S	1148	L	S10,0	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	CYGNUS XC	125	06	S	1036 / 1036X	L	S	220	82	4,0	5	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	CYGNUS XC	125	07	S	1179	R	S	245	82	4,0	5	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	D'ELIGHT	125	17/19	S	1548	R	S	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	DT	125	84/87	E	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	DT	125	88/07	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	DT R	125	88/91	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	DT R	125	92/03	E	-	-	-	-	-	-	-	-	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	DT RE	125	05/06	E	1807	L	S	220	115	4,5	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	DT X	125	05/06	F	294 / 294X	L	F00,0	298	132	5,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	DT X	125	05/06	F	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	DT X	125	05/06	F	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	DT X SUPERMOTARD	125	05/06	F	1727 / 1727X	L	S	298	132	5,0	6	8,5	1807	R	S	220	115	4,5	6	8,5
YAMAHA	DT X SUPERMOTARD	125	05/06	F	294 / 294X	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	DT X SUPERMOTARD	125	05/06	F	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	DTZ TENERE	125	89/94	U	390	L	S	230	86	3,5	6	6,5	-	-	-	-	-	-	-	-
YAMAHA	JANUS	125	16/17	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
YAMAHA	MAJESTY YP	125	96/97	S	131	L	S	220	54	4,5	4	10,5	-	-	-	-	-	-	-	-
YAMAHA	MAJESTY YP	125	98/09	S	716	L	S	220	54	4,5	4	8,5	-	-	-	-	-	-	-	-
YAMAHA	MAJESTY YP E / YP LTD	125	01/09	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5,0	3	8,5
YAMAHA	MAJESTY YP DT	125	98/00	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	MAJESTY YP S	125	15/16	S	--	L	S	267	-	-	-	-	--	R	S	245	-	-	-	-
YAMAHA	MAXSTER	125	01/04	U	1099	L	S	245	80	4,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
YAMAHA	MT / MT ABS	125	14/18	N	1454	L	F00,0	292	165	4,5	6	8,5	1490	R	S	230	118	4,0	6	8,5
YAMAHA	MT / MT ABS	125	19	N	1454	L	F00,0	292	165	4,5	6	8,5	1863	R	S	220	105	4,5	3	8,5
YAMAHA	NMAX / NMAX ABS	125	15/19	S	1574 / xxxxxX	R	S	230	115	4,0	3	10,5	1575	R	S	230	120	4,5	3	10,5
YAMAHA	R CUP	125	12	R	1202	L	S	292	155	4,0	5	8,5	1203	R	S	230	102	4,0	5	8,5
YAMAHA	SR	125	95→	R	-	-	-	-	-	-	-	-	483	R	S	267	132	5,0	6	8,5
YAMAHA	SR	125	97/02	R	1195	L	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	SR	125	97/02	R	483	L	S	267	132	5,0	6	8,5								
YAMAHA	SR	125	97/02	R	783	L	S	267	132	4,0	6	8,5								
YAMAHA	TEO'S	125	99/02	S	716	L	S	220	54	4,5	4	8,5	656	R	S	220	105	4,0	4	6,5
YAMAHA	TEO'S	125	03→	S	716	L	S	220	54	4,5	4	8,5	1341	R	S	220	102	5,0	5	8,5
YAMAHA	TRICITY ABS	125	14/19	TS	1620	L/R	S	220	109,8	3,5	3	10,5	1619	R	S	230	117,8	4,0	3	10,5
YAMAHA	TT R	125	00/03	E	399	L	S	220	92	3,0	4	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	TT R LW / E	125	19	M-E	399	L	S	220	92	3,0	4	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	TW	125	99/04	U	785	R	S	220	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA	TDR ITALIAN MODEL	125	89/99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TDR ITALIAN MODEL	125	89/99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
YAMAHA	TDR / TDR JAPANESE	125	93/04	R	321 / 321X	L	S	282	132	5,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TDR R	125	91/93	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TDR R	125	91/93	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
YAMAHA	TZ COMPETITION	125	96/97	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	TZR	125	89/92	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	TZR	125	89/92	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
YAMAHA	VITY / VITY R	125	08/11	S	406	R	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
YAMAHA	VITY / VITY R	125	08/11	S	727	R	SO	*180	40,6	3,5	3	10,5								
YAMAHA	VITY / VITY R	125	12/13	S	1548	R	S	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	WR	125	89/90	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	WR	125	91/92	E	039	L	S	245	86	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	WR	125	93/97	E	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	WR	125	98/01	E	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	WR	125	02/12	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	WR	125	02/12	E	675 / 675X	L	S	250	118	3,0	6	6,5								
YAMAHA	WR	125	98/12	E	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR	125	98/12	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR	125	98/12	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR	125	00/12	E	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR	125	00/12	E	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR	125	00/12	E	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR R	125	09/17	U	1482	L	S	240	86	4,0	6	6,5	-	R	S	220	-	-	-	-
YAMAHA	WR X / WR X SM	125	09/17	F	1727 / 1727X	L	S	298	132	5,0	6	8,5	1807	R	S	220	115	4,5	6	8,5



YAMAHA	WR X / WR X SM	125	09/17	F	294 / 294X	L	F00,0	298	132	5,0	6	8,5										
YAMAHA	WR X / WR X SM	125	09/17	F	294G / 294XG	L	F00,0	298	132	5,0	6	8,5										
YAMAHA	X-CITY	125	08/12	S	1123	L	S	270	128	5,0	6	8,5	1124	R	S	240	92	5,0	4	8,5		
YAMAHA	X-ENTER	125	12/19	S	1443	L	S	267	115	4,0	5	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	X-ENTER URBAN EDITION	125	12/18	S	1443	L	S	267	115	4,0	5	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	X-MAX / i / ABS	125	05/09	S	1081	L	S	267	132	4,5	5	8,5	1124	R	S	240	92	5,0	4	8,5		
YAMAHA	X-MAX / i / ABS	125	05/09	S	1083	L	F00,0	267	132	4,0	5	8,5	1033	R	S	240	92	5,0	4	10,5		
YAMAHA	X-MAX / i / ABS	125	05/09	S	1233X	L	MDF	267	132	4,0	5/6	MH										
YAMAHA	X-MAX YP R / ABS	125	10/13	S	1081	L	S	267	132	4,5	5	8,5	1567	R	S	245	115	5,0	3	8,5		
YAMAHA	X-MAX YP R / ABS	125	10/13	S	1083	L	F00,0	267	132	4,0	5	8,5										
YAMAHA	X-MAX YP R / ABS	125	10/13	S	1233X	L	MDF	267	132	4,0	5/6	MH										
YAMAHA	X-MAX YP R / ABS	125	14/19	S	1634	R	S	267	132	5,0	5	8,5	1757	R	S	245	132	5,0	3	8,5		
YAMAHA	X-MAX IRON MAX YP R ABS	125	18/19	S	1634	R	S	267	132	5,0	5	8,5	1757	R	S	245	132	5,0	3	8,5		
YAMAHA	CRYPTON X	125	05/08	U	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5		
YAMAHA	XT X	125	05	U	614	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5		
YAMAHA	XT X	125	05	U									836	R	T	218	62	3,5	3	8,5		
YAMAHA	XT X	125	07/11	U	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5		
YAMAHA	XT X	125	07/11	U									836	R	T	218	62	3,5	3	8,5		
YAMAHA	XV / XV S VIRAGO	125	97/01	C	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	XV S DRAG STAR	125	97/04	C	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	YBR	125	05/06	N	1320	R	S	245	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	YBR / CLASSIC / CUSTOM	125	07/17	N	1292	R	S	245	114,7	3,5	5	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	YBR / CLASSIC / CUSTOM	125	18/19	N	-	R	S	245	114,7	4,0	5	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	YS	125	17/19	N	1292	R	S	245	114,7	3,5	5	8,5	Drum	-	-	-	-	-	-	-		
YAMAHA	YZ	125	86/87	M	034	L	S	230	86	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5		
YAMAHA	YZ	125	88	M	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5		
YAMAHA	YZ	125	89	M	039	L	S	245	86	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5		
YAMAHA	YZ	125	90/97	M	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5		
YAMAHA	YZ	125	98/01	M	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5		
YAMAHA	YZ	125	98/01	M	719	L	SO	*270	118	3,0	6	6,5										
YAMAHA	YZ	125	98/01	M	1153XK05	L	KF	*270	118	3,0	6	6,5										
YAMAHA	YZ	125	98/01	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5										
YAMAHA	YZ	125	98/01	M	723K13	L	KF	*320	118	5,0	6	6,5										
YAMAHA	YZ	125	98/01	M	723XK13	L	KF	*318	118	5,0	6	6,5										
YAMAHA	YZ	125	98/01	M	723SPK13	L	KF	*320	118	5,0	6	6,5										
YAMAHA	YZ 2T	125	17/19	M	1153X	L	F00,0	270	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5		
YAMAHA	YZ 2T	125	17/19	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5		
YAMAHA	YZ 2T	125	17/19	M	719	L	S	270	118	3,0	6	6,5										
YAMAHA	YZ 2T	125	17/19	M	723K30	L	KF	*320	118	5,0	6	6,5										
YAMAHA	YZ 2T	125	17/19	M	723XK30	L	KF	*318	118	5,0	6	6,5										
YAMAHA	YZ 2T	125	17/19	M	723SPK30	L	KF	*320	118	5,0	6	6,5										
YAMAHA	YZ 2T / CUP, VERSION 1	125	02/16	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5		
YAMAHA	YZ 2T / CUP, VERSION 1	125	02/16	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5		
YAMAHA	YZ 2T	125	02/04	M	1153XK02	L	KF	*270	118	3,0	6	6,5										
YAMAHA	YZ 2T	125	02/04	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5										
YAMAHA	YZ 2T / CUP, VERSION 1	125	08/16	M	1153XK05	L	KF	*270	118	3,0	6	6,5										
YAMAHA	YZ 2T / CUP, VERSION 1	125	08/16	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5										
YAMAHA	YZ 2T	125	02/07	M	723K13	L	KF	*320	118	5,0	6	6,5										
YAMAHA	YZ 2T	125	02/07	M	723XK13	L	KF	*318	118	5,0	6	6,5										
YAMAHA	YZ 2T	125	02/07	M	723SPK13	L	KF	*320	118	5,0	6	6,5										
YAMAHA	YZF R / ABS	125	08/13	R	1202	L	S	292	155	4,0	5	8,5	1203	R	S	230	102	4,0	5	8,5		
YAMAHA	YZF R / YZF R ABS	125	14/18	R	1454	L	F00,0	292	165	4,5	6	8,5	1490	R	S	230	118	4,0	6	8,5		
YAMAHA	YZF R / YZF R ABS	125	19	R	1454	L	F00,0	292	165	4,5	6	8,5	1863	R	S	220	105	4,5	3	8,5		
135 c.c.					135 c.c.																	
ARGENTINA MODEL																						
YAMAHA	ARGENTINA MODEL CRYPTON X	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
COLOMBIA MODEL																						
YAMAHA	COLOMBIA MODEL CRYPTON X	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
GREECE MODEL																						
YAMAHA	GRECE MODEL CRYPTON X	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
INDONESIA MODEL																						
YAMAHA	INDONESIA MODEL JUPITER MX LC	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
MALAYSIA MODEL																						
YAMAHA	MALAYSIA MODEL 135 LC	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
PHILIPPINES MODEL																						
YAMAHA	PHILIPPINES MODEL SNIPER / MX	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
THAILAND MODEL																						
YAMAHA	THAILAND MODEL SPARK / SPARK i	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
VIETNAM MODEL																						
YAMAHA	VIETNAM MODEL EXCITER	135	05/16	S	1696	R	S	267	58	4,0	4	10,5	Drum	-	-	-	-	-	-	-		
150 c.c.					150 c.c.																	
INDONESIA MODELS																						
YAMAHA	INDONESIA MODEL JUPITER MX KING	150	17	S	1734	L	S	245	115	4,0	5	10,5	1735	R	S	203	84	4,0	5	10,5		
YAMAHA	INDONESIA MODEL MX KING DRIFT	150	17	S	1734	R	S	245	115	4,0	5	10,5	1735	R	S	203	84	4,0	5	10,5		

		C.C.	YEAR	MODEL TYPE	FRONT										REAR									
					REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
YAMAHA	INDONESIA MODEL MX KING GP	150	17	S	1734	R	S	245	115	4,0	5	10,5			1735	R	S	203	84	4,0	5	10,5		
YAMAHA	INDONESIA MODEL MX KING RACING	150	17	S	1734	R	S	245	115	4,0	5	10,5			1735	R	S	203	84	4,0	5	10,5		
YAMAHA	INDONESIA MODEL MX KING SPEEDY	150	17	S	1734	R	S	245	115	4,0	5	10,5			1735	R	S	203	84	4,0	5	10,5		
MALAYSIA MODELS																								
YAMAHA	MALAYSIA MODEL Y 15 ZR	150	17	S	1734	R	S	245	115	4,0	5	10,5			1735	R	S	203	84	4,0	5	10,5		
VIETNAM MODELS																								
YAMAHA	VIETNAM MODEL EXCITER	150	15	S	1734	R	S	245	115	4,0	5	10,5			1735	R	S	203	84	4,0	5	10,5		
YAMAHA	VIETNAM MODEL WINNER	150	16/17	S	1766	R	S	256	144,5	4,0	6	10,5			043 / 043X	R	S	220	105	4,0	4	10,5		
YAMAHA	VIETNAM MODEL Y 15 ZR	150	17	S	1734	R	S	245	115	4,0	5	10,5			1735	R	S	203	84	4,0	5	10,5		
YAMAHA	MAJESTY YP / YP TEO'S	150	98/00	S	716	L	S	220	54	4,5	4	8,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	MAJESTY YP / YP E	150	01/06	S	716	L	S	220	54	4,5	4	8,5			658	R	S	190	63	5,0	3	8,5		
YAMAHA	MAXSTER	150	03/04	S	1099	L	S	245	80	4,0	6	8,5			1341	R	S	220	102	5,0	5	8,5		
YAMAHA	MAXSTER XQ	150	01/02	S	-	-	-	-	-	-	-	-			290	R	S	220	102	4,0	5	8,5		
YAMAHA	NMAX	150	15/17	S	1574 / xxxxxX	R	S	230	115	4,0	3	10,5			1575	R	S	230	120	4,5	3	10,5		
YAMAHA	T-150	150	15	S	1734	R	S	245	115	4,0	5	10,5			1735	R	S	203	84	4,0	5	10,5		
YAMAHA	TEO'S	150	01	S	716	R	S	220	54	4,5	4	8,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	TEO'S	150	03→	S	1713	R	S	245	115	4,0	6	8,5			1341	R	S	220	102	5,0	5	8,5		
YAMAHA	XENTER	150	12/19	S	1443	L	S	267	115	4,0	5	8,5			Drum	-	-	-	-	-	-	-	-	
155 c.c.															155 c.c.									
THAILAND MODELS																								
YAMAHA	AEROX ABS	155	17/19	S	1574 / xxxxxX	R	S	230	115	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	AEROX R ABS	155	17/19	S	xxxxX / 1574	R	S	230	115	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
INDONESIA MODELS																								
YAMAHA	AEROX ABS	155	17/19	S	1574 / xxxxxX	R	S	230	115	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	AEROX R ABS	155	17/19	S	xxxxX / 1574	R	S	230	115	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	NMAX	155	15/19	S	1574 / xxxxxX	R	S	230	115	4,0	3	10,5			1575	C	S	230	120	4,5	3	10,5		
YAMAHA	TRICITY ABS	155	16/19	S	1620	L/R	S	220	109,8	3,5	3	10,5			1619	L	S	230	117,8	4,0	3	10,5		
180 c.c.															180 c.c.									
YAMAHA	MAJESTY YP / LTD / E	180	01/06	S	716	L	S	220	54	4,5	4	8,5			658	R	S	190	63	5,0	3	8,5		
YAMAHA	MAJESTY YP	180	07/09	S	-	-	-	-	-	-	-	-			658	R	S	190	63	5,0	3	8,5		
200 c.c.															200 c.c.									
YAMAHA	DT	200	87	E	034	L	S	230	86	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	DT	200	89	E	390	L	S	230	86	3,5	6	6,5			639 / 639X	R	S	220	115	5,0	6	8,5		
YAMAHA	SR	200	97	R	1195	L	F00,0	267	132	4,0	6	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	SR	200	97	R	483	L	S	267	132	5,0	6	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	SR	200	97	R	783	L	S	267	132	4,0	6	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	SDR	200	86/87	R	-	-	-	-	-	-	-	-			421	R	S	210	84	5,0	3	8,5		
YAMAHA	TW	200	98/17	U	059	L	S	220	86	4,5	6	6,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	WR	200	92/05	U	900	L	S	245	115	4,0	6	8,5			422 / 422X	R	S	220	115	4,0	6	6,5		
223 c.c.															223 c.c.									
SCORPIO Z MODELS																								
YAMAHA	SCORPIO Z SX4-W	223	06/14	N	1584	R	S	267	86	4,0	6	8,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	SCORPIO Z SPECIAL EDITION	223	15/16	N	1584	R	S	267	86	4,0	6	8,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	SCORPIO Z SPECIAL HITAM / MERAH	223	15/16	N	1584	R	S	267	86	4,0	6	8,5			Drum	-	-	-	-	-	-	-	-	
230 c.c.															230 c.c.									
YAMAHA	TT R BRAZIL MODEL	230	08	E	059	L	S	220	86	4,5	6	6,5			Drum	-	-	-	-	-	-	-	-	
250 c.c.															250 c.c.									
BRAZIL MODELS																								
YAMAHA	XTZ LANDER	250	07/18	U	039	L	S	245	86	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
YAMAHA	XTZ Z ADVENTURE TÉNÉRÉ	250	11/18	U	039	L	S	245	86	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
JAPAN MODELS																								
YAMAHA	GRAND MAJESTY	250	04/05	S	1081	L/R	S	267	132	4,5	5	8,5			1054	R	S	267	132	5,0	3	8,5		
YAMAHA	GRAND MAJESTY	250	04/05	S	1083	L/R	F00,0	267	132	4,0	5	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	GRAND MAJESTY	250	04/05	S	1233X	L/R	MDF	267	132	4,0	5/6	MH			-	-	-	-	-	-	-	-	-	
YAMAHA	FZR	250	87	R	145	R	F9,5	320	64	4,0	6	8,5			421	R	S	210	84	5,0	3	8,5		
YAMAHA	FZX ZEAL	250	91/92	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	FZX ZEAL	250	91/92	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	IRON MAX	250	16	S	1081	L	S	267	132	4,5	5	8,5			1458	R	S	240	117	5,0	3	8,5		
YAMAHA	IRON MAX	250	16	S	1083	L	F00,0	267	132	4,0	5	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	IRON MAX	250	16	S	1233X	L	MDF	267	132	4,0	5/6	MH			-	-	-	-	-	-	-	-	-	
YAMAHA	R1 Z	250	97	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	RZ R / RZ RR	250	10/12	R	633	L/R	S	267	132	5,0	6	10,5			633	R	S	267	132	5,0	6	10,5		
YAMAHA	SR CLASSIC	250	95/03	R	162	R	F18,0	267	64	5,0	6	8,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	SRV	250	92/97	R	321 / 321X	L	S	282	132	5,0	6	8,5			Drum	-	-	-	-	-	-	-	-	
YAMAHA	SRV S-RENAISSA	250	92	R	321 / 321X	L	S	282	132	5,0	6	8,5			-	-	-	-	-	-	-	-	-	
YAMAHA	TRICKER	250	05/07	U	ND / NA	L	-	220	87	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
YAMAHA	TDR	250	87/92	U	1060 / 1060X	L	F10,5	320	64	5,0	6	8												

		C.C.		YEAR	MODEL TYPE	FRONT										REAR									
						REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
YAMAHA	WR	250	98/00	E		320 / 320X	L	S	245	118	3,0	6	6,5			372 / 372X	R	S	240	115	4,0	6	6,5		
YAMAHA	WR F	250	01/16	E		1153XK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	WR F	250	01/16	E		1153XBHK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	WR F	250	01/16	E		723K13	L	KF	*320	118	5,0	6	6,5												
YAMAHA	WR F	250	01/16	E		723XK13	L	KF	*318	118	5,0	6	6,5												
YAMAHA	WR F	250	01/16	E		723SPK13	L	KF	*320	118	5,0	6	6,5												
YAMAHA	WR F VERSION 1	250	17/19	E		276X / 276	L	F00,0	250	118	3,0	6	6,5			789X / 789	R	S	245	115	4,0	6	6,5		
YAMAHA	WR F VERSION 1	250	17/19	E		675X / 675	L	S	250	118	3,0	6	6,5			789SP	R	S	245	115	4,0	6	6,5		
YAMAHA	WR F VERSION 1	250	17/19	E		719	L	SO	*270	118	3,0	6	6,5												
YAMAHA	WR F VERSION 2	250	18/19	E		1153X	L	F00,0	270	118	3,0	6	6,5			789X / 789	R	S	245	115	4,0	6	6,5		
YAMAHA	WR F VERSION 2	250	18/19	E		1153XBH	L	F00,0	270	118	3,0	6	6,5			789SP	R	S	245	115	4,0	6	6,5		
YAMAHA	WR F VERSION 2	250	18/19	E		719	L	S	270	118	3,0	6	6,5												
YAMAHA	WR F ENDURO GP L.EDITION	250	17/19	E		276X / 276	L	F00,0	250	118	3,0	6	6,5			789X / 789	R	S	245	115	4,0	6	6,5		
YAMAHA	WR F ENDURO GP L.EDITION	250	17/19	E		675X / 675	L	S	250	118	3,0	6	6,5			789SP	R	S	245	115	4,0	6	6,5		
YAMAHA	WR F ENDURO GP L.EDITION	250	17/19	E		719	L	SO	*270	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	01	E		276 / 276X	L	F00,0	250	118	3,0	6	6,5			372 / 372X	R	S	240	115	4,0	6	6,5		
YAMAHA	WR / WR R	250	01	E		675 / 675X	L	S	250	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	01	E		719	L	SO	*270	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	01	E		1153XK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	01	E		1153XBHK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	01	E		723K13	L	KF	*320	118	5,0	6	6,5												
YAMAHA	WR / WR R	250	01	E		723XK13	L	KF	*318	118	5,0	6	6,5												
YAMAHA	WR / WR R	250	01	E		723SPK13	L	KF	*320	118	5,0	6	6,5												
YAMAHA	WR / WR R	250	02/07	E		276 / 276X	L	F00,0	250	118	3,0	6	6,5			789 / 789X	R	S	245	115	4,0	6	6,5		
YAMAHA	WR / WR R	250	02/07	E		675 / 675X	L	S	250	118	3,0	6	6,5			789SP	R	S	245	115	4,0	6	6,5		
YAMAHA	WR / WR R	250	02/07	E		719	L	SO	*270	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	02/07	E		1153XK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	02/07	E		1153XBHK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	WR / WR R	250	02/07	E		723K13	L	KF	*320	118	5,0	6	6,5												
YAMAHA	WR / WR R	250	02/07	E		723XK13	L	KF	*318	118	5,0	6	6,5												
YAMAHA	WR / WR R	250	02/07	E		723SPK13	L	KF	*320	118	5,0	6	6,5												
YAMAHA	WR R	250	08/17	E		276X	L	F00,0	250	118	3,0	6	6,5			1746X	R	S	230	115	4,0	6	6,5		
YAMAHA	WR R	250	08/17	E		719	L	SO	*270	118	3,0	6	6,5												
YAMAHA	WR R	250	18	E		276X	L	F00,0	250	118	3,0	6	6,5			789 / 789X	R	S	245	115	4,0	6	6,5		
YAMAHA	WR R	250	18	E		719	L	SO	*270	118	3,0	6	6,5			789SP	R	S	245	115	4,0	6	6,5		
YAMAHA	WR X	250	98/03	F		276 / 276X	L	F00,0	250	118	3,0	6	6,5			-	-	-	-	-	-	-	-	-	-
YAMAHA	WR X	250	98/03	F		675 / 675X	L	S	250	118	3,0	6	6,5												
YAMAHA	WR X	250	08/14	F		1455X / 1455	L	F00,0	300	132	5,0	6	8,5			1746X	R	S	230	115	4,0	6	6,5		
YAMAHA	X-CITY / X-CITY i	250	07/17	S		1123	L	S	270	128	5,0	6	8,5			1124	R	S	240	92	5,0	4	8,5		
YAMAHA	XT	250	80/85	E		Drum	-	-	-	-	-	-	-			Drum	-	-	-	-	-	-	-	-	-
YAMAHA	XT	250	08/19	E		039	L	S	245	86	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
YAMAHA	XT SEROW	250	08	E		039	L	S	245	86	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
YAMAHA	XT X	250	08→	E		039	L	S	245	86	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
YAMAHA	XTZ	250	19	E		039	L	S	245	86	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
YAMAHA	XTZ LANDER X	250	07/11	F		039	L	S	245	86	4,0	6	6,5			1189	R	S	203	84,2	4,5	3	10,5		
YAMAHA	XV VIRAGO	250	91/94	C		162	R	F18,0	267	64	5,0	6	8,5			Drum	-	-	-	-	-	-	-	-	-
YAMAHA	XV VIRAGO / XV S VIRAGO	250	95/98	C		321 / 321X	L	S	282	132	5,0	6	8,5			Drum	-	-	-	-	-	-	-	-	-
YAMAHA	XV S DRAG STAR	250	95/04	C		321 / 321X	L	S	282	132	5,0	6	8,5			Drum	-	-	-	-	-	-	-	-	-
X-MAX MODELS																									
YAMAHA	X-MAX YP R	250	05/09	S		1081	R	S	267	132	4,5	5	8,5			1124	R	S	240	92	5,0	4	8,5		
YAMAHA	X-MAX YP R	250	05/09	S		1083	R	F00,0	267	132	4,0	5	8,5			1033	R	S	240	92	5,0	4	10,5		
YAMAHA	X-MAX YP R	250	05/09	S		1233X	R	MDF	267	132	4,0	5/6	MH												
YAMAHA	X-MAX YP R SPORT	250	10/13	S		1081	R	S	267	132	4,5	5	8,5			1567	R	S	245	115	5,0	3	8,5		
YAMAHA	X-MAX YP R SPORT	250	10/13	S		1083	R	F00,0	267	132	4,0	5	8,5												
YAMAHA	X-MAX YP R SPORT	250	10/13	S		1233X	R	MDF	267	132	4,0	5/6	MH												
YAMAHA	X-MAX YP R / ABS - IRON MAX	250	14/16	S		1081	L	S	267	132	4,5	5	8,5			1458	R	S	240	117	5,0	3	8,5		
YAMAHA	X-MAX YP R / ABS - IRON MAX	250	14/16	S		1083	L	F00,0	267	132	4,0	5	8,5												
YAMAHA	X-MAX YP R / ABS - IRON MAX	250	14/16	S		1233X	L	MDF	267	132	4,0	5/6	MH												
YAMAHA	X-MAX YP R / ABS- IRON MAX / ABS	250	17	S		1634	L	S	267	132	5,0	5	8,5			1458	R	S	240	117	5,0	3	8,5		
YAMAHA	YBR	250	07/14	R		1198	R	S	282	106	4,0	5	8,5			Drum	-	-	-	-	-	-	-	-	-
YAMAHA	YP MAJESTY	250	96/97	S		028	R	S	245	115	4,0	6	8,5			Drum	-	-	-	-	-	-	-	-	-
YAMAHA	YP MAJESTY ABS / YP M. DX	250	98/99	S		028	R	S	245	115	4,0	6	8,5			779	R	S	230	84	5,0	3	8,5		
YAMAHA	YP MAJESTY DX	250	98/99	S		028	R	S	245	115	4,0	6	8,5			779	R	S	230	84	5,0	3	8,5		
YAMAHA	YP MAJESTY ABS / YP M. DX	250	00/08	S		028	R	S	245	115	4,0	6	8,5			689	R	S	230	116	5,0	3	8,5		
YAMAHA	YZ 2T	250	85/88	M		785	L	S	220	86	3,5	6	6,5			422 / 422X	R	S	220	115	4,0	6	6,5		
YAMAHA	YZ 2T / W / RALLY	250	89/91	M		039	L	S	245	86	4,0	6	6,5			422 / 422X	R	S	220	115	4,0	6	6,5		
YAMAHA	YZ 2T	250	92/97	M		320 / 320X	L	S	245	118	3,0	6	6,5			422 / 422X	R	S	220	115	4,0	6	6,5		
YAMAHA	YZ 2T	250	94/96	M		1153XK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	YZ 2T	250	94/96	M		1153XBHK02	L	KF	*270	118	3,0	6	6,5												
YAMAHA	YZ 2T	250	98/00	M		320 / 320X	L	S	245	118	3,0	6	6,5			372 / 372X	R	S	240	115					



YAMAHA	YZ 2T	250	98/00	M	1153XK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	98/00	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	01/19	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	250	01/19	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ 2T	250	01/19	M	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	01/06	M	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	01/06	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	07/16	M	1153XK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	07/16	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ 2T	250	02/16	M	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	02/16	M	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	02/16	M	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	17/19	M	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	17/19	M	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ 2T	250	17/19	M	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	01/16	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	01/16	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T	250	01/16	M	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	M	1153XK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	07/16	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	250	02/15	M	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	02/15	M	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	250	02/15	M	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T / 60th ANNIVERSARY	250	17/19	M	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T / 60th ANNIVERSARY	250	17/19	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F 4T / 60th ANNIVERSARY	250	17/19	M	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ F 4T / 60th ANNIVERSARY	250	16/19	M	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T / 60th ANNIVERSARY	250	16/19	M	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T / 60th ANNIVERSARY	250	16/19	M	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	16/18	M	1153X	L	F00,0	270	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ FX 4T	250	16/18	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ FX 4T	250	16/18	M	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZ FX 4T	250	17	M	723K30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	17	M	723XK30	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ FX 4T	250	17	M	723SPK30	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ X 4T	250	16/18	M	1153X	L	F00,0	270	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 4T	250	16/18	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ X 4T	250	16/18	M	719	L	S	270	118	3,0	6	6,5								
YAMAHA	YZF-R25	250	14/17	R	165 / 165X	R	F00,0	298	132	5,0	5	8,5	1635	R	S	220	105	4,5	3	8,5
YAMAHA	YZF-R25	250	14/17	R	1786G / 1786XG	R	F00,0	298	132	5,0	5	8,5								
300 c.c.													300 c.c.							
YAMAHA	3CT CONCEPT ABS	300	19	TS	-	L/R	S	-	-	4,0	3	-	-	R	S	-	-	5,0	-	-
YAMAHA	XC / XC VERSITY	300	03/06	S	1359	R	S	270	129	5,0	5	8,5	1124	R	S	240	92	5,0	4	8,5
YAMAHA	X-MAX ABS	300	17/19	S	1634	R	S	267	132	5,0	5	8,5	1757	R	S	245	132	5,0	3	8,5
YAMAHA	X-MAX IRON MAX ABS	300	17/19	S	1634	R	S	267	132	5,0	5	8,5	1757	R	S	245	132	5,0	3	8,5
321 c.c.													321 c.c.							
YAMAHA	MT-03 ABS	321	16/18	S3	165 / 165X	R	F00,0	298	132	5,0	5	8,5	1635	R	S	220	105	4,5	3	8,5
YAMAHA	MT-03 ABS	321	16/18	S3	1786G / 1786XG	R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-03 ABS	321	19	S3	1712	R	F00,0	298	132	4,5	5	8,5	1635	R	S	220	105	4,5	3	8,5
YAMAHA	MT-03 ABS	321	19	S3	1786G / 1786XG	R	F00,0	298	132	5,0	5	8,5								
YAMAHA	YZF-R3 / YZF ABS	321	15/18	S3	165 / 165X	R	F00,0	298	132	5,0	5	8,5	1635	R	S	220	105	4,5	3	8,5
YAMAHA	YZF-R3 / YZF ABS	321	15/18	S3	1786G / 1786XG	R	F00,0	298	132	5,0	5	8,5								
YAMAHA	YZF-R3 ABS	321	19	S3	1712	R	F00,0	298	132	4,5	5	8,5	1635	R	S	220	105	4,5	3	8,5
YAMAHA	YZF-R3 ABS	321	19	S3	1786G / 1786XG	R	F00,0	298	132	5,0	5	8,5								
350 c.c.													350 c.c.							
YAMAHA	RD F / N / R	350	85/93	R	1195	L/R	F00,0	267	132	4,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YAMAHA	RD F / N / R	350	85/93	R	483	L/R	S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
YAMAHA	RD F / N / R	350	85/93	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	RD YPVS	350	83/84	R	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	
YAMAHA	RD YPVS	350	83/84	R	483	L/R	S	267	132	5,0	6	8,5								
YAMAHA	RD YPVS	350	83/84	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	RZ	350	92	E	-	-	-	-	-	-	-	-	421	R	S	210	84	5,0	3	8,5
YAMAHA	TT	350	85/95	E	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	
YAMAHA	XT 4 VALVES	350	90/00	E	039	L	S	245	86	4,0	6	6,5	Drum	-	-	-	-	-	-	
360 c.c.													360 c.c.							
YAMAHA	YZ	360	89/93	M	390	L/R	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	YZ RALLY	360	90/93	U	039	L	S	245	86	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
400 c.c.													400 c.c.							
JAPAN MODELS																				
YAMAHA	JAPAN GRAN MAJESTY SP	400	05	S	1081	L/R	S	267	132	4,5	5	8,5	1054	R	S	267	132	5,0	3	8,5
YAMAHA	JAPAN GRAN MAJESTY SP	400	05	S	1083	L/R	F00,0	267	132	4,0	5	8,5								
YAMAHA	JAPAN GRAN MAJESTY SP	400	05	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
YAMAHA	MAJESTY YP / ABS	400	04/13	S	1081	L/R	S	267	132	4,5	5	8,5	1054	R	S	267	132	5,0	3	8,5



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
YAMAHA	MAJESTY YP / ABS	400	04/13	S	1083	L/R	F00,0	267	132	4,0	5	8,5								
YAMAHA	MAJESTY YP / ABS	400	04/13	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
YAMAHA	FZ FAZER	400	01	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
YAMAHA	FZ N	400	85	R	1195	L/R	F00,0	267	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	FZ N	400	85	R	483	L/R	S	267	132	5,0	6	8,5								
YAMAHA	FZ N	400	85	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	FZ	400	96	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	FZR	400	86/87	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
YAMAHA	FZR R / FZR RSP	400	87/88	R	401	L	S	282	132	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
YAMAHA	FZR R / FZR RR / FZR RRS	400	89/92	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
YAMAHA	SR	400	02	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	SR	400	14/17	D	1727 / 1727X	R	S	298	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	SR	400	14/17	D	294 / 294X	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	SR	400	14/17	D	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	SRX	400	87/91	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	SRX	400	87/91	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
YAMAHA	WR F	400	98/00	E	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	WR F	400	98/00	E	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR F	400	98/00	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	400	98/00	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	XJR	400	95/00	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	X-MAX / ABS	400	13/19	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1467	R	S	267	136	5,0	3	8,5
YAMAHA	X-MAX / ABS	400	13/19	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
YAMAHA	X-MAX IRON MAX ABS	400	13/19	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1467	R	S	267	136	5,0	3	8,5
YAMAHA	X-MAX IRON MAX ABS	400	13/19	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
YAMAHA	X-MAX SPORT / ABS	400	17/18	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1467	R	S	267	136	5,0	3	8,5
YAMAHA	X-MAX SPORT / ABS	400	17/18	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
YAMAHA	XS	400	82	R	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	XS	400	82	R	483	L/R	S	267	132	5,0	6	8,5								
YAMAHA	XS	400	82	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	YZ F 4T	400	98/00	M	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	YZ F 4T	400	98/00	M	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	400	98/00	M	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	400	98/00	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F 4T	400	98/00	M	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F 4T	400	98/00	M	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	YZ F 4T	400	98/00	M	723SPK13	L	KF	*320	118	5,0	6	6,5								
426 c.c.					426 c.c.															
YAMAHA	WR F	426	00/01	E	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
YAMAHA	WR F	426	00/01	E	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	00/01	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	00/01	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	00/01	E	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	426	00/01	E	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	426	00/01	E	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	426	02	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	426	02	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	426	02	M	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	02	M	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	02	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	426	02	M	723K13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	426	02	M	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	426	02	M	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	YZ F	426	00/02	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F	426	00/02	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	YZ F	426	00/02	M	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	YZ F	426	00/02	M	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	YZ F	426	00/02	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
450 c.c.					450 c.c.															
YAMAHA	WR F	450	03/12	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	03/12	E	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	03/12	E	719	L	SO	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	03/12	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	03/12	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	03/12	E	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	450	03/12	E	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	450	13	E	1347X	L	F00,0	240	118	3,0	6	6,5	789X / 789SP	R	S	245	115	4,0	6	6,5
YAMAHA	WR F	450	13	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	13	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YAMAHA	WR F	450	13	E	723XK13	L	KF	*318	118	5,0	6	6,5								
YAMAHA	WR F	450	13	E	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA	WR F	450	14/16	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
YAMAHA	TMAX IRON MAX / ABS	530	15/16	S	1083	L/R F00,0	267	132	4,0	5 8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
YAMAHA	TMAX IRON MAX / ABS	530	15/16	S	1233X	L/R MDF	267	132	4,0	5/6 MH								
YAMAHA	TMAX IRON MAX / ABS	530	15/16	S	1205 / 1205X	L/R F00,0	298	132	4,0	5 8,5								
YAMAHA	TMAX IRON MAX / ABS	530	15/16	S	1205K23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX IRON MAX / ABS	530	15/16	S	1205XK23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX LUX MAX / ABS	530	15/16	S	1083	L/R F00,0	267	132	4,0	5 8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
YAMAHA	TMAX LUX MAX / ABS	530	15/16	S	1233X	L/R MDF	267	132	4,0	5/6 MH								
YAMAHA	TMAX LUX MAX / ABS	530	15/16	S	1205 / 1205X	L/R F00,0	298	132	4,0	5 8,5								
YAMAHA	TMAX LUX MAX / ABS	530	15/16	S	1205K23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX LUX MAX / ABS	530	15/16	S	1205XK23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX / ABS	530	17/19	S	1083	L/R F00,0	267	132	4,0	5 8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
YAMAHA	TMAX / ABS	530	17/19	S	1233X	L/R MDF	267	132	4,0	5/6 MH	1296 / 1296X	R	S	282	132	5,0	5	10,5
YAMAHA	TMAX / ABS	530	17/19	S	1205 / 1205X	L/R F00,0	298	132	4,0	5 8,5								
YAMAHA	TMAX / ABS	530	17/19	S	1205K23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX / ABS	530	17/19	S	1205XK23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX DX / SX / ABS	530	17/19	S	1083	L/R F00,0	267	132	4,0	5 8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
YAMAHA	TMAX DX / SX / ABS	530	17/19	S	1233X	L/R MDF	267	132	4,0	5/6 MH								
YAMAHA	TMAX DX / SX / ABS	530	17/19	S	1205 / 1205X	L/R F00,0	298	132	4,0	5 8,5								
YAMAHA	TMAX DX / SX / ABS	530	17/19	S	1205K23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX DX / SX / ABS	530	17/19	S	1205XK23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX SX SPORT EDITION ABS	530	17/19	S	1083	L/R F00,0	267	132	4,0	5 8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
YAMAHA	TMAX SX SPORT EDITION ABS	530	17/19	S	1233X	L/R MDF	267	132	4,0	5/6 MH								
YAMAHA	TMAX SX SPORT EDITION ABS	530	17/19	S	1205 / 1205X	L/R F00,0	298	132	4,0	5 8,5								
YAMAHA	TMAX SX SPORT EDITION ABS	530	17/19	S	1205K23	L/R KF	*298	132	4,0	5 8,5								
YAMAHA	TMAX SX SPORT EDITION ABS	530	17/19	S	1205XK23	L/R KF	*298	132	4,0	5 8,5								
535 c.c.											535 c.c.							
YAMAHA	XV DX VIRAGO	535	89/94	C	696	R MDF	298	64	5,0	6 MH	Drum	-	-	-	-	-	-	-
YAMAHA	XV DX VIRAGO / S VIRAGO	535	95/03	C	294 / 294X	R F00,0	298	132	5,0	6 8,5	Drum	-	-	-	-	-	-	-
YAMAHA	XV DX VIRAGO / S VIRAGO	535	95/03	C	294G / 294XG	R F00,0	298	132	5,0	6 8,5								
YAMAHA	XV DX VIRAGO / S VIRAGO	535	95/03	C	1727 / 1727X	R S	298	132	5,0	6 8,5								
550 c.c.											550 c.c.							
YAMAHA	XJ MAXIM / XJ SECA	550	81/83	R	696	L MDF	298	64	5,0	6 MH	Drum	-	-	-	-	-	-	-
YAMAHA	XZ	550	82/84	C	1195	L/R F00,0	267	132	4,0	6 8,5	Drum	-	-	-	-	-	-	-
YAMAHA	XZ	550	82/84	C	483	L/R S	267	132	5,0	6 8,5								
YAMAHA	XZ	550	82/84	C	783	L/R S	267	132	4,0	6 8,5								
600 c.c.											600 c.c.							
MALAYSIA MODELS																		
YAMAHA	MALAYSIA XJ6 DIVERSION S F	600	10	R	165	L/R F00,0	298	132	5,0	5 8,5	1583	R	S	245	115	5,0	5	8,5
YAMAHA	MALAYSIA XJ6 DIVERSION S F	600	10	R	1786G / 1786XG	L/R F00,0	298	132	5,0	5 8,5								
YAMAHA	MALAYSIA XJ6 DIVERSION S F	600	10	R	1767	L/R S	298	132	5,0	5 8,5								
YAMAHA	DIVERSION	600	09→	R	165	L/R F00,0	298	132	5,0	5 8,5	1851	R	S	245	105	5,0	5	8,5
YAMAHA	DIVERSION	600	09→	R	1786G / 1786XG	L/R F00,0	298	132	5,0	5 8,5								
YAMAHA	DIVERSION	600	09→	R	1767	L/R S	298	132	5,0	5 8,5								
YAMAHA	FZ	600	87/88	R	1195	L/R F00,0	267	132	4,0	6 8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	FZ	600	87/88	R	483	L/R S	267	132	5,0	6 8,5								
YAMAHA	FZ	600	87/88	R	783	L/R S	267	132	4,0	6 8,5								
YAMAHA	FZ / FAZER / FACER S2	600	04/10	R	165	L/R F00,0	298	132	5,0	5 8,5	784	R	S	245	105	5,0	5	10,5
YAMAHA	FZ / FAZER / FACER S2	600	04/10	R	1786G / 1786XG	L/R F00,0	298	132	5,0	5 8,5								
YAMAHA	FZ / FAZER / FACER S2	600	04/10	R	1767	L/R S	298	132	5,0	5 8,5								
YAMAHA	FZ N / FZ NS	600	04/05	R	165	L/R F00,0	298	132	5,0	5 8,5	784	R	S	245	105	5,0	5	10,5
YAMAHA	FZ N / FZ NS	600	04/05	R	1786G / 1786XG	L/R F00,0	298	132	5,0	5 8,5								
YAMAHA	FZ N / FZ NS	600	04/05	R	1767	L/R S	298	132	5,0	5 8,5								
YAMAHA	FZ N / FZ NS	600	06	R	165	L/R F00,0	298	132	5,0	5 8,5	-	-	-	-	-	-	-	-
YAMAHA	FZ N / FZ NS	600	06	R	1786G / 1786XG	L/R F00,0	298	132	5,0	5 8,5								
YAMAHA	FZ N / FZ NS	600	06	R	1767	L/R S	298	132	5,0	5 8,5								
YAMAHA	FZR	600	89	R	404 / 404X	L/R F9,5	298	64	4,0	6 8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	FZR R	600	90/95	R	404 / 404X	L/R F9,5	298	64	4,0	6 8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	FZS FAZER	600	98/03	R	404 / 404X	L/R F9,5	298	64	4,0	6 8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	SRX	600	85/87	R	483	L/R S	267	132	5,0	6 8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	SRX	600	85/87	R	783	L/R S	267	132	4,0	6 8,5								
YAMAHA	SRX	600	85/87	R	1195	L/R F00,0	267	132	4,0	6 8,5								
YAMAHA	SRX	600	87/89	R	054	L/R S	267	132	4,5	6 6,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	TT	600	89/92	E	390	L S	230	86	3,5	6 6,5	-	-	-	-	-	-	-	-
YAMAHA	TT E	600	92/00	E	314	L S	267	118	4,0	6 6,5	322	R	S	220	115	5,0	6	6,5
YAMAHA	TT N	600	85/88	E	390	L S	230	86	3,5	6 6,5	Drum	-	-	-	-	-	-	-
YAMAHA	TT R	600	84/92	E	390	L S	230	86	3,5	6 6,5	Drum	-	-	-	-	-	-	-
YAMAHA	TT R	600	98/07	E	314	L S	267	118	4,0	6 6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TT RE	600	04/07	E	314	L S	267	118	4,0	6 6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TT S	600	93/01	E	314	L S	267	118	4,0	6 6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YAMAHA	TT W	600	89/92	E	390	L S	230	86	3,5	6 6,5	Drum	-	-	-	-	-	-	-
XJ6 MODELS																		
YAMAHA	XJ6 / ABS	600	09/11	N	165	L/R F00,0	298	132	5,0	5 8,5	1851	R	S	245	105	5,0	5	8,5
YAMAHA	XJ6 / ABS	600	09/11	N	1786G / 1786XG	L/R F00,0	298	132	5,0	5 8,5								



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
YAMAHA	XJ6 / ABS	600	09/11	N	1767	L/R	S	298	132	5,0	5	8,5								
YAMAHA	XJ6 DIVERSION	600	83/91	R	483	L/R	S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
YAMAHA	XJ6 DIVERSION	600	83/91	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	XJ6 DIVERSION / F / FA / N / ABS	600	09/17	R	165	L/R	F00,0	298	132	5,0	5	8,5	1583	R	S	245	115	5,0	5	8,5
YAMAHA	XJ6 DIVERSION / F / FA / N / ABS	600	09/17	R	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	XJ6 DIVERSION / F / FA / N / ABS	600	09/17	R	1767	L/R	S	298	132	5,0	5	8,5								
YAMAHA	XJ6 DIVERSION N / S	600	92/97	R	409	L	S	320	198	6,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XJ6 DIVERSION N / S	600	98/03	N	294 / 294X	R	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XJ6 DIVERSION N / S	600	98/03	N	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XJ6 DIVERSION N / S	600	98/03	N	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	XJ6 DIVERSION S	600	09/15	R	165	R	F00,0	298	132	5,0	5	8,5	1583	R	S	245	115	5,0	5	8,5
YAMAHA	XJ6 DIVERSION S	600	09/15	R	1786G / 1786XG	R	F00,0	298	132	5,0	5	8,5								
YAMAHA	XJ6 DIVERSION S	600	09/15	R	1767	L/R	S	298	132	5,0	5	8,5								
YAMAHA	XJ6 DIVERSION SECA II	600	95/97	R	409	L	S	320	198	6,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XT 4 VALVES	600	88/89	E	054	L	S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
YAMAHA	XT E	600	90/94	E	054	L	S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
YAMAHA	XT E	600	95/03	E	321 / 321X	L	S	282	132	5,0	6	8,5	059	R	S	220	86	4,5	6	6,5
YAMAHA	XT Z 4 VALVES	600	86/87	U	054	L	S	267	132	4,5	6	6,5	-	-	-	-	-	-	-	-
YAMAHA	XT Z TENERE	600	85/86	U	054	L	S	267	132	4,5	6	6,5	-	-	-	-	-	-	-	-
YAMAHA	XT Z TENERE	600	87/91	U	054	L	S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
YAMAHA	XVS DRAG STAR	600	97	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XVS DRAG STAR	600	97	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVS DRAG STAR	600	97	C	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	YX RADIAN	600	86/90	R	1195	L/R	F00,0	267	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	YX RADIAN	600	86/90	R	483	L/R	S	267	132	5,0	6	8,5								
YAMAHA	YX RADIAN	600	86/90	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	YZF R THUNDERCAT	600	96/06	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	YZF R THUNDERCAT	600	96/06	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	YZF R THUNDERCAT	600	96/06	R	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	YZF-R6	600	99/02	S6	294 / 294X	R	F00,0	298	132	5,0	6	8,5	639 / 639X	R	S	220	115	5,0	6	8,5
YAMAHA	YZF-R6	600	99/02	S6	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	YZF-R6	600	99/02	S6	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	YZF-R6	600	03/04	S6	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
YAMAHA	YZF-R6	600	03/04	S6	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	YZF-R6	600	03/04	S6	1767	L/R	S	298	132	5,0	5	8,5								
YAMAHA	YZF-R6	600	05/16	S6	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
YAMAHA	YZF-R6	600	05/16	S6	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5								
YAMAHA	YZF-R6 ABS / YZF -R6 R ABS	600	17/19	S6	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
YAMAHA	YZF-R6 R	600	07/08	S6	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
YAMAHA	YZF-R6 R	600	07/08	S6	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5								
YAMAHA	YZF-R6 S	600	06/09	S6	165	L/R	F00,0	298	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
YAMAHA	YZF-R6 S	600	06/09	S6	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	YZF-R6 S	600	06/09	S6	1767	L/R	S	298	132	5,0	5	8,5								
YAMAHA	YZF-R46	600	05	R	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
YAMAHA	YZF-R46	600	05	R	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5								
650 c.c.													650 c.c.							
YAMAHA	XJ SEKA / XJ TURBO	650	82/83	R	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	XJ SEKA / XJ TURBO	650	82/83	R	483	L/R	S	267	132	5,0	6	8,5								
YAMAHA	XJ SEKA / XJ TURBO	650	82/83	R	783	L/R	S	267	132	4,0	6	8,5								
XVS DRAG MODELS																				
YAMAHA	XVS DRAG STAR / CLASSIC	650	97/07	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	XVS DRAG STAR / CLASSIC	650	97/07	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVS DRAG STAR / CLASSIC	650	97/07	R	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	XVS STAR SILVERADO	650	97	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XVS STAR SILVERADO	650	97	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVS STAR SILVERADO	650	97	R	1727 / 1727X	R	S	298	132	5,0	6	8,5								
660 c.c.													660 c.c.							
YAMAHA	MT-03 / MT-03 ABS	660	05/14	N	165	L/R	F00,0	298	132	5,0	5	8,5	784	R	S	245	105	5,0	5	10,5
YAMAHA	MT-03 / MT-03 ABS	660	05/14	N	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-03 / MT-03 ABS	660	05/14	N	1767	L/R	S	298	132	5,0	5	8,5								
YAMAHA	SZR	660	95/01	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	421	R	S	210	84	5,0	3	8,5
YAMAHA	SZR	660	95/01	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
YAMAHA	XT R	660	04/16	U	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XT R	660	04/16	U	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	XT R	660	04/16	U	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	XT Z	660	91/99	U	321 / 321X	L	S	282	132	5,0	6	8,5	059	R	S	220	86	4,5	6	6,5
YAMAHA	XT Z TENERE	660	91/01	U	321 / 321X	L	S	282	132	5,0	6	8,5	059	R	S	220	86	4,5	6	6,5
YAMAHA	XT Z TENERE / ABS	660	08/16	U	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XT Z TENERE / ABS	660	08/16	U	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								
YAMAHA	XT Z TENERE / ABS	660	08/16	U	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	XT Z URBAN EXPLORER	660	14	U	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	XT Z URBAN EXPLORER	660	14	U	294G / 294XG	L	F00,0	298	132	5,0	6	8,5								



YAMAHA	XT Z URBAN EXPLORER	660	14	U	1727 / 1727X	L	S	298	132	5,0	6	8,5								
YAMAHA	XT X	660	04/16	F	1226	L	F14,0	320	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
700 c.c.					700 c.c.															
YAMAHA	FZX	700	86/87	R	1195	L/R	F00,0	267	132	4,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	FZX	700	86/87	R	483	L/R	S	267	132	5,0	6	8,5								
YAMAHA	FZX	700	86/87	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	MT-07 / MT-07 ABS	700	13/17	N	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-07 / MT-07 ABS	700	18/19	N	1711X	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-07 MOTO CAGE ABS	700	13/17	N	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-07 SPORT VLC ABS	700	17	R	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	TÉNÉRÉ / TÉNERE 35 Kw	700	19	U	1711X	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	TÉNÉRÉ WORLD RAID / ABS	700	19	U	1711X	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	TRACER	700	16/17	R	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	TRACER ABS	700	18/19	R	1711X	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	TRACER GT ABS	700	18/19	R	1711X	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	XSR ABS	700	16/19	D	1711X	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	XSR XTRIBUTE ABS	700	16/17	D	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5	10,5
YAMAHA	XSR XTRIBUTE ABS	700	18/19	D	1711X	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5	10,5
750 c.c.					750 c.c.															
YAMAHA	FZ	750	85/88	R	483	L/R	S	267	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YAMAHA	FZ GENESIS	750	87/88	R	1195	L/R	F00,0	267	132	4,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YAMAHA	FZ GENESIS	750	87/88	R	483	L/R	S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
YAMAHA	FZ GENESIS	750	87/88	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	FZ GENESIS	750	89/92	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YAMAHA	FZ GENESIS	750	89/92	R									783	R	S	267	132	4,0	6	8,5
YAMAHA	FZR GENESIS	750	87→	R	-	-	-	-	-	-	-	-	483	R	S	267	132	5,0	6	8,5
YAMAHA	FZR R	750	89/92	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YAMAHA	FZR R	750	89/92	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
YAMAHA	FZX FAZER	750	86/90	R	1195	L/R	F00,0	267	132	4,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YAMAHA	FZX FAZER	750	86/90	R	483	L/R	S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
YAMAHA	FZX FAZER	750	86/90	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	XJ / XJ R SECA	750	81→	R	696	L/R	MDF	298	64	5,0	6	MH	Drum	-	-	-	-	-	-	-
YAMAHA	XJ F	750	83/88	R	483	L/R	S	267	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XTZ SUPER TENERE	750	89/91	U	057	R	S	245	115	4,0	6	6,5	057	R	S	245	115	4,0	6	6,5
YAMAHA	XTZ SUPER TENERE	750	92/97	U	057	L/R	S	245	115	4,0	6	6,5	405	R	S	245	115	5,0	6	6,5
YAMAHA	XTZ TENERE	750	12	U	902X / 902	L/R	F00,0	310	132	5,0	5	8,5	321X / 321	R	S	282	132	5,0	6	8,5
YAMAHA	XTZ TENERE	750	12	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5								
YAMAHA	XV VIRAGO	750	87/93	C	1195	L/R	F00,0	267	132	4,0	6	8,5	483	L/R	S	267	132	5,0	6	8,5
YAMAHA	XV VIRAGO	750	87/93	C	483	L/R	S	267	132	5,0	6	8,5								
YAMAHA	XV VIRAGO	750	87/93	C	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA	XV VIRAGO	750	94/98	C	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
YAMAHA	YZF R / YZF SP	750	93/98	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	YZF R / YZF SP	750	93/98	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
YAMAHA	YZF R 7	750	99/02	R	297 / 297X	L/R	F00,0	320	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
YAMAHA	YZF R 7	750	99/02	R	297G / 297XG	L/R	F00,0	320	132	5,0	6	8,5								
800 c.c.					800 c.c.															
FZ FAZER MODELS																				
YAMAHA	FZ FAZER 8 / ABS / N / NA / SA	800	10/16	R	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5	1081	R	S	267	132	4,5	5	8,5
YAMAHA	FZ FAZER 8 / ABS / N / NA / SA	800	10/16	R	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5								
847 c.c.					847 c.c.															
YAMAHA	MT-09 / MT-09 ABS	847	13/19	N	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-09 / MT-09 ABS	847	13/19	N	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-09 SP ABS	847	18/19	N	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-09 SP ABS	847	18/19	N	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-09 SPORT TRACKER ABS	847	16→	N	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-09 SPORT TRACKER ABS	847	16→	N	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-09 STREET RALLY / ABS	847	13/16	N	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-09 STREET RALLY / ABS	847	13/16	N	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-09 STREET RALLY / ABS	847	13/16	N	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-09 TRACER 900 / ABS	847	15/19	U	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-09 TRACER 900 / ABS	847	15/19	U	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-09A TRACER 900 / ABS	847	15/19	N	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA	MT-09A TRACER 900 / ABS	847	15/19	N	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	MT-09A TRACER 900 / ABS	847	15/19	N	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	TRACER 900 GT ABS	847	18/19	U	1712 / 1712X	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
YAMAHA	TRACER 900 GT ABS	847	18/19	U	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	TRACER 900 GT ABS	847	18/19	U	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	NIKEN	847	18/19	TR	-	L/R	Fxx,x	298	-	-	-	-	-	R	S	282	-	-	-	-
YAMAHA	NIKEN GT	847	18/19	TR	-	L/R	Fxx,x	298	-	-	-	-	-	R	S	282	-	-	-	-
YAMAHA	TDM	847	91/01	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
850 c.c.					850 c.c.															
YAMAHA	TRX	850	95/00	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
900 c.c.					900 c.c.															

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE

																													
		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø							
YAMAHA	YZF R1 60th ANNIVERSARY	1000	16	SB	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5			903 / 903X	R	S	220	105	5,0	5	10,5							
YAMAHA	YZF R1 ABS / YZF R1M ABS	1000	16/19	SB	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5			903 / 903X	R	S	220	105	5,0	5	10,5							
YAMAHA	YZF R1 M VERSION 1	1000	15	SB	1358	L/R	F00,0	310	132	5,0	5	8,5			903 / 903X	R	S	220	105	5,0	5	10,5							
YAMAHA	YZF R1 M VERSION 2	1000	15	SB	1358	L/R	F00,0	310	132	5,0	5	8,5			1511	R	S	220	102	5,0	5	10,5							
1100 c.c.															1100 c.c.														
YAMAHA	BT BULLDOG	1100	02/06	R	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5			483	R	S	267	132	5,0	6	8,5							
YAMAHA	BT BULLDOG	1100	02/06	R	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5																	
YAMAHA	BT BULLDOG	1100	02/06	R	1727 / 1727X	L/R	S	298	132	5,0	6	8,5																	
YAMAHA	FJ	1100	83/87	R	321 / 321X	L/R	S	282	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	FZR	1100	89/96	R	-	-	-	-	-	-	-	-			483	R	S	267	132	5,0	6	8,5							
YAMAHA	FZR	1100	89/96	R											783	R	S	267	132	4,0	6	8,5							
YAMAHA	XV VIRAGO	1100	86/93	C	1195	L/R	F00,0	267	132	4,0	6	8,5			Drum	-	-	-	-	-	-	-							
YAMAHA	XV VIRAGO	1100	86/93	C	483	L/R	S	267	132	5,0	6	8,5																	
YAMAHA	XV VIRAGO	1100	86/93	C	783	L/R	S	267	132	4,0	6	8,5																	
YAMAHA	XV VIRAGO	1100	94/98	C	321 / 321X	L/R	S	282	132	5,0	6	8,5			Drum	-	-	-	-	-	-	-							
YAMAHA	XV VIRAGO	1100	99	C	321 / 321X	L/R	S	282	132	5,0	6	8,5			-	-	-	-	-	-	-	-							
XVS MODELS																													
YAMAHA	XVS DRAG STAR / CLASSIC	1100	99/07	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	XVS DRAG STAR / CLASSIC	1100	99/07	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5																	
YAMAHA	XVS DRAG STAR / CLASSIC	1100	99/07	C	1727 / 1727X	R	S	298	132	5,0	6	8,5																	
1200 c.c.															1200 c.c.														
YAMAHA	FJ	1200	85/95	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	FJ / FJ A ABS	1200	91/93	R	-	L/R	F9,5	298	64	4,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	FJ FAIRING	1200	86/87	R	321 / 321X	L/R	S	282	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	FJ FAIRING	1200	88/93	R	-	-	-	-	-	-	-	-			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	V-MAX	1200	86/87	R	321 / 321X	L/R	S	282	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	V-MAX	1200	93/06	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	V-MAX	1200	93/06	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5																	
YAMAHA	V-MAX	1200	93/06	C	1727 / 1727X	R	S	298	132	5,0	6	8,5																	
YAMAHA	VMX	1200	85/95	C	321 / 321X	L/R	S	282	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	XJR	1200	95/99	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5			483	R	S	267	132	5,0	6	8,5							
YAMAHA	XJR	1200	95/99	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5			783	R	S	267	132	4,0	6	8,5							
SUPER TÈNERÈ MODELS																													
YAMAHA	SUPER TÈNERÈ XT Z ABS	1200	13/17	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5			321X / 321	R	S	282	132	5,0	6	8,5							
YAMAHA	SUPER TÈNERÈ XT Z ABS	1200	13/17	U	902X / 902	L/R	F00,0	310	132	5,0	5	8,5																	
YAMAHA	SUPER TÈNERÈ XT Z ABS	1200	18/19	U	xxxxXG / xxxxxX	L/R	F00,0	310	132	4,5	5	8,5			321X / 321	R	S	282	132	5,0	6	8,5							
YAMAHA	SUPER TÈNERÈ XT Z WORLDCROSSER	1200	11/17	U	902X / 902	L/R	F00,0	310	132	5,0	5	8,5			321X / 321	R	S	282	132	5,0	6	8,5							
YAMAHA	SUPER TÈNERÈ XT Z WORLDCROSSER	1200	11/17	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5																	
YAMAHA	SUPER TÈNERÈ XT ZE ABS	1200	14/17	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5			321X / 321	R	S	282	132	5,0	6	8,5							
YAMAHA	SUPER TÈNERÈ XT ZE ABS	1200	18/19	U	xxxxXG / xxxxxX	L/R	F00,0	310	132	4,5	5	8,5			321X / 321	R	S	282	132	5,0	6	8,5							
YAMAHA	SUPER TÈNERÈ XT ZE RAID EDITION ABS	1200	18/19	U	xxxxXG / xxxxxX	L/R	F00,0	310	132	4,5	5	8,5			321X / 321	R	S	282	132	5,0	6	8,5							
YAMAHA	XVZ 12TD VENTURE RAYALE	1200	84/85	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5			-	-	-	-	-	-	-	-							
YAMAHA	XVZ 12TD VENTURE RAYALE	1200	84/85	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5																	
YAMAHA	XVZ 12TD VENTURE RAYALE	1200	84/85	R	1727 / 1727X	R	S	298	132	5,0	6	8,5																	
YAMAHA	XVZ TD	1200	85	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	XVZ TD	1200	85	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5																	
YAMAHA	XVZ TD	1200	85	R	1727 / 1727X	R	S	298	132	5,0	6	8,5																	
YAMAHA	XVZ VENTURE ROYALE	1200	84/86	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5			294 / 294X	R	F00,0	298	132	5,0	6	8,5							
YAMAHA	XVZ VENTURE ROYALE	1200	84/86	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5			294G / 294XG	R	F00,0	298	132	5,0	6	8,5							
YAMAHA	XVZ VENTURE ROYALE	1200	84/86	C	1727 / 1727X	R	S	298	132	5,0	6	8,5			1727 / 1727X	R	S	298	132	5,0	6	8,5							
YAMAHA	XVZ VENTURE ROYALE	1200	87/07	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5			-	-	-	-	-	-	-	-							
YAMAHA	XVZ VENTURE ROYALE	1200	87/07	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5																	
YAMAHA	XVZ VENTURE ROYALE	1200	87/07	C	1727 / 1727X	R	S	298	132	5,0	6	8,5																	
1300 c.c.															1300 c.c.														
YAMAHA	FJR	1300	01/02	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5			321 / 321X	R	S	282	132	5,0	6	8,5							
YAMAHA	FJR	1300	01/02	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5																	
YAMAHA	FJR	1300	01/02	R	1727 / 1727X	R	S	298	132	5,0	6	8,5															</		



YAMAHA	XJR / XJR RACER	1300	96/00	D	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XJR / XJR RACER	1300	96/00	D	1727 / 1727X	L/R	S	298	132	5,0	6	8,5								
XVS MODELS																				
YAMAHA	XVS CASUAL FULL DRESS	1300	14/15	CVT	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	1727 / 1727X	R	S	298	132	5,0	6	8,5
YAMAHA	XVS CUSTOM	1300	14/16	CVT	1058 / 1058X	L	F00,0	320	132	5,0	5	8,5	1727 / 1727X	R	S	298	132	5,0	6	8,5
YAMAHA	XVS CUSTOM	1300	14/16	CVT	1058G / 1058XG	L	F00,0	320	132	5,0	5	8,5								
YAMAHA	XVS A MIDNIGHT STAR	1300	07/16	CVT	294 / 294X	R	F00,0	298	132	5,0	6	8,5	1727 / 1727X	R	S	298	132	5,0	6	8,5
YAMAHA	XVS A MIDNIGHT STAR	1300	07/16	CVT	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVS A MIDNIGHT STAR	1300	07/16	CVT	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	XVS ROYAL STAR	1300	96/07	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	409	R	S	320	198	6,0	6	8,5
YAMAHA	XVS ROYAL STAR	1300	96/07	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVS ROYAL STAR	1300	96/07	C	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	XVS STRYKER	1300	11→	C	-	-	-	-	-	-	-	-	1727 / 1727X	R	S	298	132	5,0	6	8,5
XVZ MODELS																				
YAMAHA	XVZ 13TF WILD STAR	1300	99	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	409	R	S	320	198	6,0	6	8,5
YAMAHA	XVZ 13TF WILD STAR	1300	99	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVZ 13TF WILD STAR	1300	99	C	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	XVZ A ROYAL STAR	1300	96/00	C	321 / 321X	L/R	S	282	132	5,0	6	8,5	409	R	S	320	198	6,0	6	8,5
YAMAHA	XVZ ROYAL STAR VENTURE	1300	99/01	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	409	R	S	320	198	6,0	6	8,5
YAMAHA	XVZ ROYAL STAR VENTURE	1300	99/01	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVZ ROYAL STAR VENTURE	1300	99/01	C	1727 / 1727X	R	S	298	132	5,0	6	8,5								
YAMAHA	XVZ T VENTURE ROYALE	1300	88/95	C	321 / 321X	L/R	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XVZ TF VENTURE ROYALE	1300	99/01	C	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	409	R	S	320	198	6,0	6	8,5
YAMAHA	XVZ TD	1300	88	C	1296 / 1296X	L/R	S	282	132	5,0	5	10,5	-	-	-	-	-	-	-	-
YAMAHA	XVZ TD VENTURE ROYALE	1300	88/95	C	321 / 321X	L/R	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XVZ TD VENTURE ROYALE	1300	99/01	C	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	-	-	-	-	-	-	-	-
1600 c.c.										1600 c.c.										
YAMAHA	XV A WILD STAR	1600	99/04	C	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	-	-	-	-	-	-	-	-
YAMAHA	XV WILD STAR	1600	99/07	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XV WILD STAR	1600	99/07	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XV WILD STAR	1600	99/07	C	1727 / 1727X	R	S	298	132	5,0	6	8,5								
1670 c.c.										1670 c.c.										
YAMAHA	MT-01	1670	05/06	CVT	297 / 297X	L/R	F00,0	320	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YAMAHA	MT-01	1670	05/06	CVT	297G / 297XG	L/R	F00,0	320	132	5,0	6	8,5								
YAMAHA	MT-01	1670	07/12	CVT	1660G / xxxxxXG	L/R	F00,0	310	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
1700 c.c.										1700 c.c.										
YAMAHA	V MAX	1700	09	C	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	-	-	-	-	-	-	-	-
YAMAHA	V MAX	1700	09	C	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5								
YAMAHA	V-MAX / MATT / CARBON	1700	10/17	C	297X / 297	L/R	F00,0	320	132	5,0	6	8,5	1557X / xxxxx	R	S	298	132	6,0	5	8,5
YAMAHA	V-MAX / MATT / CARBON	1700	10/17	C	297XG / 297G	L/R	F00,0	320	132	5,0	6	8,5								
YAMAHA	XV	1700	02/04	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5	321 / 321X	R	S	282	132	5,0	6	8,5
YAMAHA	XV	1700	02/04	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XV	1700	02/04	C	1727 / 1727X	L/R	S	298	132	5,0	6	8,5								
YAMAHA	XV	1700	06/09	C	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	321 / 321X	R	S	282	132	5,0	6	8,5
YAMAHA	XV	1700	06/09	C	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	XV STAR WARRIOR / PC	1700	02/08	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XV STAR WARRIOR / PC	1700	02/08	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XV STAR WARRIOR / PC	1700	02/08	C	1727 / 1727X	L/R	S	298	132	5,0	6	8,5								
YAMAHA	XV-Y	1700	09/16	CVT	1058 / 1058X	L	F00,0	320	132	5,0	5	8,5	xxxx / 1557X	R	S	298	132	6,0	5	8,5
YAMAHA	XV-Y	1700	09/16	CVT	1058G / 1058XG	L	F00,0	320	132	5,0	5	8,5								
1854 c.c.										1854 c.c.										
YAMAHA	STAR VENTURE	1864	18	CVT	-	L/R	F00,0	298	-	-	-	-	-	L	S	320	-	-	-	-
YAMAHA	ST. VE. TRANSCONTINENTAL	1864	18	CVT	-	L/R	F00,0	298	-	-	-	-	-	L	S	320	-	-	-	-
1900 c.c.										1900 c.c.										
YAMAHA	XV ROADLINER	1900	06	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XV ROADLINER	1900	06	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XV ROADLINER	1900	06	C	1727 / 1727X	L/R	S	298	132	5,0	6	8,5								
YAMAHA	XV STAR RAIDER	1900	08	C	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	-	-	-	-	-	-	-	-
YAMAHA	XV STAR RAIDER	1900	08	C	1786G / 1786XG	L/R	F00,0	298	132	5,0	5	8,5								
YAMAHA	XV STRATOLINER	1900	06	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XV STRATOLINER	1900	06	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XV STRATOLINER	1900	06	C	1727 / 1727X	L/R	S	298	132	5,0	6	8,5								
YAMAHA	XVS MIDNIGHT STAR	1900	06/13	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
YAMAHA	XVS MIDNIGHT STAR	1900	06/13	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5								
YAMAHA	XVS MIDNIGHT STAR	1900	06/15	C	1727 / 1727X	L/R	S	298	132	5,0	6	8,5								
ZERO ELECTRIC										ZERO ELECTRIC										
ZERO	DS DUAL SPORT	E	10/17	UV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	DS ZF 7.2 11,0 kWh / POLICIAL	E	18/19	UV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	DSR MAX ADVENTURE	E	17/19	UV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	DSR ZF 14.4 / 14.4 11,0 kWh	E	18	UV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	FX ZF 7.2 LEAN / MEAN	E	13/19	UV	-	L	S	-	-	-	-	-	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	FXS ZF 7.2 SUPERMOTO	E	17/19	FV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	MX	E	10/13	FV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5



ZERO	S ZF 7.2 11,0 kWh	E	18/19	NV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	S STREETFIGHTER	E	10/17	RV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	SR ELECTRIC HOD ROD	E	14/15	NV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	SR/F	E	19	NV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	SR ZDF 14.4	E	18	NV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5
ZERO	SR ZF 14.4 11,0 kWh	E	18/19	NV	1747X	L	S	320	209,5	5,0	5	10,5	1748X	R	S	240	105,5	4,5	4	8,5

ZONTES										ZONTES										
310 c.c.										310 c.c.										
ZONTES	R ABS	310	18/19	N	-	R	S	300	-	-	-	-	-	R	S	240	-	-	-	-
ZONTES	T ABS	310	19	U	-	R	S	300	-	-	-	-	-	R	S	240	-	-	-	-
ZONTES	X ABS	310	18/19	R	-	R	S	300	-	-	-	-	-	R	S	240	-	-	-	-

ATV / OUADS / SSV / BUGGIES

AEON										AEON									
50 c.c.										50 c.c.									
AEON	COBRA Hi PERFORMANCE	50	16/17	Q	Drum	-	-	-	-	-	-	-	-	S	-	-	-	-	-
200 c.c.										200 c.c.									
AEON	OVERLAND	200	16/17	Q	-	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-
400 c.c.										400 c.c.									
AEON	COBRA 2x4 SX	400	13/15	Q	1825	L/R	S	172	63,7	4,0	4	10,5	-	-	S	-	-	-	-
AEON	CROSSLAND 2x4 / 4x4	400	12/13	Q	-	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-
AEON	CROSSLAND RX 2x4	400	16/17	Q	-	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-
600 c.c.										600 c.c.									
AEON	OVERLAND	600	10/11	Q	-	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-

ADLY										ADLY									
100 c.c.										100 c.c.									
ADLY	100V 2T	100	17/19	Q	Drum	-	-	-	-	-	-	-	-	S	-	-	-	-	-
500 c.c.										500 c.c.									
ADLY	500S 4T	500	07/19	Q	--	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-
565 c.c.										565 c.c.									
ADLY	600U	565	17/19	Q	--	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-

ADLY BUGGIES										ADLY BUGGIES									
125 c.c.										125 c.c.									
ADLY	GK 4T BUGGY	125	03/19	W	Drum	-	-	-	-	-	-	1869	R	S	200	58,2	4,0	4	8,5

ARCTIC CAT													ARCTIC CAT												
50 c.c.													50 c.c.												
ARCTIC CAT 4x4 AUTO YOUTH	50	06/08	Q	-	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5					
ARCTIC CAT DVX SPORT 4T	50	06/08	Q	1011 / 1011X	-	S	180	58	4,0	3	10,5	-	1011 / 1011X	-	S	180	58	4,0	3	10,5					
90 c.c.													90 c.c.												
ARCTIC CAT 2x4 4T YOUTH	90	04/05	Q	-	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-					
ARCTIC CAT 2x4 4T YOUTH	90	06	Q	-	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5					
ARCTIC CAT DVX	90	06/14	Q	1011 / 1011X	-	S	180	58	4,0	3	10,5	-	1011 / 1011X	-	S	180	58	4,0	3	10,5					
ARCTIC CAT DVX NH / NH ALTEERRA	90	16/17	Q	Drum	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-					
ARCTIC CAT DVX SE	90	09	Q	-	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5					
ARCTIC CAT REVERSE GEAR UTILITY	90	10/14	Q	-	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5					

150 c.c.										150 c.c.									
ARCTIC CAT 2x4 UTILITY	150	09/14	Q	-	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
250 c.c.										250 c.c.									
ARCTIC CAT 2x4 UTILITY	250	98/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 2x4 UTILITY	250	98/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 UTILITY	250	01/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 UTILITY	250	01/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT DVX SPORT	250	06/08	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
300 c.c.										300 c.c.									

ARCTIC CAT	2x4 / 4x4	300	98→	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 / 4x4	300	98→	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	2x4 AUTO	300	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	2x4 AUTO	300	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	2x4 UTILITY MID SIZE	300	10/14	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	-	-	-	-	-	-	-	-
ARCTIC CAT	4x4 UTILITY	300	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	4x4 UTILITY	300	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	ALTEERRA 2x4	300	16/19	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT	ATV	300	10/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	ATV	300	10/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	DVX	300	09/14	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5

350 c.c.													350 c.c.												
ARCTIC CAT	ATV	350	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5					
ARCTIC CAT	ATV	350	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5					
366 c.c.													366 c.c.												
ARCTIC CAT	4x4 AUTO UTILITY	366	08/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5					
ARCTIC CAT	4x4 AUTO UTILITY	366	08/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5					
ARCTIC CAT	SE	366	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5					
ARCTIC CAT	SE	366	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5					
375 c.c.													375 c.c.												
ARCTIC CAT	2x4 / 4x4 ALL MODELS	375	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5					



ARCTIC CAT 2x4 / 4x4 ALL MODELS	375	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
400 c.c.				400 c.c.															
ARCTIC CAT 2x4 / UTILITY	400	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 2x4 / UTILITY	400	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 2x4 AUTO UTILITY	400	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 2x4 AUTO UTILITY	400	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 ALL MODELS	400	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 ALL MODELS	400	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
4x4 AUTO MODELS																			
ARCTIC CAT 4x4 AUTO ACT	400	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO ACT	400	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO LE UTILITY	400	05/07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO LE UTILITY	400	05/07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO TBX UTILITY	400	04/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO TBX UTILITY	400	04/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
4x4 AUTO TRV MODELS																			
ARCTIC CAT 4x4 AUTO TRV FI 5	400	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO TRV FI 5	400	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO TRV MULTIRIDER	400	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO TRV MULTIRIDER	400	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO TRV PLUS MULTIRIDER	400	07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO TRV PLUS MULTIRIDER	400	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO TRV UTILITY	400	00/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO TRV UTILITY	400	00/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO TRV VP UTILITY	400	05/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO TRV VP UTILITY	400	05/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT ALTERRA 2x4 / 4x4	400	16/18	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT ATV CORE / MID SIZE	400	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT DVX SPORT	400	04/08	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
ARCTIC CAT DVX TS SPORT	400	06/07	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
ARCTIC CAT TRV	400	09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT TRV	400	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT TRV	400	13	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT TRV H1	400	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT TRV H1	400	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
425 c.c.				425 c.c.															
ARCTIC CAT i / i SE	425	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT i / i SE	425	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
450 c.c.				450 c.c.															
ARCTIC CAT ATV CORE / MID SIZE	450	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT Hi / H1 Efi	450	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT Hi / H1 Efi	450	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT i / TRV / i TRV / i XC	450	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT i / TRV / i TRV / i XC	450	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT i GT	450	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT i GT	450	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT i XC	450	13	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
454 c.c.				454 c.c.															
ARCTIC CAT 2x4 / 4x4 ALL MODELS	454	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 2x4 / 4x4 ALL MODELS	454	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT BEARCAT 2x4 / 4x4	454	96/98	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT BEARCAT 2x4 / 4x4	454	96/98	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
500 c.c.				500 c.c.															
ARCTIC CAT 2x4 / 4x4	500	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 2x4 / 4x4	500	98/04	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
4x4 AUTO or MANUAL MODELS																			
ARCTIC CAT 4x4 AUTO or MANUAL G/BOX UTILITY	500	98/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL G/BOX UTILITY	500	98/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL UTILITY	500	98/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL LE UTILITY	500	05/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL LE UTILITY	500	05/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL TBX UTILITY	500	04/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL TBX UTILITY	500	04/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL TRV MULTIRIDER	500	05/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT 4x4 AUTO or MANUAL TRV MULTIRIDER	500	05/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT ALTERRA	500	16/18	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT ATV MID SIZE	500	13/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT ATV MID SIZE	500	13/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT Fi 5 / TRV	500	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT Fi 5 / TRV	500	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT TRV COREL / 2 UP	500	13/14	Q	1483 / 1483X	L/R														



ARCTIC CAT ALTERRA TRV / XT EPS	550	17/18	Q	-	L/R	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	-
ARCTIC CAT CRUISER	550	11	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT CRUISER	550	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT GT TRV / i / iGT / iLTD	550	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT GT TRV / i / iGT / iLTD	550	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT GT S TRV	550	10	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT GT S TRV	550	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT HI Efi / HI Efi LE	550	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT HI Efi / HI Efi LE	550	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT i GT TRV	550	11	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT i GT TRV	550	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT i PROWLER / XT	550	09/15	Q	1420X	L/R	S	253	95	3,5	4	8,5		-	-	-	-	-	-	-	-	
ARCTIC CAT i PROWLER / XT	550	09/15	Q	1514	L/R	F00,0	253	95	4,5	4	8,5										
ARCTIC CAT MID SIZE / MID SIZE LTD	550	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5		1483 / 1483X	-	S	202	95	4,0	4	8,5	
ARCTIC CAT MID SIZE XT	550	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5		1483 / 1483X	-	S	202	95	4,0	4	8,5	
ARCTIC CAT S / S LTD	550	10	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT S / S LTD	550	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT TRV	550	11	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT TRV	550	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT TRV Efi / TRV Efi LE	550	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT TRV Efi / TRV Efi LE	550	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT TRV LTD	550	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5		1483 / 1483X	-	S	202	95	4,0	4	8,5	
650 c.c.				650 c.c.																	
ARCTIC CAT 4x4	650	05	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT 4x4	650	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT 4x4	650	10	Q	1420X	L/R	S	253	95	3,5	4	8,5		-	-	-	-	-	-	-	-	
ARCTIC CAT 4x4	650	10	Q	1514	L/R	F00,0	253	95	4,5	4	8,5										
ARCTIC CAT H1 4x4 AUTO UTILITY	650	04/08	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 4x4 AUTO UTILITY	650	04/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT H1 4x4 AUTO LE UTILITY	650	07	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 4x4 AUTO LE UTILITY	650	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT H1 4x4 SE AUTO UTILITY	650	06	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 4x4 SE AUTO UTILITY	650	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT H1 4x4 TBX AUTO UTILITY	650	07	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 4x4 TBX AUTO UTILITY	650	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
H1 4x4 TRV AUTO MODELS																					
ARCTIC CAT H1 4x4 TRV AUTO	650	08	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 4x4 TRV AUTO	650	08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT H1 4x4 TRV AUTO PLUS MULTIRIDER	650	07	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 4x4 TRV AUTO PLUS MULTIRIDER	650	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT H1 4x4 TRV AUTO PLUS LE MULTIRIDER	650	07	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 4x4 TRV AUTO PLUS LE MULTIRIDER	650	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT H1 / H1 MUDPRO	650	10/11	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 / H1 MUDPRO	650	10/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT H1 PROWLER	650	06/07	Q	1420X	L/R	S	253	95	3,5	4	8,5		-	-	-	-	-	-	-	-	
ARCTIC CAT H1 PROWLER	650	06/07	Q	1514	L/R	F00,0	253	95	4,5	4	8,5										
ARCTIC CAT H1 TRV 4 x 4 AUTO	650	08/09	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT H1 TRV 4 x 4 AUTO	650	08/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT PROWLER 4x4 AUTO	650	07/08	Q	1420X	L/R	S	253	95	3,5	4	8,5		-	-	-	-	-	-	-	-	
ARCTIC CAT PROWLER 4x4 AUTO	650	07/08	Q	1514	L/R	F00,0	253	95	4,5	4	8,5										
ARCTIC CAT PROWLER XT	650	05	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT PROWLER XT	650	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT PROWLER XT H1	650	06/09	Q	1420X	L/R	S	253	95	3,5	4	8,5		-	-	-	-	-	-	-	-	
ARCTIC CAT PROWLER XT H1	650	06/09	Q	1514	L/R	F00,0	253	95	4,5	4	8,5										
ARCTIC CAT SUPER DUTY DIESEL	650	10	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT SUPER DUTY DIESEL	650	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT TBX / TRV	650	09	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT TBX / TRV	650	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT TRV DIESEL	650	06	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT TRV DIESEL	650	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT TRV V2 AUTO LE TS UTILITY	650	06	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT TRV V2 AUTO LE TS UTILITY	650	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT XT 4x4 AUTO M4	650	08	Q	1420X	L/R	S	253	95	3,5	4	8,5		-	-	-	-	-	-	-	-	
ARCTIC CAT XT 4x4 AUTO M4	650	08	Q	1514	L/R	F00,0	253	95	4,5	4	8,5										
ARCTIC CAT V2 4x4 AUTO UTILITY	650	04/06	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT V2 4x4 AUTO UTILITY	650	04/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT V2 4x4 AUTO LE UTILITY	650	04/05	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5	
ARCTIC CAT V2 4x4 AUTO LE UTILITY	650	04/05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5		1483X / 1483	-	S	202	95	4,0	4	8,5	
700 c.c.				700 c.c.																	
ARCTIC CAT ALTERRA TRV VALUE	700	16/18	Q	-	L/R	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	-
ARCTIC CAT ALTERRA XT EPS	700	16/18	Q	-	L/R	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	-
ARCTIC CAT ATV DIESEL / LTD / XT	700	12/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5		1483 / 1483X	-	S	202	95	4,0	4	8,5	



		C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
ARCTIC CAT	DIESEL UTILITY / Efi UTILITY	700	07/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	DIESEL UTILITY / Efi UTILITY	700	07/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
Efi MODELS																				
ARCTIC CAT	Efi 4x4 AUTO M4 / TRV LE	700	08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	Efi 4x4 AUTO M4 / TRV LE	700	08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	Efi 4x4 LE / SE UTILITY	700	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	Efi 4x4 LE / SE UTILITY	700	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	Efi CRUISER	700	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	Efi CRUISER	700	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	Efi i MUDPRO LTD - TBX LTD	700	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	Efi i MUDPRO LTD - TBX LTD	700	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H1 Efi / H1 Efi LE / H1 Efi 4x4	700	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H1 Efi / H1 Efi LE / H1 Efi 4x4	700	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H1 Efi MUDPRO	700	09/11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H1 Efi MUDPRO	700	09/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H1 Efi 4x4 AUTO SE	700	08/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H1 Efi 4x4 AUTO SE	700	08/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H1 TBX Efi - S / S LTD	700	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H1 TBX Efi - S / S LTD	700	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i MUDPRO / i MUDPRO	700	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	i MUDPRO / i MUDPRO	700	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i XTX	700	12	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	i XTX	700	12	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	PROWLER HDX	700	11/16	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT	PROWLER HDX	700	11/16	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT	PROWLER XT / XTX	700	08/15	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	PROWLER XT / XTX	700	08/15	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	SUPER DUTY DIESEL	700	10/11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	SUPER DUTY DIESEL	700	10/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TBX	700	13	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV / CRUISER / GT	700	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV / CRUISER / GT	700	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV DIESEL	700	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV DIESEL	700	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H1	700	09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H1	700	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	700	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	700	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV XT	700	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
ARCTIC CAT	XTX	700	10/11	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX	700	10/11	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX H1 Efi	700	09	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX H1 Efi	700	09	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX LE	700	08	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	XTX LE	700	08	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
1000 c.c.																				
ARCTIC CAT	ALLTERRA TRV XT EPS	1000	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
ARCTIC CAT	ALTERRA XT EPS	1000	17/18	Q	-	L/R	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-
ARCTIC CAT	ATV 4x4	1000	10	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	ATV 4x4	1000	10	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT	GT / H2 MUDPRO Efi	1000	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	GT / H2 MUDPRO Efi	1000	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	H2 TRV	1000	09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	H2 TRV	1000	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i MUDPRO	1000	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	i MUDPRO	1000	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	i XTZ	1000	12	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT	i XTZ	1000	12	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT	MUDPRO	1000	10/13	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT	MUDPRO	1000	10/13	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT	MUDPRO LTD	1000	12/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	MUDPRO LTD	1000	12/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	THUNDERCAT / H2 / H3	1000	08/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	THUNDERCAT H2 LE	1000	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	THUNDERCAT H2 LE	1000	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H2 Efi	1000	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H2 Efi	1000	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV CRUISER	1000	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV CRUISER	1000	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	1000	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT	TRV H2 Efi CRUISER	1000	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT	XTZ H2 Efi	1000	09	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5



ARCTIC CAT	XTZ H2 Efi	1000	09	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT BUGGIES SSV										ARCTIC CAT BUGGIES SSV										
500 c.c.										500 c.c.										
ARCTIC CAT SSV	PROWLER HDX	500	18	W	-	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER HDX / LTD / XT	500	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV	PROWLER HDX / LTD / XT	500	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV	PROWLER HDX / LTD / XT	500	15/17	W	-	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-	-
550 c.c.										550 c.c.										
ARCTIC CAT SSV	PROWLER	550	09/15	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER	550	09/15	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER HI Efi	550	09	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER HI Efi	550	09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XT i	550	10/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XT i	550	10/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
650 c.c.										650 c.c.										
ARCTIC CAT SSV	PROWLER 4x4 M4	650	08	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER 4x4 M4	650	08	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER H1	650	07/08	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER H1	650	07/08	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XT H1	650	06/09	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XT H1	650	06/09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
700 c.c.										700 c.c.										
ARCTIC CAT SSV	PROWLER / HDX	700	17/18	W	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER CREW	700	18	W	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER HDX / HDX CREW	700	16/17	W	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER HDX	700	11/16	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	PROWLER HDX	700	11/16	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	PROWLER HDX LTD	700	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	PROWLER HDX LTD	700	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	PROWLER XT / XTX i	700	08/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XT / XTX i	700	08/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XTX HI LE	700	08/09	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER XTX HI LE	700	08/09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
WILDCAT MODELS										WILDCAT MODELS										
ARCTIC CAT SSV	WILDCAT SPORT LTD EPS	700	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT SPORT TRAIL XT EPS	700	16/18	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT TRAIL / TRAIL XT HOMO EU	700	16/18	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
1000 c.c.										1000 c.c.										
ARCTIC CAT SSV	PROWLER XT	1000	16/18	W	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	-
ARCTIC CAT SSV	PROWLER H2	1000	09/15	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV	PROWLER H2	1000	09/15	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV	PROWLER XT / XTZ	1000	09/15	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV	PROWLER XT / XTZ	1000	09/15	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
WILDCAT MODELS										WILDCAT MODELS										
ARCTIC CAT SSV	WILDCAT 4 LTD	1000	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT	1000	13/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT	1000	13/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT 4 LTD	1000	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	WILDCAT 4X	1000	13/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT 4X	1000	13/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT i X EPS H. EU	1000	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT i X EPS RG	1000	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT i X LTD RG / i X4 RG	1000	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT i GT	1000	12	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT i GT	1000	12	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	WILDCAT LIMITED	1000	12/15	W	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT LIMITED	1000	12/15	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
ARCTIC CAT SSV	WILDCAT LTD	1000	13/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT LTD	1000	13/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT RG PRO XX / TURBO	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT RG PRO 4XX	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	S	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT X	1000	13	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT X	1000	13	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT X	1000	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	WILDCAT X	1000	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	WILDCAT X EPS	1000	18	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT SSV	WILDCAT X LTD RG / X RG	1000	18	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT SSV	XTZ	1000	10/14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	XTZ	1000	10/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT SSV	XTZ H2 PROWLER	1000	09	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ARCTIC CAT SSV	XTZ H2 PROWLER	1000	09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
BOMBARDIER										BOMBARDIER										
200 c.c.										200 c.c.										
BOMBARDIER	OUTLANDER H2o	200	04/05	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5



BOMBARDIER RALLY	200	03/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	
330 c.c.												330 c.c.							
BOMBARDIER OUTLANDER H2o 2x4 / 4x4	330	04/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
400 c.c.												400 c.c.							
BOMBARDIER OUTLANDER	400	03/04	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER OUTLANDER H2o / MAX	400	03/06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER OUTLANDER MAX XT	400	03/06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
500 c.c.												500 c.c.							
BOMBARDIER QUEST 4x4 ALL MODELS	500	02	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER TRAXTER XL / XT	500	00	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
650 c.c.												650 c.c.							
BOMBARDIER DS / DS BAJA / DS X	650	00/06	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
OUTLANDER MODELS																			
BOMBARDIER OUTLANDER	650	06	Q	-	-	-	-	-	-	-	-	282	-	S	196	81	4,0	4	8,5
BOMBARDIER OUTLANDER Ho Efi 4x4 / XT 4x4	650	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER OUTLANDER MAX Ho Efi 4x4 / XT 4x4	650	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER QUEST	650	02	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
BOMBARDIER QUEST 2x4 7582	650	02/04	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER QUEST MAX	650	03	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER QUEST XT 4x4	650	02	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER TRAXTER MAX	650	02	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
BOMBARDIER TRAXTER MAX	650	04	Q	608	L/R	S	165	48	4,0	4	8,5	-	-	-	-	-	-	-	-
BOMBARDIER TRAXTER XL / XT	650	00	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
BOMBARDIER OUTLANDER	650	06	Q	-	-	-	-	-	-	-	-	282	-	S	196	81	4,0	4	8,5
800 c.c.												800 c.c.							
OUTLANDER MODELS																			
BOMBARDIER OUTLANDER Efi / Efi XT	800	06/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER OUTLANDER Ho Ef 4x4 / MAX Ho Efi 4x4	800	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER OUTLANDER Ho Efi 4x4 XT	800	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER OUTLANDER MAX / MAX XT	800	06/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER QUEST MAX / STD / XT	800	04/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER TRAXTER 4x4 / FOOTSHIFT	800	01	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
BOMBARDIER TRAXTER AUTOSHIFT	800	01/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
BOMBARDIER TRAXTER MAX	800	03/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
BOMBARDIER TRAXTER XL 4x4	800	01/04	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
CAN-AM												CAN-AM							
90 c.c.												90 c.c.							
CAN-AM DS / DS PRO 2x4	90	08/14	Q	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	1499 / 1499X	-	S	180	36	3,7	4	6,5
CAN-AM DS / DS PRO 2x4	90	15/17	Q	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	Drum	-	-	-	-	-	-	-
CAN-AM DS X 2x4 4T	90	08/14	Q	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	1499 / 1499X	-	S	180	36	3,7	4	6,5
200 c.c.												200 c.c.							
CAN-AM RALLY	200	07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	S	-	-	-	-	-
250 c.c.												250 c.c.							
CAN-AM DS STD	250	17/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
400 c.c.												400 c.c.							
OUTLANDER MODELS																			
CAN-AM OUTLANDER MAX STD 4x4	400	07/14	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM OUTLANDER MAX XT 4x4	400	07/13	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM OUTLANDER STD 4x4 / XT 4x4	400	07/14	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
450 c.c.												450 c.c.							
OUTLANDER MODELS																			
CAN-AM OUTLANDER L Efi / L MAX	450	15→	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM OUTLANDER STD / PRO - MAX STD / DPS	450	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM DS 2x4 / Efi	450	08/14	Q	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3	10,5
CAN-AM DS X 2x4 / Efi	450	08/09	Q	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3	10,5
CAN-AM DS Xxc / Xxm	450	09/14	Q	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3	10,5
500 c.c.												500 c.c.							
OUTLANDER MODELS																			
CAN-AM OUTLANDER 4x4	500	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM OUTLANDER Efi DPS 4x4 / MAX XT 4x4	500	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM OUTLANDER Efi / L Efi / L MAX Efi / MAX Ef	500	15→	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM OUTLANDER MAX Efi STS / Efi XT	500	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM OUTLANDER MAX STD 4x4	500	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM OUTLANDER MAX XT 4x4	500	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM OUTLANDER MAX STD / DPST 4x4	500	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM OUTLANDER STD 4x4	500	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM OUTLANDER XT	500	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
CAN-AM OUTLANDER XT 4x4	500	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM RENEGADE 4x4 / Efi	500	07/12	Q	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
CAN-AM RENEGADE STD	500	12/13	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
570 c.c.												570 c.c.							
OUTLANDER MODELS																			
CAN-AM OUTLANDER DPS / DPS ABS	570	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM OUTLANDER MAX DOS / XT	570	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM OUTLANDER PRO	570	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM OUTLANDER X mr LIGHT	570	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
CAN-AM RENAGE / STD / X xc / X mr	570	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-



650 c.c.													650 c.c.												
OUTLANDER MODELS																									
CAN-AM	OUTLANDER 6x6 DPS FB / MAX PRO	650	16/18	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	-				
CAN-AM	OUTLANDER MAX Efi STD / DPS	650	13/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER MAX DPST 4x4 / MAX STD	650	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER MAX STD 4x4 / MAX XT 4x4	650	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER MAX XT / XT-P	650	17/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	OUTLANDER MAX XT-P	650	12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER MAX WIN	650	17/18	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-					
CAN-AM	OUTLANDER PRO	650	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	OUTLANDER STD / DPS	650	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER STD 4x4 / XT 4x4	650	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER XT 4x4	650	13/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	RENEGADE X xc / ABS	650	17/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
800 c.c.													800 c.c.												
OUTLANDER MODELS																									
CAN-AM	OUTLANDER MAX LTD 4x4 / STD 4x4	800	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER MAX XT 4x4	800	07/08	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER MAX R Efi / MAX R XT	800	09/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER MAX R X-TP	800	12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER MAX R STD	800	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER R 4x4	800	13	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER R Efi / DPS / STD / R XT / XT	800	09→	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER R Xmr	800	11/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER R Xxc	800	11→	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER STD 4x4 / XT 4x4	800	07/08	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	OUTLANDER XT-P 4x4	800	12→	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER MAX DPSTT-P	800	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	RENEGADE Efi 4x4	800	07/08	Q	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	RENEGADE R Efi	800	09/11	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	RENEGADE R STD / R Xxc	800	12/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	RENEGADE R X	800	09/10	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	RENEGADE R Xxc	800	11	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	RENEGADE X Efi 4x4	800	08	Q	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5					
CAN-AM	RENEGADE 850 / X xc	800	16/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
850 c.c.													850 c.c.												
CAN-AM	OUTLANDER MAX	850	16/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER MAX XT-P	850	15/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	6x6 XT FB	850	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-					
1000 c.c.													1000 c.c.												
OUTLANDER MODELS																									
CAN-AM	OUTLANDER 6x6 PRO	1000	17/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	OUTLANDER Efi	1000	12/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER MAX DPS / XT / XT-P	1000	13	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER MAX PRO / MAX R LTD	1000	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	OUTLANDER MAX XT-P / MAX R XT-P	1000	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	OUTLANDER PRO	1000	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	OUTLANDER R Xmr / R XT-P	1000	16/18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM	OUTLANDER STD / DPS Efi / LTD / MAX	1000	12/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER XT / XMR	1000	12/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	OUTLANDER Xmr 4x4	1000	13/18	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM	RENEGADE STD / Xxc	1000	12/17	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5					
CAN-AM	RENEGADE R X xc / X mr	1000	16/18	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5					
CAN-AM BUGGIES SSV													CAN-AM BUGGIES SSV												
450 c.c.													450 c.c.												
CAN-AM SSV	TRAXTER	450	18	W	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
800 c.c.													800 c.c.												
CAN-AM SSV	COMMANDER / R	800	11/15	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5					
CAN-AM SSV	COMANDER DPS	800	16/17	W	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
CAN-AM SSV	COMMANDER R STD / R XT	800	11/15	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	-	S	214	116	4,5	4	11,5					
CAN-AM SSV	COMMANDER XT / DPS	800	11/15	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5					
CAN-AM SSV	DEFENDER / MAX DPS	800	16/17	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	L/R	S	214	116	4,5	4	11,5					
CAN-AM SSV	DEFENDER PRO T1	800	16/17	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	L/R	S	214	116	4,5	4	11,5					
CAN-AM SSV	DEFENDER XT / XT CAB	800	16/17	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1850	L/R	S	214	116	4,5	4	11,5					
CAN-AM SSV	MAVERICK TRAIL R DPS	800	18	W	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-					
TRAXTER MODELS																									
CAN-AM SSV	TRAXTER R DPS / R STD T	800	18	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-					
CAN-AM SSV	TRAXTER R PRO T	800	18	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-					
CAN-AM SSV	TRAXTER R PRO T PURE MAGNESIUM	800	18	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-					
900 c.c.													900 c.c.												
CAN-AM SSV	MAVERICK MAX X3 Xrs TCIC	900	18	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-					
CAN-AM SSV	MAVERICK X3 TURBO R	900	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-					
CAN-AM SSV	MAVERICK X3 Xds TCIC	900	18	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-					
CAN-AM SSV	MAVERICK X3 Xrc TCIC	900	18	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-					



CAN-AM SSV MAVERICK X3 Xrs TCIC				900	18	W	-							L/R		S	-	-	-	-	-	-	-				L/R	S	-	-	-	-	-			
976 c.c.																																				
CAN-AM SSV DEFENDER				976	16	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	-				L/R	S	214	115,5	4,0	4	11,5	
1000 c.c.																																				
COMMANDER MODELS																																				
CAN-AM SSV COMMANDER / STD / XT Efi				1000	11/14	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1850		-	S	214	116	4,5	4	11,5	-				L/R	S	214	116	4,5	4	11,5	
CAN-AM SSV COMMANDER DPS				1000	13/15	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1850		-	S	214	116	4,5	4	11,5	-				L/R	S	214	116	4,5	4	11,5	
CAN-AM SSV COMMANDER LTD				1000	12/15	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1850		-	S	214	116	4,5	4	11,5	-				L/R	S	214	116	4,5	4	11,5	
CAN-AM SSV COMMANDER X				1000	11/13	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1850		-	S	214	116	4,5	4	11,5	-				L/R	S	214	116	4,5	4	11,5	
CAN-AM SSV COMMANDER XT				1000	11/15	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1850		-	S	214	116	4,5	4	11,5	-				L/R	S	214	116	4,5	4	11,5	
CAN-AM SSV COMMANDER XT-P				1000	14/15	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1850		-	S	214	116	4,5	4	11,5	-				L/R	S	214	116	4,5	4	11,5	
CAN-AM SSV COMMANDER MAX XT / DPS				1000	14	W	-		-	-	-	-	-	-	-	1480 / 1480X		L/R	S	214	115,5	4,5	4	8,5	-				L/R	S	214	115,5	4,5	4	8,5	
CAN-AM SSV DEFENDER / DPS / XT / CAB				1000	16	W	-		L/R	S	-	-	-	-	-	-	-		L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-		
MAVERICK MODELS																																				
CAN-AM SSV MAVERICK MAX R-STD / STD / XRS / DPS				1000	14	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X		L/R	S	214	115,5	4,5	4	8,5	-				L/R	S	214	115,5	4,5	4	8,5	
CAN-AM SSV MAVERICK R-XMR / XXC - R STD				1000	14	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X		L/R	S	214	115,5	4,5	4	8,5	-				L/R	S	214	115,5	4,5	4	8,5	
CAN-AM SSV MAVERICK R-XRS / R-XRS DPS				1000	14	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X		L/R	S	214	115,5	4,5	4	8,5	-				L/R	S	214	115,5	4,5	4	8,5	
CAN-AM SSV MAVERICK R-XXC				1000	14	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X		L/R	S	214	115,5	4,5	4	8,5	-				L/R	S	214	115,5	4,5	4	8,5	
CAN-AM SSV MAVERICK R X XC				1000	16/17	W	-		L/R	S	-	-	-	-	-	-		L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-		
CAN-AM SSV MAVERICK TRAIL DPS				1000	18	W	-		L/R	S	-	-	-	-	-	-		L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	8,5		
CAN-AM SSV MAVERICK R TURBO X DS				1000	16/17	W	-		L/R	S	-	-	-	-	-	-		L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-		
CAN-AM SSV MAVERICK R / X RS				1000	13	W	1501 / 1501X		L/R	S	214	115,5	4,0	4	11,5	1850		-	S	214	116	4,5	4	11,5	-				L/R	S	214	116	4,5	4	11,5	
CAN-AM SSV MAVERICK XT / XT CAMU				1000	16/17	W	-		L/R	S	-	-	-	-	-	-		L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-		
TRAXTER MODELS																																				
CAN-AM SSV TRAXTER MAX XT PURE MAGNESIUM				1000	18	W	-		L/R	S	-	-	-	-	-	-		L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	8,5		
CAN-AM SSV TRAXTER PRO T PURE MAGNESIUM				1000	18	W	-		L/R	S	-	-	-	-	-	-		-	S	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-		
CAN-AM SSV TRAXTER X3				1000	17	W	-		L/R	S	-	-	-	-	-	-		-	L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
CAN-AM SSV TRAXTER XT / XT CAMO				1000	18	W	-		L/R	S	-	-	-	-	-	-		-	L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	8,5	
CAN-AM SSV TRAXTER XT PURE MAGNESIUM				1000	18	W	-		L/R	S	-	-	-	-	-	-		-	L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
CANNONDALE																																				
400 c.c.																																				
CANNONDALE FX				400	01	Q	ND / NA		L/R	S	165	51	4,4	4	8,5	ND / NA		-	S	218,5	110,5	4,4	4	8,5	-				L/R	S	218,5	110,5	4,4	4	8,5	
440 c.c.																																				
CANNONDALE BLAZE / CANNIBAL				440	02	Q	ND / NA		L/R	S	165	51	4,4	4	8,5	ND / NA		-	S	218,5	110,5	4,4	4	8,5	-				L/R	S	218,5	110,5	4,4	4	8,5	
CANNONDALE GLAMIS				440	03	W	ND / NA		L/R	S	165	51	4,4	4	8,5	ND / NA		-	S	218,5	110,5	4,4	4	8,5	-				L/R	S	218,5	110,5	4,4	4	8,5	
CANNONDALE MOTO / SPEED				440	02	Q	ND / NA		L/R	S	165	51	4,4	4	8,5	ND / NA		-	S	218,5	110,5	4,4	4	8,5	-				L/R	S	218,5	110,5	4,4	4	8,5	
CF MOTO																																				
400 c.c.																																				
CF MOTO CFORCE 450S T3				400	17	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE 450S TRACTOR				400	17/18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE 450S / L				400	17/18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE HO EPS				400	16	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
500 c.c.																																				
CF MOTO CFORCE 520 S / L EPS				500	17/18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE 550				500	17/18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE 550 T3 / TRACTOR				500	17/18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE HO EPS				500	16/18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
800 c.c.																																				
CF MOTO CFORCE 820 L / LE				800	17/18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE EPS				800	16	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO CFORCE L				800	17	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
850 c.c.																																				
CF MOTO CFORCE XC EPS				850	18	Q	1668G		L/R	F22,0	220	72	4,0	4	10,5	1669		-	S	150	44,3	7,5	4	10,5	-				L/R	S	150	44,3	7,5	4	10,5	
CF MOTO SSV																																				
500 c.c.																																				
CF MOTO SSV UFORCE 550 T1				500	17/18	W	-		L/R	-	-	-	-	-	-	-		L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-		
CF MOTO SSV ZFORCE 550 / EX T1				500	16/18	W	-		L/R	-	-	-	-	-	-	-		-	S	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-		
CF MOTO SSV ZFORCE / TRAIL				500	16	W	-		L/R	-	-	-	-	-	-	-		-	L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
800 c.c.																																				
CF MOTO SSV UFORCE T1				800	17/18	W	-		L/R	-	-	-	-	-	-	-		-	L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
CF MOTO SSV Z FORCE / EPS / TRAIL				800	16/17	W	-		L/R	-	-	-	-	-	-	-		-	-	S	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	
CF MOTO SSV Z FORCE EPS / EX EPS				800	16	W	-		L/R	-	-	-	-	-	-	-		-	-	S	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	
CF MOTO SSV Z FORCE EX T1				800	16/18	W	-		L/R	-	-	-	-	-	-	-		-	L/R	S	-	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
1000 c.c.																																				
CF MOTO SSV Z FORCE EX T1				1000	16/18	W	-		L/R	S	-	-	-	-	-	-		-	L/R	S	-	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
CF MOTO SSV Z FORCE Z8				1000	13	W	-		L/R	F22,0	220	72	3,5	4	10,5	-		-	-	S	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-
CORVUS BUGGIES SSV																																				
900 c.c.																																				
RBS MODELS																																				
CORVUS SSV RBS ADVENTURE / GT				900	13/18	W	1626		L/R	S	256	94	4,0	4	8,5	1627		L/R	S	220	90	4,0	4	8,5	-				L/R	S	220	90	4,0	4	8,5	
CORVUS SSV RBS ADVENTURE / GT				900	19	W	1861		L/R	S	256	90	4,0	4	8,5	1627		L/R	S	220	90	4,0	4	8,5	-				L/R	S	220	90	4,0	4	8,5	
CPI																																				
50 c.c.																																				
CPI 50 / SX				50	-	Q	-		-	-	-	-	-	-	-	1408X		-	S	190	36	3,5	4	6,5	-				L/R	S	190	36	3,5	4	6,5	
90 c.c.																																				
CPI 90				90	-	Q	-		-	-	-	-	-	-	-	1408X		-	S	190	36	3,5	4	6,5	-				L/R	S	190	36	3,5	4	6,5	
110 c.c.																																				
CPI SSX REVERSE				110	-	Q	-		-	-	-	-	-	-	-	1408X		-	S	190	36	3,5	4	6,5	-				L/R	S	190	36	3,5	4	6,5	

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO - DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
 PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA - FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE



FRONT												REAR											
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
675 c.c.												675 c.c.											
HONDA	RINCON Efí FOURTRAX	675	06/19	Q		1027	L/R	S	180	75	4,0	4	10,5		1028	-	S	170	46	6,0	5	6,5	
700 c.c.												700 c.c.											
HONDA	TRX XX	700	08/12	Q		651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5		-	-	-	-	-	-	-	-	-
HYOSUNG												HYOSUNG											
450 c.c.												450 c.c.											
HYOSUNG	TE RAPIER	450	06/09	Q		1406X	L/R	S	170	48	4,0	3	10,5		1407X	-	S	240	108	4,0	4	10,5	
KAWASAKI												KAWASAKI											
220 c.c.												220 c.c.											
KAWASAKI	KLF A	220	01/02	Q		053	L/R	S	200	80	3,5	3	10,5		-	-	-	-	-	-	-	-	-
250 c.c.												250 c.c.											
KAWASAKI	KFX MOJAVE	250	04	Q		-	-	-	-	-	-	-	-		1423X	-	S	235	-	4,7	4	11,5	
KAWASAKI	KSF A1-A18 MOJAVE	250	87/04	Q		490	L/R	S	169	50	3,5	3	10,5		1423X	-	S	235	-	4,7	4	11,5	
KAWASAKI	KXF A1 / A2 TECATE	250	87/88	Q		490	L/R	S	169	50	3,5	3	10,5		-	-	-	-	-	-	-	-	-
300 c.c.												300 c.c.											
KAWASAKI	LAKOTA UTILITY	300	95/00	Q		490	L/R	S	169	50	3,5	3	10,5		1423X	-	S	235	-	4,7	4	11,5	
KAWASAKI	KEF A1-A6 LAKOTA	300	95/00	Q		490	L/R	S	169	50	3,5	3	10,5		1423X	-	S	235	-	4,7	4	11,5	
KAWASAKI	KEF LAKOTA SPORT	300	01/03	Q		490	L/R	S	169	50	3,5	3	10,5		1423X	-	S	235	-	4,7	4	11,5	
KAWASAKI	KLF B1-17 BAYOU	300	88/04	Q		490	L/R	S	169	50	3,5	3	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KLF C1-C17 BAYOU 4x4	300	89/05	Q		053	L/R	S	200	80	3,5	3	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE	300	12/17	Q		1507 / 1507X	L/R	MD	180	58	4,0	3	MH		1507 / 1507X	-	MD	180	58	4,0	3	MH	
KAWASAKI	KVF PRAIRIE 2x4 / 4x4	300	99/02	Q		053	L/R	S	200	80	3,5	3	10,5		-	-	-	-	-	-	-	-	-
360 c.c.												360 c.c.											
KAWASAKI	KVF4x4 HARDWOODS HD	360	03/11	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-
KAWASAKI	KVF B1-B4 2x4 PRAIRIE	360	99/02	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-
400 c.c.												400 c.c.											
KAWASAKI	KFX	400	02/03	Q		1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5		043 / 043X	-	S	220	105	4,0	4	10,5	
KAWASAKI	KFX	400	04/06	Q		053	L/R	S	200	80	3,5	3	10,5		043 / 043X	-	S	220	105	4,0	4	10,5	
KAWASAKI	KLF B1-B7 BAYOU 4x4	400	93/99	Q		053	L/R	S	200	80	3,5	3	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE 2x4 / 4x4	400	99/02	Q		053	L/R	S	200	80	3,5	3	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE A1/A2/B1	400	97/98	Q		053	L/R	S	200	80	3,5	3	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	LT Z	400	03	Q		1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5		043 / 043X	-	S	220	105	4,0	4	10,5	
450 c.c.												450 c.c.											
KAWASAKI	KFX R	450	07	Q		1520	L/R	S	163	51	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KFX R	450	08/14	Q		1520	L/R	S	163	51	3,5	4	10,5		1521	R	S	200	70	3,5	4	10,5	
650 c.c.												650 c.c.											
KAWASAKI	KVF BRUTE FORCE 4x4	650	05/11	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE HARD.	650	05/13	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF FCF	650	12/14	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF PRAIRIE	650	02/03	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		-	-	-	-	-	-	-	-	-
700 c.c.												700 c.c.											
KAWASAKI	BRUTE FORCE 4x4 i EPS	700	13/17	Q		-	L/R	S	200	-	-	-	-		-	-	-	-	-	-	-	-	-
KAWASAKI	KFX	700	03	Q		1520	L/R	S	163	51	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KFX - KSV - KSV A1	700	04/11	Q		1520	L/R	S	163	51	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KFX V-FORCE	700	07/09	Q		1520	L/R	S	163	51	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF	700	06/07	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-
KAWASAKI	KVF A1-B1 4x4 PRAIRIE	700	04/08	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-
KAWASAKI	KVF A2-A9 / KVF B2- B9	700	04/09	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-
KAWASAKI	KVF D1 TEAM GREEN	700	05/06	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-
750 c.c.												750 c.c.											
KAWASAKI	KRF A8F / B8F TERYX 4x4	750	08/10	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF D8F TERYX 4x4 LE	750	08/10	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF F8F TERYX	750	08/10	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF G9F / NAF / NBF	750	09/13	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF J9FA TERYX Fi 4x4 LE	750	09/13	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF LE SPORT	750	10/13	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF NDF TERYX Fi	750	09/13	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF RDF TERYX Fi 4x4 LE	750	09/13	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF RUV TERYX NRA	750	08/10	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF NAF RUV TERYX 4x4	750	08/10	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF PAF RUV TERYX 4x4 LE	750	08/10	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF SAF RUV TERYX 4x4	750	10/13	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF TAF TERYX 4x4 Fi SGE	750	10/11	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KRF VBF TERYX 4x4 Fi SGE	750	10/11	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF D8F / D9F / DBF	750	08/11	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE i EPS	750	05/12	Q		1062 / 1062X	L/R	S	200	84	3,5	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI	KVF BRUTE FORCE i EPS	750	14	Q		1411X	L/R	S	200	84	5,0	4	10,5		-	-	-	-	-	-	-	-	-
KAWASAKI BUGGIES SSV												KAWASAKI BUGGIES SSV											
812 c.c.												812 c.c.											
MULE MODELS																							
KAWASAKI SSV	MULE PRO-FX / PRO FX EPS	812	16/18	W		-	L/R	-	-	-	-	-	-		-	L/R	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-FX EPS CAMO	812	16/17	W		-	L/R	-	-	-	-	-	-		-	L/R	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-FX EPS LE	812	16/18	W		-	L/R	-	-	-	-	-	-		-	L/R	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-FX R. EDITION	812	17	W		-	L/R	-	-	-	-	-	-		-	L/R	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-FXR	812	18	W		-	L/R	-	-	-	-	-	-		-	L/R	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-FXT / PRO-FXT CAMO	812	15/18	W		-	L/R	-	-	-	-	-	-		-	L/R	-	-	-	-	-	-	-



KAWASAKI SSV	MULE PRO-FXT EPS / EPS LE	812	15/18	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-FXT R. EDITION	812	16/18	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
1000 c.c.															1000 c.c.									
KAWASAKI SSV	MULE DX EPS LE / DIESEL	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-DX DIESEL	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-DX EPS / DIESEL	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-DXT / DIESEL	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-DXT EPS	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-DXT DIESEL	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KAWASAKI SSV	MULE PRO-DXT EPS LE	1000	16/17	W	-	L/R	-	-	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-	-	-
KTM															KTM									
450 c.c.															450 c.c.									
KTM	SX / XC	450	08/13	Q	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S	200	76	4,0	4	10,5				
505 c.c.															505 c.c.									
KTM	SX	505	08/13	Q	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S	200	76	4,0	4	10,5				
525 c.c.															525 c.c.									
KTM	XC	525	08/13	Q	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S	200	76	4,0	4	10,5				
KYMCO															KYMCO									
50 c.c.															50 c.c.									
KYMCO	MAXXER	50	17	Q	Drum	-	-	-	-	-	-	-	--	-	S	-	-	-	-	-	-	-	-	-
KYMCO	MXER	50	00/07	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH				
KYMCO	MXU / MXU REVERSE	50	05/17	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH				
90 c.c.															90 c.c.									
KYMCO	KXR / S MONGOOSE	90	04/15	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH				
KYMCO	MAXXER	90	05/06	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH				
125 c.c.															125 c.c.									
KYMCO	MXER	125	02/07	Q	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5				
KYMCO	MXER	125	02/07	Q									1507 / 1507X	-	MD	180	58	4,0	3	MH				
150 c.c.															150 c.c.									
KYMCO	MXU	150	05/17	Q	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5				
KYMCO	MXU	150	05/17	Q									1507 / 1507X	-	MD	180	58	4,0	3	MH				
KYMCO	MXER	150	02/07	Q	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5				
KYMCO	MXER	150	02/07	Q									1507 / 1507X	-	MD	180	58	4,0	3	MH				
250 c.c.															250 c.c.									
KYMCO	KXR MONGOOSE	250	04/09	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
KYMCO	KXR SPORT	250	04	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
KYMCO	MAXXER	250	06/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1507 / 1507X	-	MD	180	58	4,0	3	MH				
KYMCO	MXU	250	04/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
KYMCO	MXU	250	17	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	-	-	S	180	-	-	-	-				
KYMCO	MXU R	250	12/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1507 / 1507X	-	MD	180	58	4,0	3	MH				
KYMCO	URBAN QUAD	250	06	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
300 c.c.															300 c.c.									
KYMCO	MAXXER	300	06/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
KYMCO	MONGOOSE	300	06/14	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
KYMCO	MXU	300	06/11	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
KYMCO	MXU	300	19	Q	-	L/R	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
KYMCO	MXU R	300	10/17	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5				
375 c.c.															375 c.c.									
KYMCO	MAXXER 4x4 IRS	375	10/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MAXXER 4x4 IRS	375	10/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
KYMCO	MXU 4x4 IRS	375	08/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MXU 4x4 IRS	375	08/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
400 c.c.															400 c.c.									
KYMCO	MAXXER / PARKING BRAKE	400	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MAXXER / PARKING BRAKE	400	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
KYMCO	MXU / PARKING BRAKE	400	08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MXU / PARKING BRAKE	400	08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
450 c.c.															450 c.c.									
KYMCO	MAXXER 4x4 IRS	450	11/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MAXXER 4x4 IRS	450	11/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
KYMCO	MAXXER i	450	18	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-				
KYMCO	MAXXER i / PARKING BRAKE	450	09/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MAXXER i / PARKING BRAKE	450	09/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
KYMCO	MXU / MXU PARKING BRAKE	450	08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MXU / MXU PARKING BRAKE	450	08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
KYMCO	MXU i / MXU IRS LE	450	08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MXU i / MXU IRS LE	450	08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
KYMCO	UXV i	450	17/18	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-				
500 c.c.															500 c.c.									
KYMCO	MXU	500	05/09	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1261	-	S	220	79	4,0	4	10,5				
KYMCO	MXU IRS	500	06	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	-	-	-	-	-	-	-	-				
KYMCO	MTU	500	09/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5				
KYMCO	MTU	500	09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5				
KYMCO	MXU 4x4 CARB MODELS	500	07/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-				
KYMCO	MXU 4x4 CARB MODELS	500	07/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-				
KYMCO	MXU 4x4 IRS CARB MODELS	500	10/11	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-				

FRONT										REAR										
C.C.	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		
KYMCO	MXU 4x4 IRS CARB MODELS	500	10/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	MXU DX / PARKING BRAKE	500	09/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MXU DX / PARKING BRAKE	500	09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	MXU i / DX	500	09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	MXU IRS / PARKING BRAKE	500	09/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	
KYMCO	MXU IRS / PARKING BRAKE	500	09/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	MXU IRIS / MXU i DX	500	17	Q	-	L/R	S	190	-	-	-	-	-	S	200	-	-	-	-	
KYMCO	UTV i 4x4	500	10/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	UTV i 4x4	500	10/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	UTV BULL 4x4	500	10/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	UTV BULL 4x4	500	10/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO	UXV i 4x4	500	08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4	500	08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	UXV i 4x4 G TURF	500	15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 G TURF	500	15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	UXV i 4x4 HE	500	14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 HE	500	14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	UXV i 4x4 LE	500	12/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 LE	500	12/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	UXV i 4x4 SE	500	12/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 SE	500	12/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	UXV i 4x4 SP	500	13/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 SP	500	13/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	UXV i 4x4 TURF	500	14/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5
KYMCO	UXV i 4x4 TURF	500	14/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
550 c.c.										550 c.c.										
KYMCO	MXU i / PARKING BRAKE	550	12/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	200	-	-	-	
KYMCO	MXU i / PARKING BRAKE	550	12/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	MXU i / MXU i EX	550	12/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	200	-	-	-	
KYMCO	MXU i / MXU i EX	550	12/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	MXU i LOF / PARKING BRAKE	550	13/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	-	-	-	-	
KYMCO	MXU i LOF / PARKING BRAKE	550	13/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
700 c.c.										700 c.c.										
KYMCO	MTU	700	09/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
KYMCO	MTU	700	09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
KYMCO BUGGIES SSV										KYMCO BUGGIES SSV										
450 c.c.										450 c.c.										
KYMCO SSV	UXV i	450	15	W	-	L/R	S	-	-	-	-	-	-	S	-	-	-	-	-	
500 c.c.										500 c.c.										
KYMCO SSV	UXV i 4x4 SIDE x SIDE	500	08/15	W	-	L/R	S	-	-	-	-	-	1658X	-	S	200	54,2	5,0	5	10,5
700 c.c.										700 c.c.										
KYMCO	MTU	700	09/13	W	1384X	L/R	S	202	95	3,5	4	8,5	1384X	L/R	S	202	95	3,5	4	8,5
KYMCO	MTU	700	09/13	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	L/R	S	202	95	4,0	4	8,5
KYMCO	MXU i 4x4 ESENTIAL	700	18	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO	MXU i 4x4 EX	700	18/19	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO	MXU i 4x4 LOF / i EPS	700	13/17	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO	MXU i 4x4 LOF / i EPS	700	13/17	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	MXU i 4x4 LOF P. BRAKE	700	13/17	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO	MXU i 4x4 LOF P. BRAKE	700	13/17	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
KYMCO	UXV i TURF / P. BRAKE	700	14/17	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
KYMCO	UXV i TURF / P. BRAKE	700	14/17	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	
MASSEY - FERGUSON										MASSEY - FERGUSON										

NAKED - SUPERSPORT



Ø 320

1596GK32 / 1596XGK32

DUKE / DUKE ABS	125	13/16
RC / RC ABS	125	14/16
DUKE	200	13/16
RC	200	14/16
DUKE	250	13/16
RC	250	14/16
DUKE	250	13/16
RC	250	14/16



1642GK32 / 1642XGK32

DUKE / DUKE ABS	125	17/18
RC / RC ABS	125	17/18

CROSS RACING JUNIOR 50 TO 100 c.c., OVERSIZE KIT



MODELOS MODELS	c.c. c.c.	AÑO YEAR	REF. DELANTERO FRONT REF.	Ø EXT. Ø O.D.	REF. TRASERO REAR REF.	Ø EXT. Ø O.D.
HUSQVARNA						
TC 12' / 10' - TC MINI	50	17/19	1378K21	*185	-	-
TC 14' / 12'	65	17/19	1379XK22	*225	-	-
TC 19' / 16'	85	14/19			1481XK25	*220
KAWASAKI						
KX I 17' / 14'	85	00/18	1427XK24	*260	-	-
KX II 19' / 16'	85	00/18	1427XK24	*260	-	-
KX	100	95/18	1427XK24	*260	-	-
KTM						
SX	50	12/13	1378K21	*185	-	-
SX 4 to 10 years old	50	14/19	1378K21	*185	-	-
SX 8 to 12 years old	65	98/19	1379XK22	*225	-	-
SX	85	11/18	1324XK20	*260	1481XK25	*220
SX 17' / 14'	85	19	1324XK20	*260	1481XK25	*220
SX 17' / 14' - 19' / 16'	85	13/18	1324XK20	*260	1481XK25	*220

KITS SOBREDIMENSIONADOS CROSS-ENDURO


Ref. xxxX

Contoured with ventilations
 Ondulado con ventilaciones


Ref. xxxXBH

contoured with ventilations and Slots
 Ondulado con ventilaciones y regatas

SOLO PRIMERAS MARCAS Y PRINCIPALES APLICACIONES / ONLY TOP BRANDS AND MAIN APPLICATIONS

MARCA BRAND	MODELOS MODELS	AÑO YEAR	c.c. c.c.	REFERENCIA REFERENCE	Ø EXT. Ø O.D.
BETA					
RR 2T ENDURO		18	125	1254XK09	*270
RR 2T / RR 2T RACING / RR 2T OIL MIX		12/18	250	1254XBHK09	*270
XTRAINER		17/18	250		
RR 2T / RR 2T RACING / RR 2T OIL MIX / XTRAINER / CROSSTRAINER		15/18	300		
RR Efi / RR Efi ENDURO / RR Efi RACING		15/18	350/390/430/480		
BMW					
G X		08/11	450	1162XK16	*270
GAS GAS					
EC		98/15	125	1199XK09	*270
EC RACING		12/15	125/200	1738XBHK09	*270
EC 2T / EC E 2T		96/15	250		
EC 4T / SIX DAYS 2T		10/11	250		
EC 2T RACING / EC 4T RACING		12/15	250/300		
ENDURO GP		18	250 / 300		
EC / EC NANBOLIN		99/14	300		
EC E / F / EC 2T SIXDAYS / EC 2T RACING		14/15	300		
ENDUCROSS EC FSE		02/05	450		
EC F 4T RACING		06/15	450		
HONDA					
CR E		98/08	125	1154XK03	*270
CR E / CR F / CR R / CR X		04/08	250	1154XBHK03	*270
CRF R / CRF X ENDURO		04/14	250		
CRF R		14	360		
CRF R		04/14	450		
CRF X ENDURO		04/16	450		
CRF R CROSS / ENDURO		15/19	250	1154XK26	*270
CRF RME		15/17	300	1154XBHK26	*270
CRF RX ENDURO		18	400		
CRF R / RX / ENDURO		15/19	450		
CRF R ENDURO		15/16	500		
HUSQVARNA					
TC 2T / TE 2T		14/18	125	1254XK17	*270
FC 4T / FE 4T / TE 2T		14/19	250	1254XBHK17	*270
TC 2T / TC 4T		14/18	250		
TE 2T		14/19	300		
TX		17/18	300		
FC 4T / FE 4T		14/19	350/450		
FE 4T		14/16	501		
TC 2T / TC R / TE		07/13	250	1325XK16	*270
TXC		07/13	250	1325XBHK16	*270

CROSS / ENDURO OVERSIZE KIT

KITS SOBREDIMENSIONADOS CROSS-ENDURO

SOLO PRIMERAS MARCAS Y PRINCIPALES APLICACIONES / ONLY TOP BRANDS AND MAIN APPLICATIONS

MARCA BRAND	MODELOS MODELS	AÑO YEAR	c.c. c.c.	REFERENCIA REFERENCE	Ø EXT. Ø O.D.
KAWASAKI					
KX		06/08	125	1151XK01	*270
KX		03/08	250	1151XBHK01	*270
KX F		04/14	250		
KX F		06/14	450		
KTM					
EXC / SXS		00/08	125	1254XK16	*270
SX		07	144 / 150	1254XBHK16	*270
EXC 2T / EXC-F 4T		94/09	250		
SX-F / SXS		03/08	250		
EXC 2T / EXC SIX DAYS		94/09	300		
SX		93/03	300		
SX-F		10/12	300		
EXC		94/06	400		
SX 4T		00/08	400		
SX		07	500		
MXC 4T / SX 4T		00/02	520		
EXC		03/08	525		
SX		03/06	525		
EXC R		08/09	530		
LC4 SUPER COMPETICION		01/04	625		
SXC		03/08	625		
EXC / EXC SIX DAYS / SX		09/17	125	1254XK17	*270
SXS		09/10	125	1254XBHK17	*270
SX		08/12	144		
SX		08/17	150		
EXC		10/16	200		
SX		09	200		
EXC 2T / EXC-F 4T / EXC-F SIX DAYS		10/17	250 / 450		
SX-F		10/18	250		
SX		09/15	250		
EXC 2T / EXC SIX DAYS		10/17	300		
EXC-F 4T / EXC-F SIX DAYS / SX-F		11/17	350		
EXC F 4T / EXC F 4T SIX DAYS		12/17	500		
SHERCO					
SE-R 2T RACING / SE-SD 2T SIX DAY		17/18	125	1326XK17	*270
SE-R 2T RACING / SEF-R 4T / SEF-R 4T RACING / FACTORY		14/18	250	1326XBHK17	*270
SE-SD 2T / 4T SIX DAYS		17/18	250		
SE-R 2T / RACING - SEF-R 4T / RACING / FACTORY		14/18	300		
SE-SD 2T / 4T SIX DAYS		17/18	300		
SEF-R 4T / RACING / FACTORY		14/18	450		
SE-SD 4T SIX DAYS		17/18	450		
SUZUKI					
RM-Z		04/06	250	1150XK01	*270
				1150XBHK01	*270
RM-Z 4T Cross / Enduro		07/18	250	1160XK01	*270
RM-Z 4T Cross		05/17	450	1160XBHK01	*270
YAMAHA					
WR		98/12	125	1153XK02	*270
YZ 2T		02/04	125	1153XBHK02	*270
WR / WR R		02/07	250		
WR F		01/16	250		
YZ 2T		01/06	250		
WR F		14/16	450		
YZ F 4T		03/07	450		
YZ		98/16	125	1153XK05	*270
YZ 2T YZ F 4T		07/16	250	1153XBHK05	*270
YZ F 4T		08/15	450		


Ref. xxx

Round with ventilations
Redondo con ventilaciones


Ref. xxxX

Contoured with ventilations
Ondulado con ventilaciones


Ref. xxxSP

Solid without ventilations
Sólido sin ventilaciones

SOLO PRIMERAS MARCAS Y PRINCIPALES APLICACIONES / ONLY TOP BRANDS AND MAIN APPLICATIONS

MARCA BRAND	MODELOS MODELS	AÑO YEAR	c.c. c.c.	REFERENCIA REFERENCE	Ø EXT. Ø O.D.
BMW					
G X		08/11	450	1146XK11	*320
GAS GAS					
TODOS LOS MODELOS CON PINZA NISSIN ALL MODELS W/NISSIN CALIPER		02/11	-	022K12 / 1204XK12 1613K12 / 1613XK12	*320
HONDA					
CR		95/97	125	724K15 / 724XK15 / 724SPK15	*320
CR E		95/03	125		
CR R		95/03	125		
CR E / CR R		95/03	250		
CR RS / CR RT / CR RV / CR RW / CR RX / CR RY		95/03	250		
CRF R		02/03	450	724K14 / 724XK14 / 724SPK14	*320
CR / CR E		95/01	500		
CR E / CR R		04/08	125		
CR E / CR F / CR R / CR X		04/09	250		
CR R1 - R4		04/05	250		
CRF R / CRF X		04/14	250		
CRF R		04/14	450		
CRF SM		04/11	450		
CRF X		04/16	450		
XR R		91/04	250	726K15 / 726XK15 / 726SPK15	*320
XR R / SUPERMOTARD		95/05	400		
XR R		94/11	600		
XR R		93/11	650		
XR SUPERMOTARD		07/08	650		
HUSQVARNA					
TC		04/06	250	722K11 / 722XK11 / 722SPK11	*320
TE		02/06	250		
TE		00/02	400		
TE / TE E		00/01	410		
TC		02/06	450		
TE		02/05	450		
TC		02/04	510		
TE		02/06	510		
TE / TC		00/04	570		
TE		00/06	610		

SUPERMOTARD / SUPERMOTO OVERSIZE KIT

KITS SOBREDIMENSIONADOS SUPERMOTARD / SUPERMOTO

MARCA BRAND	MODELOS MODELS	AÑO YEAR	c.c. c.c.	REFERENCIA REFERENCE	Ø EXT. Ø O.D.
HUSQVARNA					
CR / WR		09/13	125	722K27 / 722XK27 / 722SPK27	*320
TC / TE		08/13	250		
TXC		11/13	250		
WR		08/14	250		
WR		12/14	300		
TE / TE R		09/13	310		
TE		08/10	450		
TXC		11/13	450		
TC		07/10	510		
TE		07/10	510		
KAWASAKI					
KX		06/08	125	732K13 / 732XK13 / 732SPK13	*320
KLX R		07/14	250		
KX		06/08	250		
KLX F		07/09	450		
KX F		06/14	450		
KX F RACING		06/16	450		
KTM					
MODELOS C/SUSP. INVERTIDA / ALL MODELS REVERSE SUSP.		07/08	-	725K11 / 725XK11 / 725SPK11	*320
EXC / EXC SIX DAYS / SX		09/17	125/250		
SX-F		09/19	250		
EXC / EXC SIX DAYS / EXC-F / EXC-F SIX DAYS		10/17	300		
EXC / EXC SIX DAYS / EXC-F / EXC-F SIX DAYS		10/17	450		
SX-F / SX-F FACTORY EDITION		09/19	450		
EXC F EXC F SIX DAYS		09/17	500		
EXC / EXC SIX DAYS		04/08	125	725K27 / 725XK27 / 725SPK27	*320
SX		00/08	125		
SX		07/08	150		
EXC		00/09	200/250		
SX		03/08	200		
SX-F / XC F		06/08	250		
XC W		06/09	250		
EXC		00/09	300		
EXC SX		00/08	400		
EXC EXC-F		03/09	450		
SUZUKI					
RM		96/09	125/250	723K13 / 723XK13 / 723SPK13	*320
DR Z E / DR Z S		00/08	400		
RM-Z		05/18	250	749K13 / 749XK13 / 749SPK13	*320
SWM					
MC S		16→	250	722K11 / 722XK11 / 722SPK11	*320
RS S		16→	340		
RS R		15/17	300/500	722K27 / 722XK27 / 722SPK27	*320
VERTEMATI					
CROSS C		01/04	500	724K27 / 724XK27 / 724SPK27	*320
YAMAHA					
WR		00/12	125	723K13 / 723XK13 / 723SPK13	*320
YZ		98/07	125		
WR F		01/16	250		
WR / WR R		01/07	250		
YZ / YZ F		02/16	250		
YZ F		98/00	400		
WR F		00/02	426		
WR F		03/18	450		
YZ F		03/04	450		
YZ F 4T		17/19	250	723K30 / 723XK30 / 723SPK30	*320
YZ F 4T / YF FX 4T		16/19	450		
YZ F 4T		08/15	450	723K14 / 723XK14 / 723SPK14	*320

Ref. 1046K28



Ø320xØ181x4,8

DISPONIBLE PARA / AVAILABLE FOR:

- R GS / ADVENTURE / EXCLUSIVE / ABS 2013 / 2018
- R GS RALLYE / ABS 2017 / 2018
- R GS RIDE / ABS 2017 / 2018

Enjoy Every Braking...



YAMAHA KITTMAX

EL KIT SE COMPONE DE LOS DOS DISCOS DELANTEROS SOBREDIMENSIONADOS, SOPORTES Y EL DISCO TRASERO
THE KIT COMPONENTS ARE, TWO OVERSIZE FRONT DISCS, CALIPERS AND REAR DISCS

KIT: 1205XK23



Front Left/Delantero izquierdo

Ref. 1205X



Front Right/Delantero derecho

Ref. 1205X



Rear/Trasero

Ref. 1296X

KIT: 1205XK07 / 1205XK08



Front Left/Delantero izquierdo

Ref. 1205X



Front Right/Delantero derecho

Ref. 1205X



Rear/Trasero

Ref. 1296X

KIT: 1196XK07 / 1196XK08



Front Left/Delantero izquierdo

Ref. 1196X



Front Right/Delantero derecho

Ref. 1196X




Rear/Trasero

Ref. 1032X

2015-2018
PINZARADIAL
Tmax 530

2012-2014
Tmax 530

2008-2011
Tmax 500



REF. 1022X



REF. 1022

UTIL PARA MÁS DE 400 DIFERENTES MODELOS DE 43 MARCAS
SUITABLE FOR MORE THAN 400 DIFFERENT MODELS FROM 43 BRANDS

007
1022-1022X



Atala, Keeway, Macal, Peugeot, Rieju.

023
1022-1022X



Aprilia, Beta, Fantic, Gilera, Honda, KI, Kreidler, KTM, MBK, Mondial, Moto Martin, Peugeot, Piaggio, Sym, Yamaha.

107
1022-1022X



Adly, AKT, Beeline, Benelli, Branson, BSM, CPI, Daelim, Derbi, Garelli, Generic, Honda, Husqvarna, KSR, Mash, Mbk, Moto Roma, Peugeot, Pgo, Sinnis, Sym, Tgb, Yamaha.

303
1022-1022X



Beta, Gilera, Malaguti, MBK, Motron, Peugeot, Piaggio, Rieju, Siamoto, Sym, Van.Eko.

1086
1022-1022X



Torrot

1022-1022X



Benelli, Gilera Govecs, Keeway, MBK, Peugeot, Rieju, Sym, Tamoretti, TNG.

DISCOS / BRAKE DISCS

**DISCOS POR
MARCAS**

**BRAKE DISCS
BY BRANDS**

MOTORCYCLES

SCOOTERS

MOPPEDS

ELECTRIC

ENJOY EVERY BRAKING...

NG
Brake Disc

722SP



Ø320x120x5,0 H:00,0

1068



Ø300xØ90x4,0 H:00,0

1324XS



Ø260xØ95x3,0

140X



Ø260xØx3,0

1546



Ø244xØ100x5,5

1294X



Ø240xØ110x4,0

1364X



Ø242xØ110x4,5

1493X



Ø230xØ110x4,0

1497XSP



Ø220xØ112x4,0

129SP



Ø220xØ110x4,2

005



Ø185xØx4,0

715SP



Ø185xØx3,0

921



Ø180xØ45x3,0

650SP



Ø150xØ45x3,0


1375X



Ø140xØ45x3,2

OHVALE

420
1/2" x 12,7 mm.
Ø 7,75
6,0 mm.



AKZ231	31Z
AKZ232	32Z
AKZ233	33Z
AKZ234	34Z
AKZ235	35Z
AKZ236	36Z
AKZ237	37Z

PIT BIKE

Anclaje exclusivo
Exclusive anchoring

415
1/2" x 12,7 mm.
Ø 7,75
4,0 mm.




AKZ336	36Z
AKZ337	37Z
AKZ338	38Z
AKZ339	39Z
AKZ340	40Z
AKZ341	41Z
AKZ342	42Z
AKZ343	43Z
AKZ344	44Z
AKZ345	45Z
AKZ346	46Z

PIT BIKE

Anclaje exclusivo
Exclusive anchoring

420
1/2" x 12,7 mm.
Ø 7,75
6,0 mm.



AKZ736	36Z
AKZ737	37Z
AKZ738	38Z
AKZ739	39Z
AKZ740	40Z
AKZ741	41Z
AKZ742	42Z
AKZ743	43Z
AKZ744	44Z
AKZ745	45Z
AKZ746	46Z

PLATOS CADENA / SPROCKETS

KTM 85 SM

AKZ842	42Z
AKZ843	43Z
AKZ844	44Z
AKZ845	45Z
AKZ846	46Z
AKZ847	47Z



428

1/2" x 12,7 mm.

Ø 8,51

6,0 mm.

AKZ401	33Z
AKZ402	34Z
AKZ403	35Z
AKZ404	36Z
AKZ405	37Z
AKZ406	38Z
AKZ407	39Z
AKZ408	40Z
AKZ409	41Z
AKZ410	42Z
AKZ411	43Z
AKZ412	44Z
AKZ413	45Z
AKZ414	46Z
AKZ415	47Z
AKZ416	48Z
AKZ417	49Z
AKZ418	50Z
AKZ419	51Z
AKZ420	52Z
AKZ421	53Z
AKZ422	54Z
AKZ423	55Z
AKZ424	56Z
AKZ425	57Z
AKZ426	58Z
AKZ427	59Z
AKZ428	60Z
AKZ429	61Z
AKZ430	62Z



SEMIMECANIZADO HALF FINISHED

420

1/2" x 12,7 mm.

Ø 7,75

6,0 mm.

AKZ110	30Z
AKZ111	31Z
AKZ112	32Z
AKZ113	33Z
AKZ114	34Z
AKZ115	35Z
AKZ116	36Z
AKZ117	37Z
AKZ118	38Z
AKZ119	39Z
AKZ120	40Z
AKZ121	41Z
AKZ122	42Z
AKZ123	43Z
AKZ124	44Z
AKZ125	45Z
AKZ126	46Z
AKZ127	47Z
AKZ128	48Z
AKZ129	49Z
AKZ130	50Z
AKZ131	51Z
AKZ132	52Z
AKZ133	53Z
AKZ134	54Z
AKZ135	55Z
AKZ136	56Z
AKZ137	57Z
AKZ138	58Z



SEMIMECANIZADO HALF FINISHED

520

5/8" x 15,88 mm.

Ø 10,16

6,0 mm.



ESPAÑA / SPAIN

TECME M.T

Camp, 83
08290 Cerdanyola del Valles
Barcelona



ESPAÑA / SPAIN

INDUSTRIAS VICMA

Km 619,4, N-340a
30850 Totana
Murcia



AUSTRALIA

KENMA AUSTRALIA PTY LTD

8 Lymoore Ave
Thornleigh NSW 2120



AUSTRIA

SCHUMOTO HANDELSGES.MBH & CO.N

Freistädter Str. 338
4040 Linz



BELGIUM

OFF ROAD ACTION BVBA

Steenweg 3
3510 Herk de Stad



BULGARIA

MOTOSTAR 777 LTD

Trayan Tanev 78
1362 Suhodol
Sofia



CROATIA

NOVEMA NOVA D.O.O

Draganic 30/1
47201 Draganici, Karlovac



CYPRUS

NS NICOLAIDES LTD

49 Thermopylon str.
3041 Limassol



CZECH REPUBLIC

MOTOPOINT AS

Bělohorská 245/71
16900 Praha 6-Brevnov



DENMARK

ERKI MOTOR APS

Nr Lindvej 28
7400 Herning



FINLAND

MOPO SPORT

Petikontie, 22
01720 Vantaa



FRANCE

BIHR SAS

7 Rue Robert Schuman
68870 Bartenheim



GERMANY

LANGENSCHIEDT GmbH

Gottlieb-Daimier-Strabe 10
45711 Datteln



GERMANY

RACING PLANET VERTRIEB GmbH

Löbstedter Str. 50
07749 Jena



GREECE

KOSTPART

Dimitrakopoulou 30
11742 Athenas



HUNGARY

BARDI AUTO ZRT.

Orczy ut 44-46
1089 Budapest



ISRAEL

OFNOIT, LTD.

Shalma Rd 91
Tel-Aviv-Yafo 66073



ITALY

SOCIETA GENERALE RICAMBI SPA

Via Pasquale Sottocorno 52
20129 Milano



JAPAN

TEISHO CORPORATION

9 Chome-2-10 Minatojima
Chuo-ku, Kobe-shi,
Hyogo-ken 650-0045



MOROCCO

MOTO PLUS SARL

Moto Plus Sarl
Casablanca



NORWAY

SPARE PARTS SERVICE AS

Industriveien 27A
2020 Skedsmokorset



SWITZERLAND

COMAXS AG

Feldstrasse 7
8800 Thalwil



POLAND

OLEK MOTOCYKLE sp. z o.o. sp.k.

Szklana 17
43-300 Bielsko-Biala



SWITZERLAND

MOTACC SUISSE GmbH

Muttenerstrasse 119
4133 Pratteln



PORTUGAL

LUSOMOTOS VEÍCULOS E ACESSÓRIOS

R. do Barreiro 31
3780-621 Aguim



SWITZERLAND

PP PASSION PARTS AG

Stöcklimattstrasse 34
CH-4543 Deitingen



ROMANIA

SC BARDI AUTO SRL

Str. Industriilor 20-26
077040 Chiajna



TAIWAN

RENGINE MOTO COMPANY

No.24-9 Ruyi St. Xindian Dist.
New Taipei City 231



RUSSIA

MOTO 50

Prospekt Energetikov, 8 K 3
195248 Saint Petersburg



THE NETHERLAND

TSCOOTERSELEX B.V.

Netwerck 130
1446 WR Purmerend



SINGAPORE

CHONG AIK INTERNATIONAL PTE LD

45 Desker Rd
209576 Singapur



TURKEY

VELOMOTO LTH

Cebecimah 2586/2 Sok. No:7A Kat:5
34270 Sultangazi
Istanbul



SLOVAKIA

BARDI AUTO SLOVAKIA

Pri Starom myte 1395/2
831 04 Bratislava



UNITED KINGDOM

DIRECT DISTRIBUTION SERVICES LTD

Unit 49 Tong Park Baidon
Shipleigh BD 17 7QD



SOUTH AFRICA

FG DISTRIBUTORS

Cape Town



SWEDEN

BIHR NORDIC

A odhners gata 7
42130 Västra Frölunda



SWEDEN

TS STOCKHOLM AB (Two Stroke)


Box 2009
17602, Järfälja
Estocolmo

WORLDWIDE DISTRIBUTORS



WEB

CATÁLOGOS POR ESPECIALIDADES ACTUALIZADOS TRIMESTRALMENTE
CATALOGUES BY RANGES UPDATED QUARTERLY



www.ngbrakedisc.com



NG

Brake Disc

TECNOLOGIES METAL-LÚRGÍQUES M.T. S.L.
C/ CAMP 83 - 08290 Cerdanyola del Vallès (BARCELONA) - SPAIN
TEL. +34.93.692.06.35 FAX +34.93.580.07.92 info@ngbrakedisc.com

El contenido de este catálogo puede ser modificado sin previo aviso / The content of this catalogue can be changed without prior notification